

Update des 1. Meilensteins für RYM

Änderungen sind entweder rot gekennzeichnet oder durchgestrichen.

Admi: Username=AdminRYM password=secret

Hier die Werte meiner Umgebungsvariable, falls benötigt:

(Salt für Passwort-Hashing:)

USER_PASSWORD_SALT=test;

(von MyChat erhaltenen ApiKey:)

apiKey=9CkLnPQWet1nnM7V1qTmcYoDCcefAUILEYbN8GY5JrMSGJkANQiFF9jcGAC3FURQ

Use Case Description

Änderungen sind entweder rot gekennzeichnet oder

Name	<i>search media</i>
Short description	<i>The user is able to search for books and movies.</i>
Precondition	- -
Postcondition, result	<i>The user is now logged in for the session and able to use all features of RateYourMedia.</i>
Essential steps	<ol style="list-style-type: none"> 1. <i>The user chooses between books, movies or all media categories</i> 2. <i>The user enters title/isbn/author (for books), title/director (for movies) or title for all media.</i> 3. <i>The system shows the user up to 5 best suited results based on the search input</i>

Name	<i>view reviews</i>
Short description	<i>The user (or extern f.e. Schröders Sooper Dooper Shop) is able to look up reviews and additional information of a media.</i>
Precondition	<i>The media exists. The user has searched the media and found it in the results</i>
Postcondition, result	- -
Essential steps	<ol style="list-style-type: none"> 1. <i>User chooses the media out of the search results. Extern requests reviews via media specification (for books isbn, for movies title + director)</i>


	<ol style="list-style-type: none"> The system delivers/shows up to 5 of the latest reviews, additional information of the media and the average rating The user can view 5 more reviews and filter: latest, best or worst rated reviews
--	--


Name	<i>view messages</i>
Short description	<i>The user is able to view the latest messages on the discussion board.</i>
Precondition	- -
Postcondition, result	- -
Essential steps	<ol style="list-style-type: none"> User opens up the discussion board System shows the latest maximum 5 messages User can optional load the previous 5 messages in addition.

Name	<i>add book/movie</i>
Short description	<i>The admin can add books/movies to the database.</i>
Precondition	<i>Logged in as admin</i>
Postcondition, result	<i>New book/movie is permanently store in the database.</i>
Essential steps	<ol style="list-style-type: none"> Admin enters details of the book/movie System stores it in database.

Name	<i>add Relation between book and movie</i>
Short description	<i>The admin can connect movies with the book, on which they are based on, and vice versa.</i>
Precondition	<i>Logged in as admin</i>
Postcondition, result	<i>Book/Movie in the database are now containing the information on what their based on/adapted by.</i>
Essential steps	<ol style="list-style-type: none"> Admin enters book and movie, which he wants to connect System stores new information in database.

uc [Use Case Diagram]





Component Diagram

