# METANET - Distributed Interactive Knowledge Network

Hannes Weingartner

META-D.O.N Association for Cultural Substitution Services

April 17, 2010



- project
- 2 knowledge networks
- 3 semaspace
- 4 openstreetmap
- 5 realization

## project introduction

- METANET: the technical aspect of a project of the Meta-D.O.N Association: sociocultural studies in Serbia called New[B]Order - http://www.meta-don.org/newborder/
- project on the topography of the centre-periphery-complex in post-communist Eastern Europe
- metastatic penetration of social spaces scientifically measured to create quantitative and qualitative indicators for social disintegration

## project introduction

- e.g. indicators
  - privatization aspects of companies in Serbia Freedom
     Fighters Collective (http://www.freedomfight.net/cms/)
  - subversive signs of the periphery
  - turbo folk politics
- capture indicators cartographically with a link to a visual semantic database
- concept of an interactive geospatial knowledge network
- web application based on free- and open source software components

## project goal


- providing a tool for individuals and communities to get connected to complex relationships of scientfic measurement with cartographical aspects
- receiving a better overall view of knowledge related to public areas which can be meaningful for exploring topics of interests through the user
- flexiblity in usage: generic tool for scientific research projects
- administration: intuitive CMS interface for researchers
- smart algorithms for finding similarities/references between artifacts
- usability: advanced hardware and software interfaces to the user (e.g for exhibitions)



## project domains

- project consists of three technical domains
- metablog artifacts input:
  - text, sound, images, an mm data through web-based CMS
  - mobile devices for geo-tagged content input
- metamap: 2D map for customized geographical representation of artifacts and transformation processes between them
- metaspace: 2D/3D semantic graph/subgraph associated with map artifacts for mapping the degree of connectivity between them

## project domains



# project challenges


- metaspace hardware HCI design and implementation for a seamless exploration of data in the semantic space - extension to keyboard and mouse
- customization of map design and implementation of interactive icons and transformations - extendable map APIs
- intuitive administration and performative web CMS interface for knowledge workers - ajax based server interaction
- data consistency between metamap and metaspace network interface and structured graph datasets for synchronization
- complex algorithms for dependency calculation based on meta data and severity - generating an ontology of data



## project technologies

- main aspect: utilization of proofed open-source/free tools for adapting them to our needs
- dependencies on tools:
  - Semaspace (http://residence.aec.at/didi/FLweb/)
  - OpenStreetMap aka OSM (http://www.openstreetmap.org/)
  - Google Web Toolkit 2.0 aka GWT (http://code.google.com/webtoolkit/)
- language:
  - Java
  - Java Script

## knowledge networks theory



## knowledge networks theory

- what are knowledge networks?
  - network of people with a high interest in learning, investigating, developing and improving the knowledge subject matter and share common work goals
  - enlarge the collective knowledge of individuals (tacit knowledge)
  - community of practice (COP): model for a learning process of self organized individuals connected within social communities sharing same interests (Jean Lave)
  - activities of COP members usually bring hidden and locked knowledge to light that resides in our heads
  - COP will enable members to more quickly leverage the knowledge that exists in a knowledge network

(http://www.ewenger.com/theory/)



## knowledge networks theory

- community of interest (COI): knowledge network which is 'looser' than COP - larger in membership - can significantly assist the knowledge worker in trying to obtain answers to knowledge needs
- knowledge representation and visual interfaces (http://media.lbg.ac.at)
  - semantic networks become readable if their structures are described through an ontology
  - ontologies are abstract knowledge models for describing used concepts and their possible relationships
  - interactive tools realize the generation of smooth image of information to take ambiguity and complexity into account



## semaspace outline

- fast OpenGL accelerated graph editor and browser for large knowledge networks with more than 10000 text-fields
- developed by Dietmar Offenhuber and Gerhard Dirmoser -Ludwig Boltzmann Institute for Media Art Research
- interactive graph layout in 2D and 3D
- 'semaspace fills the gap between complex tools for network analysis and simple graph editors or mind-mapping tools' (Dirmoser)
- Gerhard Dirmoser creates complex large-scale wall diagrams on topics like 25 years of ARS Electronica or Performance Art (2003)



## semaspace outline

- manually define the nodes overall shape of the network by placing and subsequently locking the position of individual nodes
- nodes can incorporate data such as images, sound and text (added while navigating the graph)
- GUI for web clients and exhibitions
- Java SWT desktop application
- embedding into web clients with virtools webplayer

## semaspace dependencies

- JOGL: open source Java binding to OpenGL API from Sun (for harware supported 3D graphics)
- JFTGL: java based lib for accessing TT fonts within OpengGL
- Apache Batik SVG toolkit: open source Java based toolkit for using images in the SVG format (XML based)
- semaspace demo

- video nodes
- remote graph access and manipulation through network connection and tagged datasets
- research and implementation of extending hardware interfaces for...
  - browsing (zoom, rotation)

- video nodes
- remote graph access and manipulation through network connection and tagged datasets
- research and implementation of extending hardware interfaces for...
  - browsing (zoom, rotation)
  - 2D/3D

- video nodes
- remote graph access and manipulation through network connection and tagged datasets
- research and implementation of extending hardware interfaces for...
  - browsing (zoom, rotation)
  - 2D/3D
  - fog

- video nodes
- remote graph access and manipulation through network connection and tagged datasets
- research and implementation of extending hardware interfaces for...
  - browsing (zoom, rotation)
  - 2D/3D
  - fog
  - freeze

- video nodes
- remote graph access and manipulation through network connection and tagged datasets
- research and implementation of extending hardware interfaces for...
  - browsing (zoom, rotation)
  - 2D/3D
  - fog
  - freeze
  - node distance

- video nodes
- remote graph access and manipulation through network connection and tagged datasets
- research and implementation of extending hardware interfaces for...
  - browsing (zoom, rotation)
  - 2D/3D
  - fog
  - freeze
  - node distance
  - collapsing



#### **OSM** outline

- OSM: open source map solution for web clients
- everyone can extend the map
- collecting GPS coordinates
- like wikipedia for maps
- no legal or technical restrictions on their use full creativity
- other implementations do not allow highly customized overlays

# **OSM** creating data

- creating OSM data with OSM map editors:
  - Java OSM (JOSM) desktop app
  - Potlatch flash
  - Merkaartor for UNIX, WIN, MAC
- adding tags (node, linear, area) for OSM data do be rendered and upload
- slippy map: OSM default web interface for browsing rendered OSM data

# **OSM** rendering

- generating rendered graphics on own computer by using tools:
  - kosmos: lightweight OSM map rendering platform for WIN
  - osmarender: rendering platform for generating SVG image for OSM data based on XSLT
  - mapnik: opensource toolkit in C++ and python, all OS platforms
    - default for OSM mapnik renders 256 x 256 px tiles served from the OSM tile server
    - XML file holds rendering props like color, withs of lines, etc.
    - rendered tiles are referenced by URLs through JS from web client
    - raw OSM data can be downloaded for setting up an own tile server (e.g. planet.osm)
    - uses PostgreSQL / PostGIS as spatial database (osm2pgsql converter)




## **OSM** embedding

- **integration in web page** like Google, Yahoo maps by using JS libs for customize the map and interface
  - OpenLayers: feature-rich, open source, most popular for OSM maps, BSD lic. (www.openlayers.org)
    - dynamic map for the web page
    - displays tiles and markers from any source
    - separation between tools and data
    - project of Open Source Geospatial Foundation (OSGeo)
  - Mapstraction: JS lib wrapper for multiple implementations (e.g. OL, Google, etc.)
- several project on google code with topic OSM on android
- integration of OL in GWT through open source project
   GWT-OpenLayers


(http://sourceforge.net/projects/gwt-openlayers/)



#### realization architecture



#### realization interface



#### realization interface



## **Summary**

- METANET Distributed Interactive Knowledge Network
  - a project of Meta-D.O.N: sociocultural studies in Serbia
  - tool for individuals and communities to get a smooth image of social spaces for taking ambiguity and complexity into account
  - utilization of proofed open-source/free tools for adapting them to our needs (semaspace, OSM, GWT)
  - reference project: A geographic knowledge representation system for multimedia geospatial retrieval and analysis (http://www.springerlink.com/content/qkh8hyecby6glww5/)

## Thank You.