CYBERSECURITY INTERNSHIP REPORT

FOOTPRINTING & NETWORK SCANNING

W2-PM-FINAL | CYBERSECURITY | NETWORKWALKS

Pentester Name (Cybersecurity Intern)	Sahil Bhausaheb Ahire
Program / Batch	Cybersecurity Int B084H
Date	9 November 2026
Modules completed	W2-PM1 - Footprinting with Multiple Kali Tools W2-PM5 - Network Scanning with Zenmap
Client / Target	1. networkwalks.com (authorized assignment target) 2. Authorized local Wi-Fi subnet: 10.95.75.0/24
Permission secured?	Yes - permission confirmed for the assigned activities and scope.
Phases covered	Phase 1: Reconnaissance & Footprinting Phase 2: Network Scanning & Host Discovery

1. Liability Disclaimer

I performed the activities documented in this report only within the scope for which authorization had been obtained: the assigned networkwalks.com domain exercises and the approved local Wi-Fi subnet used for the Zenmap practical. The work was conducted for educational and research purposes. No exploitation, credential attacks, denial-of-service activity, or testing outside the approved scope was performed. Findings are limited to the observations made during these exercises and should not be treated as confirmation of vulnerabilities.

2. Introduction

This report documents the two selected Week 2 practical modules: W2-PM1 (footprinting and reconnaissance against networkwalks.com using six Kali Linux tools) and W2-PM5 (host discovery on the approved local Wi-Fi subnet using Zenmap). The activities cover public-domain information gathering and local network discovery. They were performed as part of the Cybersecurity & Ethical Hacking internship program at Networkwalks.
For each activity, this report records the command or scan configuration, the observed result, and its security significance. Original terminal outputs, screenshots, the Zenmap XML scan, and the exported topology PDF are retained in separate Week2-PM1 and Week2-PM5 evidence folders and are indexed in Section 8.

3. Tools Used

The table below lists each tool used in this report and its purpose.

Tool	Purpose
Kali Linux VM and Windows host	Operating environments used for the footprinting and network-scanning practicals.
WHOIS	Retrieve publicly available domain registration, registrar, date, and nameserver information.
WhatWeb	Identify publicly observable website technologies and server/application fingerprints.
nslookup	Resolve the target domain through DNS and record its returned IP address.
curl -I	Request HTTP response headers without downloading the full page.
WAFW00F	Identify a recognizable Web Application Firewall signature.
DNSRecon	Enumerate publicly returned DNS records such as SOA, A, MX, TXT, and SRV.
Zenmap / Nmap	Run a Ping Scan to identify responsive hosts on the approved local subnet.
Windows ipconfig	Identify the active Windows adapter, IPv4 address, subnet mask, gateway, and MAC address.

4. Activities Performed

4.1 Footprinting & Reconnaissance

I performed the six reconnaissance tasks against networkwalks.com using WHOIS, WhatWeb, Nslookup, Curl, WAFW00F, and DNSRecon. The exercises collected registration, web-technology, DNS-resolution, HTTP-header, WAF-identification, and DNS-record information. The results below are observations from the tool outputs saved in the PM1 evidence folder.

WHOIS | Command: whois networkwalks.com. The returned record identified GoDaddy.com, LLC as registrar; a creation date of 6 November 2019; an updated date of 12 November 2025; an expiry date of 6 November 2027; and the nameservers NS6135.HOSTGATOR.COM and NS6136.HOSTGATOR.COM. The record reported DNSSEC as unsigned and listed client deletion, renewal, transfer, and update protection statuses. The response ended with a WHOIS retirement notice and a rate-limit message, so the result is documented as the record returned during this run rather than as a guarantee of current registration state.

WhatWeb | Command: whatweb networkwalks.com. The HTTP URL redirected to HTTPS (301), and the HTTPS page returned 200 OK. WhatWeb identified Apache, WordPress 7.1.4, WordPress Download Manager 3.3.76, Bootstrap 7.1.4, jQuery 3.7.1, Google Tag Manager, the page title Networkwalks Academy, the IP address 192.232.216.135, and the publicly visible email info@networkwalks.com. WhatWeb also reported the IP geolocation country as the United States; this is a tool-reported geolocation and does not establish the organization's physical location.

Nslookup | Command: nslookup networkwalks.com. The configured resolver 8.8.8.8 timed out on an initial DNS request, but the command subsequently returned a non-authoritative answer resolving networkwalks.com to 192.232.216.135. The same IP address was reported by WhatWeb. The timeout is retained as an observed transient resolver issue; it did not prevent the domain from resolving in this run.

Curl | Command: curl -I https://networkwalks.com. The server returned HTTP/2 200. The response identified Apache and text/html; charset=UTF-8, exposed a link to the WordPress REST API endpoint /wp-json/, and included cache and permissions-related headers. A __wpdm_client cookie was set with Secure and HttpOnly attributes. The cookie value is intentionally omitted from this report to avoid reproducing a session-related token; the original output should remain private.

WAFW00F | Command: wafw00f https://networkwalks.com. WAFW00F version 2.4.2 identified the site as being behind a ModSecurity (SpiderLabs) Web Application Firewall signature after two requests. This identifies a recognizable WAF technology; it does not test or prove the effectiveness of the WAF rules.

DNSRecon | Command: dnsrecon -d networkwalks.com. The tool reported a DNSSEC-query error and then completed enumeration. It returned an SOA record for ns6135.hostgator.com (50.87.144.87), an MX record for mail.networkwalks.com (192.232.216.135), an A record for networkwalks.com (192.232.216.135), TXT records including an SPF policy, and eight autodiscover SRV service entries pointing to cPanel email-discovery hosts. DNSRecon

displayed “8 Records Found” at completion. The DNSSEC error is recorded as a query observation, not as independent proof of a misconfiguration.

4.2 Network Scanning with Zenmap

For W2-PM5, I used Zenmap (the graphical interface for Nmap) on my Windows PC to perform host discovery on the approved local Wi-Fi subnet. The scan profile was Ping Scan, which performs host discovery rather than a port or vulnerability scan.

The Windows Wi-Fi adapter had IPv4 address 10.95.75.151, subnet mask 255.255.255.0 (/24), and default gateway 10.95.75.116. The corresponding network range entered in Zenmap was 10.95.75.0/24. Other virtual and disconnected adapters shown by ipconfig were excluded from the target selection.

The final Nmap 7.993 Ping Scan reported 3 live hosts out of 256 addresses scanned. The scan completed in 13.81 seconds. The responsive hosts were:

- 10.95.75.116 - default gateway; MAC AA:0D:FD:9B:9B:30 (vendor not identified by Nmap).
- 10.95.75.204 - MAC 70:5F:A3:61:BA:3F (Nmap vendor label: Xiaomi Communications).
- 10.95.75.151 - the Windows PC running the scan; its Wi-Fi MAC 50:BB:B5:F0:85:62 was obtained separately using ipconfig /all.
- Nmap directly reported MAC addresses for the gateway and the Xiaomi-vendor device. It did not report a MAC address for the local scanning host, so the Windows adapter details were used for that entry. The vendor label does not identify the exact device model or its owner.

The initial scan displayed an Npcap function-import warning and fell back to connect() mode, reporting two hosts. Npcap was updated, and the subsequent scan completed without that warning and reported three hosts. This report uses the later scan as the final result.

After the final scan, I reviewed the Hosts and Topology views in Zenmap and saved the scan in XML format and the network topology in PDF format. The XML and PDF files are retained in the PM5 results folder. The topology is a visualization of the hosts discovered by this Ping Scan; it should not be interpreted as a complete physical network map.

Scope note: The scan was limited to the approved local Wi-Fi subnet 10.95.75.0/24. No port scanning, exploitation, credential testing, or scanning of networks outside this subnet was performed.

5. Risk Analysis / Impact

The following items are informational observations from the two practical exercises. Risk levels are kept conservative because the work was limited to footprinting, DNS/HTTP queries, and host discovery; no exploitation or vulnerability validation was performed.

#	Risk / Finding	Evidence / Observation	Potential Impact	Risk Level
1	Public technology fingerprinting	WhatWeb identified Apache, WordPress 7.1.4, WordPress Download Manager 3.3.76, Bootstrap 7.1.4, and jQuery 3.7.1.	Technology details can help an attacker select further research. The observed versions alone do not confirm a vulnerability.	Low
2	Public domain and DNS information	WHOIS and DNSRecon returned registrar, nameserver, SOA, A, MX, TXT/SPF, and SRV information.	Public records can help build an infrastructure profile; their presence is expected for a functioning domain.	Low
3	HTTP response metadata exposed	Curl returned Apache and cache headers and advertised the /wp-json/ REST API endpoint. The observed cookie included Secure and HttpOnly flags.	Headers and public endpoints can assist fingerprinting. The endpoint's presence alone is not evidence of a weakness; cookie flags are positive security attributes.	Low
4	WAF technology identifiable	WAFW00F 2.4.2 identified a ModSecurity (SpiderLabs) signature after two requests.	The WAF product/signature is identifiable, but this exercise did not assess rule quality or bypass resistance.	Low
5	DNSSEC status requires confirmation	WHOIS reported DNSSEC as unsigned; DNSRecon returned no answer for its DNSSEC query.	The domain owner may wish to confirm the intended DNSSEC configuration. The tool results alone do not establish a security incident.	Low
6	Multiple devices visible on the local LAN	Zenmap found three responsive hosts in 10.95.75.0/24; one remote MAC was labelled Xiaomi Communications.	An unknown device could represent an inventory gap. The device should be checked against the authorized network owner's inventory; no unauthorized device is established by this scan.	Low

Risk level key: Critical | Medium | Low. The findings in this report are assessed as Low based on the limited evidence collected.

The observations are not confirmed vulnerabilities. Publicly visible technology versions, DNS records, response headers, a WAF signature, and live hosts may be normal features of a website or network.

The practical exercises primarily involved information gathering and host discovery. The Zenmap activity used Ping Scan; it did not enumerate open ports or validate services.

Further review by the authorized system or network owner would be required to determine whether any observation creates a material security issue. The DNSSEC results in particular should be verified against the domain's intended configuration.

6. Recommendations

Based on the observations from these activities, I recommend the following defensive review actions:

1. **Review publicly exposed technology information**
   Confirm that CMS, download-manager, framework, and JavaScript-library versions are supported and patched. Compare them with current vendor advisories before drawing conclusions about exposure.
2. **Maintain software updates**
   Apply security updates to the CMS, plugins, themes, web server, and supporting components through the organization's normal change process.
3. **Review HTTP headers and public endpoints**
   Confirm that response headers and the WordPress REST API expose only information and functionality required by the site. Do not disable legitimate features solely because they are discoverable.
4. **Review DNS configuration**
   Verify A, MX, TXT/SPF, and SRV records against the intended services. Confirm the intended DNSSEC state and review SPF alongside DKIM and DMARC configuration.
5. **Maintain and monitor the WAF**
   Keep the deployed WAF supported, updated, logged, and reviewed. Detection of ModSecurity does not establish that all relevant attack traffic is blocked.
6. **Maintain an accurate device inventory**
   Compare the three responsive hosts with the authorized network inventory and confirm whether 10.95.75.204 is an expected Xiaomi-associated device.
7. **Repeat authorized network discovery**
   Periodically perform scoped discovery scans, document changes, and investigate devices that cannot be matched to an approved inventory.
8. **Protect network evidence**
   Keep internal IP addresses, MAC addresses, topology files, and detailed scan outputs in the private assignment submission; redact them before public posting.
9. **Keep testing within written scope**
   Perform reconnaissance and scanning only on systems and networks for which explicit authorization has been obtained, and retain the authorization with the private project records.

7. Conclusion

During Week 2 of the Cybersecurity & Ethical Hacking internship, I completed the selected elective W2-PM1 and the compulsory W2-PM5 practical activities, and documented the results for the W2-PM-FINAL report.

In W2-PM1, I used WHOIS, WhatWeb, Nslookup, Curl, WAFW00F, and DNSRecon to collect domain-registration, technology-fingerprinting, DNS-resolution, HTTP-header, WAF-identification, and DNS-record information about networkwalks.com. The tools returned an

IP address of 192.232.216.135, identified Apache and WordPress-related technologies, detected a ModSecurity (SpiderLabs) WAF signature, and returned several DNS record types. The WHOIS rate-limit notice, Nslookup timeout, and DNSRecon DNSSEC query error were retained as limitations in the evidence.

In W2-PM5, I used Zenmap with the Ping Scan profile against the approved local subnet 10.95.75.0/24. The final Nmap scan identified three responsive hosts: 10.95.75.116, 10.95.75.204, and 10.95.75.151. MAC addresses were reported for the first two hosts, and the Windows PC's Wi-Fi MAC was obtained separately using ipconfig /all. The scan XML and topology PDF were saved as supporting evidence.

These exercises demonstrated how reconnaissance can assemble a picture of public-facing web infrastructure and how host discovery can help document devices on an authorized local network. They also reinforced the importance of checking tool warnings, distinguishing observations from confirmed vulnerabilities, and recording limitations rather than hiding them.


The work was limited to the approved assignment scope. No exploitation, port scanning, or vulnerability validation was performed. Any further testing would require separate authorization and a clearly defined scope. The practical outputs, screenshots, scan XML, and topology PDF are listed in Section 8 and are retained in the companion evidence folders.


8. Evidence Collected


The following original evidence files accompany this report in separate module folders. The files are listed here rather than embedding lower-resolution copies; the raw outputs and screenshots should be submitted together with this report.


Module	Evidence files	What they document
PM1 - text outputs	01-whois.txt; 02-whatweb.txt; 03-nslookup.txt; 04-curl-headers.txt; 05-wafw00f.txt; 06-dnsrecon.txt	Full command output from all six Kali tools.
PM1 - screenshots	01-whois.png; 02-whatweb.png; 03-nslookup.png; 04-curl.png; 05-wafw00f.png; 06-dnsrecon.png	Terminal screenshots corresponding to the six saved outputs.
PM5 - results	zenmap-ping-scan.xml; network-topology.pdf; windows-wifi-details.txt	Saved Zenmap scan, exported topology, and Windows Wi-Fi adapter details.
PM5 - screenshots	01-zenmap-scan.png; 02-zenmap-hosts.png; 03-zenmap-topology.png; 04-windows-wifi-details.png	Nmap output, host list, topology view, and Windows adapter evidence.

PM1:



kali@kali: /media/sf_Downloads/Week2-PM1
Session Actions Edit View Help
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$ wafw00f https://networkwalks.com 2>&1 | tee outputs/05-wafw00f.txt
Woof!
~ WAFW00F : v2.4.2 ~
The Web Application Firewall Fingerprinting Toolkit
[*] Checking https://networkwalks.com
[+] The site https://networkwalks.com is behind ModSecurity (SpiderLabs) WAF.
[~] Number of requests: 2
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$


kali@kali: /media/sf_Downloads/Week2-PM1
Session Actions Edit View Help
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$ dnsrecon -d networkwalks.com 2>&1 | tee outputs/06-dnsrecon.txt
2026-11-09T07:27:29.896046-0500 INFO Starting enumeration for domain: networkwalks.com
2026-11-09T07:27:29.896401-0500 INFO std: Performing General Enumeration against: networkwalks.com ...
2026-11-09T07:27:30.508540-0500 ERROR No answer for DNSSEC query for networkwalks.com
2026-11-09T07:27:31.371162-0500 INFO SOA ns6135.hostgator.com 50.87.144.87
2026-11-09T07:27:35.830905-0500 INFO MX mail.networkwalks.com 192.232.216.135
2026-11-09T07:27:36.444280-0500 INFO A networkwalks.com 192.232.216.135
2026-11-09T07:27:40.526607-0500 INFO TXT networkwalks.com google-site-verification=rr04eRmqHoWY3XemnizDNVK4q75X-Ij-mjgEeg-UsYI
2026-11-09T07:27:40.527090-0500 INFO TXT networkwalks.com v=spf1 +a +mx +ip4:50.87.144.87 +include:websitewelcome.com ~all
2026-11-09T07:27:41.365302-0500 INFO Enumerating SRV Records
2026-11-09T07:27:44.940751-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.204.9 443
2026-11-09T07:27:44.941035-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.203.11 443
2026-11-09T07:27:44.941426-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.204.14 443
2026-11-09T07:27:44.941517-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.203.9 443
2026-11-09T07:27:44.941594-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.204.11 443
2026-11-09T07:27:44.941650-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.203.14 443
2026-11-09T07:27:44.941871-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.204.15 443
2026-11-09T07:27:44.941933-0500 INFO SRV _autodiscover._tcp.networkwalks.com cpanelemaildiscovery.cpanel.net 184.94.203.15 443
2026-11-09T07:27:44.944708-0500 INFO 8 Records Found
2026-11-09T07:27:44.945002-0500 INFO Completed enumeration for domain: networkwalks.com
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$



kali@kali: /media/sf_Downloads/Week2-PM1
Session Actions Edit View Help
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$ curl -I https://networkwalks.com 2>&1 | tee outputs/04-curl-headers.txt
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 00:02 0
HTTP/2 200
permissions-policy: private-state-token-redemption=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com"), private-state-token-issuance=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com")
link: <https://networkwalks.com/wp-json/>; rel="https://api.w.org/", <https://networkwalks.com/wp-json/wp/v2/pages/53>; rel="alternate"; title="JSON"; type="application/json", <https://networkwalks.com/>; rel=shortlink
set-cookie: __wpdm_client=b7e637fd10d0324816eb719ecea86c3d; path=/; domain=networkwalks.com; secure; HttpOnly
referrer-policy: no-referrer-when-downgrade
x-endurance-cache-level: 0
x-nginx-cache: WordPress
content-type: text/html; charset=UTF-8
date: Mon, 09 Nov 2026 10:24:22 GMT
server: Apache
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$



kali@kali: /media/sf_Downloads/Week2-PM1
Session Actions Edit View Help
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$ nslookup networkwalks.com 2>&1 | tee outputs/03-nslookup.txt
;; communications error to 8.8.8.8#53: timed out
Server: 8.8.8.8
Address: 8.8.8.8#53
Non-authoritative answer:
Name: networkwalks.com
Address: 192.232.216.135
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$


.
;



kali@kali: /media/sf_Downloads/Week2-PM1
Session Actions Edit View Help
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$ for tool in whois whatweb nslookup curl wafw00f dnsrecon; do
command -v "$tool" || echo "MISSING: $tool"
done
/usr/bin/whois
/usr/bin/whatweb
/usr/bin/nslookup
/usr/bin/curl
/usr/bin/wafw00f
/usr/bin/dnsrecon
┌──(kali㉿kali)-[/media/sf_Downloads/Week2-PM1]
└─$ whois networkwalks.com 2>&1 | tee outputs/01-whois.txt
Domain Name: NETWORKWALKS.COM
Registry Domain ID: 2452319255_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.godaddy.com
Registrar URL: http://www.godaddy.com
Updated Date: 2025-11-12T10:08:43Z
Creation Date: 2019-11-06T22:51:46Z
Registry Expiry Date: 2027-11-06T22:51:46Z
Registrar: GoDaddy.com, LLC
Registrar IANA ID: 146
Registrar Abuse Contact Email: abuse@godaddy.com
Registrar Abuse Contact Phone: 480-624-2505
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientRenewProhibited https://icann.org/epp#clientRenewProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Name Server: NS6135.HOSTGATOR.COM
Name Server: NS6136.HOSTGATOR.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2026-11-09T10:14:00Z <<<
For more information on Whois status codes, please visit https://icann.org/epp
NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.
TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and
automated except as reasonably necessary to register domain names or
modify existing registrations; the Data in VeriSign Global Registry

PM5:


Windows PowerShell
PS C:\Windows\System32> ipconfig /all
Windows IP Configuration
Host Name . . . . . : DESKTOP-FGERPKE
Primary Dns Suffix . . . . . :
Node Type . . . . . : Mixed
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
Ethernet adapter vEthernet (WSL (Hyper-V firewall)):
Connection-specific DNS Suffix . :
Description . . . . . : Hyper-V Virtual Ethernet Adapter
Physical Address. . . . . : 00-15-5D-06-25-FB
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::c9aa:186%:9af1:25c6%27(Preferred)
IPv4 Address. . . . . : 172.26.64.1(Preferred)
Subnet Mask . . . . . : 255.255.240.0
Default Gateway . . . . . :
DHCPv6 IAID . . . . . : 452998301
DHCPv6 Client DUID. . . . . : 00-01-00-01-31-25-4B-65-D4-93-90-65-2F-89
NetBIOS over Tcpip. . . . . : Enabled
Ethernet adapter Ethernet 2:
Connection-specific DNS Suffix . :
Description . . . . . : VirtualBox Host-Only Ethernet Adapter
Physical Address. . . . . : 0A-00-27-00-00-08
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::9c86:f45c:5656:23f4%8(Preferred)
IPv4 Address. . . . . : 192.168.56.1(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . :
DHCPv6 IAID . . . . . : 638189607
DHCPv6 Client DUID. . . . . : 00-01-00-01-31-25-4B-65-D4-93-90-65-2F-89
NetBIOS over Tcpip. . . . . : Enabled
Wireless LAN adapter Wi-Fi 2:
Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : Realtek 8851BE Wireless LAN WiFi 6 PCI-E NIC #2
Physical Address. . . . . : 56-BB-B5-F0-85-62
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Wireless LAN adapter Wi-Fi 4:
Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : Realtek 8851BE Wireless LAN WiFi 6 PCI-E NIC #4
Physical Address. . . . . : 52-BB-B5-F0-85-62
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Wireless LAN adapter Wi-Fi:
Connection-specific DNS Suffix . :
Description . . . . . : Realtek 8851BE Wireless LAN WiFi 6 PCI-E NIC
Physical Address. . . . . : 50-BB-B5-F0-85-62
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
IPv6 Address. . . . . : 2409:40c0:105a:a317:59cc:a5cd:75f0:b39c(Preferred)
Temporary IPv6 Address. . . . . : 2409:40c0:105a:a317:fd95:e277:9584:1e09(Preferred)


Zenmap
Scan Tools Profile Help
Target: 10.95.75.0/24
Profile: Ping scan
Scan
Cancel
Command: nmap -sn 10.95.75.0/24
Hosts
Services
Service
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
10.95.75.116
Host Status
State: up
Open ports: 0
Filtered ports: 0
Closed ports: 0
Scanned ports: 0
Up time: Not available
Last boot: Not available
Addresses
IPv4: 10.95.75.116
IPv6: Not available
MAC: AA:0D:FD:9B:9B:30
Comments
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 10.95.75.0/24
Profile: Ping scan
Scan
Cancel
Command: nmap -sn 10.95.75.0/24
Hosts
Services
Service
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
nmap -sn 10.95.75.0/24
Details
Starting Nmap 7.93 (https://nmap.org) at 2026-11-09 19:11 +0530
Nmap scan report for 10.95.75.116
Host is up (0.0030s latency).
MAC Address: AA:0D:FD:9B:9B:30 (Unknown)
Nmap scan report for 10.95.75.204
Host is up (1.2s latency).
MAC Address: 70:5F:A3:61:BA:3F (Xiaomi Communications)
Nmap scan report for 10.95.75.151
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 13.81 seconds
Filter Hosts



AUTHOR
Sahil Bhausaheb Ahire
Cybersecurity & Ethical Hacking Intern

PROJECT INFORMATION
Program: Cybersecurity & Ethical Hacking Internship at Networkwalks | Week: 02 | Modules: W2-PM1 and W2-PM5