

Pending Credentials & Action Items

29 Jul 2026
fix/release-1-correctness-hotfixes
Releases 2-3

Release 2 and 3 shipped the code for several optional integrations. None of it does anything until the credential below is actually entered — nothing here is silently active. This is the full punch list of what's still needed from the client/ops side.

A Keys to obtain and enter

Google Sign-In — OAuth Client ID

FREE

- WHERE FROM Google Cloud Console → APIs & Services → Credentials → Create OAuth Client ID (type: Web application)
- GOES INTO Settings → Integrations → "Google Sign-In"
- FORMAT `1234567890-abc123.apps.googleusercontent.com`

Has a "Test Connection" button once entered — confirms Google recognizes the ID before you rely on it.

Cloudflare Turnstile — Site Key + Secret Key

FREE

- WHERE FROM Cloudflare Dashboard → Turnstile → Add Site
- GOES INTO Settings → Integrations → "Turnstile"
- NOTE Two values from the same dashboard screen — enter both together

Has a "Test Connection" button that checks the Secret Key against Cloudflare directly.

Resend — Webhook Signing Secret

FREE

WHERE FROM Resend Dashboard → Webhooks (endpoint must exist first — see B2)

GOES INTO Settings → Communications, shown only when email provider = Resend

FORMAT `whsec_...`

Health is tracked passively — Settings shows “last webhook event received” once it's live, since Resend webhooks can't be pinged on demand.

On hold: secret is obtained and ready, but Zoho is the active email provider right now, so this stays parked until Resend becomes active.

Not needed anymore: the Admin IP Allowlist briefly on this list was removed at the client's request — mobile/travelling team, no static network to allow. No key to collect there.

B External setup steps

Uptime monitoring for `/api/health`

ACTION NEEDED

Render already uses this endpoint for its own deploy health checks. Nothing currently pages a human if the site goes down outside of a deploy.

1. Sign up for UptimeRobot or Better Uptime (both free-tier capable).
2. Add an HTTP(s) monitor at `https://<production-domain>/api/health`, checked every 1–5 minutes, expecting `200`.
3. Add an email (and phone, for SMS/call escalation) so a failure reaches an actual person.

Register the Resend webhook endpoint

ON HOLD — ZOHO ACTIVE

The signature-verification code is live, but Resend won't send anything until an endpoint is registered on their side — not needed while Zoho is the active provider. Revisit only if that changes.

1. Resend Dashboard → Webhooks → Add Endpoint → `https://<production-domain>/api/webhooks/email`
2. Copy the signing secret it gives you into Settings → Communications (see A above) — already in hand, just not entered.

✓ Status

- ☐ Google Sign-In Client ID entered and verified
- ☐ Turnstile Site + Secret Key entered and verified
- ☒ Resend webhook signing secret obtained (on hold, not entered — Zoho active)
- ☐ Resend webhook endpoint registered in Resend dashboard (on hold, same reason)
- ☐ Uptime monitor configured and alerting a real person

Kept in sync with `docs/pending-credentials-checklist.md` in the repo, which is the source of truth — update the checkboxes there as each item lands.