Two-Column Study — Page 1



Figure 1. Embedded raster sample (PNG).

Section 1. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 2. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 3. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 4. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 5. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 6. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 2

Section 2. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 3. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 4. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 5. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 6. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 7. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 3

Section 3. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 4. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 5. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 6. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 7. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 8. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 4

Section 4. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 5. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 6. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 7. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 8. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 9. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 5

Section 5. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 6. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 7. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 8. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 9. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 10. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 6

Section 6. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 7. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 8. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 9. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 10. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 11. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 7

Section 7. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 8. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 9. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 10. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 11. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 12. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 8

Section 8. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 9. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 10. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 11. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 12. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 13. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 9

Section 9. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 10. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 11. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 12. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 13. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 14. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 10

Section 10. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 11. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 12. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 13. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 14. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 15. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 11

Section 11. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 12. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 13. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 14. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 15. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 16. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Two-Column Study — Page 12

Section 12. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 13. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 14. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.

Section 15. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 16. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog. Section 17. This is ordinary selectable body text used as a test fixture for the ito research reader. It exists so that pdf.js can extract a real text layer and so anchor creation and resolution can be exercised against stable content. The quick brown fox jumps over the lazy dog.