Date _____

OHIO INVESTIGATIVE UNIT



Vision Specialist's Report

					Examiner's NameAddress		
				Examiner	's Signature		
VISUAL ACUITY			FAR		FAR	NEAR	
		Uncorrected:	R.20/	L. 20/	Both 20/	Both 20/	
		Corrected:	R.20/	L. 20/	Both 20/	Both 20/	
Ref	ractive Error	R					
		L					
oc	CULOMO	ГOR					
A.	Cover test at	t Distance:	Phoria;		Intermittent Tropia;	Constant Tropia	
B.	Phorias at D	istance:		eso/exo	;	_ R. Hyper/ R. Hypo	
	Test method:		cover te	est;	phoropter;	stereoscope	
C.	Are phorias	adequately com	pensated to provid	le clear, comf	ortable binocular vision?		
		Yes;	No - E	xplain			
D.). Versions and Ductions:			Smooth and Full: _		Restrictions:	
	Explain						
DE	PTH PER	CEPTION S	CORE				
(i.e. percent of stereo acuity or percentage) Co.				Correcte	ed	Uncorrected	
	Instrum	ent or method u	sed:				
CO	LOR VIS	ION	Normal (r	not more than	one major error in regular I	Formary outh D15 toot)	
CO	LOK VIS				one major error in regular i	ranisworth D13 test)	
			Defective				
VISUAL FIELDS			Normal;		Defective – Explain: _		
	Test Me	ethod:	Autoplot:		Tangent Screen	Harrington Flocks	
Auto Scree			ener Confro		rontations	Goldmann Perimeter Arc	
Inte	rnal and Exte	ernal Ocular Exa	mination; State ar	ny evidence of	pathological, congenital, b	nereditary, or optical defects.	