

























































<b>Title:</b>	----
<b>Part Number:</b>	----
<b>Description:</b>	----

From	To	Conductor	Conductor PN	Twist With	Gauge	Length	From Contact PN	Notes
C1.1	S2	 CBL11.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 6 in		
C1.2	S1	 CBL11.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 6 in		
C2.1	S22	 W35.Black	UL1061 28 AWG Black		28 AWG	≥ 6 in		
C2.2	C14.4	 W10.Blue	UL1061 28 AWG Blue		28 AWG	≥ 9 in		
C3.1	S2	 W12.Black	UL1061 28 AWG Black		28 AWG	6 in		
C3.2	C4.4	 W11.Blue	UL1061 28 AWG Blue		28 AWG	≥ 9 in		
C4.1	S2	 W13.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C4.2	S1	 W24.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C4.3	C5.4	 W1.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C5.1	S4	 W14.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C5.2	S3	 W25.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C5.3	C6.4	 W3.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C6.1	S6	 W15.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C6.2	S5	 W26.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C6.3	C7.4	 W4.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C7.1	S8	 W16.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C7.2	S7	 W27.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C7.3	C8.4	 W5.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C8.1	S10	 W17.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C8.2	S9	 W28.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C8.3	C9.4	 W6.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C9.1	S12	 W18.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C9.2	S11	 W29.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C10.1	S14	 W19.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C10.2	S13	 W30.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C11.1	S16	 W20.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C11.2	S15	 W34.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C11.3	C10.4	 W9.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C12.1	S18	 W21.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C12.2	S17	 W31.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C12.3	C11.4	 W8.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C13.1	S20	 W22.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C13.2	S19	 W32.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C13.3	C12.4	 W2.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
C14.1	S22	 W23.Black	UL1061 28 AWG Black		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C14.2	S21	 W33.Red	UL1061 28 AWG Red		28 AWG	≥ 3 in	28-26 AWG Pin Crimp	
C14.3	C13.4	 W7.Blue	UL1061 28 AWG Blue		28 AWG	≥ 30 in	28-26 AWG Pin Crimp	
S1	S3	 CBL1.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S2	S4	 CBL1.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S3	S5	 CBL2.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S4	S6	 CBL2.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S5	S7	 CBL3.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S6	S8	 CBL3.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S7	S9	 CBL4.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S8	S10	 CBL4.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S9	S11	 CBL5.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S10	S12	 CBL5.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S11	S13	 CBL6.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S13	S15	 CBL7.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S14	S12	 CBL6.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S14	S16	 CBL7.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S15	S17	 CBL8.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S16	S18	 CBL8.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S17	S19	 CBL9.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S18	S20	 CBL9.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		
S19	S21	 CBL10.Red	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		

Title:	----
Part Number:	----
Description:	----



From	To	Conductor	Conductor PN	Twist With	Gauge	Length	From Contact PN	Notes
S20	S22	█ CBL10.Black	2 Wire 18 AWG unshielded - Red/Black		18 AWG	≥ 2 ft		