

Comparing lava flow models

- Login to VICTOR and select a small server size.
- In The Launcher, open the terminal using the icon:



- Type `victor benchmark` and press enter.
- Select `Lava Benchmark` from the list that appears by typing its corresponding number (1) and pressing enter.
- In the home directory (on the left of your screen) the 

folder will load. Double click on the folder to open it.
- Within the Lava Benchmarking folder, open the notebook 

by double clicking on it.

Digital elevation model



We will use the DEM file you downloaded earlier. Make sure you know where it is. Otherwise, you can use an ESRP DEM from the shared folder:

```
/home/jovyan/shared/DEMs/NorthAmerica/ESRP.geotiff
```

For a vent, we can use UTM coordinates

```
easting = 360000

northing = 4816655
```

Vent and volume information

Set the DEM and vent location, lava volume and run name.
These are common to all the models

```
easting = 329204

northing = 377842

dem = "/home/jovyan/shared/DEMs/Iceland_20mx20m_cropped.tif"

volume = 1e8

name = "fagradasfjall"

# For IMEX, we assign a reasonable yet arbitrary time for the
# Please change it at your leisure
run_time = 1000
```

Change these to the desired vent location


Change this to the geotiff DEM you got earlier

Rename to your preference


1. MOLASSES

This will use the same model as in the previous section, but for the ESRP.


The output should something like this:



2. Mr Lava Loba



3. IMEX-Lava


topography_dem.asc
1e6
4.830
4.825
4.820
4.815
4.810
4.805
4.800
y
350000
355000
360000
365000
370000
x
8
6
4
2
Thickness (m)