

Commands Cheat Sheet

Every slash command and keyboard shortcut you'll reach for most often - grouped so you can find the right one fast.

30 slash commands · 10 keyboard shortcuts

IN THIS CHEAT SHEET

A quick reference for driving Claude Code from the keyboard, covering:

- **Every built-in slash command**, organized by what it does
- Managing your session - `/clear`, `/compact`, `/rewind`, `/resume`
- Inspecting context, cost & usage - `/context`, `/cost`, `/usage`
- Extending Claude - `/mcp`, `/agents`, `/skills`
- **Keyboard shortcuts** for moving fast in the terminal or IDE

JUMP TO

- › Getting started
- › Managing your session
- › Context, cost & usage
- › Models, config & permissions
- › Code & output
- › Extending Claude
- › Account & troubleshooting
- › Keyboard shortcuts

01 Commands

The list below covers the built-in defaults - and the bundled skills that ship with every install - you'll reach for most often while learning the tool. A few entries vary by platform and plan.

SEE EVERYTHING IN YOUR SETUP

Type `/` on an empty prompt to see **every** command available to you - including custom, plugin, and MCP-provided ones.

Getting started

Command	What it does
<code>/help</code>	List all available commands.
<code>/init</code>	Explore the codebase and generate a starter CLAUDE.md.
<code>/status</code>	Show account, model, working directory, and version.

Managing your session

Command	What it does
<code>/clear</code>	Wipe conversation history and start fresh (project memory stays). <i>Aliases: /reset, /new.</i>
<code>/compact</code>	Summarize the conversation so far to free up context. Accepts optional focus instructions.
<code>/rewind</code>	Roll the conversation and/or your code back to an earlier checkpoint.
<code>/resume</code>	Reopen a previous session and continue where you left off. <i>Alias: /continue.</i>
<code>/btw</code>	Ask a quick side question without adding it to the main conversation or consuming context.

Context, cost & usage

Command	What it does
<code>/context</code>	Visualize what is currently loaded into the context window and where it is being spent.
<code>/cost</code>	Show token usage and spend for this session.
<code>/usage</code>	Show your plan's usage limits and current rate-limit status.
<code>/memory</code>	View or edit the CLAUDE.md files in scope.

Command	What it does
<code>/add-dir</code>	Grant Claude file access to an additional directory for this session.

Models, config & permissions

Command	What it does
<code>/model</code>	View or switch the active model.
<code>/config</code>	Open configuration settings (theme, defaults, editor mode). <i>Alias: /settings.</i>
<code>/permissions</code>	View or change which tools require approval.

Code & output

Command	What it does
<code>/plan</code>	Drop straight into Plan Mode, optionally with a task description.
<code>/diff</code>	Open an interactive viewer of uncommitted changes and per-turn diffs.
<code>/copy</code>	Copy the last response (or a selected code block) to your clipboard.
<code>/export</code>	Save the current conversation to a file or the clipboard.

Extending Claude

Command	What it does
<code>/mcp</code>	Manage MCP server connections and authentication.
<code>/agents</code>	List, create, or edit subagents.
<code>/hooks</code>	View hook configuration for tool events.
<code>/skills</code>	List the skills available in this session.
<code>/simplify</code>	BUNDLED SKILL Review your recently changed files for reuse, quality, and efficiency issues, then apply fixes.

Account & troubleshooting

Command	What it does
<code>/doctor</code>	Diagnose install and environment issues.
<code>/feedback</code>	Report an issue to Anthropic with session context attached. <i>Alias:</i> <code>/bug</code> .
<code>/login</code> / <code>/logout</code>	Authenticate, switch accounts, or sign out.
<code>/exit</code>	Quit the CLI. <i>Alias:</i> <code>/quit</code> .

02 Keyboard Shortcuts

Move quickly without leaving the prompt. These work in the terminal and most IDE integrations.

Key	Action
<code>Shift + Tab</code>	Cycle permission mode: default → acceptEdits → plan. Also includes <i>auto</i> after running <code>claude --enable-auto-mode</code> , and <i>bypassPermissions</i> when that mode is enabled.
<code>Esc</code>	Interrupt Claude mid-response so you can type again.
<code>Esc, Esc</code>	Open the rewind/checkpoint menu to roll back to an earlier point in the session.
<code>Ctrl + C</code>	Cancel the current input, or exit on an empty prompt.
<code>Ctrl + R</code>	Reverse-search through your prompt history.
<code>Ctrl + O</code>	Expand to the verbose, full transcript view.
<code>↑ / ↓</code>	Scroll through your prompt history.
<code>@ + path</code>	Reference a file or directory in your prompt.
<code>/</code>	Open the command menu.
<code>?</code>	Show shortcuts for your current terminal or IDE.

YOUR ENVIRONMENT MAY DIFFER

Shortcuts vary slightly by terminal and IDE. Press `?` inside a session for the exact list in your environment.