

CONFIDENTIAL



TCP Based Market Data API (Real-time + REST (History))

Technical Specifications

27 Feb 2025

V2.3

This document is covered under a Non-Disclosure agreement with the recipient. No Part of this document must be reproduced or forwarded to any person other than the Intended Recipient. In case you received this document by mistake, please destroy the same immediately.

Table of Contents:

1.	Change History	3
2.	About TrueData.....	Error! Bookmark not defined.
3.	TrueData Advantage & Features	Error! Bookmark not defined.
4.	TCP API Specifications	8
a)	Overview	8
b)	Streaming TCP (Real Time).....	8
i)	Streaming TCP IP (Real Time)	8
ii)	Authentication/Login	10
iii)	Market Messages	11
iv)	Getting Symbol List	12
v)	Tick/Trade Streaming Packet (Real Time).....	13
vi)	BidAsk Level1 Streaming Packet (Real Time)	14
vii)	BidAsk Level2 Packet	15
c)	Historical Data over REST.....	16
i)	Historical Data API & URL	16
ii)	REST Authentication	18
iii)	Tick Data History	19
iv)	Bar Data History	20
v)	Last N Bars History	21
vi)	Last n Ticks History	22
vii)	Retrieve the Bhavcopy	23
viii)	Retrieve the Bhavcopy Availability Status for the day.....	24
ix)	Retrieve the LTP of any symbol	24
5.	Support Contact Details	26
	Appendix I	Error! Bookmark not defined.
6.	Pre-built Client Library for Websocket and REST Details (Python)....	Error! Bookmark not defined.



CONFIDENTIAL

3

1. Change History

Version	Date	Notes
0.9	15 Apr 2021	First version (Beta)
2.1	11 July 2023	BSE EQ and BSE FNO with BID ASK Level 2 (5 depth)
2.2	12 April 2024	OI and Prev Oi Size increased to 8 Bytes
2.3	27 Feb 2025	Document Update

CONFIDENTIAL



2. About TrueData

- A. **TrueData Financial Information Pvt. Ltd.** is a leading provider of real-time market data APIs for Indian stock and commodity exchanges. As an official real-time data vendor for **NSE, BSE, and MCX**, we offer **ultra-low latency, high-accuracy data** solutions designed for traders, investors, algo traders, and financial technology platforms
- B. Since our inception in 2007 with the launch of True Data Financial Information Pvt Ltd., we have been at the forefront of market data innovation. Our proprietary APIs, along with our **flagship product Velocity**, provide seamless real-time and historical data access through advanced plugins and direct exchange feeds.
- C. Our APIs offer extensive market coverage, including **corporate action-adjusted market data, corporate announcements, option Greeks, financial reports, and shareholding patterns**. To simplify integration for trading platforms and fintech developers, we provide **ready-made** API modules, **such as symbol master, option chain, top gainers/losers, company logos, 52-week high/low**, and **much more**.
- D. Driven by our motto, "**Positioning You for Profits!**", TrueData empowers traders with **accurate real-time data, advanced analytics, and seamless API integration**, ensuring **better decision-making and execution efficiency**.

3. The TrueData API Advantage

TrueData continuously innovates to provide **best-in-class APIs and data integration solutions** that meet the evolving needs of **professional traders, fintech platforms, and algo trading systems**.

Key Features & API Offerings

1. Ultra-Low Latency Real-Time Market Data Feeds

- Direct connectivity to NSE, BSE, and MCX ensures lightning-fast data delivery.
- Optimized for high-frequency trading (HFT), algo trading, and automated systems.
- Institutional-grade data feeds with minimal latency, ensuring accurate trade execution.

2. Advanced Data Infrastructure for High Performance

- Our backend is optimized for handling massive volumes of tick data efficiently.
- 99.9% uptime ensures reliable, stable, and uninterrupted market data access.
- High-speed delivery with minimal packet loss, crucial for professional trading strategies.

3. Seamless REST API Access

- Easily integrate real-time and historical data into trading platforms, research tools, and mobile apps.
- REST APIs provide access to: real-time price updates, corporate actions, option chain data, financial reports, and more.
- Flexible data formats (JSON, CSV, Binary) for easy customization based on user needs.

4. Developer-Friendly Libraries & SDKs

- We offer plug-and-play libraries to make integration effortless:
- Python: TrueData Python Library – Ideal for algo trading, backtesting, and research.
- Node.js: TrueData Node.js Library – Perfect for real-time streaming and web-based trading applications.



- C# .NET: TrueData .NET Library – Designed for Windows-based trading systems and enterprise applications.

5. Ready-Made API Modules for Easy Integration

- TrueData provides pre-built API modules for seamless integration with trading platforms:
- Symbol Master API – A complete database of all tradable instruments on NSE, BSE, and MCX.
- Option Chain API – Live option chain data with bid-ask spreads, open interest, IVs, and Greeks.
- Top Gainers/Losers API – Quickly fetch top-performing and worst-performing stocks based on real-time metrics.
- Company Logos API – Retrieve official stock symbols with logos for a visually enhanced user experience.
- 52-Week High/Low API – Identify stocks hitting their yearly highs or lows for trend analysis.
- More API Modules Continuously Added for advanced market insights.

6. Scalable & Flexible Data Streaming – No Symbol Limitations

- TrueData provides unlimited real-time market data streaming with two powerful modes:
- Limited Feed (Pub/Sub Model) – Best for retail traders and small-scale algo traders. Users subscribe to specific symbols and receive real-time price updates, optimizing bandwidth and efficiency.
- Full Market Streaming – Built for HFTs, institutions, and fintech platforms. As soon as a user connects, all trades for the subscribed segment stream automatically—tick by tick—without any symbol limitations. This mode delivers the full depth of the market in real time, making it perfect for market-making, algo trading, and deep market analysis.
- No restrictions. No delays. Just pure, real-time market action.

7. Streaming Candle Data API

- Real-time candle updates for 1-minute and 5-minute bars for live trend analysis.
- Perfect for intraday traders, scalpers, and automated strategies.

8. REST API Access to Historical Market Data

- Access to tick-by-tick, intraday, and EOD data via REST APIs.
- Data is fully adjusted for corporate actions (splits, bonuses, dividends, rights).
- Note: Historical market data access is available via our APIs, subject to compliance with exchange regulations.

9. Corporate Announcements & Financial Reports APIs

- Get real-time earnings reports, shareholding patterns, and key disclosures.
- Integrate fundamental analysis into trading strategies.

10. Option Greeks API

- Real-time Delta, Gamma, Theta, Vega, and Rho for precise option trading strategies.

11. Continuous & Contract Futures API

- Access both continuous futures and specific contract futures simultaneously (e.g., NIFTY-I and NIFTY20MARFUT).
- Essential for backtesting, technical analysis, and automated trading.

12. Premium Adjusted Continuous Futures API

- Seamless long-term analysis with adjusted continuous futures at rollover (NIFTY-IP).

13. Extensive Market Coverage & Real-Time Data Access

- Tick-by-tick data for 60,000+ symbols across NSE, BSE, and MCX.
- Instant access to intraday and EOD data, covering all market segments

14. Unmatched API Support & Customer Service

We provide dedicated API support through multiple channels.

- Live Chat & Phone Support – Get real-time help from our experts.
- Email & Ticketing System – Submit queries and receive fast resolution.



- Remote Setup via TeamViewer – Hassle-free API integration assistance.
- Comprehensive Knowledge Base & FAQs – Self-service troubleshooting for smooth implementation.

Why Choose TrueData?

1. Official Data Vendor for NSE, BSE & MCX
2. Ultra-Low Latency & High-Performance APIs
3. Seamless REST API & Streaming Access
4. Scalable, Enterprise-Ready Solutions
5. Comprehensive Market Data Coverage
6. Dedicated Technical & Developer Support

4. TCP API Specifications

a) Overview


i) The TrueData API provides Real Time streaming data via TCP while the historical data is provided via REST. A client would need to connect to the respective TCP port for which they wish to receive the real time data. In case historical data is required, then the client would need to login to the REST service using the same login details and obtain the authentication token (bearer token) which would be needed for each subsequent request.

b) Streaming TCP (Real Time)

i) Streaming TCP IP (Real Time)

Streaming TCP URL/IP	tcp.truedata.in / push.truedata.in (old)
Streaming TCP Port	7070
Beta Testing URL	pushbeta.truedata.in(180.179.151.148)
Beta TCP Port	7070

To check TCP via Putty, input enter IP and Port number, and use Connection type as Raw as shown below:




Upon successful connection following window shall open with **Truedata TCP RT Service** message:



ii) Authentication/Login

- a) After successful connection, to start receiving stream enter following command to login:

Login Request	LOGIN username password
Login Response	TrueData Real Time Data Service:800:NSE,F0,MCX:12/31/2021 12:00:00 AM
Format	TrueData Real Time Data Service:no_of_symbols:segment:validity



a) If the client is connected elsewhere, the client would not be able to connect. You would first need to logout from your previous session and then attempt a login.

iii) Market Messages

a) Market messages indicating the start and stop of the various market sessions have been added for NSE. The following messages are pushed automatically in the real time TCP streams: -

- NSE EQ Pre Open Start
- NSE EQ Pre Open End
- NSE EQ Normal Market Start
-
- NSE FO Normal Market End
- NSE EQ Post Close Start
- NSE EQ Post Close End
- NSE FO Normal Market Start
- NSE FO Normal Market End
- MCX Market Status: 5 Session No: 1
- MCX Market Status: 6 Session No: 1
- MCX Market Status: 1 Session No: 2
- MCX Market Status: 2 Session No: 2

Market Messages	Message (40 bytes)
-----------------	--------------------

Packet (42 Bytes) Example	Code(2 Byte)	
	PO	NSE EQ Pre Open Start
	PC	NSE EQ Pre Open Start
	CO	NSE EQ Normal Market Start
	CC	NSE EQ Normal Market End
	CK	NSE EQ Post Close Start
	CL	NSE EQ Post Close End
	FO	NSE FO Normal Market Start
	FC	NSE FO Normal Market End
	DO	CDS Normal Market Start
	DC	CDS Normal Market End

b) Other than the market messages which are pushed automatically, you can also check at any time if a particular market is open or closed.

iv) Getting Symbol List

a) **Search for a symbol / symbol keyword in the masters** - Another way to get the symbol id list would be to search for the symbols (recommended) or request for the entire masters (not recommended) from the following mentioned URL to get the master files in json format: -
https://api.truedata.in/getAllSymbols?segment=eq&user=your_user_id&password=your_password&search=RELIANCE

b) **Download entire Master files** - You can also download the entire Master files if needed. This however, may not be needed as Symbol ID is already returned when you first subscribe to the symbol for the streaming feed.

https://api.truedata.in/getAllSymbols?segment=fut&user=your_user_id&password=your_password&csv=true&allexpiry=false

Please change the segment in this URL as desired by you: -

1. segment=eq – Equity Master (NSE)
2. segment=fo – Futures & Options Master (NSE)
3. segment=fut – Futures (Only) Master

- | | | | |
|----|---------------|----|--------------------------------|
| 4. | segment=mcx | – | MCX Master |
| 5. | segment=bseeq | - | Equity Master (BSE) |
| 6. | segment=bsefo | -- | Futures & Options Master (BSE) |
| 7. | segment=all | – | Full master (all segments) |

**Please note that it is not necessary to download the master files as the symbol ID is returned once a symbol subscription request is sent (as shown below).*

**The instrument list API returns large amounts of data. It's best to request it once a day (ideally at around 08:30 AM) and store in a database at your end.*

**JSON format – removing &csv=True would give you the response in JSON format. Note that this would increase the download size and could take longer to download*

**&allexpiry=true would download all the symbols (including all expired symbols) in the TrueData database. This could be a huge list and it is recommended to use the &search command instead as explained above.*

c) **Get Option Chain Symbols** - If you need to get all the symbols of an Option chain, you can get those by calling the getOption Chain command. You need to specify the symbol and the expiry date in yyymmdd format. Default format for the option chain is json. If you need the option in csv format add “&csv=true” in the end.

https://api.truedata.in/getOptionChain?user=your_user_id&password=your_password&symbol=NIFTY&expiry=20230727&csv=true

https://api.truedata.in/getOptionChain?user=your_user_id&password=your_password&symbol=SENSEX&expiry=20230714&csv=true

d) Add symbol request and response is now updated to an array. Many additional fields have been added like timestamp, Bid, Ask. Except for the message > symbols added, the format of the message is same as the touchline message. For detailed format of the message see the touchline fields as explained in Sl. No. vii. An example of the return when symbols are added is as below: -

v) Tick/Trade Streaming Packet (Real Time)

Each packet with trade information will consist of 87 bytes

Index	Description	Example
0-1	Code (2 Byte)	TR
2-5	SymbolId (4 Bytes)	100001262
6-9	Unix Timestamp (4 Bytes)	Integer
10-13	Sequence No (4 Bytes)	12456
14-17	LTP (last trade price) (4 Byte)	1450.45
18-21	Last Tick Volume (4 Byte)	52
22-25	ATP(average traded price) (4 Byte)	1423.50
26-29	Total Traded Quantity(today) (4 Byte)	55256
30-33	Day Open (4 Byte)	1410.2
34-37	Day High (4 Byte)	1470.55
38-41	Day Low (4 Byte)	1400.25
42-45	Previous Close(yesterday) (4 Byte)	1390.75
46-53	Open Interest(8 Byte)	2221700000
54-61	Prev Day Open Interest (8 Byte)	2221500000
62-69	Turnover (8 Byte)	2153125648.58
70-73	Best Bid(4 Byte)	1448.75
74-77	Best Bid Qty (4 Byte)	45
78-81	Best Ask(4 Bytes)	1453.5
82-85	Best Ask Qty(4 Byte)	65
86-86	Footer (1 Byte)	Z

vi) BidAsk **Level1** Streaming Packet (Real Time)

Each packet with trade information will consist of **27** bytes

Index	Description	Example
0-1	Code (2 Byte)	BA
2-5	SymbolId (4 Bytes)	100001262
6-9	Unix Timestamp (4 Bytes)	Integer
10-13	Bid(4 Byte)	1448.75
14-17	Bid Qty (4 Byte)	45
18-21	Ask(4 Bytes)	1453.5
22-25	Ask Qty(4 Byte)	65
26-27	Footer (1 Byte)	Z

vii) BidAsk Level2 Packet

Each packet with trade information will consist of 139 bytes

Index	Description	Example
0-1	Code (2 Byte)	L2
2-5	SymbolId (4 Bytes)	410001262
6-9	Unix Timestamp (4 Bytes)	Integer
10-13	Bid1(4 Byte)	1448.75
14-17	Bid Qty1 (4 Byte)	45
18-21	No of Bid1 (4 Byte)	1
22-25	Ask1(4 Bytes)	1453.5
26-29	Ask Qty1(4 Byte)	65
30-33	No of Ask1 (4 Byte)	2
34-37	Bid2(4 Byte)	
38-41	Bid Qty2 (4 Byte)	
42-45	No of Bid2 (4 Byte)	
46-49	Ask2(4 Bytes)	
50-53	Ask Qty2(4 Byte)	
54-57	No of Ask2 (4 Byte)	
58-61	Bid3(4 Byte)	
62-65	Bid Qty3 (4 Byte)	
66-69	No of Bid3 (4 Byte)	
70-73	Ask3(4 Bytes)	

74-77	Ask Qty3(4 Byte)	
78-81	No of Ask3 (4 Byte)	
82-85	Bid4(4 Byte)	
86-89	Bid Qty4 (4 Byte)	
90-93	No of Bid4 (4 Byte)	
94-97	Ask4(4 Bytes)	
98-101	Ask Qty4(4 Byte)	
102-105	No of Ask4 (4 Byte)	
106-109	Bid5(4 Byte)	
110-113	Bid Qty5 (4 Byte)	
114-117	No of Bid5 (4 Byte)	
118-121	Ask5(4 Bytes)	
122-125	Ask Qty5(4 Byte)	
126-129	No of Ask5 (4 Byte)	
130-133	Total Bid Qty	Integer
134-137	Total Ask Qty	Integer
138-139	Footer	Z

c) Historical Data over REST

i) Historical Data API & URL

- a) History URL for login / authentication > <https://auth.truedata.in/token>
- b) History URL for subsequent requests > [https://history.truedata.in/...](https://history.truedata.in/)
- c) History tokens have a validity of 3600 seconds. A new token needs to be obtained in time in case further requests are required to be made.
- d) Request rates are currently limited for tick history as follows. (This includes all REST calls): -
 - i) Calls in 1 second – 3 (Max)
 - ii) Calls in 1 minute – 100 (Max)
 - iii) Calls in 1 hour – 6000 (Max)
- e) The access token is renewed once every day at around 4 am. A fresh token needs to be obtained at that time to continue using the service without any interruptions.
- f) In case there is no data available for the date time range, given in the request, then you will get a message like so: -

"No Data exists for <Symbol>"

- g) You can download the entire postman collection for quicker development from this link here:
- h) You can pull the response in csv or json formats. You need to declare the response format needed in your request. However, a csv response is recommended as it lowers the amount of data transfer / bandwidth consumption and thereby the data lands up faster due to its comparably smaller size.
- i) **The recommended and default response format is csv.** Json responses are also possible. We recommend choosing the csv response format as it ensures comparatively smaller bandwidth usage for the same historical data thereby enabling faster delivery over the internet.
- j) Sample csv format is as follows:-

```
timestamp,open,high,low,close,oi,volume
2021-02-01T09:07,1859.4,1859.4,1859.4,1859.4,1,0
2021-02-01T09:15,1859.4,1862.3,1853.05,1856.95,578586,0 2021-02-
01T09:16,1857.8,1861.6,1856.15,1860.4,240393,0
.....
```

- k) Sample json format is as follows:-

```
{
  "status": "Success",
  "Records": [
    [
      "2021-03-22T15:29:40",
      14756.55,
      150,
      8712225,
      14756.4,
      150,
      14757.0,
      375
    ],
    [
      "2021-03-22T15:29:42",
      14757.0,
      975,
```

```
8712225,  
14756.5,  
300,  
14757.0,  
225  
[]}
```

- l) For the rest of the document we have depicted all responses in the recommended format which is csv.
- m) To hasten your development process, the Postman collection for the Historical REST API is available from this link. Please unzip the file and import it into Postman (<https://www.postman.com/>) to work with it :-

[TrueData_History_REST_API_v1.1.postman_collection](#)

ii) REST Authentication

- a) The first step in the authentication process is to obtain the token which can be used for subsequent requests. This is a POST request like so: -

Service URL	https://auth.truedata.in/token
Request Method	POST
Format	x-www-form-urlencoded
Request Parameters	username <user-id> password <user-pwd> grant_type password

- b) The above request typically sends JSON response as follows: -

Response	JSON
----------	------

Sample Response	<pre>{ "access_token": "og6zhJqQZuLAT54CpwPFNI8y0hC RasyMi06eMS62YF19A9tAMkgqJNP4LreC2vt_muHKpcM0isi wPZgHZNmxxwfp1KvU3SVZJ2QMtET3oeAMT8smgAP9HIxLTyn QJIMJ_QB0xYwGe5efwG04Kwun16nZ9GvNdQyPhPNed5t- oRajdg_bSGdzb8XusmMbctC5aiCE2w2dcknuWKm6v8fo1lpLD6 VvYBhEIHwXguePUuTfNztsZyVDyLn4p_vlwmquxDtt5BHqQfSksq_zy9hA", "token_type": "bearer", "expires_in": 13961, "userName": "<your_username>", ".expires": "Sun, 21 Mar 2021 22:30:00 GMT", ".issued": "Sun, 21 Mar 2021 18:37:18 GMT" }</pre>
Response parameters	access_token : will be used in subsequent request to retrieve data expires_in : token validity in seconds Token_type: bearer (type of token)
Error	<pre>{ "error": "invalid_grant", "error_description": "The user name or password is incorrect." }</pre>
	<pre>{ "error": "invalid_grant", "error_description": "User subscription expired." }</pre>

iii) Tick Data History

- a) Tick Data can be retrieved using the following request. This is a GET request like so: -

Service URL	https://history.truedata.in/getticks?symbol=NIFTY-I&bidask=0&from=210224T09:00:00&to=210225T15:30:00&response=csv
Request Method	GET
Headers	bearer your-token – supply token obtained from auth service in header

GET Query string Parameters	symbol =symbol-name e.g. NIFTY-I or RELIANCE or CURDEOIL-I bidask =0/1 , set 1 to get bid/ask in response otherwise 0 from =yymmddTHH:mm:ss – from date to =yymmddTHH:mm:ss – to date response =csv/json – response type required
-----------------------------------	---

b) Above request typically sends CSV or JSON response as follows: -

Response	CSV/JSON
Sample Response	timestamp, ltp, volume, oi, bid, bidqty, ask, askqty 2021-02-24T09:15:00,14755.15,1,7390425,14730,225,14745.45,375
Csv >	2021-02-24T09:15:00,14755.35,1,7390425,14730,225,14745.45,375 2021-02-24T09:15:00,14725.1,7390425,14730,225,14745.45,375
Response parameters	time, ltp, tickvol, openinterest, bid, bidqty, ask, askqty
Error Response1	API calls quota exceeded! maximum admitted 1 per Second.
Error Response2	Segment not subscribed
Error Response3	Symbol does not exist
Error Response4	Authorization has been denied for this request.
Error Response5	No data exists for <symbol>

iv) Bar Data History

a) Bar Data History can be retrieved using the following request. This is a GET request like so: -

Service URL	https:// history.truedata.in/getbars? symbol =RELIANCE& from =210201T09:00:00& to =210224T15:30:00& response =csv& interval =1min
Request Method	GET
Headers	bearer your-token – supply token obtained from auth service in header
GET Query string Parameters	symbol =symbol-name e.g. NIFTY-I or RELIANCE or CURDEOIL-I from =yymmddTHH:mm:ss – from date to =yymmddTHH:mm:ss – to date response =csv/json – response type required interval =1min/2min/3min/5min/10min/15min/30min/60min

- b) Above request typically sends CSV or JSON response as follows: -

Response	CSV/JSON
Sample Response	timestamp,open,high,low,close,oi,volume 2021-02-01T09:07,1859.4,1859.4,1859.4,1859.4,1,0 2021-02-01T09:15,1859.4,1862.3,1853.05,1856.95,578586,0 2021-02-01T09:16,1857.8,1861.6,1856.15,1860.4,240393,0
Response parameters	time,open,high,low,close,volume,openinterest
Error Response1	API calls quota exceeded! maximum admitted 1 per Second.
Error Response2	Segment not subscribed
Error Response3	Symbol does not exist
Error Response4	Authorization has been denied for this request.
Error Response5	No data exists for <symbol>

v) Last N Bars History

- a) Last N Bars History is currently enabled for **1 min & EOD bars**. More bar sizes will be added in the future.
- b) The Data of the last ‘n’ bars can be retrieved using the following request. This is a GET request like so: -

Service URL	https:// history.truedata.in/getlastnbars? symbol=NIFTY-I &response=csv&nbars=200&interval=1min&bidask=0
Request Method	GET
Headers	bearer your-token – supply token obtained from auth service in header
GET Query string Parameters	symbol=symbol-name e.g. NIFTY-I or RELIANCE or CURDEOIL-I nbars=1 to 200 (max 200) response=csv/json – response type required bidask=0 (must be 0) interval=1min/2min/3min/5min/15min/30min/60min/eod

- c) Above request typically sends CSV or JSON response as follows: -

Response	CSV/JSON
----------	----------

Sample Response	timestamp,open,high,low,close,oi,volume 2021-02-01T09:07,1859.4,1859.4,1859.4,1859.4,1,0 2021-02-01T09:15,1859.4,1862.3,1853.05,1856.95,578586,0 2021-02-01T09:16,1857.8,1861.6,1856.15,1860.4,240393,0
Response parameters	time,open,high,low,close,volume,openinterest
Error Response1	API calls quota exceeded! maximum admitted 1 per Second.
Error Response2	Segment not subscribed
Error Response3	Symbol does not exist
Error Response4	Authorization has been denied for this request.
Error Response5	No data exists for <symbol>

vi) Last n Ticks History

- a) The Data of the last ‘n’ ticks can be retrieved using the following request. This is a GET request like so: -

Service URL	https:// history.truedata.in/getlastnticks?symbol=ACC& bidask=1&response=csv&nticks=2000&interval=tick
Request Method	GET
Headers	bearer your-token – supply token obtained from auth service in header
GET Query string Parameters	symbol=symbol-name e.g. NIFTY-I or RELIANCE or CURDEOIL-I nticks=1 to 200 (max 200) response=csv/json – response type required interval=tick – must be tick

- b) Above request typically sends CSV or JSON response as follows: -

Response	CSV/JSON
Sample Response	timestamp,ltp,volume,oi,bid,bidqty,ask,askqty 2021-02-24T09:15:00,14755.15,1,7390425,14730,225,14745.45,375 2021-02-24T09:15:00,14755.35,1,7390425,14730,225,14745.45,375

	2021-02-24T09:15:00,14725,1,7390425,14730,225,14745.45,375
Response parameters	time, ltp, tickvol, openinterest, bid, bidqty, ask, askqty
Error Response1	API calls quota exceeded! maximum admitted 1 per Second.
Error Response2	Segment not subscribed
Error Response3	Symbol does not exist
Error Response4	Authorization has been denied for this request.
Error Response5	No data exists for <symbol>

Note: bid, bid_qty, ask, ask_qty only comes if requested & enabled

vii) Retrieve the Bhavcopy

- a) The **Bhavcopy** of any particular date, can be retrieved. The token obtained in authentication would need to be used in this too, like in any other request. This is a GET request like so: -

Service URL	https:// history.truedata.in/ getbhavcopy?segment=MCX&date=2020-0218&response=csv
Request Method	GET
Headers	bearer your-token – supply token obtained from auth service in header
GET Query string Parameters	segment=eq/fo/mcx/cds date=yyyy-MM-dd response=csv/json – response type required

- b) Above request typically sends CSV or JSON response as follows: -

Response	CSV/JSON
Sample Response	symbolid, symbol, open, high, low, close, volume, oi 800000372, MCXCOMPDEX, 11059.52, 11133.83, 10984.32, 11110.59, 0, 0 800000373, MCXBULLEX, 14944.58, 14956.36, 14771.68, 14877.5, 0, 0 ...

Response parameters	symbolid,symbol,dopen,dhigh,dlow,dclose,volume,oi
Error Response1	Authorization has been denied for this request.
Error Response2	No data exists for <date>

viii) Retrieve the Bhavcopy Availability Status for the day

- a) Before you can request for the Bhavcopy, you need to know if the Bhavcopy for the day has arrived or not.
- b) You can retrieve the **Bhavcopy availability status** of today's bhavcopy or for that matter, for any particular date. The token obtained in authentication would need to be used in this too, like in any other request. This is a GET request like so: -

Service URL	https:// history.truedata.in/ /getbhavcopystatus?segment=FO&date=2020-02-20&response=csv
Request Method	GET
Headers	bearer your-token – supply token obtained from auth service in header
GET Query string Parameters	segment=eq/fo/mcx/cds date=yyyy-MM-dd response=csv/json – response type required

- c) Above request typically sends CSV or JSON response as follows: -

Response	CSV/JSON
Sample Response	segment,timestamp FO,3/2/2021 7:54:00 PM
Response parameters	Segment, timestamp
Error Response1	Authorization has been denied for this request.
Error Response2	No data exists for <date>

ix) Retrieve the LTP of any symbol

- a) The **Last traded price (LTP)** of any particular date, can be retrieved. The token obtained in authentication would need to be used in this too, like in any other request. This is a GET request like so: -

Service URL	https:// history.truedata.in/getlastnticks?symbol=RELIANCE& bidask=1&response=csv& nticks=1&interval=tick
Request Method	GET
Headers	<i>bearer your-token – supply token obtained from auth service in header</i>
GET Query string Parameters	symbol=symbol-name e.g. NIFTY-I or RELIANCE or CURDEOIL-I nticks=1 response=csv/json – response type required interval=tick

- b) Above request typically sends CSV or JSON response as follows: -

Response	CSV/JSON
Sample Response	timestamp, ltp, volume, oi, bid, bidqty, ask, askqty
	2021-03-03T15:30:00,15300,900,10911825,15299.95,150,15303,75
Response parameters	timestamp,ltp,volume,oi,bid,bidqty,ask,askqty
Error Response1	API calls quota exceeded! maximum admitted 1 per Second.
Error Response2	Segment not subscribed
Error Response3	Symbol does not exist
Error Response4	Authorization has been denied for this request.
Error Response5	No data exists for <symbol>

5. Support Contact Details

Data Vendor Name	TRUEDATA FINANCIAL INFORMATION PVT. LTD
GSTIN	24AAECT8911G1ZD
Permanent Account Number	AAECT8911G
Address	309-310, Ugati Corporate Park, Opposite ICICI Bank, PIN - 382421
City	Gandhinagar
State	Gujarat
Email address of contact person	support@truedata.in
Client Support Number	+91-7304-22-44-66

Appendix I

Pre-built Client Library Details (Python)

- a) You can run 'pip install truedata' to get the latest version of the library.
- b) Refer this link for latest updates >> <https://pypi.org/project/truedata/>

Pre-built Client Library Details (nodejs)

- c) You can run 'npm install truedata-nodejs' to get the latest version of the library.
- d) Refer this link for latest updates >> <https://www.npmjs.com/package/truedata-nodejs>

Pre-built Client Library Details (.Net)

- e) You can run 'dotnet add package TrueData-DotNet --version 1.4.6' to get the latest version of the library.
- f) Refer this link for latest updates >> <https://www.nuget.org/packages/TrueData-DotNet>