

Recover Mission Simulation Report

Route: EGPF EGHH | Distance: 319.3 NM | Bearing: 162.0
Generated: 2026-04-29 21:57

Airports


Type	Airport	ICAO	PA (ft)	DA (ft)
Departure	Glasgow Arpt	EGPF	26	26
Arrival	Bournemouth Arpt	EGHH	38	38

Route Distance: 319.3 NM | Bearing: 162.0°

Climb Speed Schedule

Configuration	Best Rate Climb	Cruise Climb
Tamarack M2	112-201 KIAS / M 0.17-0.43	180 KIAS below transition / M 0.51 above

Flight Route Map



Weight Status

Weight Status

Component	Weight (lb)	Max Weight (lb)
BEW	6,972	6,972
Payload	1,350	1,828
Initial Fuel	2,478	3,440
Reserve Fuel	900	600
Taxi Fuel	100	100
Mission Fuel	1,478	1,478
ZFW	8,322	8,800
Ramp Weight	10,800	10,800
Takeoff Weight	10,700	10,700

Tamarack

Takeoff

Climb

Cruise

Descent

Landing

Totals

Flatwing

Takeoff

Takeoff Start Weight (lb): 10700

Takeoff End Weight (lb): 10688

Takeoff Roll Dist (ft): 1270

Dist to 35 ft (ft): 1480

Segment 1 Gradient (%): 31.09

Dist to 400 ft (ft): 3574

Segment 2 Gradient (%): 30.63

Dist to 1500 ft (ft): 10596

Segment 3 Gradient (%): 27.31

Fuel Remaining After Takeoff (lb): 2366

Takeoff V-Speeds:

Weight: 10688

VR: 98.2

V1: 98.2

V2: 112.2

V3: 121.6

Climb

Climb Time (min): 22

Climb Dist (NM): 91

Climb Fuel (lb): 538

Fuel Remaining After Climb (lb): 1850

Cruise

Cruise Time (min): 13

Cruise Dist (NM): 94

Cruise Fuel (lb): 206

Cruise VKTAS (knots): 357

Cruise Max Mach: 0.703

Time to Target Mach (min): 4.5

Cruise - First Level-Off Alt (ft): 35000

Fuel Remaining After Cruise (lb): 2171

Descent

Descent Time (min): 28

Descent Dist (NM): 132

Descent Fuel (lb): 146

Descent Knee Alt (ft): 30494

Fuel Remaining After Descent (lb): 2238

Landing

Landing Start Weight (lb): 9815

Landing End Weight (lb): 9808

Landing - Dist from 35 ft to Stop (ft): 1259

Landing - Ground Roll (ft): 780

Fuel Remaining After Landing (lb): 1486

Approach V-Speeds:

Weight: 9809

VAPP: 119.2

VREF: 93.0

Totals


Total Time (min): 64
Simulation Runtime (s): 2.76
Total Dist (NM): 318
Total Fuel Burned (lb): 891
Fuel Remaining (lb): 1486
Integration Steps: 3967
30s Step Count: 16
V1 Cut: False

Hourly Fuel Burn (lb)

Hour	Tamarack (lb)	Flatwing (lb)
1		538/339/877
2		13


Takeoff Performance: Brake Release to 1500 ft

Takeoff Performance: Altitude vs. Distance (Brake Release to 1500 ft)




Takeoff Performance: 1500 ft to 5000 ft AGL


Takeoff Performance: Altitude vs. Distance (1500 ft to 5000 ft AGL)




Altitude and Mach vs. Distance




Altitude, TAS and IAS vs. Distance




Rate of Climb vs. Distance




Thrust vs. Distance




Drag vs. Distance




Fuel Flow vs. Distance




Weight vs. Distance




Induced Drag vs. Distance



Climb Gradient vs. Distance



Mach vs. Distance



Fuel Remaining vs. Distance

