



Centers for Medicare & Medicaid Services (CMS)
7500 Security Blvd
Baltimore, MD 21244-1850

Medicare Transaction Facilitator

Standard Companion Guide Health Care Claim Payment/Advice (835)

Based on ASC X12N Version 005010X221A1

Companion Guide Version Number: 1.0

Disclosure Statement

The Centers for Medicare & Medicaid Services (CMS) is committed to maintaining the integrity and security of health care data in accordance with applicable laws and regulations. Disclosure of Medicare claims is restricted under the provisions of the Privacy Act of 1974 and the Health Insurance Portability and Accountability Act of 1996. This Companion Guide is to be used for conducting Medicare business only.

Preface

This Companion Guide (CG) to the ASC X12N Technical Report Type 3 (TR3) Version 005010 and associated errata adopted under the Health Insurance Portability and Accountability Act of 1996 (HIPAA) clarifies and specifies the data content when exchanging transactions electronically with the Medicare Transaction Facilitator (MTF). Transmissions based on this CG, used in tandem with the TR3, are compliant with both ASC X12N syntax and those guides. This CG is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. This CG is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

This CG contains instructions for electronic communications with the publishing entity, as well as supplemental information for creating transactions while ensuring compliance with the associated ASC X12N TR3s and the Council for Affordable Quality Healthcare – Committee on Operating Rules for Information Exchange (CAQH CORE) companion guide operating rules.

In addition, this CG contains the information needed by Trading Partners to receive electronic data with the publishing entity, who is acting on behalf of CMS, including detailed instructions for submission of specific electronic transactions. The instructional content is limited by ASC X12N's copyrights and Fair Use statement.

Table of Contents

Disclosure Statement.....	ii
Preface.....	3
1 Introduction	1
1.1 Scope	1
1.2 Overview.....	1
2 Getting Started.....	2
2.1 Working Together	2
2.2 Trading Partner Registration	2
3 Trading Partner Testing Process	3
4 Connectivity / Communications	3
4.1 Process Flows.....	3
4.2 Transmission	4
4.2.1 Frequency	4
4.2.2 Re-transmission Procedures.....	4
4.3 Communication Protocol Specifications.....	4
4.4 Security Protocols and Passwords	4
5 Contact Information.....	4
5.1 MTF Customer Service.....	4
6 Control Segments Envelopes.....	5
6.1 ISA-IEA	6
6.2 GS-GE	6
6.3 ST-SE6	
7 Acknowledgments and Reports.....	6
7.1 999 Implementation Acknowledgment.....	6
8 Trading Partner Agreement	7
9 Transaction-Specific Information	7
9.1 Transaction Set Listing	7
9.2 Header	9
9.2.1 Loop 1000A Payer Identification	10
9.2.2 Loop 1000B Payee Identification.....	10
9.3 Detail Structures	10
9.4 Loop 2000 Header Number	10

9.5 Loop 2100 Claim Payment Information.....	12
9.6 Loop 2110 Service Payment Information	14
10 Summary.....	16
11 Appendices	16
11.1 Implementation Checklist.....	16
11.2 Claim Adjustment Reason Codes and Remittance Advice Remark Codes	17
11.3 Forwarding Balance, Creation and Application of Credits	19
11.4 Transmission Examples	19
11.5 Frequently Asked Questions.....	19
11.6 Acronym Listing	19
11.7 ChangeSummary.....	21

1 Introduction

The Centers for Medicare & Medicaid Services (CMS) is publishing this Companion Guide (CG) to clarify, supplement and further define specific data content requirements to be used in conjunction with, and not in place of, the ASC X12N TR3 Version 005010 for all transactions mandated by HIPAA and/or adopted by the MTF.

An MTF Trading Partner is defined as an entity (e.g., dispensing entity or third-party support entity) that receives electronic data from the MTF. The MTF's transaction system supports transactions adopted under the Health Insurance Portability and Accountability Act of 1996 (HIPAA) as well as additional supporting transactions as described in this guide.

This CG provides information to Trading Partners in order to exchange Medicare Drug Price Negotiation Program data for manufacturer refunds to dispensing entities utilizing the MTF. This includes information about registration, testing, support, and control record setup. This CG provides communication, connectivity, and transaction-specific information to MTF Trading Partners and serves as the authoritative source for MTF protocols.

Additional information on MTF practices are referenced within [Medicare Drug Price Negotiation Program guidance](#).

1.1 Scope

This CG addresses how Trading Partners retrieve claim remittance advice from the MTF and provides technical and connectivity specifications for the 835 Health Care Claim: Payment/Advice transaction Version 005010.

1.2 Overview

This CG includes information needed to commence and maintain communication exchange with the MTF. In addition, this CG has been written to assist Trading Partners in designing and implementing the ASC X12N 835 transaction standards to meet the MTF's processing standards. This information is organized in the sections listed below:

- **Getting Started**: This section includes information related to hours of operation, data services, and audit procedures. Information concerning Trading Partner registration and the Trading Partner testing process is also included in this section.
- **Testing and Certification Requirements**: This section includes transaction testing information as well as certification requirements needed to complete transaction testing with Medicare.
- **Connectivity/Communications**: This section includes information on Medicare's transmission procedures as well as communication and security protocols.

- **Contact Information:** This section includes MTF customer service, MTF technical assistance, Trading Partner services and applicable websites.
- **Control Segments/Envelopes:** This section contains information needed to create the Interchange Control Header/Trailer (ISA/IEA), Functional Group Header/Trailer (GS/GE), and Transaction Set Header/Trailer (ST/SE) control segments for transactions to be submitted to or received from Medicare.
- **Acknowledgments and Reports:** This section contains information on all transaction acknowledgments sent by the MTF and report inventory.
- **Trading Partner Agreement:** This section contains information related to implementation checklists, transmission examples, Trading Partner Agreements and other resources.
- **Transaction Specific Information:** This section describes the specific CMS requirements over and above the information in the ASC X12N 835 TR3.

2 Getting Started

2.1 Working Together

The MTF has several options to assist Trading Partners with their electronic data exchange needs and provide communication channels and providing the Trading Partners with a variety of support tools.

The MTF help desk is established as the first point of contact for basic information and troubleshooting. The help desk is available to support most MTF questions/incidents while at the same time being structured to triage each incident if more advanced research is needed. Email is also accessible as a method of communicating with the MTF. The email account is monitored by knowledgeable staff ready to assist Trading Partners. When communicating via email, please exclude any protected health information (PHI) to ensure security is maintained. See Section 5 for additional contact information.

The MTF also has several external communication components in place to reach out to the Trading Partner community. The MTF posts all critical updates, system issues, and 835 resources to its portal. All Trading Partners are encouraged to visit the portal to ensure familiarity with the site's content. In addition to the website, a distribution list has been established to broadcast urgent messages.

Specific information about the above-mentioned items can be found in the following sections.

2.2 Trading Partner Registration

An MTF Trading Partner is any entity that receives electronic data from the MTF. Table 1 below outlines the terminology associated with each Trading Partner type.

Table 1 – Trading Partner Types

Trading Partner Type	Description
Dispensing Entity	An entity that dispenses selected drugs to maximum fair price (MFP) - eligible individuals
Third Party Support Entity	An entity, such as a pharmacy services administrative

Trading Partner Type	Description
	organization or reconciliation vendor, that has a contract with a dispensing entity to provide services related to the MTF, such as receiving MFP refunds, ERAs, or remittance advice.

To enroll with the MTF, Trading Partners must be registered in the National Council for Prescription Drug Program (NCPDP) online. The MTF Data Module (DM) User Agreement (established during enrollment) outlines the MTF and Trading Partners' responsibilities. During enrollment, Trading Partners identify the entity with which the MTF will exchange remittance advice data and the 835-transmission method to be used by the MTF. Additional information about enrolling in the MTF, including a copy of the MTF DM User Agreement, can be found at <https://www.cms.gov/inflation-reduction-act-and-medicare/medicare-drug-price-negotiation/resources-pharmacies-and-dispensing-entities>.

3 Trading Partner Testing Process

The MTF does not require testing of 835s, but it is recommended. MTF 835 test files will be available in the MTF portal for registered MTF users with remittance access. Users will be provided with an 835-test file within the 835 section of the MTF portal. The test file will be available via the portal or command-line instruction (CLI).

4 Connectivity / Communications

4.1 Process Flows

MTF 835s are available for download via the MTF portal and CLI tool. The MTF uses the processes outlined below to ensure that 835 access is secure, authenticated, and privilege based.

Process Overview:

1. **Authentication via Application Programming Interface (API) Key:**
 - All access is authorized using time-limited API keys provisioned to registered DEs/TPSEs.
 - Keys expire every 90 days and must be renewed.
2. **Search 835 Files:**
 - Users submit queries using the CLI or user interface (UI) to filter 835 files by date range, Payer ID, or other metadata.
 - Search results return available files with download metadata (file ID, date, size, etc.).
3. **Download 835 Files:**
 - Downloads are initiated via API (CLI) or UI.
 - Users must possess the DOWNLOAD_835S privilege to initiate retrieval.
 - Files are returned in X12 005010X221A1-compliant format.
4. **Error Handling:**
 - The system handles errors such as invalid/expired API keys, unauthorized access, and file-not-found conditions gracefully.
 - CLI tools return standardized error codes.
5. **Logging & Monitoring**

4.2 Transmission

The MTF provides two options for receipt of 835s. 835s are available for download via the MTF portal and through a downloadable CLI tool that Trading Partners can use to automate receipt of MTF 835s.

4.2.1 Frequency

The MTF provides Trading Partners with 835s after payment is issued.

4.2.2 Re-transmission Procedures

Trading Partners can access 835s via the MTF portal for a specific amount of time before they are migrated to an archive. To recall an 835, please contact the MTF help desk indicated in section 5.1 of this CG.

4.3 Communication Protocol Specifications

Please see the GPNet Communications Manual posted under the CLI Tool User Guide found in the MTF portal, as indicated in section 5.1 of this CG.

4.4 Security Protocols and Passwords

All Trading Partners must adhere to CMS information security policies; including, but not limited to, the transmission of electronic claims, claim status, receipt of the remittance advice, or any system access to obtain beneficiary PHI and/or eligibility information. Violation of this policy will result in revocation of all methods of system access. The MTF is responsible for notifying all affected Trading Partners as well as reporting the system revocation to CMS. Additional information can be found at: <https://security.cms.gov/policy-guidance/cms-acceptable-risk-safeguards-ars>.

5 Contact Information

5.1 MTF Customer Service

For MTF customer service, contact the MTF help desk or visit the MTF portal:

- **MTF Portal:** <https://mtf.cms.gov>
- **MTF Help Desk:** <https://mtf.helpdesk.cms.gov>

6 Control Segments Envelopes

Enveloping information must be as follows:

Table 2 – Control Segments / Envelope Requirements

Page #	Element	Name	Codes/Content	Notes/Comments
	ISA	Interchange Control Header		
C.4	ISA01	Authorization Information Qualifier	00	
C.4	ISA02	Authorization Information		The MTF will use spaces.
C.4	ISA03	Security Information Qualifier	00	
C.4	ISA04	Security Information		The MTF will use spaces.
C.4	ISA05	Interchange Sender ID Qualifier	ZZ	
C.4	ISA06	Interchange Sender ID		The MTF will use “404261100111002”
C.5	ISA07	Interchange ID Qualifier	ZZ	
C.5	ISA08	Interchange Receiver ID		The MTF assigned Trading Partner ID
C.5	ISA11	Repetition Separator		The MTF will use “^”
C.5	ISA12	Interchange Version Control Number	00501	
C.6	ISA14	Acknowledgment Requested	0	
C.6	ISA15	Interchange Usage Indicator	P	
C.6	ISA16	Component Element Separator		The MTF will use “:”
	GS	Functional Group Header		
C.7	GS02	Application Sender Code		The MTF will use “404261100111002”

Page #	Element	Name	Codes/Content	Notes/Comments
C.7	GS03	Application Receiver Code		The MTF assigned Trading Partner ID
C.8	GS06	Group Control Number		The MTF will use “1” and increment by 1
C.8	GS08	Version Identifier Code	005010X221A1	

Interchange Control (ISA/IEA) and Function Group (GS/GE) and the Transaction (ST/SE) sets must be used as described in the TR3. The MTF’s expectations for the Control Segments and Envelopes are detailed in Sections 6.1, 6.2, and 6.3.

6.1 ISA-IEA

Delimiters – Outbound Transactions

Table 3 – Delimiters

Delimiter	Character Used	Dec Value	Hex Value
Data Element Separator	*	42	2A
Repetition Separator	^	94	5E
Component Element Separator	:	58	3A
Segment Terminator	~	126	7E

Data Element Detail and Explanation

All data elements within the ISA/IEA interchange envelope must follow ASC X12N syntax rules as defined within the TR3.

6.2 GS-GE

Functional group (GS-GE) codes are transaction-specific. Therefore, information concerning the GS/GE Functional Group Envelope can be found in Table 3.

6.3 ST-SE

The MTF follows the HIPAA-adopted TR3 requirements.

7 Acknowledgments and Reports

7.1 999 Implementation Acknowledgment

The 999 is not used for 835 transactions.

8 Trading Partner Agreement

The MTF DM User Agreement ensures the integrity of the electronic transaction process and are related to the electronic exchange of information between the MTF and Trading Partners.

CMS requires all Trading Partners to sign the MTF DM User Agreement.

9 Transaction-Specific Information

This section defines specific requirements that CMS requires over and above the standard information in the ASC X12N 835 TR3.

9.1 Transaction Set Listing

Table 4 – Transaction Set Segments

HEADER

<u>SEG.</u>	<u>ID NAME</u>	<u>USAGE</u>	<u>REPEAT</u>	<u>LOOP REPEAT</u>
ST	Transaction Set Header	R	1	
BPR	Financial Information	R	1	
TRN	Reassociation Trace Number	R	1	
REF	Receiver Identification	S	1	
DTM	Production Date	S	1	

LOOP ID – 1000A PAYER IDENTIFICATION				1
N1	Payer Identification	R	1	
N3	Payer Address	R	1	
N4	Payer City, State, ZIP Code	R	1	
PER	Payer Business Contact Information	S	1	
PER	Payer Technical Contact Information	R	1	
PER	Payer Web Site	S	1	
LOOP ID – 1000B PAYEE IDENTIFICATION				1
N1	Payee Identification	R	1	
N3	Payee Address	S	1	
N4	Payee City, State, ZIP Code	R	1	

DETAIL

<u>SEG.</u>	<u>ID NAME</u>	<u>USAGE</u>	<u>REPEAT</u>	<u>LOOP REPEAT</u>
LOOP ID – 2000 HEADER NUMBER				>1
LX	Header Number	S	1	
TS3	Provider Summary Information	S	1	
LOOP ID – 2100 CLAIM PAYMENT INFORMATION				>1
CLP	Claim Payment Information	R	1	
NM1	Patient Name	R	1	
REF	Other Claim Related Information	S	10	

LOOP ID – 2110 SERVICE PAYMENT INFORMATION				999
SVC	Service Payment Information	S	1	
DTM	Service Date	S	2	
CAS	Service Adjustment	S	99	
LQ	Health Care Remark Codes	S	99	

SUMMARY

<u>SEG.</u>	<u>ID NAME</u>	<u>USAGE</u>	<u>REPEAT</u>	<u>LOOP REPEAT</u>
PLB	Provider Adjustment	S	>1	
SE	Transaction Set Trailer	R	1	

9.2 Header

The following table contains specific details for the Header.

Table 5 – Header Specific Requirements

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
		ST	Transaction Set Header			
68		ST01	Transaction Set Identifier	835	3	
68		ST02	Transaction Set Control Number		9	The MTF will start with 0001 and increment by 1
		BPR	Financial Information			
70		BPR01	Transaction Handling Code	H, I	2	
71		BPR03	Credit or Debit Flag Code	C	1	
72		BPR04	Payment Method Code	ACH CHK NON	3	
72		BPR05	Payment Format Code	CCP	3	
73		BPR06	Depository Financial Institution (DFI) Identification Number Qualifier	01	2	
75		BPR12	DFI Identification Number Qualifier	01	2	
		REF	Receiver Identification			
82		REF01	Reference Identification Qualifier	EV	3	
82		REF02	Reference Identification		30	MTF-assigned ID
		DTM	Service Date			
85	2110	DTM01	Date/Time Qualifier	405	3	

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
85	2110	DTM02	Date		8	The MTF will use the file create date

9.2.1 Loop 1000A Payer Identification

There is no supplemental information to define further specific data content relating to Loop 1000A.

9.2.2 Loop 1000B Payee Identification

The following table describes the specific details associated with the Payee Identification structure.

Table 6 – Loop 1000B Payee Identification

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
		N1	Payee Identification			
103	1000B	N103	Identification Code Qualifier	FI	2	
103	1000B	N104	Identification Code		80	The MTF will use Payee Tax ID

9.3 Detail Structures

This section describes the specific details associated with Detail Structures.

9.4 Loop 2000 Header Number

The following table describes the specific details associated with the Header Number structure.

Table 7 – Loop 2000 Header Number

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
			Header Number			
111	2000	LX01	Assigned Number		6	The MTF will start at 01 and increment by 1
		TS3	Provider Summary Information			

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
113	2000	TS301	Reference Identification		30	The MTF will use NPI
113	2000	TS302	Facility Code Value	99	2	

9.5 Loop 2100 Claim Payment Information

The following table describes the specific details associated with the Claim Payment Information structure.

Table 8 – Loop 2100 Claim Payment Information

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2100	CLP	Claim Payment Information			
123	2100	CLP01	Claim Submitter's Identifier		38	The MTF will use Prescription Reference Number and Fill Number with the characters "FILL" preceding the Fill Number
124	2100	CLP02	Claim Status Code	1, 4, 22	2	
125	2100	CLP03	Monetary Amount		18	The MTF will use the Standard Default Refund Amount (SDRA). When CLP03 does not equal CLP04, refer to the CARC and RARCs in the appendix.
125	2100	CLP04	Monetary Amount		18	The MTF will use the Manufacturer Payment Amount. When CLP03 does not equal CLP04, refer to CARC and RARCs in the appendix.
126	2100	CLP06	Claim Filing Indicator Code	OF	2	
127	2100	CLP07	Reference Identification		30	The MTF will use MTF Internal Claim Number

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
		NM	Patient Name			
137	2100	NM101	Entity Identifier Code	QC	3	
138	2100	NM102	Entity Type Qualifier	1	1	
138	2100	NM103	Patient Last Name		60	The MTF will not send the beneficiary's name since it is not known and not required for pharmacy.
138	2100	NM104	Patient First Name		35	The MTF will not send the beneficiary's name since it is not known and not required for pharmacy.
		REF	Other Claim Related Identification			
169	2100	REF01	Reference Identification Qualifier	F8, 9C	3	
170	2100	REF02	Reference Identifier			When REF01 is 9C, the MTF will populate REF02 with the Part D Plan Claim Control Number

9.6 Loop 2110 Service Payment Information

The following table describes the specific details associated with the Service Payment Information structure.

Table 9 – Loop 2110 Service Payment Information

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2110	SVC	Service Payment Information			
186	2110	SVC01	Medical Procedure Identifier			
187	2110	SVC01-1	Product or Service ID Qualifier	N4	2	
188	2110	SVC01-2	Product/Service ID		48	The MTF will use NDC-11 Number
189	2110	SVC02	Monetary Amount		18	The MTF will use the SDRA
190	2110	SVC03	Monetary Amount		18	The MTF will use the Manufacturer Payment Amount
190	2110	SVC05	Quantity		15	The MTF will use Quantity Dispensed
		DTM	Service Date			
195	2110	DTM01	Date/Time Qualifier	472	3	
195	2110	DTM02	Date		8	The MTF will use the Date of Service
	2110	CAS	Service Adjustment			
198	2110	CAS01	Claim Adjustment Group Code	PI	2	

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
198	2110	CAS02	Claim Adjustment Reason Code		5	See Appendices
198	2110	CAS03	Monetary Amount		18	The MTF will use Adjustment Amount
		LQ				
215	2110	LQ01	Code List Identifier	HE	3	
216	2110	LQ02	Industry Code		30	See Appendices

10 Summary

The following table describes the specific details associated with the Summary structure.

Table 10 – Summary Specific Requirements

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
		PLB	Provider Adjustment			
218		PLB01	Reference Identification		50	The MTF will use Pharmacy NPI
218		PLB02	Date		8	The MTF will use Last Day of Year CCYYMMDD
218		PLB03	Adjustment Identifier			
219		PLB03-1	Adjustment Reason Code	FB WO	2	
222		PLB03-2			50	The MTF will use Trace Number and Drug ID with the characters “DRUGID” preceding the Drug ID

11 Appendices

11.1 Implementation Checklist

To begin receiving 835s, Trading Partners must:

- Enroll in the MTF.
- Select an organization to receive 835s.
- Choose the appropriate method to receive 835s (i.e., download the CLI tool, if desired).
- Download the MTF 835 test file for system testing.
- Begin receiving 835s using the CLI tool or through MTF portal download.

11.2 Claim Adjustment Reason Codes and Remittance Advice Remark Codes

The MTF will use one CARC and one of five RARCs to communicate adjustments to the SDRA on 835s. RARCs N907, N908, N909, N910 align with justification reason codes submitted by manufacturers in claim-level payment elements to the MTF. Dispensing entities requiring additional information regarding receipt of RARCs N907, N908, N909, N910 on their 835 must contact the manufacturer associated with the claim.

The MTF will use RARC N911 when it has identified a claim that is not currently reimbursable due to non-accepted prescription drug event submitted to CMS by a Part D plan. For claims with RARC N911, dispensing entities can use the reporting features within the MTF user interface to view claim status. Dispensing entities requiring a correction to prescription drug event must contact the PBM/Processor who submitted the claim to CMS.

Table 11 – MTF CARC and RARCs

CARC	Description	MTF Usage
307	Medicare Maximum Fair Price Standard Default Refund Amount Adjustment	Indicates that an adjustment has been made to the Standard Default Refund Amount. The MTF will always use CARC 307 in combination with one of the RARCs below.
RARC	Description	MTF Usage
N907	No refund because this claim has been identified as 340B-eligible with a ceiling price lower than the maximum fair price.	The manufacturer has indicated in its claim-level payment elements to the MTF a justification code of “4”, indicating that it has identified the claim as 340-eligible with a ceiling price lower than the maximum fair price.
N908	No refund because this drug has been prospectively purchased at the maximum fair price.	The manufacturer has indicated in its claim-level payment elements to the MTF a justification code of “3”, indicating that the drug has been prospectively purchased.
N909	Refund amount has been calculated using a methodology that differs from the Standard Default Refund Amount calculation ((Wholesale Acquisition Cost minus Maximum Fair Price) times Quantity).	The manufacturer has indicated in its claim-level payment elements to the MTF a justification code of “2”, indicating that is paying an amount other than the Standard Default Refund Amount.
N910	A refund cannot be provided for this claim at this time. Contact the manufacturer directly regarding your eligibility.	The manufacturer has indicated in its claim-level payment elements to the MTF a justification code of “6”, indicating that it has identified a reason unknown to CMS to not provide a refund at this time.
N911	This claim cannot be reimbursed by the manufacturer until the Part D plan submits corrected prescription drug event data to CMS for maximum fair price validation.	CMS has identified the MFP claim as not reimbursable due to prescription drug event data validation issues. The Part D plan must correct the data issues in order for CMS to forward the claim to the manufacturer for reimbursement.

11.3 Forwarding Balance, Creation and Application of Credits

Forwarding balance amounts will be accrued and applied at the NPI and MFP drug level. To assist with tracking and reporting of forwarding balance amounts PLB03-2 will include the Trace Number and Drug ID with the characters “DRUGID” preceding the Drug ID as defined in the MTF portal, indicated in section 5.1 of this CG.

11.4 Transmission Examples

```
ISA*00*          *00*          *ZZ*404261100111002*ZZ*SENDERID          *260105*2015*^*00501*000000001*0*P*:~
GS*HP*404261100111002*12345*20260105*2015*1*X*005010X221~
ST*835*0001~
SE*914*0001~
GE*1*1~
IEA*1*000000001~
```

11.5 Frequently Asked Questions

Frequently asked questions can be accessed at: <https://www.cms.gov/inflation-reduction-act-and-medicare/medicare-drug-price-negotiation/resources-pharmacies-and-dispensing-entities>

11.6 Acronym Listing

Table 12 – Acronym List

Acronym	Definition
999	Implementation Acknowledgment
ACH	Automated Clearing House
API	Application Programming Interface
CAQH CORE	Council for Affordable Quality Healthcare - Committee on Operating Rules for Information Exchange
CARC	Claim Adjustment Reason Code
CG	Companion Guide
CLI	Command Line Instruction
CMS	Centers for Medicare & Medicaid Services
DE	Dispensing Entity
DDPS	Drug Data Processing System
ERA	Electronic Remittance Advice
FISMA	Federal Information Security Management Act
GS/GE	GS – Functional Group Header / GE – Functional Group Trailer

Acronym	Definition
HIPAA	Health Insurance Portability and Accountability Act of 1996
ISA/IEA	ISA – Interchange Control Header / IEA – Interchange Control Trailer
MFP	Maximum Fair Price
MTF	Medicare Transaction Facilitator
MTF DM	Medicare Transaction Facilitator Data Module
NCPDP	National Council for Prescription Drug Programs
NDC	National Drug Code
NPI	National Provider Identifier
PBM	Pharmacy Benefit Manager
RARC	Remittance Advice Remark Code
SDRA	Standard Default Refund Amount
TPSE	Third-Party Support Entity

Acronym	Definition
NPI	National Provider Identifier
PDE	Prescription Drug Event
PII	Personally Identifiable Information
PHI	Protected Health Information
RARC	Remittance Advice Remark Code
SDRA	Standard Default Refund Amount
ST/SE	ST – Transaction Set Header / SE – Transaction Set Trailer
TA1	Interchange Acknowledgment
TPSE	Third-Party Support Entity
TR3	Technical Report Type 3
WAC	Wholesale Acquisition Cost
X12	A standards development organization that develops EDI standards and related documents for national and global markets (See: http://www.x12.org/)
X12N	Insurance subcommittee of X12

11.7 Change Summary

The following table contains version information for this CG.

Table 13 – Companion Guide Version History

Version	Date	Section(s) changed	Change Summary
0.1	April 25, 2025	All	Initial Draft
1.0	July 23, 2025	All	1 st Publication Version