

835 Electronic Remittance Advice Companion Guide

835 Healthcare Claim Payment/Advice
(ASC X12N 5010X221A1)
Implementation Guide



835 Magellan Healthcare Abbreviated Companion Guide

DISCLOSURE STATEMENT

While every effort has been made to ensure the accuracy and completeness of this information, Magellan Healthcare* does not warrant the accuracy or completeness of any of this information. Magellan assumes no legal liability or responsibility whatsoever for the accuracy or completeness of any such information contained in this guide.

This guide is intended to facilitate the implementation of HIPAA-required transactions between trading partners. If changes are required in this document, they will be made in a timely manner. The parties using these materials are responsible for ensuring that they obtain and use the most current version of this guide. Magellan will make reasonable efforts to communicate changes to direct trading partners.

The information contained in this Abbreviated Companion Guide does not contradict requirements defined in the ASC X12N HIPAA Implementation Guides.

PREFACE

The Health Insurance Portability and Accountability Act (HIPAA) requires health insurance payers and covered entities in the United States to comply with the EDI standards for healthcare as defined in the ASC X12N Implementation Guides.

This Companion Guide to the v5010 ASC X12N Implementation Guides and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging electronically with Magellan.

Transmissions based on this companion guide, used in tandem with the v5010 ASC X12N Implementation Guides, are compliant with both ASC X12 syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the ASC X12N Implementation Guides adopted for use under HIPAA.

The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the Implementation Guides.

*In California, Magellan does business as Human Affairs International of California and/or Magellan Health Services of California, Inc. – Employer Services. Other Magellan entities include Magellan Healthcare, Inc. f/k/a Magellan Behavioral Health, Inc.; Magellan Behavioral of Michigan, Inc.; Magellan Behavioral Health of Pennsylvania, Inc.; Magellan Providers of Texas, Inc.; and their respective affiliates and subsidiaries; all of which are affiliates of Magellan Health, Inc. (collectively “Magellan”).

835 Magellan Healthcare Abbreviated Companion Guide

Contents

INTRODUCTION	5
SCOPE.....	5
OVERVIEW.....	5
REFERENCES.....	5
GENERAL EDI TERMINOLOGY	6
GETTING STARTED	7
WORKING WITH MAGELLAN	7
TRADING PARTNER REGISTRATION	7
GUIDANCE FOR UNDERSTANDING AN 835.....	8
TESTING WITH MAGELLAN	9
GENERAL TRANSACTION PROTOCOL.....	9
SCHEDULE	9
PUSHING/PULLING OF FILES.....	9
CONTROL SEGMENTS/ENVELOPES.....	9
STRUCTURE REQUIREMENTS.....	9
CHARACTER DELIMITERS.....	9
CODE SETS.....	10
ISA-IEA.....	10
GS-GE	10
ERA STRUCTURE	10
835 CONTENTS.....	11
835 RECOMMENDATIONS.....	12
DENIAL CODES.....	13
CONDITIONAL DATA REQUIREMENTS.....	13
PROVIDER LEVEL ADJUSTMENTS (PLB).....	13
INTEREST PAYMENTS.....	13
ADJUSTMENTS (Reversals and Corrections).....	14
CLAIM AND SERVICE LINE ADJUSTMENTS	14
CONTACT INFORMATION.....	14
EDI CUSTOMER SERVICE AND TECHNICAL ASSISTANCE	14
PROVIDER SERVICE NUMBER	15
MAGELLAN BUSINESS RULES AND LIMITATIONS.....	15

835 Magellan Healthcare Abbreviated Companion Guide

FEDERAL TAX ID.....	15
SENDER IDENTIFIER.....	15
NATIONAL PROVIDER IDENTIFIER (NPI).....	15
BILLING PROVIDER IDENTIFIER.....	15
RENDERING PROVIDER IDENTIFIER	15
REFERRING PROVIDER IDENTIFIER	16
ATYPICAL PROVIDER.....	16
ADDRESS REQUIREMENT	16
DATES.....	16
DECIMALS.....	16
MONETARY AND UNIT AMOUNT VALUES	17
PHONE NUMBERS	17
COORDINATION OF BENEFITS (COB) PROCESSING (837P).....	17
CORRECTIONS AND REVERSALS (837P)	17
NATIONAL DRUG CODE REQUIREMENTS (837I)	18
DISCHARGE STATUS (837I)	18
REVISION HISTORY	19

835 Magellan Healthcare Abbreviated Companion Guide

INTRODUCTION

SCOPE

Covered entities (payers, healthcare providers, health plans and clearinghouses) must comply with the ASC X12N 835(005010X221A1) TR3 for submission of Healthcare Claims to Magellan. This companion guide defines business rules for 835 data content, response times, connectivity, and system availability. This document should be used to supplement the X12 TR3.

OVERVIEW

The Companion Guide provides Magellan trading partners with guidelines for submitting 5010 version of 835 (version 005010X221A1). The Magellan Companion Guide documents any assumptions, conventions, or data issues that may be specific to Magellan business processes when implementing the HIPAA ASC X12N 5010A Technical Reports Type 3 (TR3). As such, this Companion Guide is unique to Magellan Healthcare and its affiliates.

This document does NOT replace the HIPAA ASC X12N 5010A Technical Reports Type 3 (TR3) for electronic transactions, nor does it attempt to amend any of the rules therein or impose any mandates on any trading partners of Magellan. This document provides information on Magellan-specific code handling and situation handling that is within the parameters of the HIPAA administrative Simplification rules. Readers of this Companion Guide should be acquainted with the HIPAA Technical Reports Type 3, their structure and content. Information contained within the HIPAA TR3s has not been repeated here although the TR3s have been referenced when necessary. The HIPAA ASC X12N 5010A Technical Reports Type 3 (TR3) can be purchased at <http://store.x12.org>.

REFERENCES

The ASC X12N 835 (version 005010X221A1) TR3 guide for Electronic Remittance Advice has been established as the standard for electronic remittance advice and is available at <http://store.x12.org/store>.

GENERAL EDI TERMINOLOGY

Accumulated Amount – The amount that the member has paid/used on deductible, out of pocket and benefit limits.

Addenda – Refers to a version of the HIPAA mandated transaction sets that corrects identified implementation issues noted in the original TR3.

Data Segment – Corresponds to a record in data processing terminology. Consists of logically related data elements in a defined sequence (defined by X12N). Each segment begins with a segment identifier, which is not a data element and one or more related data elements, which are preceded by a data element separator. Each segment ends with a segment terminator.

Data Element – Corresponds to a field in data processing terminology. Assigned unique reference number. Each element has a name, description, type, minimum length, and maximum length. The length of an element is the number of character positions used, except as noted for numeric, decimal, and binary elements. Data element types are defined in Appendices B of the TR3.

Delimiter – A character used to separate two data elements (or sub-elements) or to end a segment. They are specified in the interchange header segment (ISA). Once specified in the ISA, they should not be used in the data elsewhere other than as a separator or terminator.

DOB – An acronym for Date of Birth.

DOS – An acronym for Date of Service.

EDI – An acronym for Electronic Data Interchange.

Electronic Data Interchange – The application-to-application transfer of key business information transacted in a standard format using a computer-to-computer communications link. There are typically 6 components used in order to do EDI. They are an EDI file, a trading partner, an application file/form, translator (mapper), communications and value-added network or value-added service provider.

Interface – The point at which two systems connect to pass data.

Loops – Loops are groups of semantically related segments. Data segment loops may be unbounded or bounded.

Out-of-pocket – Patient liability.

Routing – Separation of data based on specific criteria for subsequent transfer to an internal or external system.

Static Amount – The beginning amount for deductible, out-of-pocket and benefit limitations.

Technical Reports Type 3 (TR3s) – Documents that provide standardized data requirements and content as the specifications for consistent implementation of a standard transaction set. The Washington Publishing Company publishes HIPAA TR3s on their web site: www.wpc-edi.com.

Trading Partners – is defined as any entity that exchanges electronic data with Magellan. The term electronic data is not limited to HIPAA X12 transactions. Magellan supports trade relations with the following entities:

835 Magellan Healthcare Abbreviated Companion Guide

- Clearinghouse
- Provider
- Billing Agency/Service
- Health Plan

Translation Software – Commercial computer software, which with input instructions converts a standard format to an application format or an application format to a standard format. Most translation software products also compliance checks standard format files and automatically creates interchange/functional acknowledgements to identify receipt and translation status of a file. Some products also offer translation capability from any format to any format.

Transaction Set – A transaction set is considered one business document which is composed of a transaction set header control segment, one or more data segments, and a transaction set trailer control segment.

X12N – An Accredited Standards Committee commissioned by the American National Standards Institute to develop standards for Electronic Data Interchange. While X12 indicates EDI, the N identifies the Insurance Subcommittee that is responsible for developing EDI standards for the insurance industry. There is a special healthcare task group within this subcommittee responsible for the development of healthcare insurance transactions.

GETTING STARTED

WORKING WITH MAGELLAN

For technical questions or help related to 835 transactions, please contact:

Magellan EDI Support Team

Email: EDIsupport@MagellanHealth.com

Magellan supports the 835 ASC X12N version 005010X221A1 Healthcare Claim Payment Advice. Providers wishing to receive the 835 must support this version. Magellan supports 835 batch transactions. All trading partners must be enrolled to receive an 835 Electronic Remittance prior to Magellan sending the transaction.

TRADING PARTNER REGISTRATION

Registration forms for receiving files directly from Magellan can be found on the provider portal at www.MagellanProvider.com.

Providers utilizing a clearinghouse will need to work with them to enroll for this transaction.

GUIDANCE FOR UNDERSTANDING AN 835

Q: The 835 file wraps and is difficult to read. Why doesn't Magellan send a control character at the end of each segment?

A: The segment terminator is a tilde (~) as specified in the ISA position 116, the character following ISA16. Per the ANSI standard, the next character starts the GS segment; there is no space for a control character, such as new line or carriage return. To view the file in a more user-friendly format, we suggest replacement of the tilde with an NL or CR. This can be done by the provider's processing system or in Microsoft Word by using the Find/Replace feature. (Go to Replace Tab, click on More, then click Special and select Manual Line Break.) You may make a request to the Magellan EDI Team to have your file come to you in an unwrapped format. Please ensure that your practice management system will be able to accept and process an unwrapped file.

Q: If I receive an electronic 835, will I still receive a paper EOP?

A: Magellan will not continue to send the paper EOP. However, a provider may retrieve a copy of the paper EOP from the Availity Essentials provider portal - <https://apps.availity.com/web/onboarding/availity-fr-ui/#/login>

Q: When are the 835 files generated?

A: Magellan produces checks daily. In general, the 835 files are generated at 12:05 p.m. Central time.

Q: How many 835 files can I receive?

A: One 835 file is created per trading partner daily, barring you have claims that have been paid/processed.

Q: Why are the claims in the 835 files in a different order than on the paper EOP?

A: Two separate processes generate the 835 and paper EOP. Both processes group claims by product, but the order of the claims may be different.

Q: How do I recognize an encounter (capitated claim)?

A: Magellan will identify an encounter at the line level. Each claim line that includes an encounter service will be reported with Adjustment Group code "OA" and Adjustment Reason Code "24" (Fee for Service). The value of this claim line will be the fee for service equivalent of the capitated service. Unless your billed amount is less than the fee for service equivalent of the capitated service, in which case your encounter value will be reported in the AMT^B6 segment.

Q: How do I recognize a claim that has been denied by Magellan?

A: Magellan will define a "Denied Claim" as a claim on which the last version of all claim lines is denied. The claim will be reported with a Claim Status Code of "4" in the CLP02 segment.

TESTING WITH MAGELLAN

Magellan does not normally test 835 transactions with the trading partner. Testing will be approved on a case-by-case basis. All 835 transactions are “live” (i.e., actual production data). The decision to post 835 transactions to the payee’s test or production accounts receivable system is solely the responsibility of the recipient.

GENERAL TRANSACTION PROTOCOL

SCHEDULE

Magellan processes 835 transactions at 12:05 p.m. Central time, Monday – Friday (even on holidays). Magellan does not process any 835 transactions on Saturday or Sunday.

PUSHING/PULLING OF FILES

Magellan will work directly with each trading partner to determine the protocol for retrieval of files.

CONTROL SEGMENTS/ENVELOPES

Magellan’s Payer ID is **01260**.

STRUCTURE REQUIREMENTS

One ISA/IEA interchange per file is required.

One GS/GE functional group per interchange is required.

CHARACTER DELIMITERS

Delimiters are characters used to separate data elements or component elements or to terminate a segment within a data string. Delimiters are an integral part of the data.

Delimiters are specified in the interchange header segment, ISA. The ISA segment can be considered in implementations compliant with this guide to be a 105-byte fixed length record, followed by a segment terminator.

Once specified in the interchange header, the delimiters are not to be used in a data element value elsewhere in the interchange.

835 Magellan Healthcare Abbreviated Companion Guide

Version 5010 contains a new repetition delimiter in the ISA11. This character cannot be the same as the separator delimiter. Please refer to the 5010 Technical Report Type 3 (TR3) for specific details.

CODE SETS

Only standards codes, valid at the time of the date(s) of service, will be used.

ISA-IEA

This section describes the use of the Interchange Control segments, ISA and IEA. These segments mark the beginning and ending of an interchange. The ISA segment has a fixed length and all the elements within this segment must be populated.

This segment includes a description of the expected sender and receiver codes and delimiters for inbound transactions.

ISA05 = ZZ

ISA06 = 01260

ISA07 = Defined by trading partner

ISA08 = Defined by trading partner

ISA15 = "T" for test files

ISA15 = "P" for production files.

GS-GE

This section describes Magellan's use of the functional group control segments. It includes a description of expected application sender and receiver codes.

This is a description concerning how Magellan expects functional groups to be sent and how Magellan will send functional groups. These discussions will describe how similar transaction sets will be packaged and Magellan's use of functional group control numbers.

GS group control number (GS06) must be unique across all files sent (This is a numeric field. Other than leading zeros, the GS Control number is usually equal to the ISA control number).

GS03 = Same as ISA08

ERA STRUCTURE

Magellan sends an 835 file for each trading partner. There is only one ISA/GS segment per file. There may be one or more ST segments per file. Each ST segment corresponds to a Payee/Check Number. The file is structured in the following hierarchy:

- ISA
- GS
- ST*835*

835 Magellan Healthcare Abbreviated Companion Guide

- One check per Payee Number (BPR Segment)
- N1 Loop 1000B — Payee Identification Qualifier XX the National Provider Identifier
- REF Loop 1000B — Payee Additional Identification Qualifier TJ—Provider tax ID number
- Provider Loop 2000—LX segment is used to indicate the start of a provider's claims
- Loop 2000 —TS3 contains the National Provider Identifier for the subsequent group of claims
- Provider's Claim Header (Loop 2100 CLP)
- One or more Service lines with adjustment details. (Loop 2110 SVC)
- Repeat Loops for additional Providers' claims and service lines
- Repeat ST/SE Loops for additional Payee/Checks for this submitter

835 CONTENTS

The 835 transaction is compliant in both form and content. Any internal non-standard codes will be mapped to standard codes during the creation of the 835 transactions. Paper EOPs will not change; they will continue to reflect values stored in Magellan's system, not the values in the 835 transactions. Member and provider demographic information is returned on the 835 transactions as it is stored in Magellan's system.

During claim data entry and claim adjudication, Magellan may bundle original claim lines into one or more lines, add lines to the original claim, replace codes, and so on. In other words, the claim data stored in Magellan's system may not match the data on the original claim. Because the 835 transaction requires Magellan to "tie back" data on the original claim to the adjudicated values, Magellan has developed programs to match these values.

In the cases listed below, Magellan is unable to return data from the original claim as submitted on the 835 transactions.

- The original claim contains a non-standard revenue, CPT, HCPCS code, modifier or another field necessary for the 835 transactions.
- The original claim submitted charges (line and total) do not match the submitted charges in the Magellan system. Magellan may not have access to the original claim information. Magellan, despite best efforts, is unable to match paid claim data with original claim information.
- If Magellan is unable to match paid claim information to data on the original claim, then it will use only the data (mapped to standard codes if required) that is stored in its insurance system to generate the claim information on the 835 files. It will assume that the data stored in its insurance system matches the original claim information. The following fields will be impacted:
 - Submitted Charges (Monetary amount Loop 2100 CLP03) -- Contains the Claim total charged/submitted amount as stored in Magellan insurance systems.
 - Bill Type/Place of Service (Facility Code Value CLP08) -- Contains a Magellan location code.

835 Magellan Healthcare Abbreviated Companion Guide

- Service Date (Loop 2110 DTM) -- Contains the value(s) stored in the Magellan system.

Magellan will send test or sample 835 transactions on a case-by-case basis. All 835 transactions are “live” or production data. The decision to post transactions to the payee’s test or production A/R system is solely the responsibility of the 835 recipients.

Unlike other transactions, testing and determination of production readiness is done solely by the recipient of the 835 transactions. Once Magellan sets up a trading partner to receive 835 transactions, Magellan sends production ERAs. Magellan will assist the 835 recipients with questions and clarifications during the testing period. However, test plans and programming necessary to automatically post payments to the A/R system and the decision to move from test to production are the responsibility of the 835 recipients.

Magellan may send one or more checks per 835/ERA file. Checks and 835/ERA files are generated daily. Magellan is unable to separate files by payee number or site address and deliver files to multiple recipients. Recipients who share a tax ID will need to identify one mailbox to which the 835 files will be delivered. The 835 transactions do not include or support pending claims or Negative Balance Reports.

835 RECOMMENDATIONS

Magellan strongly recommends the following to 835 recipients:

- Both technical and business staff should read and understand the first two sections of the consolidated guide, Health Care Claim Payment/Advice (835), as published by ASC X12.
- Business staff members who understand the current posting processes and rules for posting payments from Magellan paper EOPs should work closely with technical staff to ensure business rules are interpreted correctly in programs that automatically post the ERAs.
- Technical and business staff should be familiar with HIPAA Claim Adjustment Group Codes and HIPAA code set 139 (Health Care Claim Adjustment Reason Codes).
- The 835 and Magellan’s paper EOP are different. It is important that business staff understand the differences between Magellan internal codes and HIPAA standard codes. For example, Magellan prints internal denial explanation codes on the paper EOP. The 835 denial explanation codes are from the HIPAA standard code set 139.
- Providers whose technical staff (or vendor) work closely with their business staff are the ones who are most successful in implementing the 835 transactions.

DENIAL CODES

As Mandated, Magellan will return a compliant Remittance Remark Code. Magellan recommends that 835 recipients determine/post denied charges based on the 835 Adjustment Reason Code.

CONDITIONAL DATA REQUIREMENTS

PROVIDER LEVEL ADJUSTMENTS (PLB)

To tie back the provider level adjustments to the claim/service lines, each PLB segment contains the Magellan provider number in PLB01, which corresponds to the appropriate LX/TS3 segment.

- PLB03-1 value L6 Interest Payment
- PLB03-1 value CS Adjustment
- PLB03-1 value FB Recoupment
- PLB03-1 value WO Alt Provider Withhold

PLB03 Details

Positions 1-2 = Reason Code

Positions 3-19 = Patient Account Number (CLP01)

Positions 20-30 = Magellan's Claim Number (CLP07)

PLB SEGMENT ENHANCEMENT (Deductions/Overpayments)

The Deductions will be reported as follows:

PLB^123456789^20091231^FB	Patient Acct	Mag Claim ^62~
PLB^123456789^20091231^FB	Patient Acct	Mag Claim ^62~
PLB^123456789^20091231^FB	Patient Acct	Mag Claim ^31~
PLB^123456789^20091231^FB	Patient Acct	Mag Claim ^11.75~

Patient account number will be the original patient account number that is listed on the last page of the Magellan EOP under explanation of deduction.

INTEREST PAYMENTS

On the paper EOP, interest payments (paid by Magellan to the provider) are included with the claim's service lines. For the 835 ERA transaction, Magellan follows the Implementation Guide section 1.10.2.9. Interest payment service lines are removed from the claim (CLP) section, the total claim is adjusted accordingly, and the interest payments are included on the PLB segment.

ADJUSTMENTS (Reversals and Corrections)

Once a claim has been paid it may be adjusted. Adjustments are performed at the service line level and are done in pairs; a reversal of the paid line followed by the corrected payment. One, some, or all service lines can be adjusted. Adjustments can also be made through the addition of service line(s) to a claim. If the original claim was denied, we will not recoup the original claim on the corrected payment in the 835.

On the paper EOP, adjustments (reversals and corrections) shown as “previously paid.” For the 835/ERA transaction, Magellan follows the Implementation Guide section 1.10.2.8.

CLAIM AND SERVICE LINE ADJUSTMENTS

In general, Magellan’s claims processing system processes claims at a service line level. A claim is not finalized until all service lines are in a payable state (set to pay or deny). Magellan does not report a claim on the 835 ERA if any service line is pending.

CONTACT INFORMATION

EDI CUSTOMER SERVICE AND TECHNICAL ASSISTANCE

Providers and their business associates can receive assistance by contacting Magellan’s EDI Support Team. The support team can assist providers and vendors with EDI-related issues, i.e., issues that are related directly to the EDI transmission process (including front-end rejections, missing EDI files, etc.).

Email: EDIsupport@MagellanHealth.com

Magellan requests that trading partners, vendors and clearinghouses provide the following information for the most efficient service:

- The name and/or TIN of the provider on whose behalf the transaction was submitted.
- A detailed description of the issue, including any error messages received.
- If calling regarding claims, please provide details regarding the claim(s) in question (i.e., name, member ID, date of service, amount). If it involves many claims, be prepared to have one or two example claims for the support staff to review.
- If calling regarding remittances, please provide details regarding the payment (i.e., payment date, amount, check number, line of business, and the payee TIN.)
- A contact telephone number and email address, should the EDI support staff need more information.

835 Magellan Healthcare Abbreviated Companion Guide

PROVIDER SERVICE NUMBER

For issues not related to EDI, call the number for the member's program or the plan number found on the back of the member's benefits card.

MAGELLAN BUSINESS RULES AND LIMITATIONS

FEDERAL TAX ID

Any Federal Tax Identifier (Employer ID or Social Security Number) used in a transmission should omit dashes or hyphens. Magellan sends and receives only numeric values for all tax identifiers.

SENDER IDENTIFIER

The Sender Identifier is defined by the trading partner and is to be provided to Magellan at the earliest opportunity.

NATIONAL PROVIDER IDENTIFIER (NPI)

HIPAA regulation mandates that providers use their NPI for electronic claims submission. The NPI is used at the record level of HIPAA transactions; for 837 claims, it is placed in the 2010AA loop. See the 837 Professional Data Element table for specific instructions about where to place the NPI within the 837 Professional file. The table also clarifies what other elements must be submitted when the NPI is used.

BILLING PROVIDER IDENTIFIER

The Billing Provider Primary Identifier should be the group/organization ID of the billing entity, filed only at 2010AA. This will be a Type 2 (Group) NPI unless the Billing provider is a sole proprietor, and processes all claims and remittances with a Type 1 (Individual) NPI.

Magellan also requires a dual usage of an NPI as the primary identifier with a Federal Tax ID (TIN) (REF02 using an 'EI' qualifier) for: 2010AA Billing Provider.

If an NPI is used for the above provider type without a TIN (REF02 using an 'EI' qualifier) the claim will be rejected on a 999 or 277CA.

RENDERING PROVIDER IDENTIFIER

When providers perform services for a subscriber/patient, the service will need to be reported in the Rendering Provider Loop 2310B. Magellan allows for only one Rendering Provider to be sent per claim.

835 Magellan Healthcare Abbreviated Companion Guide

REFERRING PROVIDER IDENTIFIER

Magellan has no requirement for Referring Provider information beyond that prescribed by the X12 implementation guide (TR3).

ATYPICAL PROVIDER

Atypical providers are not always assigned an NPI number; if an atypical provider has been assigned an NPI, then they need to follow the same requirements as a medical provider. An atypical provider that provides non-medical services (e.g., transportation, etc.) is not required to have an NPI number. Existing atypical providers need only send the Provider Tax ID in Loop 2010AA REF – Billing Provider Secondary Identification segment.

ADDRESS REQUIREMENT

Claim Office Identifier (PO Box number) is **required** to route the claim to the appropriate area for processing. This identifier **MUST** be sent, or the claim will be rejected.

Preferred location: 2010BB REF02 where REF01 = FY

Alternate location: 2010BB N301 (PO BOX ##### -Address 1 field)

DATES

Magellan will accept all compliant data elements on the 837P/I claims. The following points outline consistent data format and content issues that should be followed for submission; scenarios apply to any dates within an 837P/I transaction:

- All dates should be formatted according to Y2K compliance: CCYYMMDD (except for ISA segments where the date format is YYMMDD).
- Only acceptable value for “CC” (century) within birthdates are 19 or 20.
- Dates that include hours should use the following format: CCYYMMDDHHMM.
- Use Military format, or numbers from 0 to 23, to indicate hours. (e.g., admission date of 201410262115 defines the date and time of October 26, 2014, at 9:15 p.m.).
- No spaces or character delimiters should be used in presenting dates or times.
- Dates that are logically invalid (e.g., 20141301) are rejected.
- Dates must be valid within the context of the transaction. (e.g., patient’s birth date cannot be after the patient’s service date).

DECIMALS

- Percentages should be presented in decimal format. (e.g., 12.5% would be sent as .125).

835 Magellan Healthcare Abbreviated Companion Guide

- Dollar amounts should be presented with decimals to indicate portions of a dollar; no more than two positions should follow the decimal point.
- Dollar amounts containing more than two positions after the decimal point are rejected.

MONETARY AND UNIT AMOUNT VALUES

- Magellan does not accept claims or claim lines with a \$0 as billed amount. Claims submitted with \$0 at the claim or claim line level will be rejected.
- Monetary or Unit amount values that are in negative numbers are also rejected.

PHONE NUMBERS

- Phone numbers should be presented as continuous number strings, without dashes or parenthesis markers (e.g., phone number (336) 555-1212 would be sent as 3365551212). Area codes should always be included.
- Magellan requires the phone number to be AAABBBCCCC where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number.

COORDINATION OF BENEFITS (COB) PROCESSING (837P)

To ensure the proper processing of claims requiring coordination of benefits, Magellan recommends that providers validate the patient's Membership Number and supplementary or primary carrier information for every claim.

All Sum of paid amount (AMT02 in loop 2320) and all line adjustment amounts (CAS in 2320 and 2340) must equal the total charge amount (CLM).

If the claim was adjudicated by another payer identified in the 2330B loop the AMT – Payer Paid Amount and AMT – Remaining Patient Liability must be completed. Primary and secondary coverage for the same claim will not be processed simultaneously. Claims that contain both primary and secondary coverage must be broken down into two claims.

File the primary coverage first and submit the secondary coverage after the primary coverage claim has been processed. Submitters can be assured that the primary coverage claim has been processed upon receipt of the EOP or ERA. A secondary coverage claim that is submitted prior to the processing of its preceding primary coverage claim will be denied, based on the need for primary insurance information.

CORRECTIONS AND REVERSALS (837P)

The 837P/I TR3 defines what values submitters must use to signal to payers that the inbound 837P/I contains a reversal or correction to a claim that has previously been submitted for processing.

For 837P/I claim, 2300 CLM05-3 (Claim Frequency Code) accepted values are:

835 Magellan Healthcare Abbreviated Companion Guide

7 = Replacement of Prior Claim

8 = Void/Cancel of Prior Claim

NATIONAL DRUG CODE REQUIREMENTS (837I)

For Presbyterian Health Plan (PO Box 25926) – if revenue code is 0631, 0632, 0633, 0635, 0636, 0637, and no national drug code is submitted, the claim will be rejected. This edit will be for both Inpatient and Outpatient Bill Types.

DISCHARGE STATUS (837I)

If the claim frequency code is submitted as a 1 or 4 and the patient status is 30, the claim will be rejected.

REVISION HISTORY

Date	Section	Notes	Updated by
10/2014	ALL	Updated format and content	N. Carpenter
8/2025	ALL	Updated format, brand, and Magellan affiliate companies	N. LaChance; Magellan Marketing and Legal