

Power Range	Product	Image	Brief Specs	Price	Set Price
1250W	PMSM Motor 120S 60H 1250W		Rated Voltage: 48V/60V Nominal Torque: 8 Nm Peak Torque: 30 Nm Peak RPM: 3550 Peak Efficiency: >93% IP Protection: IP66 Cooling: Forced Fan Air Gradability: 18% GVW: 700 kg Application: L3 E-Passenger	₹ 5,265	₹ 8,199
	PMSM Controller 24 MOS 60A 1250W		Rated Voltage: 48V/60V Peak DC Current: 60A Continuous Arms: 40A Peak Arms: 150A Power Rating: 1200W Peak Efficiency: >95% IP Protection: IP54 Cooling: Air Cooled Compatible Sensor: Hall Sensor Protection: Overload (Temp Sensor)	₹ 2,934	
1500W	PMSM Motor 120S 70H 1500W		Rated Voltage: 48V/60V Nominal Torque: 10 Nm Peak Torque: 37 Nm Peak RPM: 3450 Peak Efficiency: >93% IP Protection: IP65(90%)/IP66 Cooling: Forced Fan Air Gradability: 18% GVW: 1000 kg Application: L3 E-Loader	₹ 6,414	₹ 10,857
	PMSM Controller 30 MOS 60A 1500W		Rated Voltage: 48V/60V Peak DC Current: 70A Continuous Arms: 50A Peak Arms: 180A Power Rating: 1500W Peak Efficiency: >95% IP Protection: IP54 Cooling: Air Cooled Compatible Sensor: Hall Sensor Protection: Overload (Temp Sensor)	₹ 4,443	

1650W	PMSM Motor 133S 60H 1650W			₹ 7,838	₹ 11,637
	PMSM Controller 24 MOS 60A 1650W			₹ 3,799	
2050W	PMSM Motor 133S 70H 2050W			₹ 8,762	₹ 13,534
	PMSM Controller 30 MOS 60A 2050W			₹ 4,771	

2500W	PMSM Motor 140S 60H 2500W		Rated Voltage: 48V/60V/72V Continuous Power: 3000W Nominal Torque: 13 Nm Peak Torque: 58 Nm @ 300 RPM Peak RPM: 5000/5400/6000 Peak Efficiency: >92% IP Protection: IP67 Cooling: Forced Fan Air Cooling Gradability: 20% GVW: 1000 kg	₹ 12,875	₹ 20,629
	PMSM Controller FOC 2500W		Rated Voltage: 48V/60V/72V Peak DC Current: 120A Continuous Arms: 100 Arms Peak Arms: 250 Arms Peak Efficiency: >95% IP Protection: IP67 Cooling: Air Cooled Compatible Sensor: Rotary Transformer Protection: Overload (Temp Sensor) Application: L5 3-Wheeler	₹ 7,754	
	PMSM Motor 140S 75H 3250W		Rated Voltage: 48V/60V/72V Continuous Power: 3500W (title spec; table prints 3000W) Nominal Torque: 16 Nm Peak Torque: 75 Nm Peak RPM: 5000/5600/6200 Peak Efficiency: >92% IP Protection: IP66 Cooling: Forced Fan Air Cooling Gradability: 20%	₹ 14,777	

3250W					₹ 23,848
	PMSM Controller FOC 3250W		Rated Voltage: 48V/60V/72V Peak DC Current: 120A Continuous Arms: 100 Arms Peak Arms: 250 Arms Peak Efficiency: >95% IP Protection: IP67 Cooling: Air Cooled Compatible Sensor: Rotary Transformer Protection: Overload (Temp Sensor) Application: L5 3-Wheeler	₹ 9,071	
4250W	PMSM Motor 140S 85H 4250W		Rated Voltage: 48V/60V/72V Continuous Power: 4000W Nominal Torque: 20 Nm Peak Torque: 80 Nm Peak RPM: 5400/6000/6700 Peak Efficiency: >92% IP Protection: IP66 Cooling: Forced Fan Air Cooling Gradability: 20% GVW: 1500 kg	₹ 17,703	₹ 28,530
	PMSM Controller FOC 4250W		Rated Voltage: 48V/60V/72V Peak DC Current: 120A Continuous Arms: 100 Arms Peak Arms: 250 Arms Peak Efficiency: >95% IP Protection: IP67 Cooling: Air Cooled Compatible Sensor: Rotary Transformer Protection: Overload (Temp Sensor) Application: L5 3-Wheeler	₹ 10,827	