TECHNICAL TRACK / SOLO PRESENTATION / 30 MINUTES

THE INTELLIGENT MINE

Three detailed story-led presentation flows

Connecting AI across the full value chain - from first drill hole to final rehabilitation

A speaker-ready walkthrough blueprint for MineSentinel, MineAsk, TerraPulse and MyMine AR Mine Digital Twin

SPEAKER GUIDE

How to use this blueprint

Choose one flow for the 30-minute solo address. Each is a complete beginning-to-end narrative, ordered around the four products and anchored in one fictional Ghana mining project.

The session is a standalone address with visual aid and no Q&A.; Each flow uses eight slides and totals 30 minutes. Slide pages provide the story beat, suggested spoken content, stage direction, audience cue, transition and demo cue. These are three narrative options, not separate product pitches.

The shared product sequence

1 / MineSentinel Landscape intelligence	**2 / MineAsk** Evidence-backed assessment	**3 / TerraPulse** Exploration targeting	**4 / MyMine** Shared AR mine twin

Claim discipline for the stage

Product scope: MineSentinel is described as a map, production analytics, concession visibility and GIS intelligence concept. MineAsk centers on query-and-assess workflows using available mining/geospatial evidence; some monitoring and reporting is partial or planned. TerraPulse is a proposed exploration workflow integrating geospatial and survey evidence to rank targets; it supports, rather than replaces, geological judgment and formal estimation. MyMine's source describes a shared AR twin, streaming and multi-user access, with edge sync stated by the owner; many operational overlays remain unverified.

Session vision: forecasting, autonomous equipment, plant optimization, regulatory NLP, sentiment analysis, blockchain traceability and AI closure modeling are connected-stack examples from the session brief. Present them as ecosystem vision or integration opportunities unless independently verified in the product build. Do not promise quantified savings, compliance, discoveries, recovery gains or safety outcomes.

30-MINUTE STORY FLOW

Walkthrough 01 / The Signal in the Noise

A high-stakes discovery story: find the right ground, earn the right to drill, then keep every decision connected.

OPENING HOOK

Start with the human problem

A board has one field season, a fixed exploration budget and three competing target areas. The team must decide where to look before the window closes.

Run of show

Time	Slide	Purpose
2 min	The decision before the first drill hole	At 07:10, the exploration director receives three candidate concessions and one uncomfortable question: which target deserves the next dollar?
4 min	MineSentinel: establish the landscape	The analyst opens MineSentinel to see mines, production context, concession visibility and a geographic view in one place.
5 min	MineAsk: turn a location into a decision brief	The team asks: what is known about title, access, environmental context and nearby infrastructure around Target B?
5 min	TerraPulse: rank targets with geological evidence	Geologists combine satellite, geophysical, geochemical and structural information to prioritize target areas before mobilization.
4 min	From target to evidence: the learning loop	Field teams collect observations and assays. New evidence challenges the model: one target weakens; another gains support.
3 min	MineAsk keeps the wider context visible	Before committing, the team checks licensing pathway, land and community context, water, access and constraints requiring official confirmation.
4 min	MyMine: make the plan visible together	Planners, geotech, HSE and maintenance review a shared AR mine model on headset, tablet, phone or web.
3 min	Closure starts with decisions made today	At year-end, the team assembles an evidence trail of choices, checks and field validations.

Timing totals 30 minutes, including opening and final close. Trim optional detail if the stage clock is tight.

The decision before the first drill hole

STORY BEAT

Scene

At 07:10, the exploration director receives three candidate concessions and one uncomfortable question: which target deserves the next dollar?

WHAT TO SAY

Suggested talk track

Open with the human constraint: limited capital, a short field window and incomplete evidence. The old workflow means separate spreadsheets, map screenshots, consultant emails and a late committee pack. Frame the talk as a connected decision trail from opportunity to closure.

STAGE DIRECTION

Show and involve

Audience cue: Ask the room to picture defending a target when the data lives in five inboxes.

Visual: Full-bleed Ghana landscape, three target pins and one budget clock.

Demo cue: Hold on the three pins; no demo yet.

BRIDGE

Transition to the next beat

We begin before the rig moves: first establish what is happening across the landscape.

MineSentinel: establish the landscape

STORY BEAT

Scene

The analyst opens MineSentinel to see mines, production context, concession visibility and a geographic view in one place.

WHAT TO SAY

Suggested talk track

Show how shared mining context gives the team an initial map of assets and activity. Use it to identify where to investigate. Boundary: this is screening context, not a commodity-price forecaster or hyperspectral target detector unless integrations are verified.

STAGE DIRECTION

Show and involve

Audience cue: Point to the analyst, who needs a sourceable starting point rather than another manual compilation.

Visual: Map zooms from national context to concession and nearby operations.

Demo cue: Walk through lookup and map-to-report only if available in the demo.

BRIDGE

Transition to the next beat

A map shows where the question sits. MineAsk turns that question into structured assessment.

MineAsk: turn a location into a decision brief

STORY BEAT

Scene

The team asks: what is known about title, access, environmental context and nearby infrastructure around Target B?

WHAT TO SAY

Suggested talk track

Describe MineAsk as a query-and-assess workspace joining available mining and geospatial evidence. It can structure first-pass analysis and surface issues for verification. Show source lineage and confidence. A red flag is a prompt to investigate, not an automated legal conclusion.

STAGE DIRECTION

Show and involve

Audience cue: Notice the distinction between evidence, inference and unresolved verification.

Visual: Evidence dossier: question, map, source snippets and open checks.

Demo cue: Open a cited evidence item; avoid autonomous legal-advice claims.

BRIDGE

Transition to the next beat

The desk assessment narrows the field. Geological evidence must now rank where boots and drills go.

TerraPulse: rank targets with geological evidence

STORY BEAT

Scene

Geologists combine satellite, geophysical, geochemical and structural information to prioritize target areas before mobilization.

WHAT TO SAY

Suggested talk track

TerraPulse brings layers into a shared geospatial workflow to identify, rank and explain prospective targets. ML may support prioritization where validated; geologists remain accountable. A high-ranked target is not a declared resource.

STAGE DIRECTION

Show and involve

Audience cue: Better allocation of scarce field effort, not guaranteed discovery.

Visual: Evidence layers resolve into three target polygons and a validation checklist.

Demo cue: Show a ranked target only if present in the product; label sample values illustrative.

BRIDGE

Transition to the next beat

The team chooses a target, but discovery is not yet a bankable model.

From target to evidence: the learning loop

STORY BEAT

Scene

Field teams collect observations and assays. New evidence challenges the model: one target weakens; another gains support.

WHAT TO SAY

Suggested talk track

Tell the iteration story. New drill and field evidence should flow back into interpretation with provenance, competent review and formal standards. TerraPulse supports, rather than replaces, field validation, 3D modeling or formal resource/reserve reporting.

STAGE DIRECTION

Show and involve

Audience cue: Intelligence learns with accountable review; it does not remove geological judgment.

Visual: Before/after ranking with an explicit new-data marker.

Demo cue: Use hypothetical refreshed data unless confirmed in the live product.

BRIDGE

Transition to the next beat

A defensible opportunity needs permitting, social context and operating plans to keep pace.

MineAsk keeps the wider context visible

STORY BEAT

Scene

Before committing, the team checks licensing pathway, land and community context, water, access and constraints requiring official confirmation.

WHAT TO SAY

Suggested talk track

MineAsk can help assemble a location-focused evidence pack from available sources. Broader live regulatory NLP, sentiment scanning, GPS enforcement and blockchain traceability are part of the session vision, not established MineAsk functions in the notes.

STAGE DIRECTION

Show and involve

Audience cue: Screening evidence is not regulatory approval or social consent.

Visual: Opportunity map with constraint overlays and verify-with-authority panel.

Demo cue: Do not simulate alerts unless there is a verified working feature.

BRIDGE

Transition to the next beat

With the opportunity understood, the operating mine needs a shared picture that changes as the site changes.

MyMine: make the plan visible together

STORY BEAT

Scene

Planners, geotech, HSE and maintenance review a shared AR mine model on headset, tablet, phone or web.

WHAT TO SAY

Suggested talk track

MyMine’s stated features include a shared 3D/AR twin, streaming and multi-user collaboration; an edge node is described for weak connectivity. Use it for common spatial context. Do not claim it replaces mine planning, dispatch or certified safety systems.

STAGE DIRECTION

Show and involve

Audience cue: See how a common spatial reference can improve the quality of a conversation.

Visual: One pit view and several collaborators sharing context.

Demo cue: Demonstrate only the AR twin, streaming and device modes confirmed in the build.

BRIDGE

Transition to the next beat

The journey continues after review: measure what changed and plan closure early.

Closure starts with decisions made today

STORY BEAT

Scene

At year-end, the team assembles an evidence trail of choices, checks and field validations.

WHAT TO SAY

Suggested talk track

Close the lifecycle arc: disciplined information practices can support operational reporting and future rehabilitation planning. ESG sensors, automated audit-ready reports and AI closure modeling are session aspirations; do not attribute them to the four products without verified integrations.

STAGE DIRECTION

Show and involve

Audience cue: Promise connected decision quality and less duplication; propose measured pilots, not invented ROI.

Visual: Timeline from target selection to review, ending in closure planning.

Demo cue: “Connect the evidence before you connect the machines.”

BRIDGE

Transition to the next beat

The signal was never one magic model. It was a traceable chain of decisions.

CLOSING CUE

Flow 01 / final landing

End with one clear thought, then stop. The session has no Q&A; segment.

CLOSING LINE

One sentence to leave on screen

Connect the evidence before you connect the machines.

After the address

Offer a next step that fits the story: nominate one workflow for a bounded pilot, name its data owners and reviewers, baseline today’s effort, and agree how success will be measured before implementation.

30-MINUTE STORY FLOW

Walkthrough 02 / The Permit Clock

A regulatory-pressure story: a promising asset is at risk of losing time because no one sees the whole picture soon enough.

OPENING HOOK

Start with the human problem

A project team prepares for an investment gate. The technical case looks promising, but licensing, land and access information is fragmented.

Run of show

Time	Slide	Purpose
2 min	The meeting that starts with a red folder	A sponsor has 30 minutes before the investment committee. The map, production references, title notes and environmental questions live in different files.
3 min	MineSentinel: find the project in its sector	The analyst locates the project among mines, concessions and production context.
5 min	MineAsk: ask what can change the decision	The analyst structures an assessment of title, overlap, licensing steps, roads, water, protected areas, settlement and access.
5 min	TerraPulse: focus fieldwork on the strongest case	The technical team compares available evidence and prioritizes targets before mobilization.
3 min	The evidence pack travels with the decision	The investment memo contains source-aware maps, evidence, confidence and open items needing legal or field confirmation.
5 min	MyMine: bring the same context into the mine review	Operations and technical teams gather around an AR twin; remote specialists share the same 3D view.
4 min	From compliance burden to evidence habit	The team adopts a recurring review: confirm changes, record evidence, assign verification and preserve decision context.
3 min	Final gate: close responsibly and prove progress	The sponsor leaves with a staged plan: validate data, pilot a workflow, measure turnaround and define integrations.

Timing totals 30 minutes, including opening and final close. Trim optional detail if the stage clock is tight.

The meeting that starts with a red folder

STORY BEAT

Scene

A sponsor has 30 minutes before the investment committee. The map, production references, title notes and environmental questions live in different files.

WHAT TO SAY

Suggested talk track

The team is not short of data; it is short of a shared, reviewable answer. Promise a walkthrough of how intelligence helps teams ask better questions earlier.

STAGE DIRECTION

Show and involve

Audience cue: Ask what the audience wants to know before detailed diligence.

Visual: Committee table with map fragments spilling from a red folder.

Demo cue: Use a fictional project; no real permit allegation.

BRIDGE

Transition to the next beat

First establish opportunity context, then test the location and carry a common picture forward.

MineSentinel: find the project in its sector

STORY BEAT

Scene

The analyst locates the project among mines, concessions and production context.

WHAT TO SAY

Suggested talk track

MineSentinel is described as mining map, production analytics, concession visibility, GIS dashboards and report exports. This establishes the where and sector context. The files do not establish complete regulator-grade coverage or real-time updates.

STAGE DIRECTION

Show and involve

Audience cue: Show how geography surfaces useful questions before deep diligence.

Visual: National map zooms to district and related mining context.

Demo cue: Use only verified product data and freshness statements.

BRIDGE

Transition to the next beat

Sector context is useful; the committee’s question is asset-specific.

MineAsk: ask what can change the decision

STORY BEAT

Scene

The analyst structures an assessment of title, overlap, licensing steps, roads, water, protected areas, settlement and access.

WHAT TO SAY

Suggested talk track

MineAsk supports query-and-assess analysis across available mining, geospatial, environmental, regulatory and market context. It helps with screening and issue triage. Some monitoring, alerts and reporting are partial or roadmap; be candid.

STAGE DIRECTION

Show and involve

Audience cue: Show not only a score, but what supports it and what is unknown.

Visual: Question cards link to map, evidence and needs-verification column.

Demo cue: Keep sourced, inferred and official-check labels distinct.

BRIDGE

Transition to the next beat

The due-diligence question is now a target question: where should technical teams spend field time?

TerraPulse: focus fieldwork on the strongest case

STORY BEAT

Scene

The technical team compares available evidence and prioritizes targets before mobilization.

WHAT TO SAY

Suggested talk track

TerraPulse brings satellite, geophysical, geochemical and structural inputs into a shared workflow to identify and rank targets. Ranking is decision support; ground truth and geological review remain essential.

STAGE DIRECTION

Show and involve

Audience cue: Tie value to avoided low-value work and released expert capacity; measure it in a pilot.

Visual: Target ranking beside a field-validation checklist.

Demo cue: Label target values hypothetical unless generated by a confirmed build.

BRIDGE

Transition to the next beat

The committee now has a better-informed location decision. Operations need a shared model to coordinate execution.

The evidence pack travels with the decision

STORY BEAT

Scene

The investment memo contains source-aware maps, evidence, confidence and open items needing legal or field confirmation.

WHAT TO SAY

Suggested talk track

A decision is stronger when reviewers trace claims to evidence. MineAsk notes source lineage/confidence and collaboration/exports, with maturity varying by capability. Generated text is not a legal opinion or permit approval.

STAGE DIRECTION

Show and involve

Audience cue: An AI layer can increase review discipline rather than hide uncertainty.

Visual: Memo with evidence, inference and open-action side rail.

Demo cue: Use actual export and provenance features only if present.

BRIDGE

Transition to the next beat

After approval, teams still align plans with conditions on the ground.

MyMine: bring the same context into the mine review

STORY BEAT

Scene

Operations and technical teams gather around an AR twin; remote specialists share the same 3D view.

WHAT TO SAY

Suggested talk track

MyMine’s stated proposition is shared AR, streaming and multi-user viewing across devices, with edge sync for weak networks. It makes spatial discussion tangible. Live plan integrations, geofence alerts, maintenance overlays and safety outcomes are unverified.

STAGE DIRECTION

Show and involve

Audience cue: Move from boardroom evidence to a shared site conversation.

Visual: Shared twin with reviewers and an annotated work area.

Demo cue: Distinguish illustrative annotations from actual overlays.

BRIDGE

Transition to the next beat

The project does not end when it produces ore. Closure obligations should be visible while choices are still being made.

From compliance burden to evidence habit

STORY BEAT

Scene

The team adopts a recurring review: confirm changes, record evidence, assign verification and preserve decision context.

WHAT TO SAY

Suggested talk track

Widen to the intelligent-mine vision: NLP may monitor regulation, telematics evidence activity, remote sensing observes land disturbance and traceability links material. These need integrations and validation; they are not claims about these products.

STAGE DIRECTION

Show and involve

Audience cue: Alignment means owners, sources, timestamps and review, not software declaring compliance.

Visual: Connected value-chain diagram, solid lines for scope and dotted lines for future links.

Demo cue: Do not claim software ensures compliance or prevents violations.

BRIDGE

Transition to the next beat

A project that sees risk earlier can also plan responsibly for its final chapter.

Final gate: close responsibly and prove progress

STORY BEAT

Scene

The sponsor leaves with a staged plan: validate data, pilot a workflow, measure turnaround and define integrations.

WHAT TO SAY

Suggested talk track

Offer a practical framework: evaluate connectivity across the chain, data trust, adoption and measured outcomes. Rehabilitation and ESG reporting are architecture outcomes, not current product claims.

STAGE DIRECTION

Show and involve

Audience cue: Earlier evidence matters when it changes a decision and stays reviewable.

Visual: Four gates: data trust, workflow fit, integration, measured value.

Demo cue: Finish with recap; no Q&A; is scheduled.

BRIDGE

Transition to the next beat

The red folder becomes a living decision trail.

CLOSING CUE

Flow 02 / final landing

End with one clear thought, then stop. The session has no Q&A; segment.

CLOSING LINE

One sentence to leave on screen

Earlier evidence matters when it changes a decision and stays reviewable.

After the address

Offer a next step that fits the story: nominate one workflow for a bounded pilot, name its data owners and reviewers, baseline today’s effort, and agree how success will be measured before implementation.

30-MINUTE STORY FLOW

Walkthrough 03 / One Mine, Four Viewpoints

A people-first story: follow one fictional mine as a geologist, analyst, operator and community-facing leader see the same asset differently.

OPENING HOOK

Start with the human problem

At dawn, Ama the geologist, Kojo the analyst, Esi the compliance lead and Yaw the planner each receive a different version of the same mine.

Run of show

Time	Slide	Purpose
2 min	Four people, four versions of one mine	Ama has targets; Kojo has a spreadsheet; Esi has a permit checklist; Yaw has a plan view. Their decisions collide at the weekly review.
4 min	Kojo opens MineSentinel: where does the asset sit?	The analyst starts with mining map, concession visibility, production context and GIS dashboard.
5 min	Esi asks MineAsk: what must we verify?	Esi asks about licensing pathway, overlap, water, protected-area context, road access and nearby settlements.
5 min	Ama uses TerraPulse: layers to field plan	Ama compares satellite, geophysical, geochemical and structural evidence and prioritizes two targets for field validation.
5 min	Yaw brings the room into MyMine	Yaw opens a shared AR mine twin. On-site and remote colleagues share a 3D context by headset, tablet, phone or web.
3 min	One question, four disciplines	A proposed access change affects target access, environmental buffers, haul-road planning and future rehabilitation.
3 min	Intelligent layer: today and next	Distinguish product scope from the wider vision: forecasting, NLP regulation, telematics, remote sensing, traceability, plant optimization, logistics and closure modeling.
3 min	Leave the audience with a practical test	The team pilots one workflow with baselines, trusted sources, named reviewers and a decision that could change.

Timing totals 30 minutes, including opening and final close. Trim optional detail if the stage clock is tight.

Four people, four versions of one mine

STORY BEAT

Scene

Ama has targets; Kojo has a spreadsheet; Esi has a permit checklist; Yaw has a plan view. Their decisions collide at the weekly review.

WHAT TO SAY

Suggested talk track

Introduce the thesis through people, not product menus. Each function sees a slice and handoffs lose assumptions. The goal is one connected intelligence layer with human review.

STAGE DIRECTION

Show and involve

Audience cue: Name the characters and the decision each owns.

Visual: Four screens converge toward one Ghana mine outline.

Demo cue: Use fictional characters, mine and data.

BRIDGE

Transition to the next beat

First they need shared context: what is happening around the asset?

Kojo opens MineSentinel: where does the asset sit?

STORY BEAT

Scene

The analyst starts with mining map, concession visibility, production context and GIS dashboard.

WHAT TO SAY

Suggested talk track

Show how sector context helps locate assets and ask the next question. Exportable reports can support a briefing where available. Be transparent about source coverage and update cadence.

STAGE DIRECTION

Show and involve

Audience cue: The overview supports faster, consistent preparation, not guaranteed investment alpha.

Visual: Map toggles to production context and an export preview.

Demo cue: Show the real product journey only if supported.

BRIDGE

Transition to the next beat

Kojo sees the landscape. Esi needs site-specific risks and open checks.

Esi asks MineAsk: what must we verify?

STORY BEAT

Scene

Esi asks about licensing pathway, overlap, water, protected-area context, road access and nearby settlements.

WHAT TO SAY

Suggested talk track

MineAsk structures a first pass from available sources. Esi separates evidence, interpretation and official checks. Continuous monitoring and sentiment alerts are not established as live features in the note.

STAGE DIRECTION

Show and involve

Audience cue: AI makes uncertainty legible; people remain responsible for review and engagement.

Visual: Three columns: sourced, inferred, verify.

Demo cue: Show query-answer-dossier, not autonomous approval.

BRIDGE

Transition to the next beat

With constraints visible, Ama can focus exploration work.

Ama uses TerraPulse: layers to field plan

STORY BEAT

Scene

Ama compares satellite, geophysical, geochemical and structural evidence and prioritizes two targets for field validation.

WHAT TO SAY

Suggested talk track

TerraPulse organizes inputs, ranks and explains targets. Ama writes the field plan and records observations that challenge the ranking. Formal resource estimates need the appropriate validated workflow and competent persons.

STAGE DIRECTION

Show and involve

Audience cue: Better allocation and faster synthesis, subject to pilot measurement.

Visual: Evidence layers become targets with validation actions.

Demo cue: Label rankings hypothetical unless shown by the product.

BRIDGE

Transition to the next beat

A target becomes a working mine only when the plan is understood across disciplines.

Yaw brings the room into MyMine

STORY BEAT

Scene

Yaw opens a shared AR mine twin. On-site and remote colleagues share a 3D context by headset, tablet, phone or web.

WHAT TO SAY

Suggested talk track

The MyMine proposition includes shared 3D/AR, streaming, multi-user collaboration and edge support. It creates a common spatial reference. Predictive maintenance, autonomous optimization or safety gains are not established.

STAGE DIRECTION

Show and involve

Audience cue: Imagine replacing “which plan are you looking at?” with a shared view.

Visual: Annotated model with collaborators on different devices.

Demo cue: Preselect a simple verified scene to protect timing.

BRIDGE

Transition to the next beat

A connected review is powerful when inputs and caveats remain visible.

One question, four disciplines

STORY BEAT

Scene

A proposed access change affects target access, environmental buffers, haul-road planning and future rehabilitation.

WHAT TO SAY

Suggested talk track

Play a short dialogue: geologist identifies target value; compliance lead raises a constraint; planner shows route; analyst asks what evidence changes the investment case. Products connect parts of this discussion; integrations must be validated.

STAGE DIRECTION

Show and involve

Audience cue: The value is workflow connectivity, not just software connectivity.

Visual: Four viewpoints converge on one map/twin.

Demo cue: Label the scenario illustrative.

BRIDGE

Transition to the next beat

Widen the lens: which intelligent capabilities exist today, and which are next?

Intelligent layer: today and next

STORY BEAT

Scene

Distinguish product scope from the wider vision: forecasting, NLP regulation, telematics, remote sensing, traceability, plant optimization, logistics and closure modeling.

WHAT TO SAY

Suggested talk track

Position the sequence clearly: MineSentinel for landscape context; MineAsk for evidence-backed assessment; TerraPulse for exploration targets; MyMine for shared spatial review. Wider capabilities require connectors, governance and validation.

STAGE DIRECTION

Show and involve

Audience cue: Ask whether a tool connects decisions, evidence and accountable people across handoffs.

Visual: Solid blocks for supported workflows; dotted modules for future integrations.

Demo cue: Do not imply every box is an existing capability.

BRIDGE

Transition to the next beat

A final framework turns the story into an investment test.

Leave the audience with a practical test

STORY BEAT

Scene

The team pilots one workflow with baselines, trusted sources, named reviewers and a decision that could change.

WHAT TO SAY

Suggested talk track

Offer five tests: decision importance, provenance/freshness, cross-functional handoff, integration/adoption and measurable outcome. Design ESG and closure early, with owners and verification. Avoid promised savings.

STAGE DIRECTION

Show and involve

Audience cue: Challenge: connect the next decision, then prove the value.

Visual: Pilot card: workflow, owner, baseline, integration and review gate.

Demo cue: Close without Q&A;, as specified.

BRIDGE

Transition to the next beat

One mine. Four viewpoints. A shared and reviewable story.

CLOSING CUE

Flow 03 / final landing

End with one clear thought, then stop. The session has no Q&A; segment.

CLOSING LINE

One sentence to leave on screen

One mine. Four viewpoints. A shared and reviewable story.

After the address

Offer a next step that fits the story: nominate one workflow for a bounded pilot, name its data owners and reviewers, baseline today’s effort, and agree how success will be measured before implementation.

REHEARSAL

Presenter’s final checklist

Keep the visual story credible, clear and within the session protocol.

REHEARSAL CHECK

One storyline

Use one fictional mine and return to the same people, decision and location throughout.

REHEARSAL CHECK

One visual grammar

Keep maps, evidence cards, target rankings and the twin consistent. Use solid styling for described capabilities and dotted styling for future integrations.

REHEARSAL CHECK

One explicit caveat

Where data coverage, update cadence, model accuracy or product maturity is unverified, say so briefly.

REHEARSAL CHECK

One outcome frame

Describe benefits as mechanisms to validate: less duplicated research, focused field activity, stronger shared understanding and reviewability.

REHEARSAL CHECK

One 30-minute clock

Rehearse to the schedule. Trim optional detail, not the opening conflict or final takeaway.

Prepared from the four Markdown product notes in the md folder and the supplied session description. Product names are normalized here to MineSentinel, MineAsk, TerraPulse and MyMine AR Mine Digital Twin. Story details are illustrative; confirm current interface, data, integrations and feature maturity before presenting them as live capabilities.

PRESENTER RUN SHEET

Feature-by-feature product walkthroughs

A practical sequence for demonstrating what each product does, how a user moves through it, what the feature produces and why that step matters.

These pages deepen the product portions of the three story flows. Treat each numbered sequence as a demo script: state the user’s question, follow the steps, show the output, then name the benefit and limitation. “Described” does not guarantee that a feature is deployed; validate the live build before the presentation.

SOFTWARE WALKTHROUGH

01 / MineSentinel

Mining landscape intelligence

USE THIS SOFTWARE WHEN

Role in the end-to-end story

Use MineSentinel first to establish where the opportunity sits in the broader mining landscape. The source note describes a map, production context, concession visibility, GIS dashboards and exportable reports. Confirm coverage and update dates before presenting findings as complete or current.

Interactive mining map

USER GOAL

What the user is trying to do

Purpose: locate the area and orient the room.

STEP BY STEP

Demonstration sequence

1. Start from a country or regional map.
2. Search or zoom to the district, mine or project area.
3. Turn on the relevant mine/site layer and inspect the visible context.
4. Select a site to open its available details.
5. Record the location and the next question for diligence.

RESULT AND BENEFIT

What changes for the user

The audience gets a common geographic frame quickly; analysts spend less time assembling separate map screenshots. A mapped point is a lead for verification, not proof of title or operational status.

Concession visibility

USER GOAL

What the user is trying to do

Purpose: compare a project location with available concession boundaries.

STEP BY STEP

Demonstration sequence

1. Open the concession or allocation layer.
2. Search by identifier or navigate to the project coordinates.
3. Compare the project pin or uploaded area with displayed boundaries.
4. Note overlaps, gaps or missing records.
5. Export or capture the view for a follow-up with the official registry.

RESULT AND BENEFIT

What changes for the user

Makes spatial relationships easier to see and can expose questions earlier in screening. Boundary currency and authoritative status must be confirmed with the responsible source.

Mineral production analytics

USER GOAL

What the user is trying to do

Purpose: understand available production context and trends.

STEP BY STEP

Demonstration sequence

1. Choose the relevant commodity, asset or reporting period exposed by the dashboard.
2. Inspect the displayed production measures and date range.
3. Compare records or trends available in the interface.
4. Note missing periods or definitions.
5. Carry the chart into the assessment with its source and date.

RESULT AND BENEFIT

What changes for the user

Reduces manual compilation and gives decision makers a consistent starting point. It does not establish reserves, forecast commodity prices or guarantee the figures are complete.

GIS intelligence dashboard

USER GOAL

What the user is trying to do

Purpose: examine available spatial context in one analytical view.

STEP BY STEP

Demonstration sequence

1. Open the GIS dashboard for the selected geography.
2. Enable available context layers, such as remote-sensing or ground-telemetry inputs where supplied.
3. Compare the layers with the mine or concession context.
4. Mark areas that warrant a closer check.
5. Record which input and date support each observation.

RESULT AND BENEFIT

What changes for the user

Brings spatial evidence into one view and helps teams decide where to investigate. Availability of specific imagery or telemetry feeds varies; do not imply continuous monitoring without a confirmed integration.

Exportable report

USER GOAL

What the user is trying to do

Purpose: turn a map or production view into a shareable briefing.

STEP BY STEP

Demonstration sequence

1. Select the geography and indicators to include.
2. Check labels, units, dates and source context.
3. Generate the available export (PDF, CSV or chart, depending on the build).
4. Review the export for omissions or stale data.
5. Share it with the next reviewer and capture their open questions.

RESULT AND BENEFIT

What changes for the user

Cuts repeat formatting work and creates a consistent handoff. A report is only as trustworthy as its underlying data coverage and the analyst’s verification.

SOFTWARE WALKTHROUGH

02 / MineAsk

Evidence-backed site and concession assessment

USE THIS SOFTWARE WHEN

Role in the end-to-end story

Use MineAsk after MineSentinel establishes the location. It is described primarily as a query-and-assess workspace over available mining, geospatial, environmental, regulatory and market evidence. Capabilities vary in maturity; scheduled monitoring and alerts are partial or roadmap in the source note.

Define the site or concession

USER GOAL

What the user is trying to do

Purpose: give the assessment an exact geographic subject.

STEP BY STEP

Demonstration sequence

1. Start with a permit/concession identifier, coordinates, map pin, district, route or uploaded boundary, depending on available inputs.
2. Confirm the name and geometry shown.
3. Set the assessment question and intended decision (screen, diligence or field plan).
4. Save the project with a clear owner and date.

RESULT AND BENEFIT

What changes for the user

Reduces ambiguity and repeated setup. A well-defined geography makes later evidence comparisons more useful.

Join mining and geospatial context

USER GOAL

What the user is trying to do

Purpose: gather relevant evidence around the chosen place.

STEP BY STEP

Demonstration sequence

1. Select the layers available for the project: for example title/cadastre, geology, terrain, roads, water, infrastructure, settlements, protected areas or satellite context.
2. Inspect each layer’s source/date if exposed.
3. Compare the site boundary against surrounding context.
4. Flag missing or conflicting information.
5. Add specific follow-up checks.

RESULT AND BENEFIT

What changes for the user

Replaces repeated manual searches with a comparable view and makes dependencies easier to discuss. Coverage, freshness and source authority still need review.

Ask a structured AI-assisted question

USER GOAL

What the user is trying to do

Purpose: turn an open-ended concern into a reviewable first-pass answer.

STEP BY STEP

Demonstration sequence

1. Ask a narrowly scoped question, such as “What location and access issues should we verify before fieldwork?”
2. Review the response and cited/linked evidence where available.
3. Separate sourced facts from interpretation.
4. Open the underlying map or record for consequential claims.
5. Assign unresolved items to a human reviewer.

RESULT AND BENEFIT

What changes for the user

Speeds initial synthesis and report preparation. The output is a screening aid, not legal advice, an official determination or a substitute for field judgment.

Review a scorecard or screening view

USER GOAL

What the user is trying to do

Purpose: compare geological, legal, access, ESG and operational factors.

STEP BY STEP

Demonstration sequence

1. Select the relevant scorecard or screening dimensions supported in the build.
2. Inspect the factor-level evidence rather than relying only on an overall rating.
3. Identify hard stops, weak evidence and unknowns.
4. Compare candidate sites using the same criteria.
5. Decide whether to stop, investigate or proceed to specialist review.

RESULT AND BENEFIT

What changes for the user

Supports more consistent prioritization and can surface deal-breakers earlier. Any score is decision support; weights and data quality should be understood before use.

Inspect licensing and regulatory context

USER GOAL

What the user is trying to do

Purpose: identify likely process steps and questions for formal confirmation.

STEP BY STEP

Demonstration sequence

1. Open the available licensing/regulatory context for the jurisdiction.
2. Review the stated process steps or conditions.
3. Check the source and version/date of the rule if displayed.
4. Build a checklist of documents or questions for counsel and the authority.
5. Record confirmation separately from the platform’s screening output.

RESULT AND BENEFIT

What changes for the user

Helps teams organize compliance work and spot likely gaps earlier. It does not monitor all regulatory changes in real time or replace official guidance/counsel.

Build and hand off an evidence dossier

USER GOAL

What the user is trying to do

Purpose: send a useful, auditable first-pass assessment to the next team.

STEP BY STEP

Demonstration sequence

1. Choose the map, findings and open questions to include.
2. Preserve source lineage, confidence and version history where available.
3. Label items as evidence, inference or verification needed.
4. Export or share using features available in the deployed version.
5. Ask the receiving reviewer to resolve assigned items.

RESULT AND BENEFIT

What changes for the user

Improves handoffs, repeatability and reviewability. Collaboration, report automation and exports are described across project materials but maturity differs; demonstrate only confirmed functions.

SOFTWARE WALKTHROUGH

03 / TerraPulse

Exploration evidence to prioritized targets

USE THIS SOFTWARE WHEN

Role in the end-to-end story

Use TerraPulse to help geologists prepare and explain a field or drilling decision. The source describes a proposed workflow that brings satellite, geophysical, geochemical and structural information together. Professional geological review and field validation remain essential.

Create a project and define the decision

USER GOAL

What the user is trying to do

Purpose: focus analysis on a commodity, project area and next exploration choice.

STEP BY STEP

Demonstration sequence

1. Create a project for the concession or area of interest.
2. State the decision: regional screening, survey follow-up or target ranking.
3. Set the boundary and commodity/mineral-system context.
4. Invite the technical reviewers and apply appropriate client/project access.

RESULT AND BENEFIT

What changes for the user

Keeps analysis tied to a concrete decision and supports consistent team handover. Multi-client and role controls should be confirmed in the actual deployment.

Ingest and harmonize data

USER GOAL

What the user is trying to do

Purpose: make supported survey and geospatial inputs comparable.

STEP BY STEP

Demonstration sequence

1. Add supported geophysical grids, geochemistry tables and satellite/geospatial files.
2. Check coordinate reference, units, coverage and dates.
3. Align the layers to the project area.
4. Review missing cells, offsets or format warnings.
5. Keep a record of transformations and inputs.

RESULT AND BENEFIT

What changes for the user

Reduces manual format conversion and spatial setup, freeing geologist time for interpretation. Unsupported formats, offline behavior and exact ingestion fidelity should be tested.

Inspect unified layers

USER GOAL

What the user is trying to do

Purpose: compare evidence rather than relying on isolated static exports.

STEP BY STEP

Demonstration sequence

1. Open the unified project map.
2. Toggle one evidence layer at a time, then compare relevant combinations.
3. Inspect patterns against structural and geological context.
4. Mark areas for closer technical review.
5. Note where evidence conflicts or is absent.

RESULT AND BENEFIT

What changes for the user

Creates shared spatial context and can reduce rework between tools. A visual pattern is a hypothesis to investigate, not a discovery.

Rank prospectivity or anomalies

USER GOAL

What the user is trying to do

Purpose: focus attention on areas with stronger combined evidence.

STEP BY STEP

Demonstration sequence

1. Select the available prospectivity/anomaly workflow and model settings.
2. Review ranked areas and the inputs behind each.
3. Compare top targets with weaker or contradictory signals.
4. Adjust priorities with geological judgment.
5. Select targets for validation, not automatic drilling.

RESULT AND BENEFIT

What changes for the user

Helps prioritize sampling, surveys and drilling budgets. Ranking quality depends on inputs and configured models; no discovery probability or resource declaration should be implied.

Use the explainability matrix

USER GOAL

What the user is trying to do

Purpose: understand why a target is supported, weakened or uncertain.

STEP BY STEP

Demonstration sequence

1. Open a candidate target’s evidence matrix.
2. Review supporting and opposing factors.
3. Identify missing data and confidence limitations.
4. Ask a reviewer to challenge key assumptions.
5. Capture the rationale for advancing, pausing or rejecting the target.

RESULT AND BENEFIT

What changes for the user

Makes expert review possible and improves defensibility. It lowers the risk of blindly advancing a poorly supported target, but does not eliminate geological uncertainty.

Package target outputs for field work

USER GOAL

What the user is trying to do

Purpose: move a reviewed target into the next practical workflow.

STEP BY STEP

Demonstration sequence

1. Select approved target polygons or points.
2. Create a map and target summary.
3. Export coordinates or files in a supported format.
4. Review coordinate reference and units before field use.
5. Attach a validation checklist and return field observations to the project.

RESULT AND BENEFIT

What changes for the user

Reduces manual report assembly and coordinate transfer and can speed mobilization. Verify export fidelity; resource/reserve reporting and formal 3D estimation remain separate workflows.

SOFTWARE WALKTHROUGH

04 / MyMine AR Mine Digital Twin

Shared spatial review for mine teams

USE THIS SOFTWARE WHEN

Role in the end-to-end story

Use MyMine after the target and project have become an operating-site planning conversation. Its product note records owner-stated AR twin, streaming, multi-user, multi-device and hybrid edge-sync capabilities; the source explicitly says deployment maturity and specifications still need verification.

Open the mine twin

USER GOAL

What the user is trying to do

Purpose: give reviewers a common three-dimensional view of the site.

STEP BY STEP

Demonstration sequence

1. Load the available 3D mine model into the session.
2. Confirm which survey/CAD/GIS source and date the model represents.
3. Orient the group to a recognizable pit, access or infrastructure landmark.
4. State the model's known accuracy and update limits.
5. Keep the twin framed as a decision-support view.

RESULT AND BENEFIT

What changes for the user

Makes spatial relationships easier to discuss than separate 2D screenshots. Model build/update sources and accuracy are assumptions to confirm; the twin is not a certified planning or safety system.

Join on multiple devices

USER GOAL

What the user is trying to do

Purpose: let on-site and remote participants see the same context.

STEP BY STEP

Demonstration sequence

1. Start a shared session.
2. Invite the mine planner, geotech, HSE or maintenance reviewer.
3. Connect using the supported headset, tablet, phone or web client.
4. Confirm participants see the same location and annotations.
5. Capture decisions and follow-up owners using the verified collaboration controls.

RESULT AND BENEFIT

What changes for the user

Reduces “which plan are you looking at?” friction and supports remote participation. Supported models, concurrency and feature parity must be validated.

Review streamed information

USER GOAL

What the user is trying to do

Purpose: view live or refreshed information in spatial context.

STEP BY STEP

Demonstration sequence

1. Connect only a confirmed data source.
2. Display its timestamp, units and source label.
3. Compare the incoming state with the model and the question under review.
4. Note latency, missing intervals or stale values.
5. Use the displayed information to inform discussion, not to issue automated control actions.

RESULT AND BENEFIT

What changes for the user

Can bring data into a shared review and help teams understand context. Source integrations, latency, volume and operational reliability are unspecified; this is not SCADA or fleet dispatch.

Use edge sync for weak connectivity

USER GOAL

What the user is trying to do

Purpose: maintain a usable session at a remote or poorly connected site.

STEP BY STEP

Demonstration sequence

1. Confirm the site edge node and power/network setup with IT/OT.
2. Start the session while connected and verify the local model/data cache.
3. Test the intended offline period in a controlled pilot.
4. Reconnect and inspect synchronization and any conflicts.
5. Record data loss, delay and recovery behavior before operational reliance.

RESULT AND BENEFIT

What changes for the user

May support continuity at sites with unreliable connectivity. Offline duration, conflict handling, hardware and sync reliability are unverified; do not promise an eight-hour offline shift until tested.

Run a collaborative planning review

USER GOAL

What the user is trying to do

Purpose: align a cross-functional group around one spatial question.

STEP BY STEP

Demonstration sequence

1. State one question, such as “where does the proposed access route meet the area under review?”
2. Navigate to that area together.
3. Let each role describe evidence and constraints.
4. Record agreed actions and unknowns in the approved system of record.
5. End with owners and follow-up dates.

RESULT AND BENEFIT

What changes for the user

Can improve shared understanding and meeting clarity. Plan-vs-actual overlays, grade, geofence, ground movement, remote assist and safety outcomes are listed as unverified; use only features demonstrated and validated.

DEMO GUIDANCE

How to use the feature walkthroughs on stage

Choose only the steps needed to make the product's role clear. Keep each software moment tied to the same mine, decision and evidence chain.

A RELIABLE DEMO RHYTHM

Question → steps → output → benefit → boundary

Open with the decision the user needs to make. Show the steps in sequence. Pause on the output. Explain the practical benefit. State any data, integration or maturity limit that changes how the audience should interpret it.

This rhythm keeps the presentation technically grounded while still showing how the four products connect from sector context to site-level collaboration. Use the presenter's actual build for screenshots and live actions; where a feature is not present, keep the walkthrough at concept level and identify the required integration or validation.