

# MWMT — Meeting Transcript (Timestamped)

Duration: ~60:57

**Note on this transcript:** This is an automatic speech-to-text transcription (Whisper), lightly cleaned up for readability. Wording is kept as close to the original speech as possible — I've removed filler noise (stutters, repeated false starts, isolated "um"/"so"/"yeah" filler, and long strings of repeated "yes, yes, yes"-type affirmations) and joined fragmented phrases into full sentences, but I have **not** rewritten or paraphrased what was said. There are several people speaking, often overlapping, with background noise and a range of accents, and I could not reliably tell voices apart — so speaker labels aren't included; turn changes are shown with a line break/dash instead. Several company names were transcribed inconsistently ("GoFills," "GoFios," "GoFuse") and clearly refer to the same mining company — I've standardized these to **Gold Fields**. A handful of technical terms and proper nouns were hard to make out clearly over the crosstalk/noise (e.g., words that came out as "horn," "mirror," "roast," "Wakusta's") — these are kept as transcribed rather than guessed at, so treat them with caution, especially anything that sounds like a product name, place name, or technical term. Per confirmation: "vision" was corrected to "deviation" throughout; "draw"/"draw holes" (meaning drilling) corrected to "drill"/"drill holes"; the product name corrected to **TerraPulze** ("Terra" = earth, "Pulze" = finding the mineral in the ground the way you'd search for a pulse); the place name corrected to **Tarkwa**; "genetic data" corrected to "geographic data"; and "chemistry data" corrected to "geochemistry data."

---

[00:45] ...and also exploration companies, to explore the pickup data on the floor — that's magnetic data, geographic data, and all that. And then it's brought into a software, and then they have to go through it and find a way to rank the target — where it's to drill and all that. So we are trying our best to meet that goal — process by, you just filling that data into a system, and then the system is intelligent enough to be able to rank the drill holes and then give you reasons why it's necessary, unless there is a reason why you get much better results if you have to drill one more than the other.

So we... Do we have questions?

Yeah, you can ask.

[01:31] There are a lot of holes that change the names of certain people as they encounter them — that's the meaning of my word. I want to be the reason behind the name TerraPulze, because the name is very important.

But I thought this wasn't the name I saw the last time, when we had the meeting with the Gold Fields guys.

You can ask some of those who ask the same questions. That's all.

[02:11] Now we go to the meaning behind the name — TerraPulze. "Terra" means earth. And "Pulze" — they are trying to identify and find minerals in the earth the way you'd find a pulse — like checking for a heartbeat, a sign of life, to locate where the minerals are. So TerraPulze basically is that: the minerals, we know, are basically the lifeline of the earth. So that's why we chose TerraPulze.

[02:44] Some names you choose, it will catch [ants?] like nothing — that's why the [elders] were changing the names of people. It will give you — and it will not give you your destiny. So it's good that you found me into it. You also prayed to it.

[03:11] So, as I mentioned, we pick various data points from the ground — that's magnetic data, and also geochemistry data. Then geochemical PDFs and also imagery — that's satellite imagery. So once all this data is brought together, you need an expert to go through it and then pick all the data points and all that. But now we are trying to develop this in a way that you just feed the data into it, and then now you have a partner who can go through the whole data points — we have mathematical approaches and all that in the system, we have algorithms to come up with the best results out of it. So instead of always having to come back and try to give reasons about why you're choosing one point over the other — sitting down, putting together a report and all that — the system automatically gives you the report, and then you can always come back to it at any point in time. You also can change some parameters in there — maybe take one or two data points out of it — and then, on the fly, in less than a minute, you get results out of it.

[04:16] — So... this is the problem, three failures.

Yeah, always does it. None solved by another...

Yeah.

[04:32] So with that — the problem is that, as it stands now, you have to manually pick the data points and go online to find satellite imaging and try to understand it. It's not just the visual one — you need different bands to be able to know what's really on the ground. So there are different ray-bands from satellite imaging that you have to put together. For you to do all that is a lot of work and a lot of stress — but you're trying to shrink that time into less than a minute; you get a full report explaining everything that's in the data you collected.

[05:14] So first one, later... So — are you understanding this?

We are covering this.

Is it the understanding?

[05:43] So the understanding behind it is that you pick the various data points, right? You have different data points — satellite imaging and different bands of satellite imaging — and then our system will just take all the geological, the geochemistry, the physics data, and put it all together to find the best position on the ground — the best spot you can hit and get the maximum yield you're looking for.

Now it's only [good/because] we've developed —

Yes.

[06:14] So it will tell you: we have identified, let's say, 10 points on the ground which you can drill, and we rank them and give them percentages. So we have — less than 99% confidence that if you drill this hole, you're going to get this much resource out of that particular ground. And then it gives you basic reasons, detailed reasons, for why it's in that hole, and the science behind it is also in the foundation. If you need any further questions, you can query it and it explains further. If you want to take one or two data points out, you can rerun it again on the fly, and it gives you detailed reasons why, based on those data points.

Did they get what they're saying?

Yes.

[07:13] Next question. So — maybe I think it's best we go into the system, so it gives the full picture of how it is and how it works.

[07:40] — Did we get the previous data points that we collected?

So before we go to the system, I just want to give us all of the inputs. So these are the previous data points that we collected — there are a lot of them.

[08:01] For the normal human, we need to try and put all the dots together. But with machines, I think it's easier and faster. So we take Sentinel-2 data points — vegetation and moderation bands — and take the various bands from it. And we also take the Copernicus DEM — that's the terrain data — and we take the [LOAA] magnetic data. We also take the lithology data. So all these are data points that we put together on the fly. In less than a minute, two minutes, we have a full report — also augmented with your geochemistry data that you picked on the ground, and every other data point you have — your C-Log and all that. Once you put it into the system, it puts everything together to give you a full, detailed report.

[08:59] So — what does the system mean? What it means is that when it runs, you can have a grid over the area where you're going to drill, so you don't necessarily need to wander around — you just cut lines across those points, and it becomes your baseline, your cross-lines.

In the basic sense, you just connect it to what I'm trying to say.

I think they are defining targets for drilling, so — not soil or something.

So the baseline would not come out.

What I mean is, in the basic sense, if it gives you twenty holes, it's going to be in a grid form — a grid form. It's going to be a point, it's going to show you on the map. So one hole is here, one hole is here, one hole is here. I don't need to be going around trying to find my way — now I know where they are, so I'll just create them. I'll just have a grid over the holes, so I'll have my access here, here. It's a form of a grid — it's not a normal baseline, it's a cross-line.

[10:35] This is the system — it's already hosted, it's already live. So if you need to try it out, we can give you access. Once you come onto the login page, that's what you see.

Excuse me.

Is it also [a] program?

(pause)

[11:27] It's designed in a way that's based on the data. If the data is enough to be able to predict the depth, the software adds the depth. But if it's not sure about the probability — if the probability isn't sure about it — then it leaves the depth out. Once it's sure, and it has a higher probability, it adds the depth to it, using a known method, based completely on that.

So what can it be dependent on — the type of reading you're doing, whether it's core or another thing?

No, no. It's another type of reading. Also, one time it's like deviations. Deviations. Deviations. Now, different times there's a lot of deviations as we read/drill.

[13:03] Especially — unless the target is too far, it's a huge factor there, because if you don't factor in — as you probably know — the line to hit the target, you get there and you haven't missed it.

So the target you're talking about — is it the target where you're going to locate your "horn"? The target where you're going to hit the "mirror"? Because the term that I use — you have not factored in — if your target is where you're going to position your "horn," if you don't factor this in, you missed it. You will target and miss the target.

Yes, yes, yes. (*affirmed repeatedly for several seconds*)

**[14:27]** But the way we are going to position this, beyond putting the hole — there are other factors that need to be brought on board to ensure that we hit.

Yes, he mentioned the deviation.

I was in the deviation.

Yes.

What angle are we facing?

The deviation.

Yes.

The other — the other — I can put it here. The other way around.

Yes.

**[15:07]** — So let's be clear.

I think what you have done is to be clear.

Yes, we are clear. This one is telling us only where to position the hole.

The hole.

The other things —

**[15:23]** With holes — when you look at precision drilling, so we can read about that. Precision drilling: the smaller the hole, the shorter it should be, otherwise you deviate. You'll see that in that chart, they'll have the hole plotted like that, and you'll see that they go, and then it is like that. So if you're drilling a 165[mm hole], you can go beyond 12 meters without deviation. For a 76[mm] hole, beyond 8 meters it starts to deviate — especially in granite like this, because it's harder. It starts at 8 because it's able to bend the rods like that. The 89 by 10, and then we go to the 12 — it goes further after 12. So the bigger the hole, the more it can go. And for [RC/blast-hole] drilling, these rigs are bigger and the rod size is bigger. For coal it has its own [rules]. You need to be cutting the granite, not chipping it — cutting the granite. So you have to find these deviation factors for the hole diameters in relation to hole depth, and look at how it must sit with the angles you're going to drill at.

**[17:17]** Angular holes are — let's say, in deviation terms, better, because it's at an angle already. But when you're drilling the vertical ones, most exploration holes are angular — most, let's say most — but I believe the way the input data is put in will show you the starting form and where the targets are, because what it's picking will show you the proper deviation factor and should take you to where you want to go. But it will depend on the rod strength.

**[18:01]** — I think we have to pick much better points, and also — after we show you the position — there's maybe the angle you have to go, and the best rig to use.

That was what I was suggesting — that you have to define what you need by the targets. And what we call a target is a hole. But the way we're using it now is about the targets where there's some point. So we can limit ourselves to that until — if we do the angles — we can tell you: put your hole here, and drill at this angle, at this depth, and you must expect this deviation, this error margin.

**[18:56]** I remember, in 1999, we did some drilling — controlled remotely — and, like what you were doing, the controller was in Australia, and he was showing us what to do. Every 30 minutes he'd check the depth we were at, and if the speed was too much he'd tell us: "no, at the speed you're going, if you don't slow

down, you'll miss the target." So it looks like the feed force was too much. So we were controlling all that before we could get to the target. And the target would be to augment [our planning] with all these factors, so it helps come up with a very solid program.

**[20:05]** — What are you happy about?

Especially when it comes to underground issues. But for underground we need to be very specific in each of these. You may go and drill some holes you're not meant to be drilling. So if you can factor that in, or think around it, we add this to it.

And you have the piece that they put in there — when these things are integrated, it's — it's it.

**[20:56]** So we have a demo project that we run. From an overview, once you add different data points, as I mentioned, we augment it with the other data points, and then give you this overview. We tell you the number of targets we've identified, the area that was measured, taking into consideration the number of analyses you've run, and also the average target scope. We also give you project details, as shown here, and every activity you do on the project — let's say you have a team — everything has a slot in the activities. Also the number of targets shown here with a confidence percentage. We also give you the analysis, so you can run multiple analyses based on the real data points, and the sample site. So on the map — let's say you want to rerun the analysis, you can rerun it, changing the amount of data points, to get a better understanding. It also runs in the background, so you can run it and still be doing other things in the system. On the left side we help you do the base maps — you can change the map type, the visual one, maybe the hyperspectral one, and every other data map type.

**[22:36]** So this is the area we used — the various data points I was taking in that particular area. Let me hide it here. We're using the light map for now; you can change it to a dark map or a satellite map, depending on your purpose.

**[23:03]** Let's say you want to see the terrain — how it looks — you can check the spots and get a terrain map of the whole area we sampled. That's how the terrain looks. And down here you can toggle the geophysics data, so you see the geophysics data, and if you need any explanation of how we came up with it, you can click on this eye button and it gives you the details. The next one is the "perspective" layer — with that you can also get more detail on how the data was collected and used. Once you toggle it, it's also added on the map. Let's say you want to add another small area — you can see all its terrain data, already added — click that eye and add it to your analysis. So you can write the analysis without these, and later write it with these data points, and compare — it gives you an explanation of how it impacted the analysis you did.

**[24:38]** So now you can toggle them and see how they look on the map — you get to see all this data, so you don't have to go looking for it, we already have it in there, and can just add it in. All these added data points can go into the analysis and be rerun, giving a better perspective of what's really on the ground. So we have the analysis now — the magnetic, the anomaly, and all that — can you please toggle them off? Maybe in a moment.

Yeah, I think it's okay.

**[25:30]** So then, when it comes to the overlay — you upload your geochemistry data, so if you want to see the points, you can toggle it and see where you took them, with the terrain in the background, giving a better picture of what's on the ground. We also added protected areas — so to know where you are relative to a protected area, you can just toggle that layer — which we got from the Forestry Commission. You also see where the roads are — you can toggle roads — there's a main road here, in this part of the ground. And for geology, that's the "Wakusta's" data — you can toggle that; we pick geology data from

Wakusta's and also from One Geology. So you can run analysis with just Wakusta's, then run another with One Geology, or run the two together, for a better perspective of what's on the ground. Then you can toggle the drill targets — if you zoom in, you see the drill targets — this one, and the other one. You can click on a drill target and it gives you the score — 72% confidence — the number of cells in the cluster, and the depth — it's not estimated for this one, so we have to check that. It gives you the depth, and can give more information about the depth, the angle, and the deviation, as you mentioned — that'll be in there.

**[27:30]** — Sorry — I think with this one it's got the score, and the depth finished for it — that's like 1,556 [square meters?] for 2 meters, so we'll give much more detail on that based on your input.

So the 1,000 — is that a single point, or the number of points?

It's in meters — to 3 meters.

And I'm saying — is the one that reads 1,000 the number of holes?

It's the one that goes that way.

That's fine, okay — so it gives you the coordinates. Okay, that's fine.

**[28:38]** — This is based on made-up/test input data.

This is not real data, right?

This is not real data. This is not real data. So — what we used was — we had an engagement with Gold Fields about two weeks ago, and they've agreed they can help us get this data. So we're hoping that once we get some good data — or you can help us get some — we can take it to Gold Fields, and I believe we should be able to use that. Because, as I'm sitting here, I'm thinking we should do a kind of trial, and Gold Fields would be an ideal — one of the main candidates would be ideal for us to go to — you have a question about any of the targets, usually a summary, and if you want the full detail documentation about that.

**[29:14]** We want to feed it real data and see — between 100 and 300 meters — that's fine, we'd be glad to do that.

You said Gold Fields said they would —

They said they'd get back to us. So I spoke to Giovanni — he wasn't part of the call, but he promised that once the report gets to him, they'll quickly mobilize and see what they can do. Maybe they need to speak with the CEO, that you want to do a test run with this on one of the targets, then he can sign off on it, so we do a real test on the ground.

**[30:36]** And I'm seeing a very huge potential in this, in the sense that if it's integrated such that the [Minerals] Commission can have a plug-in here, and all the exploration companies — especially the ones who've been giving us figures — are on it, and whatever you do, they can see this is what you should be bringing. They don't just sit there, write a report, and bring it to us — you get what I'm saying — so that's the angle I'm thinking.

Yes, the companies will use it — but we should also be able to monitor them from this, you see my angle — because we have — I think the audio breaks up... I don't know — and they want something like that — they're sitting in their office —

What does that mean, by the data?

But they're sitting in their office, and they know what is happening. The next time you're going, they're already meeting about it.

[32:47] — Do you remember, you were saying that when you were doing some work in 1999, somebody had you use a remote-controlled drilling setup?

Exactly.

I'm looking at the companies first, and the size — as you said, the size of the rig and rod — if you're this company, and you're drilling that size, that size — every 16 meters —

[33:26] — that was the longest hole we drilled — 1,010 meters, that time — and at the end of the day it was like a parabola. You look at that — 13 [degrees?] to the end — it was like a parabola. That was — and that was very, very controlled. The control is — if you know we are deviating, we have to do something and put the correction in — correct it when we start feeding the rods. So we did that, and hit the target — the target was very close, the deviation very, very close. So if you continue correcting in a situation like that — the reaction is actually a type of drilling done to take advantage of it — you control the deviation, because that's aimed at somewhere, and you deviate to go and hit the ore — if you want to hit it and it starts far away, you control the deviation to go and hit what you want. It's something that is done here — the rods — we don't call them rods, it's drill string. It becomes a strain here, because it goes here, it becomes a strain — that's the case, it's like a strain. So you have to control exactly your feed. Those things — in gold, we don't go that deep, so much — if you don't control it, you will miss it.

Yes.

We are beginning to go deeper, deeper, deeper, to avoid that — that's why sometimes you go and locate it underground — that's the idea, because you sit at the top while you're drilling deeply — that's why at a point in time you go and locate it, it's down. But sending them down is also another thing — 15 or 18 months from now — first we know those things, that's why we don't sit at the top.

[36:17] I think that — you only need to remember it, Uncle, and Kakali, to look at those factors critically, and let them bring them down.

Yes, it's done practically. So you have to understand how it's done practically, how you use it.

A couple of — Gold Fields, you know, gave — I think I only want to say the emails we shared — we sent emails across, it was only Gold Fields that responded. Catherine responded, and then she put us in touch with George Carlton. So they were the only ones that gave us a response. So what we do is you meet with them afterward — I told Kakali to get the exploration managers — I guess they are — and after you've dealt with them, we can contact those exploration managers — they'll set it up — you can say if maybe one of you has to lead them, or whatever, without any conflict of interest — then we set that up.

[38:03] One other thing you can do, in the same way, at this stage — if somebody can give you the data, and that's where you figure out how to help them — then you test it and see where it is and what it's doing. So you draw up a memo with them, and also a memo with the terms of what you want. Okay, after you're done — now we have a clear idea — you can check whether the past data can be — we'll run it to see what we have — the model will bring out —

You already had a project which you've done, and you have data points —

Which we can — we have some data.

[39:40] We have some data, but — the target for the zone is different from the starting point, because the target is — and where are you starting? It's also a target — it's also a target.

So — from what I'm also getting, this soil and auger work — they're trying to help you locate the zone, locate the geology — so they're interested.

Yes, yes, yes.

So if you're going to predict that based on the soil, you can grab some soil, and stretch out the data — locate some zone, some vertical zone, with a vertical distance of maybe 150 meters, and in range 165 meters down there — then you have done your prospecting, as to how you drill and hit that target. It's also another job — some other method cannot be well controlled.

[41:47] So — if you can segment them in phases — one phase, what I'm getting, is this phase is more where the target is, then you can add another one — if you're drilling using this approach, this is how you can hit it. I think —

[42:25] The outcome is good — this one is home-grown — and we're excited. And I remember those who were controlling — but they were also surveyors — so I was asked, do you have any sense — that's all that he does, he does the rig and the drilling, so that at least the cost is minimized — because if you don't control it, that's all — but if you're able to do much control, you minimize the excess, to ensure a lot of work gets done down there.

Oh yes, we can at least all have to do it.

Of course — it's especially important with those companies — some of them don't even have much idea about how to go about drilling. The only thing is they can see something down there — I see guys who are traveling — they also have to travel — so he shows them, maybe physically — you see the vein, how it runs down —

[44:29] So if some of these programs are available, they actually demonstrate — dramatize it to them — especially some of these medium-scale Chinese operators — they have the rig, and they've seen the zone or the vein sitting there — how to integrate the soil data — the soil sample points are there, the local grids are there, the structural data — they're all there — and if you grab sample data, they're also there — how to integrate them, as you see them, to produce — that's what we have to collect, we scale that, to use it to guide these guys — so they have to come to your office.

[45:47] — When should they come, so they can prepare, afterward?

Next week, or this week.

This week we're out of town.

So, next week.

Next week, or Friday.

Next week we're out of town — take this number, when it's done you take it — look, we're out of town.

Yes, yes, it's true.

[46:35] I'm excited that we're getting a home-grown solution, and in no time — the way we're moving — next week — and it proves to us — when we have a Ghanaian [team], we use a Ghanaian solution, so our young men also get to become a huge tech firm, whereby we support mining services — and every mine is interested in this, because mines are really paying a lot on these things. If we finish with this one, you can get on to something leading to dispatch, because every mine is using dispatch now — but only a few [have local options]. So once we get something developed in Ghana — a Ghanaian innovation, a Ghanaian patent — in that case we can employ mining engineers, geologists, small-mine staff, who'll be tech-related — because now I've come to realize that most of mining engineering — you all have to do AI — we're not doing the traditional things, we're doing the development.

Yes.

Yes.

So I'm very much excited — so please, you're staring — right —

Alright.

[48:33] How does it work — the location — there's something — not that — the terrain — the terrain — what I was told is there — the geological — the geological terrain — maybe you're in the green — that's the geological — in the Tarkwa — the Tarkwa — but when you put the rig — I used to have the ground — ground — when you check the layer — that's what I was going to do — I was in the wrong tab — it is selected for you.

I always say that you cannot move the terrain to the terrain — but if the geological terrain — the geological — can't bend — let's look at it better — this one is showing — you really have roads — what I see is you mentioned grid lines connecting from here to here — this one is taking all those away based on the terrain available — accessible — this is the optimal place you can put your rig. So I'm thinking that's where it's going — if it's not sure that it's geological — but if there's already access, most of them take advantage of that path — you can climb up to that place and put it there — and that's where this deviation is coming from, because you can't climb to this place and drill straight — then I'll put it here — and when you put it here, you have to drill at this angle to be able to —

[50:59] — of course — when you mention some — until it's an old detail — where currently the surface is very disturbed — so in that case, because you go there and it's completely changed — in that case, if your model has predicted something like that, then you've used this to make your assessment.

Exactly.

You're now going to —

Yes.

— at that — of course, it's true.

I think that's something we're going to look at —

to look at that.

Of course, I think — that's why we brought this up, because you're the experts in the field to guide us, to shape it — because we're computer people trying to solve a problem in geology.

[51:59] — So — is it because that they will engage Gold Fields?

Yes, I was excited — they had about four questions.

Yes.

And Claire, you can see that they're also excited that this is a local company trying to do something like this, which will help. So we're happy with the input, and — a quick last point — if possible we want to meet, so you can give your input.

The input — what they write, the programmers will then program it.

Oh, it's here — the technology's here — it can be done, whichever formulas — it can always be incorporated into the system to ensure we get it right.

So we're thankful —

Don't, bro — we're grateful for your time.

**[52:53]** Before you go — if I can — I might give you some feedback. I have a few points.

Please, go ahead.

I know there'll be more extensive engagement — I think, let's take note of the scope. You should define your scope — what exactly you want to do. If you come to us, we could suggest a lot for you, but you should know exactly — if you want to — let's put the hole here, if your work ends there, let's define it. If you want to go a bit further — look at the profile, when you're moving from here — those aspects, I believe, if you want to add, it's fine — because when we're planning, we get the angle of where we really need to go from our structure. But when it comes to things like collar deviation, I believe there's also another matter — but you can plan — you're really at 60 degrees, but we still have deviation, even in current practice — you finish and you always end up a little up or down. So let's define your scope, what we want to do.

**[54:15]** Secondly, it's a good program — it integrates — it takes a lot of planning from those who plan drilling programs — and it should be very robust.

Yes, it should be very robust.

We want to pitch this to the multinational companies — I believe, at the current stage, we still need to do some more, because I was thinking the demo would have some structural data — because it's from the structural data that we can do the angle of planning, but I didn't see that in the demo — and if we want to sell this, we need to make it very robust, because you'll be competing with some GIS software like Hillfrog, KTIs, and all that — they have those enhancements already — so we need to do that.

**[55:11]** Finally — it's good to imagine that you don't need your own geology team — I understand — I believe, before we go to the software, before we talk about getting an integrated system, we need to understand the fundamentals — because if we don't know how this is done now, we can't do the [system] — we need a very good understanding of how it's done now, because I want to believe the gaps are actually coming from the fact that we don't know how it's done — so if we understand — we're fortunate to have a very [strong] geologist like Mr. Anand.

Yes, I know.

You see — Abid came to meet all of us — the reason for the tour, the meeting with them, is what we're bringing out now — we want to go for the basics, the fundamentals, to be put right — and then, if there's somebody we can put on their team, alright — who'll be of geology background or whatever, to assist them move forward — that's why the two of you — everything that needs to be put right is put right, before something that will make it work alright.

**[56:49]** — So — why don't we get a dedicated geologist?

Exactly.

I mentioned earlier that it's doable — when it comes to the computing, the times, it's very doable — maybe on the other side this is too technical, but it can be done — whichever way it is, it can be done. So we're happy to have the team on board to do all the processes in terms of the geology, because then we could actually engage Gold Fields — that was what came to mind — we needed a geology person, an experienced one, who really understands the down-hole aspects — then we can actually develop and sit on those things. I believe that — probably those are my concerns.

Yes, yes, yes — we're going to welcome them.

Yes, yes, yes, yes, yes — I really would like to be at that — that's the only thing.

No — don't be scared, don't be scared.

You shouldn't be scared — the team shouldn't be scared.

Yes —

From a good man, he understands, he understands, he understands.

That's good, I agree — thank you.

**[58:25]** — So — Rafs, any final word? Chief, any final word?

Since we're around — after the two of them, they can't have a final word, of course.

Like I said, I'm very much excited that you guys have taken it upon yourselves to assist the industry with your computer knowledge. And as I said, the mining engineering department — everyone's doing AI now — I'm old-fashioned — oh yes — about 300 students, in groups of 4 for each project, and I'd say 90% — I don't know about the others, but when I ask them, they say the same thing — something on AI. What it means is we also need to arm ourselves with these things, to be able to better influence the industry. Thank you for coming — we wish you well, and we hope that in the next three months we'll see a full-blown international system that will be flying. And I'd say — we'll pilot it — just after you finish, you'll see that — pilot it — once it catches on, we have to sell it.

Do you want to talk about [next steps], because you're here —

— and the technical side that continues, and all — they'll come there — and as I said, it's a proud moment — but they don't know what the [project] is called.

Yes.

So thank you, guys, for coming.

Thank you.

Thank you.

[The end].

Thank you.

**[60:46]** The test — I tell you, guys — we will let our men come, bro.

---