



index : kernel/git/stable/linux.git

master



switch

Linux kernel stable tree

Stable Group

[about](#) [summary](#) [refs](#) [log](#) [tree](#) [commit](#) [diff](#) [stats](#)

log msg



search

path: [root/arch/x86/entry/syscalls/syscall_64.tbl](#)blob: 8cb8bf68721cf6fab663bdeaf0299899784ee0bf ([plain](#))

```

1 #
2 # 64-bit system call numbers and entry vectors
3 #
4 # The format is:
5 # <number> <abi> <name> <entry point>
6 #
7 # The __x64_sys_*() stubs are created on-the-fly for sys_*() system calls
8 #
9 # The abi is "common", "64" or "x32" for this file.
10 #
11 0      common  read      sys_read
12 1      common  write     sys_write
13 2      common  open      sys_open
14 3      common  close     sys_close
15 4      common  stat      sys_newstat
16 5      common  fstat     sys_newfstat
17 6      common  lstat     sys_newlstat
18 7      common  poll      sys_poll
19 8      common  lseek     sys_lseek
20 9      common  mmap      sys_mmap
21 10     common  mprotect   sys_mprotect
22 11     common  munmap     sys_munmap
23 12     common  brk        sys_brk
24 13     64      rt_sigaction sys_rt_sigaction
25 14     common  rt_sigprocmask sys_rt_sigprocmask
26 15     64      rt_sigreturn sys_rt_sigreturn
27 16     64      ioctl      sys_ioctl
28 17     common  pread64    sys_pread64
29 18     common  pwrite64   sys_pwrite64
30 19     64      readv      sys_readv
31 20     64      writev     sys_writev
32 21     common  access     sys_access
33 22     common  pipe       sys_pipe
34 23     common  select     sys_select
35 24     common  sched_yield sys_sched_yield
36 25     common  mremap     sys_mremap
37 26     common  msync      sys_msync
38 27     common  mincore    sys_mincore
39 28     common  madvise    sys_madvise
40 29     common  shmget     sys_shmget
41 30     common  shmat      sys_shmat
42 31     common  shmctl     sys_shmctl
43 32     common  dup        sys_dup
44 33     common  dup2       sys_dup2
45 34     common  pause      sys_pause
46 35     common  nanosleep  sys_nanosleep
47 36     common  getitimer  sys_getitimer
48 37     common  alarm      sys_alarm
49 38     common  setitimer  sys_setitimer
50 39     common  getpid     sys_getpid
51 40     common  sendfile   sys_sendfile64
52 41     common  socket     sys_socket

```

53	42	common	connect	sys_connect
54	43	common	accept	sys_accept
55	44	common	sendto	sys_sendto
56	45	64	recvfrom	sys_recvfrom
57	46	64	sendmsg	sys_sendmsg
58	47	64	recvmsg	sys_recvmsg
59	48	common	shutdown	sys_shutdown
60	49	common	bind	sys_bind
61	50	common	listen	sys_listen
62	51	common	getsockname	sys_getsockname
63	52	common	getpeername	sys_getpeername
64	53	common	socketpair	sys_socketpair
65	54	64	setsockopt	sys_setsockopt
66	55	64	getsockopt	sys_getsockopt
67	56	common	clone	sys_clone
68	57	common	fork	sys_fork
69	58	common	vfork	sys_vfork
70	59	64	execve	sys_execve
71	60	common	exit	sys_exit
72	61	common	wait4	sys_wait4
73	62	common	kill	sys_kill
74	63	common	uname	sys_newuname
75	64	common	semget	sys_semget
76	65	common	semop	sys_semop
77	66	common	semctl	sys_semctl
78	67	common	shmdt	sys_shmdt
79	68	common	msgget	sys_msgget
80	69	common	msgsnd	sys_msgsnd
81	70	common	msgrcv	sys_msgrcv
82	71	common	msgctl	sys_msgctl
83	72	common	fcntl	sys_fcntl
84	73	common	flock	sys_flock
85	74	common	fsync	sys_fsync
86	75	common	fdatasync	sys_fdatasync
87	76	common	truncate	sys_truncate
88	77	common	ftruncate	sys_ftruncate
89	78	common	getdents	sys_getdents
90	79	common	getcwd	sys_getcwd
91	80	common	chdir	sys_chdir
92	81	common	fchdir	sys_fchdir
93	82	common	rename	sys_rename
94	83	common	mkdir	sys_mkdir
95	84	common	rmdir	sys_rmdir
96	85	common	creat	sys_creat
97	86	common	link	sys_link
98	87	common	unlink	sys_unlink
99	88	common	symlink	sys_symlink
100	89	common	readlink	sys_readlink
101	90	common	chmod	sys_chmod
102	91	common	fchmod	sys_fchmod
103	92	common	chown	sys_chown
104	93	common	fchown	sys_fchown
105	94	common	lchown	sys_lchown
106	95	common	umask	sys_umask
107	96	common	gettimeofday	sys_gettimeofday
108	97	common	getrlimit	sys_getrlimit
109	98	common	getrusage	sys_getrusage
110	99	common	sysinfo	sys_sysinfo
111	100	common	times	sys_times
112	101	64	ptrace	sys_ptrace
113	102	common	getuid	sys_getuid
114	103	common	syslog	sys_syslog
115	104	common	getgid	sys_getgid
116	105	common	setuid	sys_setuid
117	106	common	setgid	sys_setgid

118	107	common	geteuid	sys_geteuid
119	108	common	getegid	sys_getegid
120	109	common	setpgid	sys_setpgid
121	110	common	getppid	sys_getppid
122	111	common	getpgrp	sys_getpgrp
123	112	common	setsid	sys_setsid
124	113	common	setreuid	sys_setreuid
125	114	common	setregid	sys_setregid
126	115	common	getgroups	sys_getgroups
127	116	common	setgroups	sys_setgroups
128	117	common	setresuid	sys_setresuid
129	118	common	getresuid	sys_getresuid
130	119	common	setresgid	sys_setresgid
131	120	common	getresgid	sys_getresgid
132	121	common	getpgid	sys_getpgid
133	122	common	setfsuid	sys_setfsuid
134	123	common	setfsgid	sys_setfsgid
135	124	common	getsid	sys_getsid
136	125	common	capget	sys_capget
137	126	common	capset	sys_capset
138	127	64	rt_sigpending	sys_rt_sigpending
139	128	64	rt_sigtimedwait	sys_rt_sigtimedwait
140	129	64	rt_sigqueueinfo	sys_rt_sigqueueinfo
141	130	common	rt_sigsuspend	sys_rt_sigsuspend
142	131	64	sigaltstack	sys_sigaltstack
143	132	common	utime	sys_utime
144	133	common	mknod	sys_mknod
145	134	64	uselib	
146	135	common	personality	sys_personality
147	136	common	ustat	sys_ustat
148	137	common	statfs	sys_statfs
149	138	common	fstatfs	sys_fstatfs
150	139	common	sysfs	sys_sysfs
151	140	common	getpriority	sys_getpriority
152	141	common	setpriority	sys_setpriority
153	142	common	sched_setparam	sys_sched_setparam
154	143	common	sched_getparam	sys_sched_getparam
155	144	common	sched_setscheduler	sys_sched_setscheduler
156	145	common	sched_getscheduler	sys_sched_getscheduler
157	146	common	sched_get_priority_max	sys_sched_get_priority_max
158	147	common	sched_get_priority_min	sys_sched_get_priority_min
159	148	common	sched_rr_get_interval	sys_sched_rr_get_interval
160	149	common	mlock	sys_mlock
161	150	common	munlock	sys_munlock
162	151	common	mlockall	sys_mlockall
163	152	common	munlockall	sys_munlockall
164	153	common	vhangup	sys_vhangup
165	154	common	modify_ldt	sys_modify_ldt
166	155	common	pivot_root	sys_pivot_root
167	156	64	_sysctl	sys_ni_syscall
168	157	common	prctl	sys_prctl
169	158	common	arch_prctl	sys_arch_prctl
170	159	common	adjtimex	sys_adjtimex
171	160	common	setrlimit	sys_setrlimit
172	161	common	chroot	sys_chroot
173	162	common	sync	sys_sync
174	163	common	acct	sys_acct
175	164	common	settimeofday	sys_settimeofday
176	165	common	mount	sys_mount
177	166	common	umount2	sys_umount
178	167	common	swapon	sys_swapon
179	168	common	swapoff	sys_swapoff
180	169	common	reboot	sys_reboot
181	170	common	sethostname	sys_sethostname
182	171	common	setdomainname	sys_setdomainname

183	172	common	iopl	sys_iopl
184	173	common	ioperm	sys_ioperm
185	174	64	create_module	
186	175	common	init_module	sys_init_module
187	176	common	delete_module	sys_delete_module
188	177	64	get_kernel_syms	
189	178	64	query_module	
190	179	common	quotactl	sys_quotactl
191	180	64	nfsservctl	
192	181	common	getpmsg	
193	182	common	putpmsg	
194	183	common	afs_syscall	
195	184	common	tuxcall	
196	185	common	security	
197	186	common	gettid	sys_gettid
198	187	common	readahead	sys_readahead
199	188	common	setxattr	sys_setxattr
200	189	common	lsetxattr	sys_lsetxattr
201	190	common	fsetxattr	sys_fsetxattr
202	191	common	getxattr	sys_getxattr
203	192	common	lgetxattr	sys_lgetxattr
204	193	common	fgetxattr	sys_fgetxattr
205	194	common	listxattr	sys_listxattr
206	195	common	llistxattr	sys_llistxattr
207	196	common	flistxattr	sys_flistxattr
208	197	common	removexattr	sys_removexattr
209	198	common	lremovexattr	sys_lremovexattr
210	199	common	fremovexattr	sys_fremovexattr
211	200	common	tkill	sys_tkill
212	201	common	time	sys_time
213	202	common	futex	sys_futex
214	203	common	sched_setaffinity	sys_sched_setaffinity
215	204	common	sched_getaffinity	sys_sched_getaffinity
216	205	64	set_thread_area	
217	206	64	io_setup	sys_io_setup
218	207	common	io_destroy	sys_io_destroy
219	208	common	io_getevents	sys_io_getevents
220	209	64	io_submit	sys_io_submit
221	210	common	io_cancel	sys_io_cancel
222	211	64	get_thread_area	
223	212	common	lookup_dcookie	
224	213	common	epoll_create	sys_epoll_create
225	214	64	epoll_ctl_old	
226	215	64	epoll_wait_old	
227	216	common	remap_file_pages	sys_remap_file_pages
228	217	common	getdents64	sys_getdents64
229	218	common	set_tid_address	sys_set_tid_address
230	219	common	restart_syscall	sys_restart_syscall
231	220	common	semtimedop	sys_semtimedop
232	221	common	fadvise64	sys_fadvise64
233	222	64	timer_create	sys_timer_create
234	223	common	timer_settime	sys_timer_settime
235	224	common	timer_gettime	sys_timer_gettime
236	225	common	timer_getoverrun	sys_timer_getoverrun
237	226	common	timer_delete	sys_timer_delete
238	227	common	clock_settime	sys_clock_settime
239	228	common	clock_gettime	sys_clock_gettime
240	229	common	clock_getres	sys_clock_getres
241	230	common	clock_nanosleep	sys_clock_nanosleep
242	231	common	exit_group	sys_exit_group
243	232	common	epoll_wait	sys_epoll_wait
244	233	common	epoll_ctl	sys_epoll_ctl
245	234	common	tgkill	sys_tgkill
246	235	common	utimes	sys_utimes
247	236	64	vserver	

248	237	common	mbind	sys_mbind
249	238	common	set_mempolicy	sys_set_mempolicy
250	239	common	get_mempolicy	sys_get_mempolicy
251	240	common	mq_open	sys_mq_open
252	241	common	mq_unlink	sys_mq_unlink
253	242	common	mq_timedsend	sys_mq_timedsend
254	243	common	mq_timedreceive	sys_mq_timedreceive
255	244	64	mq_notify	sys_mq_notify
256	245	common	mq_getsetattr	sys_mq_getsetattr
257	246	64	kexec_load	sys_kexec_load
258	247	64	waitid	sys_waitid
259	248	common	add_key	sys_add_key
260	249	common	request_key	sys_request_key
261	250	common	keyctl	sys_keyctl
262	251	common	ioprio_set	sys_ioprio_set
263	252	common	ioprio_get	sys_ioprio_get
264	253	common	inotify_init	sys_inotify_init
265	254	common	inotify_add_watch	sys_inotify_add_watch
266	255	common	inotify_rm_watch	sys_inotify_rm_watch
267	256	common	migrate_pages	sys_migrate_pages
268	257	common	openat	sys_openat
269	258	common	mkdirat	sys_mkdirat
270	259	common	mknodat	sys_mknodat
271	260	common	fchownat	sys_fchownat
272	261	common	futimesat	sys_futimesat
273	262	common	newfstatat	sys_newfstatat
274	263	common	unlinkat	sys_unlinkat
275	264	common	renameat	sys_renameat
276	265	common	linkat	sys_linkat
277	266	common	symlinkat	sys_symlinkat
278	267	common	readlinkat	sys_readlinkat
279	268	common	fchmodat	sys_fchmodat
280	269	common	faccessat	sys_faccessat
281	270	common	pselect6	sys_pselect6
282	271	common	ppoll	sys_ppoll
283	272	common	unshare	sys_unshare
284	273	64	set_robust_list	sys_set_robust_list
285	274	64	get_robust_list	sys_get_robust_list
286	275	common	splice	sys_splice
287	276	common	tee	sys_tee
288	277	common	sync_file_range	sys_sync_file_range
289	278	64	vmsplice	sys_vmsplice
290	279	64	move_pages	sys_move_pages
291	280	common	utimensat	sys_utimensat
292	281	common	epoll_pwait	sys_epoll_pwait
293	282	common	signalfd	sys_signalfd
294	283	common	timerfd_create	sys_timerfd_create
295	284	common	eventfd	sys_eventfd
296	285	common	fallocate	sys_fallocate
297	286	common	timerfd_settime	sys_timerfd_settime
298	287	common	timerfd_gettime	sys_timerfd_gettime
299	288	common	accept4	sys_accept4
300	289	common	signalfd4	sys_signalfd4
301	290	common	eventfd2	sys_eventfd2
302	291	common	epoll_create1	sys_epoll_create1
303	292	common	dup3	sys_dup3
304	293	common	pipe2	sys_pipe2
305	294	common	inotify_init1	sys_inotify_init1
306	295	64	preadv	sys_preadv
307	296	64	pwritev	sys_pwritev
308	297	64	rt_tgsigqueueinfo	sys_rt_tgsigqueueinfo
309	298	common	perf_event_open	sys_perf_event_open
310	299	64	recvmmsg	sys_recvmmsg
311	300	common	fanotify_init	sys_fanotify_init
312	301	common	fanotify_mark	sys_fanotify_mark

313	302	common	prlimit64	sys_prlimit64
314	303	common	name_to_handle_at	sys_name_to_handle_at
315	304	common	open_by_handle_at	sys_open_by_handle_at
316	305	common	clock_adjtime	sys_clock_adjtime
317	306	common	syncfs	sys_syncfs
318	307	64	sendmmsg	sys_sendmmsg
319	308	common	setns	sys_setns
320	309	common	getcpu	sys_getcpu
321	310	64	process_vm_readv	sys_process_vm_readv
322	311	64	process_vm_writev	sys_process_vm_writev
323	312	common	kcmp	sys_kcmp
324	313	common	finit_module	sys_finit_module
325	314	common	sched_setattr	sys_sched_setattr
326	315	common	sched_getattr	sys_sched_getattr
327	316	common	renameat2	sys_renameat2
328	317	common	seccomp	sys_seccomp
329	318	common	getrandom	sys_getrandom
330	319	common	memfd_create	sys_memfd_create
331	320	common	kexec_file_load	sys_kexec_file_load
332	321	common	bpf	sys_bpf
333	322	64	execveat	sys_execveat
334	323	common	userfaultfd	sys_userfaultfd
335	324	common	membarrier	sys_membarrier
336	325	common	mlock2	sys_mlock2
337	326	common	copy_file_range	sys_copy_file_range
338	327	64	preadv2	sys_preadv2
339	328	64	pwritev2	sys_pwritev2
340	329	common	pkey_mprotect	sys_pkey_mprotect
341	330	common	pkey_alloc	sys_pkey_alloc
342	331	common	pkey_free	sys_pkey_free
343	332	common	statx	sys_statx
344	333	common	io_pgetevents	sys_io_pgetevents
345	334	common	rseq	sys_rseq
346	# don't use numbers 387 through 423, add new calls after the last			
347	# 'common' entry			
348	424	common	pidfd_send_signal	sys_pidfd_send_signal
349	425	common	io_uring_setup	sys_io_uring_setup
350	426	common	io_uring_enter	sys_io_uring_enter
351	427	common	io_uring_register	sys_io_uring_register
352	428	common	open_tree	sys_open_tree
353	429	common	move_mount	sys_move_mount
354	430	common	fsopen	sys_fsopen
355	431	common	fsconfig	sys_fsconfig
356	432	common	fsmount	sys_fsmount
357	433	common	fspick	sys_fspick
358	434	common	pidfd_open	sys_pidfd_open
359	435	common	clone3	sys_clone3
360	436	common	close_range	sys_close_range
361	437	common	openat2	sys_openat2
362	438	common	pidfd_getfd	sys_pidfd_getfd
363	439	common	faccessat2	sys_faccessat2
364	440	common	process_madvise	sys_process_madvise
365	441	common	epoll_pwait2	sys_epoll_pwait2
366	442	common	mount_setattr	sys_mount_setattr
367	443	common	quotactl_fd	sys_quotactl_fd
368	444	common	landlock_create_ruleset	sys_landlock_create_ruleset
369	445	common	landlock_add_rule	sys_landlock_add_rule
370	446	common	landlock_restrict_self	sys_landlock_restrict_self
371	447	common	memfd_secret	sys_memfd_secret
372	448	common	process_mrelease	sys_process_mrelease
373	449	common	futex_waitv	sys_futex_waitv
374	450	common	set_mempolicy_home_node	sys_set_mempolicy_home_node
375	451	common	cachestat	sys_cachestat
376	452	common	fchmodat2	sys_fchmodat2
377	453	64	map_shadow_stack	sys_map_shadow_stack

```

378 454      common  futex_wake          sys_futex_wake
379 455      common  futex_wait         sys_futex_wait
380 456      common  futex_requeue       sys_futex_requeue
381
382 #
383 # Due to a historical design error, certain syscalls are numbered differently
384 # in x32 as compared to native x86_64. These syscalls have numbers 512-547.
385 # Do not add new syscalls to this range. Numbers 548 and above are available
386 # for non-x32 use.
387 #
388 512      x32      rt_sigaction       compat_sys_rt_sigaction
389 513      x32      rt_sigreturn       compat_sys_x32_rt_sigreturn
390 514      x32      ioctl             compat_sys_ioctl
391 515      x32      readv             sys_readv
392 516      x32      writev            sys_writev
393 517      x32      recvfrom          compat_sys_recvfrom
394 518      x32      sendmsg            compat_sys_sendmsg
395 519      x32      recvmmsg          compat_sys_recvmmsg
396 520      x32      execve             compat_sys_execve
397 521      x32      ptrace             compat_sys_ptrace
398 522      x32      rt_sigpending      compat_sys_rt_sigpending
399 523      x32      rt_sigtimedwait    compat_sys_rt_sigtimedwait_time64
400 524      x32      rt_sigqueueinfo    compat_sys_rt_sigqueueinfo
401 525      x32      sigaltstack        compat_sys_sigaltstack
402 526      x32      timer_create       compat_sys_timer_create
403 527      x32      mq_notify          compat_sys_mq_notify
404 528      x32      kexec_load         compat_sys_kexec_load
405 529      x32      waitid             compat_sys_waitid
406 530      x32      set_robust_list     compat_sys_set_robust_list
407 531      x32      get_robust_list     compat_sys_get_robust_list
408 532      x32      vmsplice           sys_vmsplice
409 533      x32      move_pages         sys_move_pages
410 534      x32      preadv             compat_sys_preadv64
411 535      x32      pwritev            compat_sys_pwritev64
412 536      x32      rt_tgsigqueueinfo  compat_sys_rt_tgsigqueueinfo
413 537      x32      recvmmsg           compat_sys_recvmmsg_time64
414 538      x32      sendmmsg           compat_sys_sendmmsg
415 539      x32      process_vm_readv   sys_process_vm_readv
416 540      x32      process_vm_writev  sys_process_vm_writev
417 541      x32      setsockopt          sys_setsockopt
418 542      x32      getsockopt          sys_getsockopt
419 543      x32      io_setup           compat_sys_io_setup
420 544      x32      io_submit          compat_sys_io_submit
421 545      x32      execveat           compat_sys_execveat
422 546      x32      preadv2            compat_sys_preadv64v2
423 547      x32      pwritev2          compat_sys_pwritev64v2
424 # This is the end of the legacy x32 range. Numbers 548 and above are
425 # not special and are not to be used for x32-specific syscalls.

```