SOP (Standard of Practice) for using the Drug Name field in PIMS

Table of Contents

Purpose 1

Applicability 1

Overview 1

Rules for entering a Drug Name into the "Drug Name" Field 1-2

Rules for Use of the Tilde in association with the Drug Name (~) 3-5

Purpose

This document is used as a general guide for the proper utilization of the Drug Name field in PIMS. The Drug Name field is used to create the drug node portion of the PIMS ID (Hierarchy Key) within PIMS (Policy Integration Management System).

Applicability

All PIMS End Users

Overview

1. The Drug Name field in PIMS is used to document the "drug" that is associated with the CPT/HCPCS code that is on the PIMS record. The drug name that is documented in PIMS will then be used as the "drug node" portion of the PIMS ID (Hierarchy Key)
    a. EX: CnS-HI-MCD-ALL-FI-Q5119-**RITUXIMAB**~INJ
2. The Drug Name field is also used to document a "specialty" that is associated with the specific combination of PIMS record, CPT/HCPCS code and alternate category such as Injectable Medications (~INJ) or Chemotherapy (~CHEMO)
    a. EX: CnS-HI-MCD-ALL-FI-Q5119-RITUXIMAB~**INJ**

Rules for entering a Drug Name into the "Drug Name" Field

The following are standards of practice (SOP) or "rules" to use when entering a value in the Drug Name Field to ensure that it populates the Drug Node of the PIMS ID (Hierarchy Key) correctly.

a. The Drug Name field in PIMS is a "free text" field.
    i. This means that the system will not check for accuracy of assignment (Drug to Code) or spelling.
        1. Double check the spelling of the drug before entering it into the free text field
        2. Once a PIMS ID (Hierarchy Key) has been created and saved, you cannot change the Drug Name or Drug Node of that record.
    ii. PIMS will use that Drug Name to create the "Drug Node" using the following logic:
        1. Drug Name should be the "Primary Drug Name" (Brand Name) only

        a. If there is only a generic name available or the requirements ONLY cover the generic version, then the generic name of the drug can be used.
    2. Only include the first word of the drug name entered in the Drug Name field to be used to create the drug node.
    3. If the drug name is a "compound" name (2 or more words are contained in the drug name), then the user should **ONLY** enter the drug name in the following way:
        a. Use an underscore between the words of the drug name.
            i. EX: Vyvgart_Hytrulo

iii. The drug field will ONLY properly convert the name to the drug node when the following rules are used:
    1. Use only the Drug Name
        a. Do not use dosages, notes or additional information in the DRUG NAME field
    2. Do not use special characters such as:
        a. Spaces, dashes, parenthesis, trademark symbols, or other special characters
        b. The drug node will ONLY take the values entered up to the first space.
            i. Do not enter = Vyvgart Hytrulo

iv. Before creating a new record using the Drug Name field:
    1. Use the search function to look for PIMS records that are for the same:
        a. Business Segment
        b. Entity
        c. Product
        d. Plan
        e. Funding Arrangement
        f. Procedure Code
            i. This will ensure that the procedure code has not been entered in the system under another name.
    2. You can also search using the PIMS ID field on the search screen.
    3. This can be accomplished by using the wild card function in the Hierarchy Key Field
        a. EX: CnS-HI-MCD-ALL-FI-Q5119%

Rules for Use of the Tilde in association with the Drug Name (~)

The Drug Name Field can also be used to indicate that the PIMS record, Procedure Code and Drug Name combination has "multiple" categories or specialties that need to be entered into PIMS.

1. EX: PIMS ID = CnS-HI-MCD-ALL-FI-Q5119-RITUXIMAB

- This drug needs a prior authorization in (2) or more categories.
- Injectable Medications and Chemotherapy

2. The user is REQUIRED to enter a ~(tilde) plus the specialty to create unique records for each specialty/category in PIMS
   - PIMS ID = CnS-HI-MCD-ALL-FI-Q5119-RITUXIMAB~INJ
   - PIMS ID = CnS-HI-MCD-ALL-FI-Q5119-RITUXIMAB~CHEMO
3. NOTE: A tilde should ONLY be used and is REQUIRED when there is more than one specialty/category for a specific drug.
   - If there is only ONE known specialty/category in PIMS for the same:
     - Business Segment
     - Entity
     - Product
     - Plan
     - Funding Arrangement
     - Procedure Code
   - Do NOT use a ~(Tilde). This should only be used when there is 2 or more PIMS IDs that use the same combination of:
     - Business Segment
     - Entity
     - Product
     - Plan
     - Funding Arrangement
     - Procedure Code

Once the user has determined that a ~(Tilde) is required, the user should enter the ~(Tilde) using the following guidelines:

1. Determine if "new" Alternate Categories/Subcategories need to be associated with the code.
   a. EX: use the Admin. functionality to navigate to the Manage Alternate Category



2. Once on that page, enter the code into the Procedure Code field and click “Search”



3. Review the search results to determine if the Procedure Code and ~ (specialty) that you want to use is “configured” in the system.



a. If the code/specialty/Alternate Category/Subcategory combination that is needed is present, then you can return to “Add New” record to add the new record into PIMS.
b. If the code/specialty/Alternate Category/Subcategory combination that is needed is NOT present, then it must be entered into the system using the ADD NEW button on the admin. screen.



4. Once the user has determined that there are multiple categories and the code has been configured for the specific category needed using the tilde (~), the user can then return to the Home Screen or EPAL Search and click "Add New Record"
5. In the add new screen, the user needs to enter:
    a. Business Segment
    b. Entity
    c. Plan
    d. Product
    e. Funding Arrangement
    f. Procedure Code
    g. And then "unclick" the Drug Name default box
        i. Then the user can enter the drug name + tilde needed or just the tilde needed:
            - EX: = CnS-HI-MCD-ALL-FI-Q5119-RITUXIMAB~INJ
            - OR = CnS-HI-MCD-ALL-FI-Q5119~INJ
            - **NOTE** – If there is a specific drug name associated with the record, that should be used in conjunction with the tilde in the drug name field:
                - RITUXIMAB**~INJ**
    - The user should adhere to the following standards for using the ~(tilde) for specific categories:
        - Please review the following table to identify the specific category/tilde combination needed for the record.

Alternate Category	**Tilde Value**
Cancer Supportive Services	~CANCER
Cardiovascular	~CARDIOVASCULAR
Chemotherapy Services	~CHEMOTHERAPY
Congenital Heart Disease	~CONGENITAL
Gender Dysphoria Treatment	~GENDER
Home and Community Based Services	~HCBS
Home Health Care	~HHC

Injectable Medications	~INJ
Personal Care Services	~PCS
Transplants	~TRANSPLANTS