PIMS (Policy Integration Management System) Training Guide

Table of Contents

Applicability 1
Definitions 1
Overview 2
Accessing PIMS 2
Viewing a PIMS Record 2
Functionality of ADD/EDIT Screens 10
Editing a PIMS Record 11
Saving an Edited PIMS Record 19
Adding a PIMS Record 20

Purpose

This document is used as a general training guide for Policy Integration Management System (PIMS).

Applicability

All end users of PIMS.

Definitions

TERM/VALUE	DESCRIPTION
PIMS	Policy Integration Management System
EPAL	Enterprise Prior Authorization List
SOP	Standard Operating Procedure
DPOC	Decision Point of Care
USER	Business Analyst Consultant
ACR	Automated Clinical Rules
System Generated	PIMS will auto populate these fields. These are not editable by the user.
Editable	This indicates that the user can update or add the value in the field
Required	This indicates that the field is required to be completed for the record to be successfully saved or updated.

Free Text	This indicates that the user can type any value in the field
Valid Value Set	This indicates that the user must choose from a predetermined set of values for the field.
Reference File Validated	This indicates that the field will use a reference file to validate the entry. Invalid values will not be accepted.

Overview

The user will enter the PIMS user interface to view, maintain, add, and update the EPAL records.

Accessing PIMS

1. Once in PIMS, the USER will click can click on one of two options.
2. The use can click on the "Search" to enter the EPAL SEARCH section
   i. OR
3. The use can click on the "Add New Record" to enter a new record



Viewing a PIMS Record

1. Once in the main search screen, the USER will enter the search criteria of the EPAL records that needs to be VIEWED and click "SEARCH" (See Red Arrow)



1. **Include Historical Record**: This toggle switch can be used to include or exclude historic records in the search grid. (See Red Arrow)
2. **NOTE:** Not all criteria are necessary to search. Please note that the less criteria that is used in the search will return a greater return of results.
3. Criteria that can be entered for searching:
    1. Business Segment (Line of Business)
    2. Entity – (Example – State level or River Valley)
    3. Plan – (Commercial, Medicaid, Medicare, Dual)
    4. Product – (CHIP, LTSS, etc.)
    5. Funding Arrangement – (FI, ASO, ALL)
    6. Procedure Code
    7. Drug Name
        1. Drug Name should be the "Primary Drug Name" only.
        2. If the Code is for the generic, then use the generic name
        3. If the code is for the brand name, then use the brand name
            a. Use only the drug name
            b. Do not use dosages, notes or additional information in the DRUG NAME field.
        4. This does feature a "Wildcard Search" function
        5. Using the '%' sign at the beginning or end of a partially entered code will return records containing those characters.
    8. Overall EPAL Status – (Active, Inactive)
    9. PIMS ID (If known)
    10. Overall Effective Date (this can be a range) – This is the overall effectiveness of the record, considering if there is more than one status on a record.
        1. Example:
            1. Prior Auth and Auto Approval on the same EPAL record
            2. PA effective on 1/1/2020
            3. AA effective on 1/1/2021
            4. The overall effective date of the record would be 01/01/2020
    11. Overall Expiration Date (this can be a range) This is the overall expiration of the record, considering if there is more than one status on a record.
        1. Example:
            1. Prior Auth and Auto Approval on the same EPAL record
            2. PA expired on 12/31/2020
            3. AA from 12/31/2021
            4. The overall expiration date of the record would be 12/31/2021
    12. Version Effective Date - This is the effective date of the specific version of a record

2. Once the record(s) have returned into the Results Grid below the search criteria, the USER will click the PIMS ID hyperlink of the record that needs to be **VIEWED**.
    1. NOTE: Search Results can be also exported to Excel if desired.
    2. Just above the PIMS ID field in the search results, there an export button.
    3. If the USER clicks the Export to Excel, the results in the search will be exported.



3. If export is not desired and the view option is chosen, PIMS will open the associated record into the view screens
4. For all view screens, the PIMS DETAIL Section will contain a banner that will indication if the PIMS record is ACTIVE or INACTIVE
    1. If the record is related to CnS, it will also refer the users to the State Grid



    2. If the record is Non-CnS, it would just state ACTIVE or INACTIVE



5. The PIMS DETAIL Section will display the main criteria for the record that stay consistent regardless of which VIEW screen you are reviewing



6. At the top of the PIMS DETAIL Section, there is an edit record button that will allow you to enter into the edit function for the record. (See Red Arrow)

PIMS DETAIL BANNER

1. At the top of ever screen, there is the PIMS Detail Banner.
2. This banner contains pertinent information regarding the record and is used to create a unique record in the system.
    a. The PIMS Detail Banner contains the following values:
        1. ACTIVE/INACTIVE Indicator – This will indicate if the overall EPAL record is active or Inactive – This will also refer to the state grid for CnS records.

2. PIMS ID – This will indicate the system unique identifier
3. Business Segment (Line of Business)
4. Entity – (Example – State level or River Valley)
5. Procedure Code
6. Plan – (Commercial, Medicaid, Medicare, Dual)
7. Product – (CHIP, LTSS, etc.)
8. Funding Arrangement – (FI, ASO, ALL)
9. Drug Name
10. Version Effective Date - This will indicate the effective date of the specific version of a record

EPAL SUMMARY SCREEN



3. On each screen, there are different values that can be viewed.
    a. The EPAL Summary Screen contains the following values:
        i. Fields and Function:
            1. Standard Category – Procedure Code based category
            2. Standard SubCategory – Procedure Code based subcategory
            3. Alternate Category – Category used instead of the standard category when needed for specific EPAL hierarchy due to downstream operational considerations such as creation of PNL or Provider Document creation.
            4. Alternate Subcategory – SubCategory used instead of the standard subcategory when needed for specific EPAL hierarchy due to downstream operational considerations such as creation of PNL or Provider Document creation.
            5. Procedure Code Type – This will indicate the type of procedure code that is assigned to the record (CPT/HCPCS)
            6. AHRQ – Category assignment according to the AHRQ reference file
            7. Procedure Code Description – This will indicate the code description that is assigned to the record
            8. Procedure Code Status – This will indicate the code assigned to the record as being an active or inactive procedure code according to CPT coding guidelines

9. Prior Auth – This will indicate if the record has a prior auth related to the code
10. PA or PGM Effective Date – This will indicate the effective date associated with the Prior Auth or Program Managed By portion of the record
11. PA or PGM Expiration Date – This will indicate the expiration date associated with the Prior Auth or Program Managed By portion of the record
12. Drug Review at Launch – This will indicate if the record/code is subject to review once the drug is launched
13. Diagnosis Requirements – This will indicate if the code on the record for the category, business segment, entity, product, and plan have diagnosis requirements according to the ACR documents
14. Program Managed By - This will indicate the name of the vendor that manages the code for that specific category, business segment, entity, product, and plan
15. Internal/External – This would indicate if the vendor assigned to Program Managed by is internal or external to UHC
16. Delegated UM - This will indicate the name of the health plan that internally manages the code for that specific category, business segment, entity, product, and plan
17. Source – This will indicate the Original EPAL Tab

EPAL REVIEW INDICATORS SCREEN



1. The EPAL Review Indicator Screen contains the following values:
    a. SOS Applies – This will indicate if a Site of Service review applies to the code for that specific category, business segment, entity, product, and plan
    b. SOS Effective Date – This will indicate the effective date associated with the SOS portion of the record
    c. SOS Expiration Date – This will indicate the expiration date associated with the SOS portion of the record

d. URG (Utilization Review Guidelines) Categories – This will indicate what type of guideline groupings are used to review the SOS portion of the
e. SOS Type Review – This will indicate what type of review is being done as part of the site of service review
f. SOS Site Indicator – These are (2) Radio Buttons. Only one of the two buttons can be active at a time. This will indicate if it is site only or a site and service review for the site of service portion of the review
g. Auto Approval – This will indicate if the record has an Auto Approval for the code for that specific category, business segment, entity, product, and plan
h. Auto Approval Effective Date – This will indicate the effective date associated with the Auto Approval portion of the record
i. Auto Approval Expiration Date – This will indicate the expiration date associated with the Auto Approval portion of the record
j. Level of Care – This will indicate if a level of care review is required for the record
k. Most Recent Review Date – This will indicate the most recent date the record was reviewed for state requirements
l. Previous Review Date – This will indicate the previous date compared to the most recent review date of the record for state requirements
m. Medicare Special Processing – This will indicate if the record has Medicare Special Processing for the code for that specific category, business segment, entity, product, and plan
n. Medicare Special Processing Type– This will indicate what type of Medicare Special Processing is on the code for that specific category, business segment, entity, product, and plan
o. Medicare Special Processing Effective Date – This will indicate the effective date associated with the Medicare Special Processing portion of the record
p. Medicare Special Processing Expiration Date – This will indicate the expiration date associated with the Medicare Special Processing portion of the record
q. Most Recent Review Date – This will indicate the most recent date the record was reviewed for state requirements
r. Previous Review Date – This will indicate the previous date compared to the most recent review date of the record for state requirements
s. Medical Necessity Review – This will indicate if the record requires a medical necessity review

ASSOCIATED CODES SCREEN



Diagnosis Code	Diagnosis Description	ICD Version	Inclusion/Exclusion
R99	ILL-DEFINED AND UNKNOWN CAUSE OF MORTALITY	ICD10CM	Include
Z00.00	ENCOUNTER GEN ADULT MED EXAM W/O ABNORMAL FIND	ICD10CM	Include
Z00.01	ENCOUNTER GEN ADULT MEDICAL EXAM W/ABNORMAL FIND	ICD10CM	Include
Z00.110	HEALTH EXAMINATION FOR NEWBORN UNDER 8 DAYS OLD	ICD10CM	Include
Z00.111	HEALTH EXAMINATION FOR NEWBORN 8 TO 28 DAYS OLD	ICD10CM	Include
Z00.121	ENCOUNTER RTN CHILD HEALTH EXAM W/ABNORMAL FIND	ICD10CM	Include
Z00.129	ENCOUNTER RTN CHILD HEALTH EXAM W/O ABNORMAL FIND	ICD10CM	Include

1. The Associated Codes Screen contains the following tabs:
    a. Diagnosis Code – This will indicate the associated diagnoses that are associated with the record
    b. Revenue Codes - This will indicate the associated Revenue Codes that are associated with the record
    c. Place of Service - This will indicate the places of service that are associated with the record
    d. Modifiers - This will indicate the modifiers that are associated with the record

2. The Associated Codes Screen each of the tabs contain the following information:
    a. Diagnosis Code – This will indicate the associated diagnoses that are associated with the record
        i. Diagnosis Code
        ii. Diagnosis Description: The full description of the diagnosis
        iii. ICD Version: ICD9 or ICD10 – This states if the diagnosis is an ICD9 or ICD10 code
        iv. Inclusion/Exclusion – This states if the diagnosis is included or excluded for the record
    b. Revenue Codes - This will indicate the associated Revenue Codes that are associated with the record
        i. Revenue Code
        ii. Revenue Code Description: The full description of the diagnosis
        iii. Inclusion/Exclusion – This states if the Revenue Code is included or excluded for the record
    c. Place of Service (POS) - This will indicate the places of service that are associated with the record
        i. POS Code
        ii. POS Description: The full description of the diagnosis
        iii. Inclusion/Exclusion – This states if the POS Code is included or excluded for the record
    d. Modifiers - This will indicate the modifiers that are associated with the record
        i. Modifier Code
        ii. Modifier Description: The full description of the diagnosis
        iii. Inclusion/Exclusion – This states if the modifier is included or excluded for the record

STATE INFO SCREEN



1. The State Info Screen contains the following values:
    a. State – This will indicate if there are states that the record applies to
    b. State Mandated – This will indicate if there are state mandates that surround the PA/AA or MSP related to the record
    c. Included/Excluded – This will indicate if the state is included or excluded for the record

ADDITIONAL INFORMATION SCREEN



1. The Additional Information Screen contains the following values:
    a. Further Considerations: This will indicate if there are any further considerations that pertain to the current record
    b. Further Consideration History: This will indicate if there are any further considerations that pertain to the historic records
    c. Notes: This will indicate if there are any notes that pertain to the current record
    d. Note History: This will indicate if there are any notes that pertain to the historic records

CHANGE HISTORY SCREEN

Change History

Change By	Change Date	Change Source	Change Description	Change Type
EPAL_CONV	10/01/2017 00:00:00	Enl Combined EPAL Master		INSERT

1. The Change History Screen contains the following values:
    a. Change By – This will indicate the user that has updated or added the record
    b. Change Date – This will indicate the date and time the record was updated or added
    c. Change Source – This will indicate the source of the change or add request. Most of the time, this should be the Change request number (CR number)
    d. Change Description – This will indicate the description of the change or addition that was made
    e. Change Type – This will indicate what type of change was made to the record

HISTORICAL INFORMATION SCREEN

Historical Information

PIMS ID	Procedure Code	Business Segment	Entity	Product	Plan	Funding Arrangement	Drug Name	EPAL Ver Eff Date	Overall Eff Date	Overall Exp Date
Enl-NHP-COM-ALL-ALL-37799-NA	37799	Enl	NHP	ALL	COM	ALL		06/01/2016 12:00:00 AM	06/01/2016	10/01/2017

1. The Historical Information screen will provide all the historical records of the current record that is being viewed.
2. The PIMS ID of the historical records are hyperlinks that will lead you to a historical record if the hyperlink is clicked.
3. Historical records CANNOT be edited, therefore there are not edit options available for historical records.

Functionality of ADD/EDIT Screens

Once a user has chosen to add/edit a record in PIMS, there is basic functionality that would apply

1. Historic records (meaning that a record in which there is a more recent version of the record that is present in the system) are not able to be edited.
2. In the edit and add screen, not all fields will be presented to the user
    1. If there are fields that required additional information for the system to generate that has not been entered, these fields will not be visible in the add/edit screens.
    2. In addition, if there are non-editable fields that do not impact the add/edit, these fields will also not be viewable in these screens.
3. If there are errors in the edit/add screens with the values that have been entered, the record will not save. The issue will have to be rectified prior to a successful save.
4. Each field in the edit/add screen have different functionalities as follows:
    1. Viewable – System Generated
        1. These fields will remain only viewable regardless of the screen (View, Edit, Add)

    2. These fields values are generated by the system based on other information in the record and are not editable by the user.
2. Editable – Valid Values
    1. These fields are editable by the user
    2. The only values that can be entered are required to be picked from a specific list of values offered by the system
3. Editable – Free Text – Reference File Driven
    1. These fields are editable by the user
    2. These are free text however, the only values allowed will be values that are validated by a reference file.
    3. No value will be accepted, even when free texted that is not present in the reference file
        1. Examples: Diagnosis code, modifiers
4. Editable – Free Text – Date Driven
    1. These fields are editable by the user
    2. These are free text however, the only values allowed will be values that are in a date format.
5. Editable – Free Text – Data Limitation
    1. These fields are editable by the user
    2. These are free text however, there are limits on what can be entered into the field
    3. There is a 500-character limit on some fields
    4. There are also restrictions on what can be entered into the field:
        1. EX: Fields also cannot contain the following special characters: trademarks (®) Registrations of a brand, or apostrophes (')

Editing a PIMS Record

There are two ways to edit a PIMS record:

1. Within the Search Grid, the user can click the editing pen next to the PIMS ID (See Red Arrow Below)



PIMS ID	Proc Code	Bus Seg
CnS-CnS-MCR-ALL-FI-37799-NA	37799	CnS

2. The user can also transition to editing from any of the view screens by selecting the "Edit Record" Button at the top right corner of the PIMS DETAIL Banner (See Red Arrow Below)



EDIT VIEW of EPAL Summary Screen:

EPAL Summary* | EPAL Review Indicators* | Assoc Codes | State Info* | Additional Information | Change History* | Historical Information

EPAL Summary

Standard Category:	Vein Procedures	Standard SubCategory:	AHRQ-Other Non-Or Therapeutic Cardiovascular Procedures
Alternate Category:	VEIN PROCEDURES	Alternate Sub Category:	
Procedure Code Status:	Valid	Prior Auth:	Yes
PA Effective Date:*	7/1/2021	PA Expiration Date:	12/31/2999
Drug Review At Launch:	No		
PA Min Age:	0	PA Max Age:	0
Program Managed By:*	------	Delegated UM:	------

a. Fields and Function:
    1. Standard Category – Category used for HCEMI reporting
        1. System Generated
    2. Standard SubCategory – Category used for HCEMI reporting
        1. System Generated
    3. Alternate Category – Category equal to the category in the EPAL
        1. System Generated
    4. Alternate Subcategory – Category equal to the subcategory in the EPAL
        1. System Generated
    5. Procedure Code Status – This will show if the code assigned to the record is an active or inactive procedure code according to CPT coding guidelines
        1. System Generated
    6. Prior Auth – This states if the record has a prior auth related to the code
        1. System Generated
        2. This is determined based on the PA Effective and Expiration Dates that are entered into the system.
    7. PA or PGM Effective Date – This provides the effective date associated with the Prior Auth portion of the record
        1. Editable
        2. Free text in date format
    8. PA or PGM Expiration Date – This provides the expiration date associated with the Prior Auth portion of the record
        1. Editable
        2. Not required
        3. Free text in date format
    9. Drug Review at Launch – This states if the record/code is subject to review once the drug is launched
        1. Editable
        2. Conditionally required only if the Drug Name = Not Empty
        3. Valid Value Set
    10. PA Min Age – This states if there is a minimum age associated with the record
        1. Editable
        2. Not Required
        3. Valid Value Set
    11. PA Max Age – This states if there is a maximum age associated with the record

1. Editable
2. Not Required
3. Valid Value Set

12. Program Managed By - This will provide the name of the vendor that manages the code for that specific category, business segment, entity, product, and plan
    1. Editable
    2. Conditionally required only if the Prior Auth = YES
    3. Valid Value Set
13. Delegated UM - This will provide the name of the health plan that internally manages the code for that specific category, business segment, entity, product, and plan
    1. Editable
    2. Conditionally required only if the Prior Auth = YES
    3. Valid Value Set

EDIT VIEW of EPAL Review Indicators:



1. Fields and Function:
    a. SOS Applies – This will indicate if a SOS review applies to the code for that specific category, business segment, entity, product, and plan
        1. System Generated – Must also have an ACTIVE PA
        2. This is determined based on the SOS Effective and Expiration Dates that are entered into the system.
    b. SOS Effective Date – This will indicate the effective date associated with the SOS portion of the record
        1. Conditionally Editable – Must have an Active PA
        2. Free text in date format
    c. SOS Expiration Date – This will indicate the expiration date associated with the SOS portion of the record
        1. Conditionally Editable – Must have an Active PA
        2. Not required
        3. Free text in date format

d. URG (Utilization Review Guidelines) Categories – This will indicate what type of guideline groupings are used to review the SOS portion of the record
    1. Conditionally Editable – Must have an Active PA and the SOS Effective Date must be present
    2. Conditionally required only if the SOS = YES
    3. Valid Value Set
e. SOS Type Review – This will indicate what type of review is being done as part of the site of service review
    1. Conditionally Editable – Must have an Active PA and the SOS Effective Date must be present
    2. Conditionally required only if the SOS = YES
    3. Valid Value Set
f. SOS Site Indicator
    1. Site Only/Site and Service – These are (2) Radio Buttons. Only one of the two buttons can be active at a time. This will indicate if it is site only or a site and service review for the site of service portion of the review
    2. Conditionally Editable – Must have an Active PA and the SOS Effective Date must be present
    3. Conditionally required only if the SOS = YES
        1. NOTE: All the new fields related to SOS (URG Categories, SOS type and site only/site and service) should be conveyed to the user through the change request.
g. Auto Approval – This will indicate if the record has an Auto Approval for the code for that specific category, business segment, entity, product, and plan
    1. System Generated
    2. This is determined based on the AA Effective and Expiration Dates that are entered into the system.
h. Auto Approval Effective Date – This provides the effective date associated with the Auto Approval portion of the record
    1. Editable
    2. Free text in date format
i. Auto Approval Expiration Date – This will indicate the expiration date associated with the Auto Approval portion of the record
    1. Editable
    2. Not required
    3. Free text in date format
j. Date of Most Recent Review – This will indicate the most recent date the record was reviewed for state requirements
    1. Editable
    2. Not required
    3. Free text in date format
k. Date of Previous Review – This states the most recent date the record was review for state requirements
    1. Editable
    2. Not required
    3. Free text in date format

l. Medicare Special Processing – This will indicate if the record has Medicare Special Processing for the code for that specific category, business segment, entity, product, and plan
    1. System Generated
    2. This is determined based on the MSP Effective and Expiration Dates that are entered into the system.
m. Medicare Special Processing Type– This will indicate what type of Medicare Special Processing is on the code for that specific category, business segment, entity, product, and plan
    1. Editable
    2. Conditionally Required if the MSP = YES
    3. Valid Value Set
n. Medicare Special Processing Effective Date – This will indicate the effective date associated with the Medicare Special Processing portion of the record
    1. Editable
    2. Free text in date format
o. Medicare Special Processing Expiration Date – This will indicate the expiration date associated with the Medicare Special Processing portion of the record
    1. Editable
    2. Not required
    3. Free text in date format

EDIT VIEW of Associated Codes:



1. In the Associated Codes Screen for the Add/Edit Function, there is an 'Add New Record' Button at the top of each Section
    a. The Add New Record button will allow the user to enter a value into the field
    b. When clicked, this will open a free text field that will allow the user to enter a value

2. The user can start to type a value into the field and the system will generate a reference list associated with the field that fit the typed criteria.
    a. If there is nothing in the reference table to match the entered values, not results will return and the user will not be able to enter that value.



1. Fields and Function:
    a. Diagnosis Code – This will indicate the associated diagnoses that are associated with the record
        1. Editable
        2. Not Required
        3. Free Text (Reference File Validated)
    b. Diagnosis Code Description
        1. System Generated
    c. ICD9 or ICD10 – This states if the diagnosis is an ICD9 or ICD10 code
        1. System Generated
    d. Diagnosis Include/Exclude
        1. Editable
        2. Valid Value Set
        3. System will default to “INCLUDE”
            1. User must change to Exclude if desired
    e. Revenue Codes - This will indicate the associated Revenue Codes that are associated with the record
        1. Editable
        2. Not Required
        3. Free Text (Reference File Validated)
    f. Revenue Code Description - This will indicate the associated Revenue Codes description that are associated with the record
        1. System Generated
    g. Revenue Code Include/Exclude
        1. Editable
        2. Valid Value Set
        3. System will default to “INCLUDE”
            1. User must change to Exclude if desired
    h. Place of Service - This will indicate the places of service that are associated with the record
        1. Editable
        2. Not Required
        3. Free Text (Reference File Validated)
    i. Place of Service Description
        1. System Generated
    j. Place of Service Include/Exclude
        1. Editable

2. Valid Value Set
3. System will default to “INCLUDE”
    1. User must change to Exclude if desired

k. Modifiers Codes- This will indicate the modifiers that are associated with the record
    1. Editable
    2. Not Required
    3. Free Text (Reference File Validated)

l. Modifier Description
    1. System Generated

m. Modifier Inclusion/Exclusion - This will indicate if the modifiers are included or excluded for the associated record
    1. Editable
    2. Valid Value Set
    3. System will default to “INCLUDE”
        1. User must change to Exclude if desired

EDIT VIEW of State Info:



1. Fields and Function:
    a. State – This will indicate if there are states that the record applies to
        1. System Generated based on the Business Segment and Entity
    b. State Mandated – This will indicate if there are state mandates that surround the PA/AA or MSP related to the record
        1. Editable
        2. Required
        3. Valid Value Set
    c. State Included/Excluded – This will indicate if the state is included or excluded from the record.
        1. Editable
        2. Required
        3. Valid Value Set

EDIT VIEW of Additional Information:



1. Fields and Function:
   a. Further Considerations: This will indicate if there are any further considerations that pertain to the current record
      a. Not Required
      b. Free Form Text – 500 Character Limit
   b. Further Consideration History: T This will indicate if there are any further considerations that pertain to the historic records
      a. Not Required
      b. Free Form Text – 500 Character Limit
   c. Notes: This will indicate if there are any notes that pertain to the current record
      a. Not Required
      b. Free Form Text – 500 Character Limit
   d. Note History: This will indicate if there are any notes that pertain to the historic records
      a. Not Required
      b. Free Form Text – 500 Character Limit

EDIT VIEW of Change History:



2. Fields and Function:
    a. Change By – This will indicate the user that has updated or added the record
        1. System Generated
    b. Change Date – This will indicate the date and time the record was updated or added
        1. System Generated
    c. Change Source – This will indicate the source of the change or add request. Most of the time, this should be the Change request number (CR number)
        1. Editable
        2. Required
        3. Free Text
    d. Change Description – This will indicate the description of the change or addition that was made
        1. Editable
        2. Required
        3. Free Text
    e. Change Type – This will indicate what type of change was made to the record
        1. System Generated

EDIT VIEW of Historical Information:

1. In the edit view of the historical information, it is entirely view only.
2. The hyperlink works to access PIMS records, but nothing is editable on this screen.
3. This screen is for informational purposes only.

Saving an Edited PIMS Record

1. Once all the edits/updates have been completed the user will click the save button to save the changes.
2. This is in the PIMS DETAIL Banner located in the upper right corner of the screen.



3. If there are any errors, the system will not allow the record to save.
    1. Errors could include:
        1. Required fields not being completed
        2. Duplication of a record that already exists in the system
        3. Invalid values have been entered.
4. If there are no errors, the system will confirm the save.

Adding a PIMS Record

1. There are two ways to add a new record in PIMS
    a. On the main screen, there is a button that says, '**ADD NEW RECORD**'





    b. Once in the main search screen, the user can click on the **ADD NEW** button below the search criteria



2. Once the user has determined that a new record needs to be entered into PIMS, ADD NEW RECORD screen will appear



3. The user will enter the following criteria of the new record that needs to be added to PIMS
    a. Criteria that can be entered for Adding a New Record:
        1. Business Segment (Line of Business)
        2. Entity – (Example – State level or River Valley)
        3. Plan – (Commercial, Medicaid, Medicare, Dual)
        4. Product – (CHIP, LTSS, etc.)
        5. Funding Arrangement – (FI, ASO, ALL)
        6. Procedure Code
        7. Drug Name – This will be auto-checked to DEFAULT which will populate the field with an 'N/A.'
            1. If there is a DRUG NAME, uncheck the DEFAULT check mark
            2. Then type in the DRUG NAME to complete the PIMS ID
            3. Ensure the drug name is spelled correctly and completely.
            4. Drug Name should be the "Primary Drug Name" only.
                1. If the Code is for the generic, then use the generic name
                2. If the code is for the brand name, then use the brand name
                1. Use only the drug name
                2. Do not use dosages, notes or additional information in the DRUG NAME field.
        8. PIMS ID – This box is auto-populated as the criteria is entered.
            1. This will auto-create the PIMS ID associated with the entered criteria
4. If a record will the same parameters already exists, the user will receive an error indicating that the record already exists within the system.
    f. If the user receives the error of a duplication, the user can view the record to determine if they want to update the record that already exists.



3. If the record does **NOT** exist, the user will be redirected to ADD screens where the user will be allowed to add values to editable fields to enter the new record into PIMS.



4. As noted above, the add screens have the same fields as the edit screens that can be edited.
    a. The “Grayed Out” fields are not editable
    b. The “White Fields” are editable fields and can be edited.
5. All fields that are required need to be completed for the new record to save successfully.
6. There are fields that are system generated and will be completed by the system based on information entered. Therefore, these may not all be visible when entering a record for the first time. The system must save the record to generate the completion.
7. Once all the fields are completed, the record can be saved.
    a. If there are errors on the record, the record will not save but the user will receive an error statement.