

```
11      (1, 'The Alchemist', '9780061122415', 1988),
12      (2, 'The Hobbit', '9780261102217', 1937),
13      (3, 'Pride and Prejudice', '9780141439518', 1813);
14
15 • SELECT * FROM Books;
```

Result Grid

  Filter Rows:

Edit:   

Export/Import:  

	book_id	title	isbn	published_year
▶	1	The Alchemist	9780061122415	1988
	2	The Hobbit	9780261102217	1937
	3	Pride and Prejudice	9780141439518	1813
✱	NULL	NULL	NULL	NULL

Books 3

```
55     FROM Loans l
56     INNER JOIN Members m
57     ON l.member_id = m.member_id
58     INNER JOIN Books b
59     ON l.book_id = b.book_id;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	Member_Name	Book_Title
--	-------------	------------

```
61 • SELECT published_year,  
62         COUNT(book_id) AS Total_Books  
63 FROM Books  
64 GROUP BY published_year  
65 ORDER BY published_year;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	published_year	Total_Books
▶	1813	1
	1937	1
	1988	1

Result 8 ×

```

40      (3, 'SK103', 'Chennai', 'Hyderabad', '2026-08-22', 3600.00),
41      (4, 'SK104', 'Delhi', 'Kolkata', '2026-08-23', 5800.00),
42      (5, 'SK105', 'Pune', 'Mumbai', '2026-08-24', 2800.00),
43      (6, 'SK106', 'Bengaluru', 'Goa', '2026-08-25', 3300.00),
44      (7, 'SK107', 'Hyderabad', 'Pune', '2026-08-26', 3900.00),
45      (8, 'SK108', 'Kolkata', 'Delhi', '2026-08-27', 6100.00),
46      (9, 'SK109', 'Mumbai', 'Chennai', '2026-08-28', 4700.00),
47      (10, 'SK110', 'Delhi', 'Hyderabad', '2026-08-29', 5400.00);
48
49 •   SELECT * FROM Flights:

```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	flight_id	flight_number	source	destination	departure_date	ticket_price
▶	1	SK101	Hyderabad	Delhi	2026-08-20	5200.00
	2	SK102	Mumbai	Bengaluru	2026-08-21	4100.00
	3	SK103	Chennai	Hyderabad	2026-08-22	3600.00
	4	SK104	Delhi	Kolkata	2026-08-23	5800.00
	5	SK105	Pune	Mumbai	2026-08-24	2800.00
	6	SK106	Bengaluru	Goa	2026-08-25	3300.00
	7	SK107	Hyderabad	Pune	2026-08-26	3900.00
	8	SK108	Kolkata	Delhi	2026-08-27	6100.00
	9	SK109	Mumbai	Chennai	2026-08-28	4700.00
	10	SK110	Delhi	Hvderabad	2026-08-29	5400.00

Flights 1

×

Apply

Revert

Result Grid

Form Editor

Field Types



```
58 (105, 'Kabir Nair', 'kabir.nair@skytrack.com'),
59 (106, 'Ishita Reddy', 'ishita.reddy@skytrack.com'),
60 (107, 'Vihaan Kapoor', 'vihaan.kapoor@skytrack.com'),
61 (108, 'Meera Iyer', 'meera.iyer@skytrack.com'),
62 (109, 'Arjun Malhotra', 'arjun.malhotra@skytrack.com'),
63 (110, 'Saanvi Joshi', 'saanvi.joshi@skytrack.com');
64
65 • SELECT * FROM Passengers;
66
67 -- =====
```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



Result Grid

Form
Editor

Field Types

	passenger_id	passenger_name	email
▶	101	Aarav Mehta	aarav.mehta@skytrack.com
	102	Diya Sharma	diya.sharma@skytrack.com
	103	Rohan Verma	rohan.verma@skytrack.com
	104	Anika Rao	anika.rao@skytrack.com
	105	Kabir Nair	kabir.nair@skytrack.com
	106	Ishita Reddy	ishita.reddy@skytrack.com
	107	Vihaan Kapoor	vihaan.kapoor@skytrack.com
	108	Meera Iyer	meera.iyer@skytrack.com
	109	Arjun Malhotra	arjun.malhotra@skytrack.com
	110	Saanvi Joshi	saanvi.joshi@skytrack.com

Passengers 2 x

Apply

Revert



```
74      (1005, 105, 5, '2026-08-12'),
75      (1006, 106, 6, '2026-08-13'),
76      (1007, 107, 7, '2026-08-13'),
77      (1008, 108, 8, '2026-08-14'),
78      (1009, 109, 9, '2026-08-14'),
79      (1010, 110, 10, '2026-08-15');
80
81 • SELECT * FROM Bookings;
82
83 -- =====
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

	booking_id	passenger_id	flight_id	booking_date
▶	1001	101	1	2026-08-10
	1002	102	2	2026-08-11
	1003	103	3	2026-08-11
	1004	104	4	2026-08-12
	1005	105	5	2026-08-12
	1006	106	6	2026-08-13
	1007	107	7	2026-08-13
	1008	108	8	2026-08-14
	1009	109	9	2026-08-14
	1010	110	10	2026-08-15

Bookings 4 x

Apply

Revert



Result
Grid



Form
Editor



Field
Types

```

83 • SELECT
84     p.passenger_name,
85     f.flight_number,
86     f.source,
87     f.destination
88 FROM Bookings b
89 INNER JOIN Passengers p
90     ON b.passenger_id = p.passenger_id
91 INNER JOIN Flights f
92     ON b.flight_id = f.flight_id;

```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



Result
Grid



Form
Editor



Field
Types

	passenger_name	flight_number	source	destination
▶	Aarav Mehta	SK101	Hyderabad	Delhi
	Diya Sharma	SK102	Mumbai	Bengaluru
	Rohan Verma	SK103	Chennai	Hyderabad
	Anika Rao	SK104	Delhi	Kolkata
	Kabir Nair	SK105	Pune	Mumbai
	Ishita Reddy	SK106	Bengaluru	Goa
	Vihaan Kapoor	SK107	Hyderabad	Pune
	Meera Iyer	SK108	Kolkata	Delhi
	Arjun Malhotra	SK109	Mumbai	Chennai
	Saanvi Joshi	SK110	Delhi	Hyderabad

Result 5 ×

! Read Only

```

92     ON b.flight_id = f.flight_id;
93
94 •   SELECT
95     destination,
96     COUNT(flight_id) AS total_flights
97 FROM Flights
98 GROUP BY destination
99 ORDER BY destination;
100
101 -- =====

```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	destination	total_flights
►	Bengaluru	1
	Chennai	1
	Delhi	2
	Goa	1
	Hyderabad	2
	Kolkata	1
	Mumbai	1
	Pune	1



Result
Grid



Form
Editor



Field
Types

```

116 • INSERT INTO Flight_History
117     (history_id, flight_id, action_type, action_date)
118     VALUES
119     (1, 11, 'NEW FLIGHT ADDED', CURDATE());
120
121 • COMMIT;
122
123 • SELECT * FROM Flights
124     WHERE flight_id = 11;
125

```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



	flight_id	flight_number	source	destination	departure_date	ticket_price
▶	11	SK111	Hyderabad	Jaipur	2026-09-01	4950.00
•	NULL	NULL	NULL	NULL	NULL	NULL



Result
Grid



Form
Editor



Field
Types

Flights 7

Apply

Revert

```
119      (1, 11, 'NEW FLIGHT ADDED', CURDATE());
120
121 •   COMMIT;
122
123 •   SELECT * FROM Flights
124      WHERE flight_id = 11;
125
126 •   SELECT * FROM Flight_History;
127
128      -- =====
```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



	history_id	flight_id	action_type	action_date
▶	1	11	NEW FLIGHT ADDED	2026-08-16
*	NULL	NULL	NULL	NULL



Result
Grid



Form
Editor



Field
Types

Flight_History8 x

Apply

Revert



```
127
128 • CREATE INDEX idx_flight_number
129 ON Flights(flight_number);
130
131
132 • SELECT *
133 FROM Flights
134 WHERE flight_number = 'SK111';
135
136 -- =====
```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



	flight_id	flight_number	source	destination	departure_date	ticket_price
▶	11	SK111	Hyderabad	Jaipur	2026-09-01	4950.00
✱	NULL	NULL	NULL	NULL	NULL	NULL



Result Grid

Form
Editor

Field Types

```

129     ON Flights(flight_number);
130
131
132 •   SELECT *
133     FROM Flights
134     WHERE flight_number = 'SK111';
135
136
137 •   SELECT * FROM Flights;
138 •   SELECT * FROM Passengers;

```

Result Grid |   Filter Rows: | Edit:    | Export/Import:   | Wrap Cell Content:  ☐

	flight_id	flight_number	source	destination	departure_date	ticket_price
▶	1	SK101	Hyderabad	Delhi	2026-08-20	5200.00
	2	SK102	Mumbai	Bengaluru	2026-08-21	4100.00
	3	SK103	Chennai	Hyderabad	2026-08-22	3600.00
	4	SK104	Delhi	Kolkata	2026-08-23	5800.00
	5	SK105	Pune	Mumbai	2026-08-24	2800.00
	6	SK106	Bengaluru	Goa	2026-08-25	3300.00
	7	SK107	Hyderabad	Pune	2026-08-26	3900.00
	8	SK108	Kolkata	Delhi	2026-08-27	6100.00
	9	SK109	Mumbai	Chennai	2026-08-28	4700.00
	10	SK110	Delhi	Hvderabad	2026-08-29	5400.00



Result
Grid



Form
Editor



Field
Types

```

130
131
132 • SELECT *
133 FROM Flights
134 WHERE flight_number = 'SK111';
135
136
137 • SELECT * FROM Flights;
138 • SELECT * FROM Passengers;
139 • SELECT * FROM Bookings;

```

Result Grid |  Filter Rows: | Edit:    | Export/Import:   | Wrap Cell Content:  ☐

	passenger_id	passenger_name	email
▶	101	Aarav Mehta	aarav.mehta@skytrack.com
	102	Diya Sharma	diya.sharma@skytrack.com
	103	Rohan Verma	rohan.verma@skytrack.com
	104	Anika Rao	anika.rao@skytrack.com
	105	Kabir Nair	kabir.nair@skytrack.com
	106	Ishita Reddy	ishita.reddy@skytrack.com
	107	Vihaan Kapoor	vihaan.kapoor@skytrack.com
	108	Meera Iyer	meera.iyer@skytrack.com
	109	Arjun Malhotra	arjun.malhotra@skytrack.com
	110	Saanvi Joshi	saanvi.ioshi@skvtrack.com

Passengers 11 x

Apply

Revert



Result
Grid



Form
Editor



Field
Types

131

132 • SELECT *

133 FROM Flights

134 WHERE flight_number = 'SK111';

135

136

137 • SELECT * FROM Flights;

138 • SELECT * FROM Passengers;

139 • SELECT * FROM Bookings;

140 • SELECT * FROM Flight History;

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



Result
Grid



Form
Editor



Field
Types

	booking_id	passenger_id	flight_id	booking_date
▶	1001	101	1	2026-08-10
	1002	102	2	2026-08-11
	1003	103	3	2026-08-11
	1004	104	4	2026-08-12
	1005	105	5	2026-08-12
	1006	106	6	2026-08-13
	1007	107	7	2026-08-13
	1008	108	8	2026-08-14
	1009	109	9	2026-08-14
	1010	110	10	2026-08-15

Bookings 12 x

Apply

Revert

Cont

Limit to 1000 rows

```
132 • SELECT *
133     FROM Flights
134     WHERE flight_number = 'SK111';
135
136
137 • SELECT * FROM Flights;
138 • SELECT * FROM Passengers;
139 • SELECT * FROM Bookings;
140 • SELECT * FROM Flight_History;
141
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	history_id	flight_id	action_type	action_date
▶	1	11	NEW FLIGHT ADDED	2026-08-16
•	NULL	NULL	NULL	NULL



Result
Grid



Form
Editor



Field
Types

Flight_History 13 x

Apply

Revert

Context Help

Snippets

Automatic con
disabled. Use t
manually get
current caret p
toggle autor

```

39  (204, 'Dr. Rohit Mehta', 'Orthopedics', 750.00, 'rohit.mehta@medicare.com'),
40  (205, 'Dr. Sneha Iyer', 'Neurology', 1100.00, 'sneha.iyer@medicare.com'),
41  (206, 'Dr. Varun Sharma', 'Cardiology', 950.00, 'varun.sharma@medicare.com'),
42  (207, 'Dr. Ananya Reddy', 'Dermatology', 700.00, 'ananya.reddy@medicare.com'),
43  (208, 'Dr. Kiran Joshi', 'Pediatrics', 550.00, 'kiran.joshi@medicare.com'),
44  (209, 'Dr. Meera Verma', 'Orthopedics', 800.00, 'meera.verma@medicare.com'),
45  (210, 'Dr. Aditya Rao', 'Neurology', 1050.00, 'aditya.rao@medicare.com');
46
47  • SELECT * FROM Doctors;
48

```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



Result
Grid



Form
Editor



Field
Types

	doctor_id	doctor_name	specialization	consultation_fee	email
▶	201	Dr. Neha Kapoor	Cardiology	900.00	neha.kapoor@medicare.com
	202	Dr. Arvind Rao	Dermatology	650.00	arvind.rao@medicare.com
	203	Dr. Kavya Nair	Pediatrics	600.00	kavya.nair@medicare.com
	204	Dr. Rohit Mehta	Orthopedics	750.00	rohit.mehta@medicare.com
	205	Dr. Sneha Iyer	Neurology	1100.00	sneha.iyer@medicare.com
	206	Dr. Varun Sharma	Cardiology	950.00	varun.sharma@medicare.com
	207	Dr. Ananya Reddy	Dermatology	700.00	ananya.reddy@medicare.com
	208	Dr. Kiran Joshi	Pediatrics	550.00	kiran.joshi@medicare.com
	209	Dr. Meera Verma	Orthopedics	800.00	meera.verma@medicare.com
	210	Dr. Aditva Rao	Neurology	1050.00	aditva.rao@medicare.com

Doctors 1 x

Apply

Revert

```

54      (303, 'Rohan Kumar', 'rohan.kumar@patientmail.com'),
55      (304, 'Ishita Menon', 'ishita.menon@patientmail.com'),
56      (305, 'Kabir Das', 'kabir.das@patientmail.com'),
57      (306, 'Meera Shah', 'meera.shah@patientmail.com'),
58      (307, 'Vihaan Reddy', 'vihaan.reddy@patientmail.com'),
59      (308, 'Ananya Bose', 'ananya.bose@patientmail.com'),
60      (309, 'Arjun Nair', 'arjun.nair@patientmail.com'),
61      (310, 'Saanvi Rao', 'saanvi.rao@patientmail.com');
62
63 • SELECT * FROM Patients:

```

Result Grid |  Filter Rows: | Edit:    | Export/Import:   | Wrap Cell Content:  ☐

	patient_id	patient_name	email
▶	301	Aarav Singh	aarav.singh@patientmail.com
	302	Diya Patel	diya.patel@patientmail.com
	303	Rohan Kumar	rohan.kumar@patientmail.com
	304	Ishita Menon	ishita.menon@patientmail.com
	305	Kabir Das	kabir.das@patientmail.com
	306	Meera Shah	meera.shah@patientmail.com
	307	Vihaan Reddy	vihaan.reddy@patientmail.com
	308	Ananya Bose	ananya.bose@patientmail.com
	309	Arjun Nair	arjun.nair@patientmail.com
	310	Saanvi Rao	saanvi.rao@patientmail.com

Patients 2 x

Apply

Revert



Result
Grid



Form
Editor



Field
Types

```
71      (4004, 204, 304, '2026-08-22'),
72      (4005, 205, 305, '2026-08-22'),
73      (4006, 206, 306, '2026-08-23'),
74      (4007, 207, 307, '2026-08-23'),
75      (4008, 208, 308, '2026-08-24'),
76      (4009, 209, 309, '2026-08-24'),
77      (4010, 210, 310, '2026-08-25');
78
79 • SELECT * FROM Appointments;
80
```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



Result
Grid



Form
Editor



Field
Types

	appointment_id	doctor_id	patient_id	appointment_date
▶	4001	201	301	2026-08-20
	4002	202	302	2026-08-21
	4003	203	303	2026-08-21
	4004	204	304	2026-08-22
	4005	205	305	2026-08-22
	4006	206	306	2026-08-23
	4007	207	307	2026-08-23
	4008	208	308	2026-08-24
	4009	209	309	2026-08-24
	4010	210	310	2026-08-25

Appointments 3 x

Apply

Revert

```

83      p.patient_name,
84      d.doctor_name,
85      d.specialization,
86      a.appointment_date
87 FROM Appointments a
88 INNER JOIN Doctors d
89      ON a.doctor_id = d.doctor_id
90 INNER JOIN Patients p
91      ON a.patient_id = p.patient_id;
92

```

Result Grid |  Filter Rows: | Export:  | Wrap Cell Content: 

	patient_name	doctor_name	specialization	appointment_date
▶	Aarav Singh	Dr. Neha Kapoor	Cardiology	2026-08-20
	Diya Patel	Dr. Arvind Rao	Dermatology	2026-08-21
	Rohan Kumar	Dr. Kavya Nair	Pediatrics	2026-08-21
	Ishita Menon	Dr. Rohit Mehta	Orthopedics	2026-08-22
	Kabir Das	Dr. Sneha Iyer	Neurology	2026-08-22
	Meera Shah	Dr. Varun Sharma	Cardiology	2026-08-23
	Vihaan Reddy	Dr. Ananya Reddy	Dermatology	2026-08-23
	Ananya Bose	Dr. Kiran Joshi	Pediatrics	2026-08-24
	Arjun Nair	Dr. Meera Verma	Orthopedics	2026-08-24
	Saanvi Rao	Dr. Aditva Rao	Neurology	2026-08-25



Result
Grid



Form
Editor



Field
Types

```

89     ON a.doctor_id = d.doctor_id
90     INNER JOIN Patients p
91     ON a.patient_id = p.patient_id;
92
93 • SELECT
94     specialization,
95     COUNT(doctor_id) AS total_doctors
96 FROM Doctors
97 GROUP BY specialization
98 ORDER BY specialization;

```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



Result
Grid



Form
Editor



Field
Types

	specialization	total_doctors
►	Cardiology	2
	Dermatology	2
	Neurology	2
	Orthopedics	2
	Pediatrics	2

Result 5 ×

Read Only

Cor

Output

Limit to 1000 rows

```
115 • INSERT INTO Doctor_History
116     (history_id, doctor_id, action_type, action_date)
117     VALUES
118     (1, 211, 'NEW DOCTOR REGISTERED', CURDATE());
119
120 • COMMIT;
121
122 • SELECT * FROM Doctors
123     WHERE doctor_id = 211;
124
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	doctor_id	doctor_name	specialization	consultation_fee	email
▶	211	Dr. Nikhil Rao	ENT	700.00	nikhil.rao@medicare.com
•	NULL	NULL	NULL	NULL	NULL



Result
Grid



Form
Editor



Field
Types

Doctors 6

Apply

Revert

Conte

```
118     (1, 211, 'NEW DOCTOR REGISTERED', CURDATE());
119
120 • COMMIT;
121
122 • SELECT * FROM Doctors
123     WHERE doctor_id = 211;
124
125 • SELECT * FROM Doctor_History;
126
127 -- =====
```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



Result
Grid



Form
Editor



Field
Types

	history_id	doctor_id	action_type	action_date
▶	1	211	NEW DOCTOR REGISTERED	2026-08-16
•	NULL	NULL	NULL	NULL

Doctor_History7 x

Apply

Revert

Co

```

125 • SELECT * FROM Doctor_History;
126
127 • CREATE INDEX idx_specialization
128 ON Doctors(specialization);
129
130 • SELECT *
131 FROM Doctors
132 WHERE specialization = 'ENT';
133
134 -- =====

```

Result Grid



Filter Rows:

Edit:



Export/Import:



Wrap Cell Content:



	doctor_id	doctor_name	specialization	consultation_fee	email
▶	211	Dr. Nikhil Rao	ENT	700.00	nikhil.rao@medicare.com
•	NULL	NULL	NULL	NULL	NULL



Result
Grid



Form
Editor



Field
Types