1

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>CSS All selectors</title>
    <link rel="stylesheet" href="kp1.css">
</head>
<body>
    <h1>1091 Vihaan Vora</h1>
    <p class="para">I am MSCIT student in K.S.</p>
  </body>
</html>
```

```css
*{
    background-color: rgb(11, 238, 41);
    padding: 5px;
    border: 1px solid rgb(100, 192, 161);
}


head{
        background-color: rgb(187, 107, 50);
        color: rgb(72, 174, 38);
        margin: 6px;
        box-sizing: border-box;
        justify-content: center;
        text-align: center;


        height: 75px;
        width: 71%;
        padding: 16px;

}

.para{
    background-color: rgb(59, 234, 228);
    padding: 5%;
    border: 3px solid;
}
```

Output

1091 Vihaan Vora

I am MSCIT student in K.S.

2

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Box Model</title>
    <link rel="stylesheet" href="kp2.css">
</head>
<body>
    <div id="box">
        <h1>example of box model</h1>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Temporibus, cumque. Dolorem ipsam iusto placeat in
    </div>
</body>
</html>
```

```css
#box{
    background-color: blueviolet;
    border: 4px solid;
    width: 356px;
    align-items: center;
    text-align: center;
    border-radius: 25px;
    content:normal;
    margin: auto;
    padding: 52px;
}
```

3

```html
<html>
<head>
    <title>student registration form</title>
</head>
<body>
    <form >
    <h2 align="center" ><font color="blue" ><u> Student Registration Form </u></h2>
    <table bgcolor="skyblue" style="color:□black;"  align="center" width="60%"  >
        <tr>
          <td><label for ="uname" > Name</label></td>
         <td><input type="text" id="uname" name="uname" >
         </td> </tr>
         <tr>
          <td><label for ="email">Email Id</label></td>
         <td><input type="email" id="email" name="email" >
         </td></tr>
          <tr>
         <td><label  > Gender </label></td>
        <td> <input type="radio" id="male" name="gender" value="male" /> Male
             <input type="radio" id="female" name="gender"  value="female" />Female </td></br>  </tr>
        <tr>
         <td><label > Hobbies</label></td>
        <td> <input type="checkbox" id="Drawing" name="Drawing"  value="Drawing"/>Drawing
         <input type="checkbox" id="Singing" name="Singing"  value="Singing"/>Singing
          <input type="checkbox" id="Dancing" name="Dancing"  value="Dancing"/> Dancing
         <input type="checkbox" id=" Sketing" name=" Sketing"  value=" Sketing"/> Sketing</br>
```

```html
<html>
<body>
    <form >
    <table bgcolor="skyblue" style="color:□black;"  align="center" width="60%"  >
        <tr>
        <td> <input type="checkbox" id="Drawing" name="Drawing"  value="Drawing"/>Drawing
         <input type="checkbox" id="Singing" name="Singing"  value="Singing"/>Singing
          <input type="checkbox" id="Dancing" name="Dancing"  value="Dancing"/> Dancing
         <input type="checkbox" id=" Sketing" name=" Sketing"  value=" Sketing"/> Sketing</br>
          <input type="checkbox" id="Others" name="Others"  value="Others"/>Others
          <input type="text" id="in" name="in"  value="" placeholder="Ex.teaching"/>
       </td></br> </tr>
        <tr>
        <td><input type="submit" value="Submit" >
         <input type="reset" value="Reset" ></td>
        </tr>
       </table>
      </form>
   </body>
</html>
```

4

ASS-1.DMDA.ipynb   kp5.html ✕   # kp5.css

C: > Users > hp > Desktop > rjava > wdd > q5 > kp5.html > html > body > div.container > div.item

```html
1   <!DOCTYPE html>
2   <html lang="en">
3       <head>
4           <meta charset="UTF-8">
5           <meta name="viewport" content="width-device-width,initial-scale-1.0">
6           <title>flexbox practice</title>
7           <link rel="stylesheet" href="kp5.css">
8       </head>
9       <body>
10          <div class="container">
11
12              <div class="item">item1</div>
13              <div class="item">item2</div>
14              <div class="item">item3</div>
15          </div>
16      </body>
17  </html>
```

ASS-1.DMDA.ipynb   kp5.html   # kp5.css ✕

C: > Users > hp > Desktop > rjava > wdd > q5 > # kp5.css > .item

```css
1   .container{
10
11  }
12  .item{
13      width: 30%;
14      padding: 10px;
15      background-color: pink;
16      color: white;
17      text-align: center;
18      font-size: 18px;
19      border-radius: 5px;
20  }
21
```

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Media Query</title>
    <link rel="stylesheet" href="kp4.css">
</head>
<body>
    <div id="head"><h1>Media Query</h1></div>
    <div id="par"><p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Unde illo aliquid iusto alias pariatur
    </p></div>
</body>
</html>
```

```css
*{
    background-color: rgb(20, 185, 130);
}
#head{
    font-family: 'Courier New', Courier, monospace;
    font-size: 25px;
    justify-items: center;
    text-align: center;
}
#par{
    font-family:monospace;
    font-size: 15px;
    text-align: center;

}
@media(max-width:600px){
    *{
    background-color:yellow;
}
#head{
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    font-size: 15px;
    justify-content: center;
    text-align: center;
}
#par{
```