



ALS Laboratory
please tick $\rightarrow$

please tick →

DADELA
QBRISBANE 32 Shipp St
 Ph: 07 3243 7222 E: samples@
 QGLADSTONE 46 Callenmona Drive Clinton QLD 4688
 Ph: 07 7471 5600 E: gladstone@alsqlobal.com

DE 21 Burma Road Pooraka SA 5085 **D MAC KAY 78** Har-
 68199891 **AL** aladach@aisglobal.com **W EBERHART 72** A
 emailname@aisglobal.com Ph: 03 8549 5660
PMUDJEE 27 Sydney Road Mudgee NSW 2855
 Ph: 02 6372 6735 E: mudjee.mal@asgoba.ccs

PH 08 9209 7855 E: samples.perth@scglobal.com

Carbrook NSW 2161
 @carbrooknsw
 4756 0606
 carbrooknsw@gmail.com

DWOLLONGONG 99 Kerry Street Wollongong NSW 2500
 Ph: 02 4225 3125 E portkemah@asglobal.com

OFFICE: Ultra Trace Organics)

PROJECT: BMWF April 2024 - Rain Event

ALSO QUOTE NO.

☐ Standard TAT (List due date)

... ..

Esso has frozen ice blocks present upon

receipt?

ORDER NUMBER

PROJECT MANAGER: Robin Shannon

CONTACT PH: 0414 195 757

SAMPLER: Jane Mannors

SAMPLER MOBILE

COC emailed to ALS? (YES / NO) YES	EDD FORMAT (or default)

Email Reports to (will default to PM if no other addresses are listed)

Email Invoice to (will default to PM if no other addresses are listed):

COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL


ALS USE	SAMPLE DETAILS
	MATRIX: SOLID (S) WATER (W)

CONTAINER INFORMATION

Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).

Additional Information

Comments on likely contaminant levels, dilutions, or samples requiring specific QA analysis etc.

LAB ID	SAMPLE ID	DATE / TIME	MATRIX	TYPE & PRESERVATIVE (codes below)	(refer to	TOTAL CONTAINERS	NT-14 - Suite B	EA025H - TSS	W-3 - 15 Metals	NT-4 - NO2 + NO3	EK055 - NH3-N	EA010 - EC	DOC	Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.
1	1 B.S01	21/04/2024 10:30 noon	W	2*125ml green; 1*60ml purple sulfuric; 1*60ml orange nitric		5	✓	✓	✓				✓	
2	2 B.E01	21/04/2024 10:15am	W	2*125ml green; 1*60ml purple sulfuric; 1*60ml orange nitric		5	✓	✓	✓				✓	
3	3 B.S39	21/04/2024 10:00am	W	2*125ml green; 1*60ml purple sulfuric; 1*60ml orange nitric		5	✓	✓	✓				✓	Old diversion drain
4	4 B.E01	15/05/2024 9:45am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
5	5 B.S39	15/05/2024 9:40am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
6	4 B.E01	16/05/2024 9:30am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
7	4 B.S39	16/05/2024 9:40am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
8	4 B.E01	17/05/2024 11:20pm	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
9	4 B.E39	17/05/2024 11:30am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
10	4 B.E01	18/05/2024 9:45am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
11	4 B.S39	18/05/2024 9:50am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
12	4 B.E01	19/05/2024 9:00am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
13	4 B.S39	19/05/2024 9:10am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
14	4 B.E01	20/05/2024 9:10am	W	1*125ml green; 1*60ml purple sulfuric;		3	✓	✓		✓	✓	✓		
15	4 B.S39	20/05/2024 9:00am	W	1*125ml green; 1*60ml purple sulfuric;		2	✓	✓		✓	✓	✓		
Environmental Division Sydney Work Order Reference ES2416472														
														
Telephone : + 61-2-8794 8555														

Telephone : + 61-2-8784 8555



Environmental Division
Sydney
Work Order Reference
ES2416472

三

Old diversion drain

Water Container Codes: P = Unpreserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide Preserved Plastic; Ad = Amber Glass Unpreserved; Ap = Airtight Unpreserved Plastic
V = VOA, Vial HCl Preserved; VB = VOA Vial Sodium Bisulfate Preserved; VS = VOA Vial Sulfuric Preserved; AV = Airtight Unpreserved Vial SG = Sulfuric Preserved Amber Glass; H = HCl preserved Plastic; HS = HCl preserved Speciation bottles; SP = Sulfuric Preserved Plastic; F = Formaldehyde Preserved Glass
E = EDTA Preserved Bottles; ST = Sterile Bottle; E = EDTA Preserved Bottles; B = Unpreserved Bag
Z = Zinc Acetate Preserved Bottle