



CHAIN OF CUSTODY

ALS Laboratory:
please tick →

CBRISBANE 32 Spence Street, Spence QLD 4008
Ph: 07 3243 7222 E: samples@als.com.au
GLADSTONE 46 Callamondra Drive Clinton QLD 4680
Ph: 07 7471 5900 E: gls@als.com.au

GLADSTONE 27 Sydney Road Mudgee NSW 2850
Ph: 02 6372 8735 E: mudgee@als.com.au

GLADSTONE 27 Sydney Road Mudgee NSW 2850
Ph: 02 6372 8735 E: mudgee@als.com.au

GLADSTONE 27 Sydney Road Mudgee NSW 2850
Ph: 02 6372 8735 E: mudgee@als.com.au

CLIENT: BMCC

TURNAROUND REQUIREMENTS:
(Standard TAT may be longer for some tests e.g. Ultra Trace Organics)

Standard TAT (List due date):

FOR LABORATORY USE ONLY (Circle)

N/A

OFFICE:

PROJECT: BWMF April 2024 - Rain Event

ALS QUOTE NO.:

Free ice / frozen ice bricks present upon receipt?

N/A

ORDER NUMBER:

PROJECT MANAGER: Robin Shannon/ Jane Manners

CONTACT PH: 0414 195 757

Random Sample Temperature on Receipt:

°C

SAMPLER: Vic Santi

SAMPLER MOBILE:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY:

COC emailed to ALS? (YES / NO) YES

EDD FORMAT (or default):

DATE/TIME:

DATE/TIME:

DATE/TIME:

Email Reports to (will default to PM if no other addresses are listed):

15/04/24 1511

15/04/24 1511

15/04/24 1511

15/04/24 1511

Email Invoice to (will default to PM if no other addresses are listed):

15/04/24 1511

15/04/24 1511

15/04/24 1511

15/04/24 1511

COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:

ANALYSIS REQUIRED INCLUDING SUITES (NB. Suite Codes must be listed to attract suite price)

Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).

Additional Information

Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.

Accidental incorrect allocation of bottles

Accidental incorrect allocation of bottles

Accidental incorrect allocation of bottles

Accidental incorrect allocation of bottles

Accidental incorrect allocation of bottles

Environmental Division

Sydney

Work Order Reference

ES2412109

Telephone : + 61-2-8784 8555

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH =

V = VOA Vial HCl Preserved; VB = VOA Vial Sodium Bisulphate Preserved; VS = VOA Vial Sulfuric Preserved; AV = /

Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottle; ST = Sterile Bottle; ASS = Plastic Bag for Acid Supl.

erved Plastic; AG = Amber Glass Unpreserved; AP - Airtight Unpreserved Plastic

SS: H = HCl preserved Plastic; HS = HCl preserved Speciation bottle; SP = Sulfuric Preserved Glass;