

Batutynas — Owner Runbook

One-page operational reference for the business automation system. Aimed at the owner (eddobr@gmail.com) and — later — 2–3 employees with dashboard-only access.

Daily “is it working?” check (30 seconds)

1. **Morning briefing arrived?** Telegram from `@Batutynas_bot` at 07:00 EEST. If yes → system is green.
2. **Evening check arrived?** Same bot at 21:00 EEST.
3. **Dashboard loads?** `https://batutynas-chatbot.vercel.app/admin` (password: `Ducatidiavel`) — should show orders, not a 500 error.

If any one of these is missing, see *Troubleshooting* below.

What lives where

Thing	Where	Who it belongs to
Admin dashboard	<code>https://batutynas-chatbot.vercel.app/admin</code>	Vercel (auto-deploys from GitHub master)
Backend API	<code>https://batutynas-chatbot.0uvai5.easypanel.host/api</code>	Easypanel on Hostinger VPS <code>batutynas-vps</code>
n8n workflows	<code>https://n8n-n8n.0uvai5.easypanel.host</code>	Easypanel on same VPS
Google Calendar	<code>eddobr@gmail.com</code> primary calendar	Google (source of truth for bookings)
Google Tasks list <code>Batutynas Tauragė</code>	Google Tasks	Google (auto-synced to dashboard every 10 min)
Telegram bot	<code>@Batutynas_bot</code> / <code>t.me/Batutynas_bot</code>	owned by your Telegram account
Website chatbot	<code>https://vortand2.github.io/batutynas-chatbot/demo/</code>	GitHub Pages (from this repo)
Code	GitHub <code>vortand2/batutynas-chatbot</code>	your GitHub account
Secrets	Obsidian <code>Projects/batutynas-chatbot/credentials/</code>	your Obsidian vault

Access

- **Admin dashboard:** password `Ducatidiavel` (in `.env` as `ADMIN_PASSWORD`). Same password for future employees — just share it. If you fire someone, change `ADMIN_PASSWORD` in the backend `.env`

and redeploy (below). All active sessions expire next day.

- **Everything else:** logins are in Obsidian `Projects/batutynas-chatbot/credentials/n8n-api.md`.

Health monitoring

A **Uptime Monitor** n8n workflow (`Batutynas: Uptime Monitor`, id `a80oNUpDMuNfM0p8`) runs every 15 min and pings three critical endpoints. If any fails **twice in a row**, you get a Telegram alert like:

 **Batutynas nepasiekiamas: Backend (mongo down)**

Falsealarms are suppressed by requiring two consecutive failures. No alert = all green.

Manual health probe (run anytime):

```
curl -s https://batutynas-chatbot.0uvai5.easypanel.host/api/health | jq  
# → { "ok": true, "mongo": true, "calendar_bridge": true, "timestamp": "..." }
```

`ok: false` means something is broken. Status code is 503 in that case.

Deploying changes

Frontend (React dashboard) — automatic

Push to GitHub `master` branch → Vercel rebuilds + redeploys within 1 min. No action needed from you.

Backend (FastAPI) — manual

Backend does NOT auto-deploy (Easypanel config doesn't have a Git webhook). To release changes:

```
ssh batutynas-vps 'cd /opt/batutynas && git pull && docker compose up -d --build backend'
```

Takes ~60 seconds. The `backend` container rebuilds and restarts; `mongo` keeps running.

n8n workflows

Edit in the n8n UI (`https://n8n-n8n.0uvai5.easypanel.host`) → Save → workflow is live immediately.
No deployment step.

Troubleshooting

"Morning/evening briefing didn't arrive"

1. Open n8n → workflow `Batutynas: Morning Briefing V2 (Calendar)` (id `8SuYKMdFcsg2992D`) OR `Evening Check V2` (`1zQidq9TNo8RwTQk`).
2. Click **Executions** tab. If the latest trigger run status is red → click it, read the error in the node that failed.
3. Common causes: Gemini API key revoked, Telegram bot token rotated, Calendar Bridge webhook timing out.

4. Manual test: click **Execute Workflow** in the n8n editor. If it succeeds now, the scheduled run will succeed next time.

"Google Tasks aren't syncing to the dashboard"

1. Open n8n → workflow **Batutynas: Tasks** → **Dashboard (future only, auto-confirm)** (id `0i5fvZMXZoiAy2v`).
2. **Executions** tab. The workflow fires every 10 min. If recent runs are red:
 - Most common: backend was briefly down. It self-heals within an hour.
 - Second most common: Google Tasks OAuth credential expired → re-authorize the **Google Tasks OAuth** credential in n8n (Settings → Credentials).
3. Synced orders appear in the dashboard with a teal "📅 **IŠ GOOGLE TASKS**" badge.

"Dashboard shows 0 bookings but I know I have some"

1. Check which month selector is active (top of dashboard).
2. Check the date range filter — dashboard shows the selected month only.
3. If GCal events are missing, check that Calendar Bridge (n8n workflow `f8oH71aJgatCB0vu`) is active.
4. Hard refresh the page (Cmd+Shift+R on Mac, Ctrl+Shift+R on Windows) — sometimes cached data hides after the backend updates.

"Telegram bot stopped responding"

1. Open Telegram → **@Batutynas_bot** → `/start` . Should reply.
2. If no reply, verify webhook: `curl https://api.telegram.org/bot<TOKEN>/getWebhookInfo` — should point to `https://n8n-n8n.0uvai5.easypanel.host/webhook/batutynas-telegram-v3` with 0 pending updates.
3. If webhook is missing, re-register: n8n workflow **Telegram Bot V3** → click the Telegram Webhook node → Copy URL → `curl -F "url=<URL>" https://api.telegram.org/bot<TOKEN>/setWebhook`

"Chatbot widget on website not loading"

1. Check GitHub Pages is up: `https://vortand2.github.io/batutynas-chatbot/demo/` .
2. Verify `prompts/chat-system-prompt.md` hasn't been corrupted by a bad edit.
3. Check **Batutynas: Widget Chat Backend** workflow (id `wZRUMZw8dNvbsYwu`) executions — if erroring, the Gemini API key may have rotated.

"Backend is offline / 502 / 503"

1. SSH in: `ssh batutynas-vps`
2. `docker compose -f /opt/batutynas/docker-compose.yml ps` — check **backend** is Up .
3. If **Exit** or **Restarting** : `docker compose -f /opt/batutynas/docker-compose.yml logs --tail=50 backend` to see why.
4. Force restart: `docker compose -f /opt/batutynas/docker-compose.yml up -d --force-recreate backend`

"Easypanel itself is down (can't SSH, can't reach any `.0uvai5.easypanel.host` URL)"

Easypanel is the control plane on your Hostinger VPS. If the entire host is unreachable:

1. Log into Hostinger hPanel → VPS → check server status / reboot if hung.
2. If the VPS is up but SSH is refused, use Hostinger's browser console to get in.
3. Once in: `systemctl status docker` → if stopped, `systemctl start docker` .

4. Then `cd /opt/batutynas && docker compose up -d` to resurrect all Batutynas containers.
 5. Easypanel itself runs in Docker — if its container is broken, reboot the VPS from Hostinger UI.
- Hostinger support: `support@hostinger.com` / live chat on `hpanel.hostinger.com`. Have your VPS ID ready.

“Vercel frontend deploys but dashboard breaks”

The dashboard calls `/api/*` relative to its origin. Vercel rewrites `/api/*` → the Easypanel backend via `frontend/vercel.json`. If the dashboard loads but shows “Serverio klaida” everywhere, either:

1. Backend is down (see above)
2. Vercel project environment variables were changed. Check Vercel dashboard → project `batutynas-chatbot` → Settings → Environment Variables. Expected:
 - `REACT_APP_GOOGLE_MAPS_KEY` (for the Route Planner embedded maps)
 - No backend URL needed — it’s a relative `/api` rewrite in `vercel.json`.

Rotating API keys

Gemini API key (happens ~every 6 months when Google flags reuse)

1. Go to `https://aistudio.google.com/app/apikey` → create new key.
2. Paste into n8n credential `Google Gemini(PaLM) Api account` AND into 4 workflows that hard-code it: `Morning Briefing V2`, `Evening Check V2`, `Widget Chat Backend`, `Telegram Bot V3` (if xAI/Groq ever swapped to Gemini).
3. Also update `GEMINI_API_KEY` in backend `.env` → redeploy backend (command above).
4. Record the rotation date in `Projects/batutynas-chatbot/credentials/n8n-api.md`.

Google Maps API key

Same console (`https://console.cloud.google.com/apis/credentials`). Update `GOOGLE_MAPS_API_KEY` in backend `.env` → redeploy.

Telegram bot token

Very rare. `@BotFather` → `/token` → select `@Batutynas_bot` → generate new token. Update in n8n credential `Batutynas Telegram Bot` + in `.env` → redeploy backend.

N8N_SYNC_SECRET (shared between backend and 3 n8n workflows)

Used by: Tasks → Dashboard sync (posts to `/api/webhook/n8n-tasks-import`) and both briefings (fetch `/api/internal/synced-bookings`). The current value was once visible in a published Vercel JS bundle.

To rotate:

1. Pick a new strong value (e.g. `python3 -c "import secrets; print(secrets.token_urlsafe(32))"`).
2. SSH in: `ssh batutynas-vps`, edit `/opt/batutynas/.env` and change `N8N_SYNC_SECRET=<new>`, save.
3. `docker compose -f /opt/batutynas/docker-compose.yml up -d --force-recreate backend`.
4. In n8n, open these 3 workflows and update the `x-sync-secret` header in the HTTP nodes that call the backend:
 - `0i5fvZMXZoiAy2v` — Tasks → Dashboard → “Create Pending Order” node

- 8SuYKMdFcsg2992D — Morning Briefing V2 → “Prepare Weather” code node (hardcoded string in the inline `HttpRequest` call)
- 1zQidq9TNo8RwTQk — Evening Check V2 → same pattern

5. Run each workflow once manually to confirm the new secret works.

MongoDB backup & restore

MongoDB runs in the `batutynas-mongo-1` Docker container. Daily backup to a file on the host:

```
ssh batutynas-vps 'docker compose -f /opt/batutynas/docker-compose.yml exec -T mongo \
  mongodump --db batutynas_db --archive --gzip' > ~/batutynas-backup-$(date +%F).gz
```

Put that one-liner in a `crontab -e` on your laptop (or the VPS) to run nightly:

```
0 3 * * * ssh batutynas-vps '...' > ~/backups/batutynas-$(date +%F).gz
```

Restore (destructive — wipes current DB, use carefully):

```
cat ~/batutynas-backup-2026-04-19.gz | ssh batutynas-vps 'docker compose -f /opt/batutyna
  mongorestore --drop --gzip --archive --db batutynas_db'
```

The `synced-orders` collection is the most important — without it, past Google Tasks syncs are lost (Google Tasks itself only retains ~30 days of completed tasks).

Adding an employee (dashboard only)

The current model is one shared admin password. To add employees **without** them seeing the codebase or n8n:

Easy way (recommended): share the URL + password. They see the dashboard, cannot deploy code, cannot touch workflows. When they leave, change the password (see Access above).

If you want separate logins per employee later: backend needs a user table + login flow. Not built yet. Ping your developer to add it — estimate ~1 session of work.

Critical files in this repo

File	Purpose
<code>backend/server.py</code>	FastAPI backend — all API endpoints
<code>frontend/src/components/AdminDashboard.jsx</code>	The dashboard
<code>frontend/src/components/RoutePlanner.jsx</code>	Delivery route planner
<code>frontend/src/components/ChatWidget.jsx</code>	Website chatbot widget
<code>prompts/chat-system-prompt.md</code>	Chatbot's Lithuanian personality
<code>n8n-workflows/*.py</code>	Python builders for n8n workflows
<code>scripts/reparse-synced-orders.md</code>	Safe recipes for updating existing synced orders
<code>CLAUDE.md</code>	Developer handbook — read this before changing code

What NOT to do

- **✗ Don't** replace Google Calendar with any other system — it's the source of truth for bookings.
- **✗ Don't** edit n8n workflow JSON files directly — regenerate from the Python builder, or edit in the n8n UI.
- **✗ Don't** delete synced orders and expect them to re-sync — Google Tasks only retains ~30 days of history. Use `scripts/reparse-synced-orders.md` recipes instead.
- **✗ Don't** connect FB Messenger until you've tested the website chatbot thoroughly — the code is ready but not hooked up on purpose.
- **✗ Don't** commit `.env` files or anything in `credentials/` to git.

Known open items (non-blocking)

- `build-daily-summaries-v2.py` (Python builder) is out of sync with live briefing workflows. Patches applied directly via REST API are documented in the builder's docstring. Re-sync if you ever need to rebuild briefings from scratch.
- `N8N_SYNC_SECRET` was leaked in an old Vercel bundle. Low exploit risk (owner-only system) but rotate if paranoid.
- Voice booking via Telegram (voice message → create booking) has never been tested with a real recording. If you rely on it, do one real-world test first.
- Some synced orders (~14 from 2026-04-11 batch) have `customer_name` that's actually an address fragment — cosmetic only, doesn't break anything.

If you're stuck and none of this helps, grep the repo for the error message first (`grep -r "Nepavyko"` etc) — most user-facing strings have comments explaining where they come from.