

SHOCKJOCKEY SJ01 SEATING & OPTIONAL ACCESSORIES

TECHNICAL DATA SHEET

Base Footprint: 210mmx410mm

Overall Dimensions: Length 566mm Width 248mm Height 827mm

Mounting: 6no. M10 Bolts


Weight: 17kg

Mechanism: Dual SS316L Swingarms

Shock absorber: Fox® Coil spring over gas/hydraulic damper with adjustable low speed compression & damping


Nominal Suspension travel: 150mm with protection against "bottoming out"

Bearings: maintenance free igus® polymer bearings used throughout



SHOCKJOCKEY SJ01 MOUNTING FOOTPRINT DIMENSIONS

(DRAWING NOT TO SCALE, NOT TO BE USED AS A MOUNTING/DRILLING TEMPLATE)



OPTIONAL ACCESSORY - FRONT-OF-ROW HANDLE




Fabricated entirely from 316L Stainless Steel.

Provides support for crew using seats where there is not a console or another seat in front.

Mounts between the seat base and mounting surface using the same bolt holes and hardware.

Black satin powder coat finish as standard. Other colours, shot blast and polished finishes available.



OPTIONAL ACCESSORY - GRP MOUNTING PODS

Single and in-line double mounting pods – the easy way to mount a Shockjockey seat at the correct height.

Fully customisable with various configurations including under seat lockers and fuel tank storage.

Available in RAL colours to order.

40mm wide flange for GRP lamination of pod down on to deck.

Produced from Lloyds Register approved materials.

