Level 1 (Top)	Level 2	Level 3	Level 4	Level 5	Level 6	PART NO	DESCRIPTION	Q
VX~00-00001						VX~00-00001	Assembly, VxScan 4	
	VX~01-00018					VX~01-00018	Assembly, MCM Tub	
		VX~02-00068				VX~02-00068	Pelican Air Case 1485, Modified	
		VX~02-00064				VX~02-00064	Display Bracket Mount, Lid	
			VX~99-00142			VX~99-00142	Insert, M3, 5.7 mm Long	
		VX~02-00063	VX 00 00112			VX~02-00063	Attachment Plate, Lid	
		VX 02-00003	VX~99-00146			VX~99-00146	Blind Standoff, M4, 10 mm Long	
		VV- 00 00112	VA~99-00146			VX~99-00112	-	
		VX~99-00112					Washer, Oversized, M4, 4.4 mm ID, 11.7 mm OD, Zinc-Plated	
		VX~99-00106				VX~99-00106	Screw, M4x0.70, 6 mm Long, Socket Head, Zinc-Plated Steel	
		VX~02-00019				VX~02-00019	Foot	
			VX~99-00145			VX~99-00145	Insert, M5, 10.5 mm Long	
			VX~99-00144			VX~99-00144	Insert, M4, 5.5 mm Long	
		VX~02-00056				VX~02-00056	Lockout Slider	
		VX~02-00069				VX~02-00069	Cable, Power Entry Stage 1, Module Jumper	
		VX~99-00119				VX~99-00119	Screw, M3x0.50, 10 mm Long, Flat Head, 90 Deg, Hex Drive, I	
		VX~99-00127				VX~99-00127	Nut, Serrated Flange, M3x0.5, Zinc-Plated Steel	
	VX~02-00057					VX~02-00057	Base Subpanel Shim	
	VX~01-00006					VX~01-00006	Assembly, Tub	
	VX 01-00000	VX~02-00020				VX~02-00020	Subpanel Plate	
		VX~02-00020	10/ 00 00440					
			VX~99-00149			VX~99-00149	Standoff, 5.1 mm ID, 10 mm Long	
			VX~99-00150			VX~99-00150	Standoff, 5.1 mm ID, 6 mm Long	
			VX~99-00148			VX~99-00148	Nut, M4, Self Clinching	
			VX~99-00147			VX~99-00147	Nut, M3, Self Clinching	
		VX~01-00002				VX~01-00002	Assembly, Subpanel Bracket, Right with 24V PSU	
			VX~02-00025			VX~02-00025	Subpanel Bracket, Right, Exterior	
				VX~99-00147		VX~99-00147	Nut, M3, Self Clinching	
			MEANWELL~LRS-150-24	177 00 00111		MEANWELL~LRS-150-24	Mean Well 24V Power Supply	
			VX~99-00120			VX~99-00120	Screw, M3x0.50, 5 mm Long, Button Head, Hex Drive, Zinc-Pla	
							•	
			VX~99-00131			VX~99-00131	Washer, M3, Zinc-Plated Steel	
		VX~01-00004				VX~01-00004	Assembly, Subpanel Bracket, Right with 12V PSU and Printer	
			VX~01-00014			VX~01-00014	Assembly, Panel, Printer Access	
				VX~02-00052		VX~02-00052	Panel, Printer	
				VX~02-00053		VX~02-00053	Panel, Printer, Stiffener	
					VX~99-00147	VX~99-00147	Nut, M3, Self Clinching	
				VX~99-00117	VX 33-00141	VX~99-00117	Screw, M3x0.50, 5 mm Long, Flat Head, 90 Deg, Hex Drive, B	
				VX~99-00119		VX~99-00119	Screw, M3x0.50, 10 mm Long, Flat Head, 90 Deg, Hex Drive, I	
				VX~99-00107		VX~99-00107	Nut, Nylock, M3x0.5, Zinc-Plated Steel	
				VX~99-00111		VX~99-00111	Washer, Oversized, M3, 3.2 mm ID, 9 mm OD, Zinc-Plated Ste	
			VX~02-00026			VX~02-00026	Subpanel Bracket, Right, Interior	
				VX~99-00147		VX~99-00147	Nut, M3, Self Clinching	
				VX~99-00139		VX~99-00139	Threaded Standoff, M3, 6 mm Long	
			VX~02-00030			VX~02-00030	Hinge Spacer Clamp	
				VX~99-00152		VX~99-00152	Inserts, M3, 4.3 mm Long	
			VX~99-00105	VA -95-00132		VX~99-00105	Hinge, Screw On, Nylon, Nonremovable Pin, 1-1/2" High x 13/	
			FUJITSU~FTP-62EDSL201-R			FUJITSU~FTP-62EDSL201-R	Fujitsu Printer Control Board	
			MEANWELL~LRS-75-12			MEANWELL~LRS-75-12	Mean Well 12V Power Supply	
			VX~02-00079			VX~02-00079	Cable, SBC Power, 12V	
			VX~99-00120			VX~99-00120	Screw, M3x0.50, 5 mm Long, Button Head, Hex Drive, Zinc-Pla	
			VX~99-00131			VX~99-00131	Washer, M3, Zinc-Plated Steel	
			VX~99-00116			VX~99-00116	Screw, M3x0.50, 18 mm Long, Flat Head, 90 Deg, Hex Drive, 2	
			ESSENTRA~WSLC-6-01			ESSENTRA~WSLC-6-01	Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole	
			VX~02-00083			VX~02-00083	Cable, Printer Panel Ground Strap	
			VX~99-00119			VX~99-00119	Screw, M3x0.50, 10 mm Long, Flat Head, 90 Deg, Hex Drive, I	
			VX~99-00111			VX~99-00111	Washer, Oversized, M3, 3.2 mm ID, 9 mm OD, Zinc-Plated Ste	
		104.0:	VX~99-00107			VX~99-00107	Nut, Nylock, M3x0.5, Zinc-Plated Steel	
		VX~01-00087				VX~01-00087	Assembly, Subframe, USB Latch Card	
			VX~01-00003			VX~01-00003	Assembly, Subpanel Bracket, Left with Card Reader	
				VX~02-00028		VX~02-00028	Subpanel Bracket, Left, Exterior	
					VX~99-00147	VX~99-00147	Nut, M3, Self Clinching	
				VX~02-00029		VX~02-00029	Card Reader Mount	
					VX~99-00142	VX~99-00142	Insert, M3, 5.7 mm Long	
				HID~R31210320	22 001.12	HID~R31210320	HID Omnikey Card Reader	
						VX~99-00121		
				VX~99-00121			Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pla	
				VX~99-00131		VX~99-00131	Washer, M3, Zinc-Plated Steel	
				ESSENTRA~WSLC-6-01		ESSENTRA~WSLC-6-01	Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole	
				VX~02-00080		VX~02-00080	Cable, SBC to Card Reader and Printer	
			VX~01-00005			VX~01-00005	Assembly, Subpanel Bracket, Left with Latch	

				VAY 00 00007		
		VX~02-00027		VX~02-00027	Subpanel Bracket, Left, Interior	1
			VX~99-00147	VX~99-00147	Nut, M3, Self Clinching	7
			VX~99-00138	VX~99-00138	Threaded Standoff, M3, 10 mm Long	2
			VX~99-00139	VX~99-00139	Threaded Standoff, M3, 6 mm Long	4
		VX~02-00021	*** 00 00 100	VX~02-00021	Latch Arm	1
						- :
		VX~02-00085		VX~02-00085	Plate, Chassis Fan	1
		VX~99-00165		VX~99-00165	Spring, Compression, 1.25" Long, 0.36" OD, 0.278" ID, Max Lo	1
		VX~99-00111		VX~99-00111	Washer, Oversized, M3, 3.2 mm ID, 9 mm OD, Zinc-Plated Ste	2
		VX~99-00121		VX~99-00121	Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pla	2
		COOLGEAR~CG-3510S4		COOLGEAR~CG-3510S4	Cool Gear 4-port USB3.1 Hub	1
		VX~99-00120		VX~99-00120	Screw, M3x0.50, 5 mm Long, Button Head, Hex Drive, Zinc-Pla	8
					Washer, M3, Zinc-Plated Steel	4
		VX~99-00131		VX~99-00131		4
	VX~01-00007			VX~01-00007	Assembly, Panel, Pollworker with Bolt	1
		VX~02-00031		VX~02-00031	Panel, Pollworker	1
			VX~99-00148	VX~99-00148	Nut, M4, Self Clinching	4
			VX~99-00147	VX~99-00147	Nut, M3, Self Clinching	2
		VOV. 00.00000	VX-95-00147			-
		VX~02-00032		VX~02-00032	Bracket, Slide Bolt	1
		VX~99-00120		VX~99-00120	Screw, M3x0.50, 5 mm Long, Button Head, Hex Drive, Zinc-Pla	1
		VX~99-00131		VX~99-00131	Washer, M3, Zinc-Plated Steel	1
		VX~02-00033		VX~02-00033	Slide Bolt	1
		VX~02-00034		VX~02-00034	Slide Bolt Shroud	4
						1
		VX~99-00129		VX~99-00129	Spring, Compression, 1.25" Long, 0.480" OD, 0.410" ID, Max I	1
		VX~99-00130		VX~99-00130	Retaining Rings, for 3/8" OD, Black-Phosphate 1060-1090 Spr	1
		TRIP-LITE~U324-001-APM		TRIP-LITE~U324-001-APM	Tripp-Lite USB Conn, U324-001-APM	2
		VX~99-00115		VX~99-00115	Screw, 4-40, 5/16" Long, Flat Head, 82 Deg, Hex Drive, Black-	4
	VX~02-00048	22 22/10		VX~02-00048	Display Cable Guide	1
	1 111 1				,	- 1
	VX~99-00121			VX~99-00121	Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pla	1
	VX~99-00111			VX~99-00111	Washer, Oversized, M3, 3.2 mm ID, 9 mm OD, Zinc-Plated Ste	1
	VX~99-00106			VX~99-00106	Screw, M4x0.70, 6 mm Long, Socket Head, Zinc-Plated Steel	4
	VX~99-00113			VX~99-00113	Washer, M4, Zinc-Plated Steel	4
VX~01-00008	VX 50 00110			VX~01-00008		
VX~01-00006					Assembly, SBC with Bracket	
	VX~01-00017			VX~01-00017	Assembly, Mounting Bracket, SBC	1
		VX~02-00023		VX~02-00023	Mounting Plate, SBC	1
			VX~99-00151	VX~99-00151	Threaded Standoff, M2.5, 14 mm Long	2
		VX~02-00024	VX~99-00151	VX~99-00151 VX~02-00024	Threaded Standoff, M2.5, 14 mm Long Retention Bracket USB-C	2
		VX~02-00024		VX~02-00024	Retention Bracket, USB-C	1
			VX~99-00151 VX~99-00140	VX~02-00024 VX~99-00140	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel	1
		VX~02-00024 VX~99-00126		VX~02-00024 VX~99-00140 VX~99-00126	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F	2 1 1 2
	AAEON~UPN-ADLN97-A10-0864			VX~02-00024 VX~99-00140	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel	1
				VX-02-00024 VX-99-00140 VX-99-00126 AAEON~UPN-ADLN97-A10-0864	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan	1
	ADATA~IM2P32A8-128GCTB5			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5	Retention Bracket, USB-C Nut, Press-Fit, M2X0 4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G	1
	ADATA~IM2P32A8-128GCTB5 VX~99-00132			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132	Retention Bracket, USB-C Nut, Press-Fit, M2X0 4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-f AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel	1
	ADATA~IM2P32A8-128GCTB5 VX~99-00132 VX~99-00123			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP932A8-128GCTB5 VX-99-00132 VX-99-00123	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAE.ON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S	1 1 2 1 1 6 4
	ADATA~IM2P32A8-128GCTB5 VX~99-00132			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132	Retention Bracket, USB-C Nut, Press-Fit, M2X0 4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-f AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel	1
	ADATA~IM2P32A8-128GCTB5 VX~99-00132 VX~99-00123			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP932A8-128GCTB5 VX-99-00132 VX-99-00123	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAE.ON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S	1 1 2 1 1 6 4
	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M.2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pi; Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole	1 1 2 1 1 6 4
VX-00.00121	ADATA~IM2P32A8-128GCTB5 VX~99-00132 VX~99-00123 VX~99-00124			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-MSLC-6-01 ESSENTRA-MBHWSSE-1-01	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-f AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pi Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole	1 1 2 1 1 6 4
VX-99-00121	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP92A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.5 mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli	1 1 2 1 1 6 4
VX~99-00131	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M.2.5, 18-8 Stainless Steel Screw, M2.50.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel	1 1 2 1 1 6 4
	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front	1 1 2 1 1 6 4
VX~99-00131	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M.2.5, 18-8 Stainless Steel Screw, M2.50.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel	1 1 2 1 1 6 4
VX~99-00131	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G W2 Shyder, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pi, Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.95mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long	1 1 2 1 1 6 4 2 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144			VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP3ZA8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector	1 1 2 1 1 6 4 2 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01	VX-99-00126		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-99-00131 VX-99-00144 VX-91-00010 VX-02-00035	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M.2.5. 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pi Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pi Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear	1 1 2 1 1 6 4 2 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-99-00135			VX-02-00024 VX-99-00140 VX-99-00126  AAEON-UPN-ADLN97-A10-0864 ADATA-IMEP932A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-WBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2 5x0.45, 12 mm Long, Zinc-Pli, Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rend Insert, M3, 5.7 mm Long Insert, M3, 5.7 mm Long Insert, M3, 5.7 mm Long	1 1 2 1 1 6 4 2 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144	VX-99-00126  VX-99-00142		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-WSLC-6-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-99-00142 VX-02-00037	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.5fmm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer	1 1 2 1 1 6 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-99-00135	VX-99-00126		VX-02-00024 VX-99-00140 VX-99-00126  AAEON-UPN-ADLN97-A10-0864 ADATA-IMEP932A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-WBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2 5x0.45, 12 mm Long, Zinc-Pli, Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rend Insert, M3, 5.7 mm Long Insert, M3, 5.7 mm Long Insert, M3, 5.7 mm Long	1 1 2 1 1 6 4 2 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-99-00135	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP32A8-128GCTB5 VX-99-00132 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-99-00142 VX-99-00147	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching	1 1 2 1 1 6 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-02-00035 VX-02-00037	VX-99-00126  VX-99-00142		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00131 VX-99-00131 VX-99-00144 VX-91-00010 VX-02-00036 VX-99-00142 VX-99-00142 VX-99-00142 VX-99-00142 VX-99-00142 VX-99-00142 VX-99-00147 VX-99-00147	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M.2. 5.18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Fernale, M2.5x0.45, 12 mm Long, Zinc-Pic Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Bide Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pic Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching	1 1 2 1 1 6 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-02-00035  VX-02-00037	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP3ZA8-128GCTB5 VX-99-00123 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-WBHVSSE-1-01 VX-99-00131 VX-09-00131 VX-09-00144 VX-01-00010 VX-09-00144 VX-01-00010 VX-99-00147 VX-99-00147 VX-99-00147 VX-99-00148 VX-09-00148	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pi, Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pi, Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144 VX-02-00035 VX-02-00037	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-0144 VX-01-00010 VX-02-00035 VX-99-00147 VX-99-00147 VX-99-00148 VX-02-00084 VX-02-00084	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Colle Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wap Shim	1 1 2 1 1 6 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-92-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IM2P32A8-128GCTB5 VX-99-00122 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-09-00142 VX-09-00142 VX-09-00142 VX-09-00142 VX-09-00148 VX-02-00038 FUJITSU-FTP68E_HEAD	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2 5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Warp Shim Fujitsu Printer Head	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144 VX-02-00035 VX-02-00037	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-0144 VX-01-00010 VX-02-00035 VX-99-00147 VX-99-00147 VX-99-00148 VX-02-00084 VX-02-00084	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Colle Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wap Shim	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126  AAEON-UPN-ADLN97-A10-0864 ADATA-IMEP32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-WBLC-6-01 ESSENTRA-WBLC-001 VX-99-00131 VX-99-00131 VX-99-00144 VX-01-00010 VX-99-00144 VX-01-00010 VX-99-00144 VX-01-0010 VX-99-00144 VX-02-00035 VX-99-00142 VX-99-00142 VX-99-00148 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujilsu Printer Head Washer, M3, Zinc-Plated Steel	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144 VX-02-00035 VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00131 VX-99-00131	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-WHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-02-00035 VX-99-00142 VX-02-00035 VX-99-00148 VX-02-00034 VX-99-00148 VX-02-00038 FUJITSU-FTF68E_HEAD VX-99-00131 VX-99-00131	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.5fmm Hole Colle Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00121 VX-99-00118	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP3ZA8-128GCTB5 VX-99-00132 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-0144 VX-01-00010 VX-02-00035 VX-99-00149 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00036 VX-99-00141 VX-99-00141 VX-99-00141 VX-99-00141 VX-99-00141 VX-99-00131 VX-99-00121 VX-99-00118	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, B	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144 VX-02-00035 VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00131 VX-99-00131	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126  AAEON-UPN-ADLN97-A10-0864 ADATA-IMEP932A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-02-00037 VX-99-00142 VX-02-00037 VX-99-00148 VX-02-00038 FUJITSUE-TFIEBE_HEAD VX-99-00131 VX-99-00131 VX-99-00118 VX-99-00118 VX-99-00118	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2 5x0.45, 12 mm Long, Zinc-Pli, Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, B Cable, Internal Printer, 34-pos	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX~99-00131 VX~02-00036	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00121 VX-99-00118	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP3ZA8-128GCTB5 VX-99-00132 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-0144 VX-01-00010 VX-02-00035 VX-99-00149 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00035 VX-99-00140 VX-02-00036 VX-99-00141 VX-99-00141 VX-99-00141 VX-99-00141 VX-99-00141 VX-99-00131 VX-99-00121 VX-99-00118	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, B	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00121 VX-99-00118	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126  AAEON-UPN-ADLN97-A10-0864 ADATA-IMEP932A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-02-00037 VX-99-00142 VX-02-00037 VX-99-00148 VX-02-00038 FUJITSUE-TFIEBE_HEAD VX-99-00131 VX-99-00131 VX-99-00118 VX-99-00118 VX-99-00118	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2 5x0.45, 12 mm Long, Zinc-Pli, Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, B Cable, Internal Printer, 34-pos	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00113 VX-99-00118 VX-02-00081  VX-02-00089	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP32A8-128GCTB5 VX-99-00132 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-WSLC-6-01 ESSENTRA-WBLWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-02-00037 VX-99-00147 VX-99-00147 VX-99-00148 VX-02-00084 VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00118 VX-99-00118 VX-02-00081 VX-02-00081 VX-01-00009 VX-02-00039	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Flinged Top Lock, 3.51mm Hole Colle Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Flat Head, 90 Deg, Hex Drive, B Cable, Internal Printer, 34-pos Assembly, Scanner with Bracket and Infeed Bracket, Scanner with Bracket and Infeed	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00111 VX-99-00118 VX-02-00081  VX-02-00089 PDI-PS6	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMZP3ZA8-128GCTB5 VX-99-00132 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00141 VX-02-00035 VX-99-00142 VX-02-00037 VX-99-00148 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00121 VX-99-00118 VX-02-00081 VX-02-00081 VX-02-00099 VX-02-00039 PDI-PS6	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2 5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Flinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Bi Cable, Internal Printer, 34-pos Assembly, Scanner with Bracket and Infeed Bracket, Scanner Mount PDI Pagescan 6 Scanner	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144 VX-02-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00111 VX-99-00121 VX-99-00118 VX-02-00081  VX-02-00039 PDI-PS6 VX-02-00040	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP3ZA8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBI-C-6-01 ESSENTRA-WBI-WSE-1-01 VX-99-00131 VX-09-00131 VX-09-00131 VX-09-00144 VX-01-00010 VX-99-00144 VX-01-00010 VX-99-00147 VX-99-00147 VX-99-00147 VX-99-00148 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00118 VX-99-00118 VX-02-00081 VX-99-00118 VX-02-00081 VX-99-00119 VX-99-00119 VX-99-0019 VX-01-00009 VX-02-00039 PDI-PS6 VX-02-00040	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G W2sher, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 39mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Flat Head, 90 Deg, Hex Drive, B Cable, Internal Printer, 34-pos Assembly, Scanner Mount PDI Pagescan 6 Scanner Infeed Tray, Top	1 1 1 2 1 1 1 1 6 4 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00111 VX-99-00118 VX-02-00081  VX-02-00089 PDI-PS6	VX-99-00126  VX-99-00142  VX-99-00147  VX-99-00148		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP3ZA8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBIX-C-6-01 ESSENTRA-WBIWSSE-1-01 VX-99-00111 VX-09-00131 VX-09-00131 VX-09-00144 VX-01-00010 VX-02-00035 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-02-00035 VX-99-00142 VX-02-00037 VX-99-00141 VX-02-00031 VX-99-00148 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00111 VX-99-00111 VX-99-00118 VX-99-00118 VX-02-00081 VX-01-00009 VX-02-00039 PDI-PS6 VX-02-00040 VX-02-00040	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pic Cable Clip, Wire Saddle, Flinged Top Lock, 3.5fmm Hole Colle Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pic Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Flat Head, 90 Deg, Hex Drive, B Cable, Internal Printer, 34-pos Assembly, Scanner with Bracket and Infeed Bracket, Scanner Mount PDI Pagescan 6 Scanner Infeed Tray, Top Mount, Top Infeed Tray	1 1 1 2 1 1 6 4 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144 VX-02-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00111 VX-99-00121 VX-99-00118 VX-02-00081  VX-02-00039 PDI-PS6 VX-02-00040	VX-99-00126  VX-99-00142  VX-99-00147		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP3ZA8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBI-C-6-01 ESSENTRA-WBI-WSE-1-01 VX-99-00131 VX-09-00131 VX-09-00131 VX-09-00144 VX-01-00010 VX-99-00144 VX-01-00010 VX-99-00147 VX-99-00147 VX-99-00147 VX-99-00148 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00118 VX-99-00118 VX-02-00081 VX-99-00118 VX-02-00081 VX-99-00119 VX-99-00119 VX-99-0019 VX-01-00009 VX-02-00039 PDI-PS6 VX-02-00040	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G W2sher, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Cable Clip, Wire Saddle, Side Entry, 39mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Screw, M3x0.50, 8 mm Long, Flat Head, 90 Deg, Hex Drive, B Cable, Internal Printer, 34-pos Assembly, Scanner Mount PDI Pagescan 6 Scanner Infeed Tray, Top	1 1 1 2 1 1 1 1 6 4 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-8-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144 VX-02-00035  VX-02-00037  VX-02-00084 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00111 VX-99-00121 VX-99-00118 VX-02-00081  VX-02-00039 PDI-PS6 VX-02-00040	VX-99-00126  VX-99-00142  VX-99-00147  VX-99-00148		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMIZP3ZA8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WBIX-C-6-01 ESSENTRA-WBIWSSE-1-01 VX-99-00111 VX-09-00131 VX-09-00131 VX-09-00144 VX-01-00010 VX-02-00035 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-00142 VX-02-00035 VX-99-00142 VX-02-00037 VX-99-00141 VX-02-00031 VX-99-00148 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00111 VX-99-00111 VX-99-00118 VX-99-00118 VX-02-00081 VX-01-00009 VX-02-00039 PDI-PS6 VX-02-00040 VX-02-00040	Retention Bracket, USB-C Nut, Press-Fit, M2X0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pic Cable Clip, Wire Saddle, Flinged Top Lock, 3.5fmm Hole Colle Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pic Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Flat Head, 90 Deg, Hex Drive, B Cable, Internal Printer, 34-pos Assembly, Scanner with Bracket and Infeed Bracket, Scanner Mount PDI Pagescan 6 Scanner Infeed Tray, Top Mount, Top Infeed Tray	1 1 1 2 1 1 1 1 6 4 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1
VX-99-00131 VX-02-00036 VX-01-00010	ADATA-IM2P32A8-128GCTB5 VX-99-00132 VX-99-00123 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01  VX-99-00144  VX-99-00144  VX-02-00035  VX-02-00037  VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00111 VX-99-00118 VX-02-00081  VX-02-00039 PDI-PS6 VX-02-00040 VX-02-00041	VX-99-00126  VX-99-00142  VX-99-00147  VX-99-00148		VX-02-00024 VX-99-00140 VX-99-00126 AAEON-UPN-ADLN97-A10-0864 ADATA-IMEP32A8-128GCTB5 VX-99-00132 VX-99-00124 ESSENTRA-WSLC-6-01 ESSENTRA-MBHWSSE-1-01 VX-99-00121 VX-99-00131 VX-02-00036 VX-99-00144 VX-01-00010 VX-02-00035 VX-99-0144 VX-01-00010 VX-02-00035 VX-99-00141 VX-02-00035 VX-99-00140 VX-02-00037 VX-99-00140 VX-02-00038 FUJITSU-FTP68E_HEAD VX-99-00131 VX-99-00131 VX-99-00131 VX-99-00149 VX-02-00039 PDI-PS6 VX-02-00039 PDI-PS6 VX-02-00040 VX-02-00041 VX-02-00041	Retention Bracket, USB-C Nut, Press-Fit, M2x0.4, Stainless Steel Rivet, Flush-Mount-Both-Sides, 1/8" Diameter, 120 Deg, Zinc-F AAEON UP 7000 Squared PRO, with heatsink+Fan M.2 NVMe 2280 SSD 128G Washer, M2.5, 18-8 Stainless Steel Screw, M2.5x0.45, 5mm Long, Button Head, Hex Drive, 18-8 S Standoff, Hex, Male-Female, M2.5x0.45, 12 mm Long, Zinc-Pli Cable Clip, Wire Saddle, Hinged Top Lock, 3.51mm Hole Colle Clip, Wire Saddle, Side Entry, 3.96mm Hole Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pli Washer, M3, Zinc-Plated Steel Ballot Redirector, Front Insert, M4, 5.5 mm Long Assembly, Printer with Bracket and Redirector Ballot Redirector, Rear Insert, M3, 5.7 mm Long Bracket, Printer Nut, M3, Self Clinching Nut, M4, Self Clinching Nut, M4, Self Clinching Paddle, Platen Release Cable Wrap Shim Fujitsu Printer Head Washer, M3, Zinc-Plated Steel Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Bi Cable, Internal Printer, 34-pos Assembly, Scanner with Bracket and Infeed Bracket, Scanner with Bracket and Infeed Iray, Top Mount, Top Infeed Tray Inserts, Flanged, M3, 5.7 mm Long	1 1 1 2 1 1 1 1 6 4 4 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1

		VX~02-00073		VX~02-00073 Cable, Scanner Ground	1
		VX~02-00073 VX~02-00077		VX~02-00073 Cable, Scanner Ground VX~02-00077 Cable, Scanner Power, 24	1
		L-COM~CAABLK-90RB-05M		VX~02-000/7 Cable, Scanner Power, 24 L-COM~CAABLK-90RB-05M USB 3.0 HUB to Scanner	
		VX~99-00166		VX~99-00166 4-40x3/8"L, BHCS, Zinc F	
	VAX 00 00055	VX~99-00166			ated Steel 2
	VX~02-00055			VX~02-00055 Lockout Back	1
	VX~02-00062			VX~02-00062 Lockout, Flex VX~99-00113 Washer, M4. Zinc-Plated	Steel 23
	VX~99-00113				
	VX~99-00106				ong, Socket Head, Zinc-Plated Steel 17
	VX~99-00131			VX~99-00131 Washer, M3, Zinc-Plated	
	VX~99-00120				ong, Button Head, Hex Drive, Zinc-Pla 2
	VX~99-00110				70, 10 mm Long, Socket Head, Zinc 6
	USB-FIREWIRE~RR-ADBU-10GR			USB-FIREWIRE~RR-ADBU-10GR SBC to USB 3.0 Hub Inpu	
	VX~02-00070			VX~02-00070 Cable, Power Entry Stage	2, Jumper Harness 1
	VX~02-00071			VX~02-00071 Cable, Lid Ground Strap	1
	VX~02-00072			VX~02-00072 Cable, Power Supply Gro	
	VX~02-00074			VX~02-00074 Cable, Ground Daisy Cha	n 1
	VX~02-00075			VX~02-00075 Cable, Hot Daisy Chain	1
	VX~02-00076			VX~02-00076 Cable, Neutral Daisy Cha	n 1
	VX~02-00078			VX~02-00078 Cable, Printer Power, 24V	1
	GLOBTEK~USBCW1M0USBC2SLEMBK			GLOBTEK~USBCW1M0USBC2SLEMBK SBC to 15.6" Display, US	3-C 1
	VX~02-00096			VX~02-00096 Edge Bumper, Foam, 45n	nm 2
	VX~02-00097			VX~02-00097 Edge Bumper, Foam, 8mi	
	ESSENTRA~WSLC-6-01				Hinged Top Lock, 3.51mm Hole 3
	VX~02-00096			VX~02-00096 Edge Bumper, Foam, 45n	
	VX~02-00097			VX~02-00097 Edge Bumper, Foam, 8mi	
	VX~02-00022			VX~02-00022 Retention Bracket, USB C	
	VX~99-00121				ong, Button Head, Hex Drive, Zinc-Pk 1
	VX~99-00111				.2 mm ID, 9 mm OD, Zinc-Plated Ste 1
VX~01-00011	VX 33-00111			VX~01-00011 Assembly, Paper Roll Hol	
VX-01-00011	FUJITSU~FTP68E_PLATEN			FUJITSU~FTP68E_PLATEN Fujitsu Printer Platen	1
	_				0 -1
	VX~99-00099			VX~99-00099 Thermal paper roll, A4, 10	J sneets 1
	VX~02-00042			VX~02-00042 Paper Roll Holder, Left	1
	VX~02-00043			VX~02-00043 Paper Roll Holder, Right	1
	VX~01-00012			VX~01-00012 Assembly, Paper Roll Hol	Jer Spring with Cap 1
		VX~02-00047		VX~02-00047 Spring, Roll Holder	1
		VX~02-00046		VX~02-00046 Roll Holder Spring Cap	1
			VX~99-00142	VX~99-00142 Insert, M3, 5.7 mm Long	1
		VX~99-00131		VX~99-00131 Washer, M3, Zinc-Plated	
		VX~99-00120			ong, Button Head, Hex Drive, Zinc-Pla 1
	VX~02-00044			VX~02-00044 Platen and Roll Holder, To	
		VX~99-00152		VX~99-00152 Inserts, M3, 4.3 mm Long	7
	VX~02-00045			VX~02-00045 Tear Bar, Serrated	1
	VX~99-00118			VX~99-00118 Screw, M3x0.50, 8 mm Lo	ng, Flat Head, 90 Deg, Hex Drive, B 7
	VX~99-00111			VX~99-00111 Washer, Oversized, M3, 3	.2 mm ID, 9 mm OD, Zinc-Plated Ste 7
	VX~99-00118				ong, Flat Head, 90 Deg, Hex Drive, B 3
VX~99-00114				VX~99-00114 Washer, M5, Zinc-Plated	
VX~99-00109					ong, Socket Head, Zinc-Plated 6
VX~02-00065				VX~02-00065 Power Cord Wrap	1
VX~99-00136					im Long, Button Head, Flanged, Blac 4
VX~02-00066				VX~02-00066 High Voltage Guard	1
VX~99-00095				VX~92-00000 Ingri voltage Guard VX~99-00095 Label, High Voltage Warn	ng 1
VX~02-00054				VX~02-00054 Infeed Tray, Bottom	·9 1
				·	1
VX~02-00051				VX~02-00051 Panel, Main, Right	1
VX~01-00013	VV/ 62 222 12			VX~01-00013 Assembly, Panel, Main, L	it with minge 1
	VX~02-00049			VX~02-00049 Panel, Main, Left	1
	VX~02-00050			VX~02-00050 Panel, Pollworker Access	1
	VX~99-00105				Nonremovable Pin, 1-1/2" High x 13/
	VX~99-00119				ong, Flat Head, 90 Deg, Hex Drive, I 4
	VX~99-00111				.2 mm ID, 9 mm OD, Zinc-Plated Ste 4
	VX~99-00107			VX~99-00107 Nut, Nylock, M3x0.5, Zinc	
VX~99-00118					ng, Flat Head, 90 Deg, Hex Drive, B 2
VX~99-00117					ng, Flat Head, 90 Deg, Hex Drive, B 10
VX~01-00015				VX~01-00015 Assembly, Lid	1
	VX~01-00016			VX~01-00016 Assembly, Touch Display	with Bracket 1
		VX~02-00058		VX~02-00058 Bracket, Lid Display	1
			VX~99-00147	VX~99-00147 Nut, M3, Self Clinching	4
			VX~99-00147 VX~99-00148	VX~99-00147	4

			VX~02-00090		VX~02-00090	VHB, Display, Long, 13.6in	2
			VX~02-00091		VX~02-00091	VHB, Display, Short, 8.86in	2
			VX~02-00082		VX~02-00082	Cable Assembly, 15.6" Display to Speaker	1
			VX~02-00059		VX~02-00059	Foam, Display Back, 6.3x2.95in	2
			VX~99-00131		VX~99-00131	Washer, M3, Zinc-Plated Steel	8
			VX~99-00120		VX~99-00120	Screw, M3x0.50, 5 mm Long, Button Head, Hex Drive, Zinc-Pla	4
			VX~99-00121		VX~99-00121	Screw, M3x0.50, 8 mm Long, Button Head, Hex Drive, Zinc-Pla	4
			VX~02-00097		VX~02-00097	Edge Bumper, Foam, 8mm	1
		VX~02-00060			VX~02-00060	Bezel, Display	1
		VX~02-00061			VX~02-00061	Display Cable Conduit Stop, Lid	1
		VX~02-00092			VX~02-00092	Flexible Cable Conduit	1
		VX~99-00117			VX~99-00117	Screw, M3x0.50, 5 mm Long, Flat Head, 90 Deg, Hex Drive, B	4
		VX~02-00097			VX~02-00097	Edge Bumper, Foam, 8mm	1
						#N/A	
	VX~99-00133				VX~99-00133	Washer, Oversized, No8, 0.172" ID, 0.75" OD, Black Oxide	3
	VX~99-00106				VX~99-00106	Screw, M4x0.70, 6 mm Long, Socket Head, Zinc-Plated Steel	3
	VX~99-00106				VX~99-00106	Screw, M4x0.70, 6 mm Long, Socket Head, Zinc-Plated Steel	1
	VX~99-00113				VX~99-00113	Washer, M4, Zinc-Plated Steel	1
	VX~99-00118				VX~99-00118	Screw, M3x0.50, 8 mm Long, Flat Head, 90 Deg, Hex Drive, B	2
	VX~02-00067				VX~02-00067	Nameplate, V4	1
	VX~99-00137				VX~99-00137	Rivet, Blind, 0.3125" Diameter, Black	2
	ESSENTRA~167204069902				ESSENTRA~167204069902	Push-In Rivet, Nylon, Black	6
	CUI~AC-C13 NA				CUI~AC-C13 NA	AC Power Cord, C13, 18AWG, 6' Black	1
	VX~02-00093				VX~02-00093	Label, Poll Worker Door	1
	VX~99-00094				VX~99-00094	Security Seal, Barbell, Silver	3
VX~02-10070					VX~02-10070	Base Plate, MCM Attach	1
VX~99-00134					VX~99-00134	Rivet, Flush-Mount-Blind, 4 mm Diameter, Aluminum	1