

87654321

NOTES (UNLESS SPECIFIED OTHERWISE):

1.0 DESCRIPTION AND APPLICATION:

1.1 SHEET METAL PART TO BE USED IN A COMMERCIAL PRODUCT (INDOOR USE).

2.0 APPLICABLE DOCUMENTATION:

2.1 INTERPRET DRAWING PER ASME Y14.5-2009 DIMENSIONING AND TOLERANCING STANDARDS.

3.0 MECHANICAL REQUIREMENTS:

3.1 DIMENSIONS ARE IN MILLIMETERS (MAXIMUM MATERIAL CONDITION)

3.2 ALL DIMENSIONS SHOWN SHALL BE CHECKED DURING FIRST ARTICLE INSPECTION. FAI MUST BE APPROVED FOR THE SPECIFIC REVISION OF THIS PART PRIOR TO SHIPMENT OF PARTS.

3.3 FOR GEOMETRY NOT EXPLICITLY DESCRIBED IN DRAWING REFER TO 3D DATABASE.

3.4 DRAWING AND 3D DATABASE REPRESENT FINAL PART AFTER ALL POST PROCESSING, TRIMMING, MACHINING, AND FINISHING.

3.5 DIMENSIONS INDICATED BY (X.XXX) ARE PROCESS CONTROL/MONITORING DIMENSIONS.

3.6 DIMENSIONS IN PARENTHESIS "(X.XXX)" OR MARKED REFERENCE "X.XX REF" ARE DIMENSIONS WITHOUT TOLERANCE AND ARE FOR INFORMATION PURPOSE ONLY.

3.7 GENERAL TOLERANCES:

3.7.1 HOLE SIZE: +/-0.075 MM.

3.7.2 HOLE-TO-HOLE (ON FLAT SURFACE): +/-0.125 MM.

3.7.3 HOLE-TO-EDGE OR EDGE-TO-EDGE (ON FLAT SURFACE): +/- 0.25 MM.

3.7.4 HOLE-TO-BEND OR EDGE-TO-BEND: +/- 0.375 MM.

3.7.5 BEND-TO-BEND: +/- 0.50 MM.

3.7.6 ANGULAR TOLERANCES: +/- 1°

3.8 INSIDE AND OUTSIDE CORNER RADII TO BE 1/2 MATERIAL THICKNESS MIN. (AT LEAST 0.375 MM MIN)

3.9 USE MINIMUM BEND RADII REQUIRED TO FORM WITHOUT CRACKING OR ADDITIONAL WORK UNLESS OTHERWISE SPECIFIED.

3.10 BURR SIDE ON NON-COSMETIC SIDE OR AS INDICATED IN DRAWING.

3.11 COIN ALL EDGES TO 0.25 MM MIN.

3.12 ALL DIMENSIONS APPLY AFTER FINISHING AND PLATING.

3.13 PARTS SHALL BE FREE OF ALL FOREIGN MATERIAL, INCLUDING BUT NOT LIMITED TO: GREASE, DIRT, CHIPS, OIL, AND OTHER CONTAMINANTS.

3.14 PART TO BE LASER ETCHED WITH PART NUMBER, REVISION, AND MATERIAL ID APPROXIMATELY WHERE SHOWN. TEXT SHALL BE 3 MM TALL.

3.15 PART TO BE LASER ETCHED WITH DATE CODE APPROXIMATELY WHERE SHOWN. MARKING TO INDICATE YEAR AND MONTH OF PART FABRICATION. CHANGING THE YEAR/MONTH INDICATORS ARE THE VENDOR'S RESPONSIBILITY. TEXT SHALL BE 5 MM TALL MINIMUM.

3.16 INSTALL HARDWARE PER MANUFACTURER RECOMMENDATION. NO HARDWARE SUBSTITUTIONS PERMITTED WITHOUT PRIOR, WRITTEN APPROVAL FROM PUMP STUDIOS AND/OR VOTINGWORKS.

4.0 TOOLING REQUIREMENTS:

4.1 TOOL DESIGN, IF TOOLING IS REQUIRED, MUST BE APPROVED BY PUMP STUDIOS AND/OR VOTINGWORKS PRIOR TO CONSTRUCTION OF TOOL. COMPREHENSIVE TOOLING DRAWINGS WITH ALL MATERIAL SPECIFIED FOR EACH PART MUST BE SUBMITTED TO PUMP STUDIOS AND/OR VOTINGWORKS FOR APPROVAL.

4.2 TOOL TO BE PROPERTY OF VOTINGWORKS AND TO BE PERMANENTLY MARKED WITH COMPANY NAME, PART NUMBER, PART NAME, ASSET TAG, AND MOLD WEIGHT.

4.3 KNOCKOUTS CAN BE LASER CUT OR PUNCHED AS PER VENDOR CAPABILITIES. CHANGES IN TOLERANCE SHOULD BE APPROVED BY PUMP STUDIOS AND/OR VOTINGWORKS.

5.0 INSPECTION & SHIPPING REQUIREMENTS:

5.1 VERIFY PART SAMPLES CONFORM TO DESIGN REQUIREMENTS USING STANDARD TEST EQUIPMENT AND VISUAL INSPECTION TECHNIQUES.

5.2 PACKAGING FOR SHIPMENT: PART SHALL BE ADEQUATELY PROTECTED TO PREVENT DAMAGE IN TRANSIT AND HANDLING.

5.3 VENDOR TO SUPPLY WITH EACH SHIPMENT: MATERIAL CERTIFICATION, SHIPPER DOCUMENTS WITH PART NUMBER, PART NAME, REVISION, LOT NUMBER, QUANTITY AND P.O. NUMBER.

5.4 PACKAGING LABELS AND MATERIAL TRACEABILITY MUST CONFORM TO UL 746D.

6.0 MATERIAL REQUIREMENTS:

6.1 MATERIAL: SEE NOTES. <>

6.2 THICKNESS: XXX MM [XXX IN]

6.3 VENDOR TO SUBMIT MSDS AND MATERIAL SPECIFICATIONS FOR APPROVAL BY PUMP STUDIOS AND/OR VOTINGWORKS PRIOR TO STAMPING/BENDING/FORMING FIRST ARTICLE PARTS.

6.4 NO CHANGES SHALL BE ALLOWED ON PRODUCTION MATERIAL, REGARDLESS OF WHETHER SUCH CHANGE AFFECTS CHARACTERISTICS, WITHOUT PRIOR EXPLICIT APPROVAL BY PUMP STUDIOS AND/OR VOTINGWORKS.

7.0 FINISH REQUIREMENTS:

7.1 PARTS TO BE DEBURRED TO REMOVE SHARP EDGES.

7.2 SURFACES IN GREY ARE COSMETIC AND SHALL BE TYPE-II BLACK ANODIZED PER MIL-A-862.

7.3 PARTS SHALL BE CLEAR CHROMATE COATED PRIOR TO HARDWARE INSTALLATION AND ANODIZATION.

7.4 SURFACES IN RED ARE TO BE MASKED TO PROTECT FROM ANODIZATION.

7.5 VENDOR TO SUBMIT FINISHED COLOR SAMPLES TO PUMP STUDIOS AND/OR VOTINGWORKS FOR APPROVAL PRIOR TO PRODUCTION PARTS.

8.0 APPROVALS:

8.1 SUPPLIER IS RESPONSIBLE TO ENSURE THIS PART OR ASSEMBLY IS FULLY COMPLIANT WITH THE EUROPEAN UNION (EU) RESTRICTION OF HAZARDOUS SUBSTANCES (ROHS) DIRECTIVE 2002/95/EC, LATEST REVISION, AT TIME OF SHIPMENT.

8.2 SUPPLIER WILL ALSO FURNISH A CERTIFICATION OF COMPLIANCE (C OF C) WITH FIRST ARTICLES WHEN SPECIFICALLY REQUESTED.

REV. DESCRIPTION CR # DATE SUBMITTED BY

A INITIAL RELEASE - 10/08/2024 GJK

B ADJUST SCREWS FOR EASE OF ASSY. - 11/15/2024 PAK

3.16

MFG: PEM

P/N: CLS-M3-2

QTY: 7

7.4

7.2

3.16

MFG: MCMMASTER-CARR

P/N: 93090A644

QTY: 2

7.4

7.2

3.16

MFG: MCMMASTER-CARR

P/N: 93090A661

QTY: 4

7.4

7.2

MATERIAL
SEE NOTES

FINISH
SEE NOTES

COLOR
SEE NOTES

EST. WEIGHT
123.28

ENGINEER
GJK

RELEASE DATE
10/31/2024

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MILLIMETERS
DO NOT SCALE DRAWING

TOLERANCES: SEE NOTES

THIRD ANGLE
PROJECTION

APPROVED BY
PAK

APPROVED DATE
11/15/2024

CAD TYPE
SINGLE PART ASSEMBLY

VotingWorks

DESCRIPTION

SUBPANEL BRACKET, LEFT, INTERIOR

PART NUMBER
VX~02-00027


REV.
B

SIZE
B



SCALE
1:2


SHEET
1 OF 3



87654321



DETAIL A
SCALE 4 : 3

MATERIAL SEE NOTES	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS DO NOT SCALE DRAWING			
FINISH SEE NOTES	TOLERANCES: SEE NOTES			
COLOR SEE NOTES	THIRD ANGLE PROJECTION 	DESCRIPTION SUBPANEL BRACKET, LEFT, INTERIOR		
EST. WEIGHT 123.28	APPROVED BY PAK	PART NUMBER VX~02-00027		REV. B
ENGINEER GJK	APPROVED DATE 11/15/2024	SHEET 2 OF 3		
RELEASE DATE 10/31/2024	CAD TYPE SINGLE PART ASSEMBLY	SIZE B	SCALE 2:3	



MATERIAL SEE NOTES	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS DO NOT SCALE DRAWING				
FINISH SEE NOTES	TOLERANCES: SEE NOTES				
COLOR SEE NOTES	THIRD ANGLE PROJECTION 	DESCRIPTION			
EST. WEIGHT 123.28	APPROVED BY PAK	SUBPANEL BRACKET, LEFT, INTERIOR			
ENGINEER GJK	APPROVED DATE 11/15/2024	PART NUMBER VX~02-00027			REV. B
RELEASE DATE 10/31/2024	CAD TYPE SINGLE PART ASSEMBLY	SIZE B	SCALE 2:2	SHEET 3 OF 3	