



## Default macOS keymap



### REMEMBER THESE SHORTCUTS

Smart code completion	<b>⇧ Space</b>
Search everywhere	<b>Double ⇧</b>
Show intention actions and quick-fixes	<b>⌘ ↵</b>
Generate code	<b>⌘ N, ⇧ ↵</b>
Parameter info	<b>⌘ P</b>
Extend selection	<b>⌘ ↑</b>
Shrink selection	<b>⌘ ↓</b>
Recent files popup	<b>⌘ E</b>
Rename	<b>⇧ F6</b>

### GENERAL

Open corresponding tool window	<b>⌘ O...⌘ 9</b>
Save all	<b>⌘ S</b>
Synchronize	<b>⌘ Y</b>
Toggle maximizing editor	<b>⌘ ⇧ F12</b>
Inspect current file with current profile	<b>⌘ ⇧ I</b>
Quick switch current scheme	<b>⌘ `</b>
Open Settings dialog	<b>⌘ ,</b>
Open Project Structure dialog	<b>⌘ ;</b>
Find Action	<b>⌘ ⇧ A</b>

### DEBUGGING

Step over/into	<b>F8 / F7</b>
Smart step into/Step out	<b>⇧ F7 / ⇧ F8</b>
Run to cursor	<b>⌘ F9</b>
Evaluate expression	<b>⌘ F8</b>
Resume program	<b>⌘ ⌘ R</b>
Toggle breakpoint	<b>⌘ F8</b>
View breakpoints	<b>⌘ ⇧ F8</b>

### SEARCH / REPLACE

Search everywhere	<b>Double ⇧</b>
Find	<b>⌘ F</b>
Find next/previous	<b>⌘ G / ⌘ ⇧ G</b>
Replace	<b>⌘ R</b>
Find in path	<b>⌘ ⇧ F</b>
Replace in path	<b>⌘ ⇧ R</b>
Select next occurrence	<b>⌘ G</b>
Select all occurrences	<b>⌘ ⌘ G</b>
Unselect occurrence	<b>⌘ G</b>

### EDITING

Basic code completion	<b>⌘ Space</b>
Smart code completion	<b>⌘ ⇧ Space</b>
Complete statement	<b>⌘ ⇧ ↵</b>
Parameter info	<b>⌘ P</b>
Quick documentation lookup	<b>⌘ J, F1</b>
External Doc	<b>⇧ F1</b>
Brief Info	<b>⌘ + mouse</b>
Show descriptions of error at caret	<b>⌘ F1</b>
Generate code...	<b>⌘ N, ⇧ ↵</b>
Override methods	<b>⌘ O</b>
Implement methods	<b>⌘ I</b>
Surround with...	<b>⌘ ⌘ T</b>
Comment/uncomment with line comment	<b>⌘ /</b>
Comment/uncomment with block comment	<b>⌘ ⌘ ⌘ /</b>
Extend selection	<b>⌘ ↑</b>
Shrink selection	<b>⌘ ↓</b>
Context info	<b>⌘ ⇧ Q</b>
Show intention actions and quick-fixes	<b>⌘ ↵</b>
Reformat code	<b>⌘ ⌘ L</b>
Optimize imports	<b>⌘ ⌘ O</b>
Auto-indent line(s)	<b>⌘ ⌘ I</b>
Indent/unindent selected lines	<b>⇧ ⌘ / ⇧ ⇧</b>
Cut current line to clipboard	<b>⌘ X</b>
Copy current line to clipboard	<b>⌘ C</b>
Paste from clipboard	<b>⌘ V</b>
Paste from recent buffers...	<b>⌘ ⇧ V</b>
Duplicate current line	<b>⌘ D</b>
Delete line at caret	<b>⌘ ⌘</b>
Smart line join	<b>⌘ ⇧ J</b>
Smart line split	<b>⌘ ⇧ ↵</b>
Start new line	<b>⇧ ↵</b>
Toggle case for word at caret or selected block	<b>⌘ ⇧ U</b>
Select till code block end/start	<b>⌘ ⌘ ⇧ [ / ⌘ ⌘ ⇧ ]</b>
Delete to word end	<b>⌘ ⌘</b>
Delete to word start	<b>⌘ ⌘</b>
Expand/collapse code block	<b>⌘ + / ⌘ -</b>
Expand all	<b>⌘ ⇧ +</b>
Collapse all	<b>⌘ ⇧ -</b>
Close active editor tab	<b>⌘ W</b>

### REFACTORING

Copy	<b>F5</b>
Move	<b>F6</b>
Safe Delete	<b>⌘ Delete</b>
Rename	<b>⇧ F6</b>
Refactor this	<b>⌘ T</b>
Change Signature	<b>⌘ F6</b>
Inline	<b>⌘ ⌘ N</b>
Extract Method	<b>⌘ ⌘ M</b>
Extract Variable	<b>⌘ ⌘ V</b>
Extract Field	<b>⌘ ⌘ F</b>
Extract Constant	<b>⌘ ⌘ C</b>
Extract Parameter	<b>⌘ ⌘ P</b>

### NAVIGATION

Go to class	<b>⌘ O</b>
Go to file	<b>⌘ ⇧ O</b>
Go to symbol	<b>⌘ ⌘ O</b>
Go to next/previous editor tab	<b>⌘ ⇧ / ⇧ ⇧</b>
Go back to previous tool window	<b>F12</b>
Go to editor (from tool window)	<b>⇧</b>
Hide active or last active window	<b>⇧ ⇧</b>
Go to line	<b>⌘ L</b>
Recent files popup	<b>⌘ E</b>
Recent locations popup	<b>⌘ ⇧ E</b>
Navigate back/forward	<b>⌘ ⌘ ⇧ / ⌘ ⌘ ⇧</b>
Navigate to last edit location	<b>⌘ ⇧ ⌘</b>
Select current file or symbol in any view	<b>⌘ F1</b>
Go to declaration	<b>⌘ B, ⌘ Click</b>
Go to implementation(s)	<b>⌘ ⌘ B</b>
Open quick definition lookup	<b>⌘ Space, ⌘ Y</b>
Go to type declaration	<b>⌘ ⇧ B</b>
Go to super-method / super-class	<b>⌘ U</b>
Go to previous/next method	<b>⌘ ⇧ / ⇧ ⇧</b>
Move to code block end/start	<b>⌘ ⌘ [ / ⌘ ⌘ ]</b>
File structure popup	<b>⌘ F12</b>
Type hierarchy	<b>⌘ H</b>
Method hierarchy	<b>⌘ ⇧ H</b>
Call hierarchy	<b>⌘ ⌘ H</b>
Next/Previous highlighted error	<b>F2 / ⇧ F2</b>
Edit source/View source	<b>F4 / ⌘ ↓</b>
Show navigation bar	<b>⌘ Home</b>
Toggle bookmark	<b>F3</b>
Toggle bookmark with mnemonic	<b>⌘ F3</b>
Go to numbered bookmark	<b>⌘ O ...⇧ 9</b>
Show bookmarks	<b>⌘ F3</b>

### COMPILE AND RUN

Build project	<b>⌘ F9</b>
Compile selected file, package or module	<b>⌘ ⇧ F9</b>
Select configuration and run/debug	<b>⌘ ⌘ R / D</b>
Run/Debug	<b>⌘ R / D</b>
Run context configuration from editor	<b>⌘ ⇧ R, ⇧ ⇧ D</b>
Run anything	<b>Double ⇧</b>

### USAGE SEARCH

Find usages/Find usages in file	<b>⌘ F7 / ⌘ F7</b>
Highlight usages in file	<b>⌘ ⇧ F7</b>
Show usages	<b>⌘ ⌘ F7</b>

### VCS / LOCAL HISTORY

Commit project to VCS	<b>⌘ K</b>
Update project from VCS	<b>⌘ T</b>
Push commits	<b>⌘ ⇧ K</b>
'VCS' quick popup	<b>⇧ V</b>

### LIVE TEMPLATES

Surround with Live Template	<b>⌘ ⌘ J</b>
Insert Live Template	<b>⌘ J</b>