Вовчановський Павло, ФБ-01мн

https://github.com/vovchanovsky/dsd-12/tree/micro mq


```
렀 write.http
     ⊳POST http://localhost:5001/fascade_service
      Content-Type: application/json
     ⇒POST http://localhost:5001/fascade_service
      Content-Type: application/json
      POST http://localhost:5001/fascade_service
      Content-Type: application/json
      POST http://localhost:5001/fascade_service
      Content-Type: application/json
     ⊳POST http://localhost:5001/fascade_service
      Content-Type: application/json
```


```
check.http ×


Run all requests in file

1   GET http://localhost:5001/fascade_service

2
```







```
Run: 👘 fascade
      D:\Родионов\2sem\lab2\newvenv\Scripts\python.exe D:/Родионов/2sem/lab2/fascade-service/fascade.py
       * Serving Flask app "fascade" (lazy loading)
       * Environment: production
        WARNING: This is a development server. Do not use it in a production deployment.
         Use a production WSGI server instead.
       * Debug mode: on
       * Debugger is active!
                 log2 >
Microsoft Windows [Version 10.0.19043.964]
(с) Корпорація Майкрософт. Усі права захищені.
(newvenv) D:\Родионов\2sem\lab2>logging-service\log_srv.py 5005
 * Serving Flask app "log_srv" (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Running on http://127.0.0.1:5005/ (Press CTRL+C to quit)
{'84ec83ca-64b7-453f-85c8-ead11dab6628': 'msg6'}
127.0.0.1 - - [03/May/2021 20:34:48] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'55116704-93d5-48f4-856a-559b446fe139': 'msg7'}
127.0.0.1 - - [03/May/2021 20:34:50] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'6ad39074-ee6f-420e-bfea-9397d4a27e44': 'msq9'}
127.0.0.1 - - [03/May/2021 20:34:54] "←[37mPOST /log HTTP/1.1←[0m" 200 -
127.0.0.1 - - [03/May/2021 20:37:13] "←[37mGET /log HTTP/1.1←[0m" 200 -
Good luck!
```

```
Microsoft Windows [Version 10.0.19043.964]
(с) Корпорація Майкрософт. Усі права захищені.
(newvenv) D:\Родионов\2sem\lab2>logging-service\log_srv.py 5006
 * Serving Flask app "log_srv" (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Running on http://127.0.0.1:5006/ (Press CTRL+C to quit)
{'71801c4c-3b27-456e-a41a-611be4d50d75': 'msg2'}
127.0.0.1 - - [03/May/2021 20:34:39] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'5cd90d67-9201-4f2a-abcc-08e9a11bd83d': 'msg8'}
127.0.0.1 - - [03/May/2021 20:34:52] "←[37mPOST /log HTTP/1.1←[0m" 200 -
127.0.0.1 - - [03/May/2021 20:36:37] "←[37mGET /log HTTP/1.1←[0m" 200 -
Good luck!
(newvenv) D:\Родионов\2sem\lab2>logging-service\log_srv.py 5007
* Serving Flask app "log_srv" (lazy loading)
* Environment: production
  WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
* Debug mode: on
* Running on http://127.0.0.1:5007/ (Press CTRL+C to quit)
{'a86b3a6a-a978-4256-9977-183df595a40b': 'msg1'}
127.0.0.1 - - [03/May/2021 20:34:37] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'616a847e-b665-45fd-b268-c6f032966132': 'msq3'}
127.0.0.1 - - [03/May/2021 20:34:42] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'16635a13-9564-4a07-996c-e9b3e28f6806': 'msq4'}
127.0.0.1 - - [03/May/2021 20:34:44] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'b5292c17-d1a7-4454-8a3b-db947a62f5d6': 'msq5'}
127.0.0.1 - - [03/May/2021 20:34:46] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'e90d2def-d2f3-4bbd-aad2-bcf94487f8d1': 'msg10'}
127.0.0.1 - - [03/May/2021 20:34:57] "←[37mPOST /log HTTP/1.1←[0m" 200 -
127.0.0.1 - - [03/May/2021 20:36:50] "←[37mGET /log HTTP/1.1←[0m" 200 -
Good luck!
```

```
(с) Корпорація Майкрософт. Усі права захищені.
(newvenv) D:\Pодионов\2sem\lab2>messages-service\msg-srv.py 5003
 * Serving Flask app "msg-srv" (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Running on <a href="http://127.0.0.1:5003/">http://127.0.0.1:5003/</a> (Press CTRL+C to quit)
Connecting to RabbitMQ... Wait a while.
Connecting to RabbitMQ... Wait a while.
 [*] All done. Waiting for your messages. To exit press CTRL+C
 [x] Received 'msg1'
 [x] Received 'msq3'
 [x] Received 'msq5'
 [x] Received 'msq7'
 [x] Received 'msq9'
127.0.0.1 - - [03/May/2021 20:36:35] "←[37mGET / HTTP/1.1←[0m" 200 -
127.0.0.1 - - [03/May/2021 20:36:48] "+[37mGET / HTTP/1.1+[0m" 200 -
Good luck!
Microsoft Windows [Version 10.0.19043.964]
(с) Корпорація Майкрософт. Усі права захищені.
(newvenv) D:\Poдионов\2sem\lab2>messages-service\msg-srv.py 5004
RabbitMQ is already running
* Serving Flask app "msg-srv" (lazy loading)
* Environment: production
  WARNING: This is a development server. Do not use it in a production deployment.
  Use a production WSGI server instead.
* Debug mode: on
[*] All done. Waiting for your messages. To exit press CTRL+C
* Running on http://127.0.0.1:5004/ (Press CTRL+C to quit)
[x] Received 'msq2'
[x] Received 'msq4'
[x] Received 'msg6'
[x] Received 'msg8'
[x] Received 'msg10'
127.0.0.1 - - [03/May/2021 20:37:11] "←[37mGET / HTTP/1.1←[0m" 200 -
Good luck!
```