
## Вовчановський Павло, ФБ-01мн


https://github.com/vovchanovsky/dsd-12/tree/micro hazelcast

Через HTTP POST записати 10 повідомлень msg1-msg10 через facade-service


```
write.http
  Content-Type: application/json
     ###
7 ▶ \(\delta \text{POST http://localhost:5001/fascade_service}\)
     Content-Type: application/json
     ###
13 ▶ ⊨POST http://localhost:5001/fascade_service
     Content-Type: application/json
    ☆{"msq": "msq3"}
     ###
19 ▶ □POST http://localhost:5001/fascade_service
     Content-Type: application/json
    △{"msq": "msq4"}
     ###
Content-Type: application/json
```



Через HTTP GET з facade-service прочитати повідомлення



Вимкнути один/два екземпляри *logging-service* (разом з ним мають вимикатись й ноди Hazelcast) та перевірити чи зможемо прочитати повідомлення



```
▶ 🗉 😤 👯 🏲 🕀 🕂

→ III HTTP Request

                                          HTTP/1.0 200 OK
       ( Finished
                                          Content-Type: text/html; charset=utf-8
          ✓ All in write [passed: 11 of 11 tests]
                                         Content-Length: 69
                                          Server: Werkzeug/1.0.1 Python/3.6.8
==
                                          Date: Mon, 29 Mar 2021 10:57:23 GMT
                                          msg4,msg3,msg2,msg10,msg6,msg8,msg5,msg1,msg7,msg9<br/>Coming soon...
                                          Response code: 200 (OK); Time: 8168ms; Content length: 69 bytes
```

## Вміст консолі мікросервісів:

```
⋛ fascade
              e msg-srv
    D:\Родионов\2sem\lab2\newvenv\Scripts\python.exe D:/Родионов/2sem/lab2/fascade-service/fascade.py
     * Serving Flask app "fascade" (lazy loading)
4
    * Environment: production
⋾
       WARNING: This is a development server. Do not use it in a production deployment.
       Use a production WSGI server instead.
     * Debug mode: on
÷
    * Restarting with stat
î
    127.0.0.1 - - [29/Mar/2021 13:53:30] "POST /fascade_service HTTP/1.1" 200 -
    127.0.0.1 - - [29/Mar/2021 13:53:32] "POST /fascade_service HTTP/1.1" 200 -
    127.0.0.1 - - [29/Mar/2021 13:53:44] "POST /fascade_service HTTP/1.1" 200 -
Run: 🙀 msg-srv
        D:\Родионов\2sem\lab2\newvenv\Scripts\python.exe D:/Родионов/2sem/lab2/messages-service/msg-srv.py
¢
         * Serving Flask app "msg-srv" (lazy loading)
         * Environment: production
   ₽
          WARNING: This is a development server. Do not use it in a production deployment.
          Use a production WSGI server instead.
==
         * Debug mode: on
```

```
(newvenv) D:\Pодионов\2sem\lab2>python logging-service\log_srv.py 5005
 * Serving Flask app "log_srv" (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 859-827-778
 * Running on http://127.0.0.1:5005/ (Press CTRL+C to quit)
{'83395a5e-031f-4ee7-b8b3-c5518436eeb7': 'msq5'}
127.0.0.1 - - [29/Mar/2021 13:53:34] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'c1cfb42b-db35-4dfa-9aeb-d3681857655f': 'msq6'}
127.0.0.1 - - [29/Mar/2021 13:53:36] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'a106649c-3c41-4831-9925-f08d7cf2ede3': 'msq7'}
127.0.0.1 - - [29/Mar/2021 13:53:38] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'267e8b84-afc1-44c8-9fa7-74f6e3a3dfd4': 'msg10'}
127.0.0.1 - - [29/Mar/2021 13:53:44] "←[37mPOST /log HTTP/1.1←[0m" 200 -
Good luck!
Good luck!
(newvenv) D:\Родионов\2sem\lab2>python logging-service\log_srv.py 5006
 * Serving Flask app "log_srv" (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 859-827-778
 * Running on http://127.0.0.1:5006/ (Press CTRL+C to quit)
{'1a858f9f-3eeb-4ac0-b7a6-4444c671ed52': 'msg1'}
127.0.0.1 - - [29/Mar/2021 13:53:25] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'4f44d0bf-0db1-4da6-9d5c-5174189b25f5': 'msg2'}
127.0.0.1 - - [29/Mar/2021 13:53:27] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'ab45b5fe-bd3a-4cbe-a8b3-425e2dd0e1d0': 'msg3'}
127.0.0.1 - - [29/Mar/2021 13:53:30] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'0303f958-695a-4ea8-91f8-fca43772f13e': 'msg4'}
127.0.0.1 - - [29/Mar/2021 13:53:32] "←[37mPOST /log HTTP/1.1←[0m" 200 -
{'df54dfb7-435e-4805-a341-f2221cac97e6': 'msg8'}
127.0.0.1 - - [29/Mar/2021 13:53:40] "←[37mPOST /log HTTP/1.1←[0m" 200 -
127.0.0.1 - - [29/Mar/2021 13:57:21] "←[37mGET /log HTTP/1.1←[0m" 200 -
```

```
(newvenv) D:\Poдионов\2sem\lab2>python logging-service\log_srv.py 5007
* Serving Flask app "log_srv" (lazy loading)
* Environment: production
    WARNING: This is a development server. Do not use it in a production deployment.
    Use a production WSGI server instead.
* Debug mode: on
* Restarting with stat
* Debugger is active!
* Debugger PIN: 859-827-778
* Running on <a href="http://127.0.0.1:5007/">http://127.0.0.1:5007/</a> (Press CTRL+C to quit)
{'a2accae3-8b20-4e1b-b323-2b199531d79c': 'msg9'}
127.0.0.1 - - [29/Mar/2021 13:53:42] "+[37mPOST /log HTTP/1.1+[0m" 200 -
127.0.0.1 - - [29/Mar/2021 13:54:06] "+[37mGET /log HTTP/1.1+[0m" 200 -
Good luck!
Good luck!
```