

FacadeBot

B CCα>C\$>CDAD\$2Câ ?Câ @C 7C\$QD BD´2C =C,,N CÔ0 Ubuntu Server

Aô>C´=C O Cô>D,,0C4>C\$0Dò 8CÔAD\$@D4:Dd8Dò A Cα>CÄ0CÔ4C <C, 8 CÔ0D BD >C":C <C€

B,,0C48 1–20 | Nginx, PostgreSQL, PM2, SSL, Telegram Webhook

B >CD5D 6C =C,,5

- > 1. Aô>CD:C´NDt5CÔ8CR : D 5D 2CT@D2 ?Câ 54€
- > 2. Aâ1CÔ>C\$;CT=C,,5 D 8D BCT<D°
- > 3. B4AD\$0CÔ>C\$:C æöFP.js 24
- > 4. B4AD\$0CÔ>C\$:C ç Ð
- > 5. B4AD\$0CÔ>C\$:C 8 CÔ0D BD >C":C ostgreSQL
- > 6. B4AD\$0CÔ>C\$:C æv–ç€
- > 7. B4AD\$0CÔ>C\$:C Ó
- > 8. At0C4@D47Cα0 Cô@Cä5CαBC =C ACT@C\$5D
- > 9. AÔ0D BD >C":C DC 9C´0 .env (D\$>Cα5CÔK, Cô0D >C´8,186AÔ0D BD >C":C @CT3C,,>CÔ0C´LCÔKDR <CT=CT4Cd5D >C
- > 10. B4AD\$0CÔ>C\$:C 7C 2C,,AC,,<CäAD\$5C•
- > 11. Aô@C,,<CT=CT=C,,5 D ECT<D² 1C 7D² 4C =CÔKDP
- > 12. B 1Cä@Cα0 Cô@Cä5CαBC
- > 13. AÔ0D BD >C":C Ó" r 7C ?D4ACϕ ?D 8C´>Cd5CÔ8Dð
- > 14. AÔ0D BD >C":C æv–ç, :C : Cä1D 0D\$=Cä3Câ ?D >CαAC€
- > 15. AÔ0D BD >C":C 54Â A Let's Encrypt
- > 16. B 5C48D BD 0Dd8Dò 2CT1DTCCα0 Telegram
- > 17. AÔ0D BD >C":C @CT:C\$8Ct8D\$>C" 4C´O D GCTBCä2
- > 18. AÔ0D BD >C":C @CT3C,,>CÔ0C´LCÔKDR <CT=CT4Cd5D >C
- > 19. Aô@Cä2CT@Cα0 D 0C >D\$K D 8D BCT<D°
- > 20. A\$>Ct<Cä6CÔKCR ?D >C ;CT<D² 8 D 5D,,5CÔ8Dð

B\$@CT1Cä2C =C,,O C¢ ACT@C\$5D C

Aô0D 0CÄ5D\$@	B\$@CT1Cä2C =C,,5
Aä!	Ubuntu 22.04 LTS C,,;C, V untu 24.04 LTS
CPU	1 vCPU (D 5C¤>CÄ5CÔ4D45D\$ADò " d5 R•
RAM	1 GB CÄ8CÔ8CÄCCÂ „,@CT:Cä<CT=CDCTBD O 2 GB)
AD8D :	20 GB SSD
AD>CÄ5CÔ=Cä5 C,,<Dð	Aä1Dô7C BCT;DÄ=Câ r Telegram D\$@CT1D45D" ...EE 2 4C´O webhook
AäBC¤@D´BD´5 Cò>D BD°	80 (HTTP), 443 (HTTPS), 22 (SSH)

Telegram Cò>CD4CT@Cd8C\$0CTB webhook B\$ A´,A¤ Cò> HTTPS. A 5Cr 4Cä<CT=C 8 SSL-D 5D BC,,DC,,;C BC 1CäB D

1 Aô>CD:C´NDt5CÔ8CR : D 5D 2CT@D2 ?Câ 54€

AäBC¤@Cä9D\$5 D\$5D <C,,=C ; CÔ0 C\$0D,,5CÂ :Cä<CôLDäBCT@CR 8 C\$KCô>C´=C,,BCR :Cä<C =CDC:

```
$ bash
ssh root@A$ B...ô• ô AD AT!
```

ATAC´8 C,,ACô>C´LCtCCTBCR 54,Ô:C´NDr 2CÄ5D BCâ ?C @Cä;Dó

```
$ bash
ssh -i ~/.ssh/C$0D...ô:C´NDrç VÔ V untu@A$ B...ô• ô AD AT!
```

'B 5C¤>CÄ5CÔ4D45D\$ADò ACä7CD0D\$L CäBCD5C´LCÔ>C4> Cò>C´LCt>C\$0D\$5C´O CD;Dò 1CT7Cä?C ACÔ>D BCf ad

2 Aä1CÔ>C\$;CT=C,,5 D 8D BCT<D°

Aä1CÔ>C\$8D\$5 D ?C,,ACä: Cô0C¤5D\$>C" 8 D4AD\$0CÔ>C\$8D\$5 D 8D BCT<CÔKCR 7C 2C,,AC,,<CäAD\$8:

```
$ bash
apt update && apt upgrade -y
apt install -y git curl wget unzip build-essential
```

3 B4AD\$0CÔ>C\$:C æöFP.js 24

```
$ bash
curl -fsSL https://deb.nodesource.com/setup_24.x | bash -
apt install -y nodejs

# Aô@Cä2CT@Cð0 D4AD$0CÔ>C$:Cf
node --version # Aä6C,,4C 5D$ADó v24.x.x
npm --version # Aä6C,,4C 5D$ADó 10.x.x C,,;C, 2D'HCP
```

4 B4AD\$0CÔ>C\$:C ç Đ

pnpm — CÄ5CÔ5CD6CT@ Cð0Cð5D\$>C"Â 8D ?Cä;DÄ7D45CÄKC' 2 Cð@Cä5CðBCS

```
$ bash
npm install -g pnpm
pnpm --version # Aä6C,,4C 5D$ADó 9.x.x C,,;C, 2D'HCP
```

5 B4AD\$0CÔ>C\$:C 8 CÔ0D BD >C":C ostgreSQL

5.1 B4AD\$0CÔ>C\$:C ostgreSQL

```
$ bash
apt install -y postgresql postgresql-contrib
systemctl enable postgresql
systemctl start postgresql
systemctl status postgresql # AD>C'6CÔ> Cð>Cð0Ct0D$L: active (running)
```

5.2 B >Ct4C =C,,5 C 0CtK CD0CÔ=D'E C, ?Cä;DÄ7Cä2C BCT;Dđ

Aô5D 5DT>CD8CÄ 2 Cä1Cä;CäGCðC PostgreSQL:

```
$ bash
sudo -u postgres psql
```

A\$KCô>C'=C,,BCR 2CÔCD\$@C, 7 Â ,,7C <CT=C,,BCR A (_Aô B A', CÔ0 D 2Cä9):

```
$ bash
CREATE USER facadebot WITH PASSWORD 'A$ B...ô A @ AÔ+A•ô A Aä BÂs°
CREATE DATABASE facadebot_db OWNER facadebot;
GRANT ALL PRIVILEGES ON DATABASE facadebot_db TO facadebot;
\q
```

Aô@Cä2CT@Cð0 Cð>CD:C'NDt5CÔ8Dó

```
$ bash
psql -U facadebot -d facadebot_db -h localhost -c 'SELECT 1;'
```

At0Cô>CÄ=C,,BCR ?C @Cä;DÄ r >CÔ ?Cä=C 4Cä1C,,BD O C" ?CT@CT<CT=CÔ>C' @ATABASE_URL C" DC 9C'5 .env.

6

B4AD\$0CÔ>C\$:C æv-ç€

\$ bash

apt install -y nginx

systemctl enable nginx

systemctl start nginx

Aô@Cä2CT@C=0: CäBC= @Cä9D\$5 http://A\$ B...ô• 2 C @C Cct5D 5 — CD>C´6CÔ0 C KD\$L D BD 0CÔ8Dd0 Nginx

7

B4AD\$0CÔ>C\$:C Ó" „<CT=CT4Cd5D ?D >Dd5D ACä2)

PM2 CD5D 6C„B Node.js-Cô@C„;Cä6CT=C„5 Ct0CôCD”5CÔ=D´< C, ?CT@CT7C ?D4AC=0CTB CT3Câ ?D 8 D

\$ bash

npm install -g pm2

pm2 --version # Aä6C„4C 5D\$ADó 5.x.x C„;C, 2D´HCP

8

At0C4@D47C=0 CÔ@Cä5C=BC =C ACT@C\$5D

A\$0D 8C =D" : Dt5D 5Cr v—B „@CT:Cä<CT=CDCTBD O)

\$ bash

cd /var/www

git clone https://github.com/A\$ B...ô A= A #AÔ"/facadebot.git

cd facadebot

A\$0D 8C =D" : Dt5D 5Cr sync (D 2C HCT3Câ :Cä<CôLDäBCT@C •

A\$KCô>C´=Dô5D\$ADò =C A (AT C= >CÄ?DÄND\$5D 5, CÔ5 CÔ0 D 5D 2CT@CS

\$ bash

rsync -avz --exclude='node_modules' --exclude='dist' \

--exclude='.local' --exclude='.git' \

/CôCD\$L/Côô?D >CT:D\$C/ root@A\$ B...ô• ¢÷`ar/www/facadebot/

'B41CT4C„BCTADÂ GD\$> C\$K CÔ0DT>CD8D\$5D L C" ÷`ar/www/facadebot/ Cô5D 5CB AC´5CD CDäIC„<C, HC 3C <C,à

9

AÔ0D BD >C":C DC 9C´0 Cô5D 5CÄ5CÔ=D´E Cä:D CCd5CÔ8Dò ,æVàv)

B >Ct4C 9D\$5 DD0C"; .env C" :Cä@CÔ5 CÔ@Cä5C=BC à A" =E < DT@C =DôBD O A\$!AR ACT:D 5D\$=D´5 C

\$ bash

cd /var/www/facadebot

nano .env

[illegible]

B\$0C ;C,,FC 2D 5DR ?CT@CT<CT=CÔKDR >C¤@D46CT=C,,O

A05D 5CÄ5CÔ=C O	Aä?C,,AC =C,,5	A0@C,,<CT@ Ct=C GCT=C,,O
<i>DATABASE_URL</i>	A0>CD:C´NDt5CÔ8CR : PostgreSQL	postgresql:// user:pass@localhost/dh abc123...xyz (min 32 chars)
<i>SESSION_SECRET</i>	B,,8DD@Cä2C =C,,5 D 5D AC,,9 (32+ D 8CÄ2Cä;C •	
<i>TELEGRAM_BOT_TOKEN</i>	B\$>C=5CÔ 1CäBC >D" &÷D`ather	1234567890:AAH...
<i>TELEGRAM_WEBHOOK_SECRET</i>	At0D"8D\$0 webhook (CÔ5Cä1Dô7C BCT;DÄ=Cä•	C´NC 0DòÔAD\$@Cä:C
<i>SMTP_HOST</i>	SMTP-D 5D 2CT@ C0>DtBD°	smtp.yandex.ru / smtp@gmail.com
<i>SMTP_PORT</i>	A0>D B SMTP	465 (SSL) C,,;C, Sfr ...DÄ2•
<i>SMTP_SECURE</i>	true CD;Dò CcRÄ `alse CD;Dò Sfp	true / false
<i>SMTP_USER</i>	Email CD;Dò >D\$?D 0C\$:C, ?C,,ACT<	bot@company.ru
<i>SMTP_PASS</i>	A00D >C´L C0>DtBCä2Cä3Cä OD"8C=0	C00D >C´L C0@C,,;Cä6CT=C,,O
<i>SMTP_FROM</i>	AäBCä1D 0Cd0CT<D´9 CäBCô@C 2C,,BCT;DÄ	FacadeBot <bot@company.ru>

AD;Dò /CÔ4CT:D CăGD\$K: C\$:C'NDt8D\$5 IMAp C" =C AD\$@Că9C=0DR OD"8C=0 C, ACă7CD0C"BCR ' C @Că;DÂ ?D 8

10

B4AD\$0CÔ>C\$:C 7C 2C,,AC,,<CäAD\$5C' ?D >CT:D\$0

\$ bash

cd /var/www/facadebot

pnpm install

Aô@CäFCTAD 7C =C,,<C 5D" Ó2 <C,,=D4BD²à Aô>D ;CR 7C 2CT@D,,5CÔ8Dó

Done. Installed ... packages in ...

11

Aô@C,,<CT=CT=C,,5 D ECT<D² 1C 7D² 4C =CÔKDP

B >Ct4C 9D\$5 C\$ACR BC 1C´8DdK C" ostgreSQL:

\$ bash

pnpm --filter @workspace/db run push

ATAC´8 CTAD\$L C¤>CÔDC´8C¤BD² r ?D 8CÔCCD8D\$5C´LCÔ0Dò AC,,=DT@Cä=C,,7C FC,,O:

pnpm --filter @workspace/db run push-force

'A CCDCD" ACä7CD0CÔK D\$0C ;C,,FD³ D 5C48Cä=D²Â ?D >C,,7C\$>CD8D\$5C´8, C¤>C´;CT:Dd8C,Â 4CT:Cä@D²Â ?D 0C"Ä

12

B 1Cä@C¤0 Cô@Cä5C¤BC

B :Cä<Cô8C´8D CC"BCR TypeScript C, ACä1CT@C,,BCR 2D 5 Dt0D BC, ?D 8C´>Cd5CÔ8Dó

\$ bash

pnpm --filter @workspace/api-server run build

pnpm --filter @workspace/admin-panel run build

B 5CtCC´LD\$0D" AC >D :Cf

•

ar

tif

a

ct

s/

a

pi

-s

er

v

er

/d

ist

/

—

D :Că<Cô8C´8D >C\$0CÔ=D´9

A

PI

-D 5D 2CT@

•

ar

tif

a

ct

s/

a

d

m

in

-p

a

n

el

/d

ist

/

—

D BC BC,,GCTAC¤8CR DC 9C´K

Cô0CÔ5C´8 C 4CÄ8CÔ8D BD 0D\$>D 0

13

AÔ0D BD >C”:C Ó" r 7C ?D4AC¢ ?D 8C´>Cd5CÔ8Dď

13.1 B >Ct4C =C,,5 C¤>CÔDC,,3D4@C FC,,8 PM2

```
$ bash
```

```
nano /var/www/facadebot/ecosystem.config.cjs
```

B >CD5D 6C,,<Că5 DD0C”;C

```
$ bash
require('dotenv').config({ path: '/var/www/facadebot/.env' });

module.exports = {
  apps: [{
    name: 'facadebot-api',
    cwd: '/var/www/facadebot/artifacts/api-server',
    script: 'node',
    args: '--enable-source-maps ./dist/index.mjs',
    env: {
      NODE_ENV: 'production',
      PORT: '8080',
      DATABASE_URL: process.env.DATABASE_URL,
      SESSION_SECRET: process.env.SESSION_SECRET,
      TELEGRAM_BOT_TOKEN: process.env.TELEGRAM_BOT_TOKEN,
      TELEGRAM_WEBHOOK_SECRET: process.env.TELEGRAM_WEBHOOK_SECRET,
      SMTP_HOST: process.env.SMTP_HOST,
      SMTP_PORT: process.env.SMTP_PORT,
      SMTP_SECURE: process.env.SMTP_SECURE,
      SMTP_USER: process.env.SMTP_USER,
      SMTP_PASS: process.env.SMTP_PASS,
      SMTP_FROM: process.env.SMTP_FROM,
    },
    instances: 1,
    autorestart: true,
    watch: false,
    max_memory_restart: '512M',
  }],
};
```

13.2 B4AD\$0CÔ>C\$:C F÷FVàv CD;Dò Ó

```
$ bash
npm install -g dotenv
```

13.3 At0CôCD : API-D 5D 2CT@C

```
$ bash
cd /var/www/facadebot
pm2 start ecosystem.config.cjs
pm2 save          # B >DT@C =Dô5D" ACô8D >C¢ ?D >Dd5D ACâ2
pm2 startup       # A$KC$>CD8D" :Câ<C =CDC CD;Dò 0C$BCä7C ?D4AC=0

# B :Cä?C,,@D49D$5 C, 2D´?Cä;CÔ8D$5 C= >CÄ0CÔ4D2Â :CäBCä@D4N C$KC$5CD5D" Ó" 7F tup
# Aä=C 1D44CTB CÔ0Dt8CÔ0D$LD O D sudo env PATH=...
```

13.4 Aô@Cä2CT@C=0

```
$ bash
pm2 status      # AD>C´6CT= Cô>C=0Ct0D$L facadebot-api: online
pm2 logs facadebot-api # Aô@CäACÄ>D$@ C´>C4>C" „7G I+C CD;Dò 2D´ECä4C •
```


14

A00D BD >C":C æv-ç, :C : Cä1D 0D\$=Cä3Câ ?D >C¤AC€

14.1 B >Ct4C =C,,5 C¤>CÔDC,,3D4@C FC,,8 (Ct0CÄ5CÔ8D\$5 example.com CÔ0 C\$0D, 4Cä<CT=

```
$ bash
nano /etc/nginx/sites-available/facadebot
```

B >CD5D 6C,,<Cä5 DD0C";C

```
$ bash
server {
    listen 80;
    server_name example.com www.example.com;

    # A 4CÄ8CÔ8D BD 0D$8C$=C O CÔ0CÔ5C`L (D BC BC,,GCTAC¤8CR DC 9C`K React)
    location / {
        root /var/www/facadebot/artifacts/admin-panel/dist;
        try_files $uri $uri/ /index.html;
        add_header Cache-Control 'no-store, no-cache';
    }

    # API-D 5D 2CT@ Node.js
    location /api/ {
        proxy_pass http://127.0.0.1:8080;
        proxy_http_version 1.1;
        proxy_set_header Host $host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-Proto $scheme;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        client_max_body_size 50M;
    }
}
```

14.2 A :D\$8C\$0Dd8Dò :Cä=DD8C4CD 0Dd8C€

```
$ bash
ln -s /etc/nginx/sites-available/facadebot /etc/nginx/sites-enabled/
nginx -t          # Aô@Cä2CT@C¤0: CD>C`6CÔ> C KDL 'syntax is ok'
systemctl reload nginx
```

15

A00D BD >C":C 54Â A Let's Encrypt

15.1 B4AD\$0CÔ>C\$:C 6W tbot

```
$ bash
apt install -y certbot python3-certbot-nginx
```

15.2 Aô>C`CDt5CÔ8CR ACT@D\$8DD8C¤0D\$0 (Ct0CÄ5CÔ8D\$5 CD>CÄ5CÔ 8 email)

```
$ bash
certbot --nginx -d example.com -d www.example.com \
--email admin@example.com --agree-tos --no-eff-email
```

Certbot C 2D\$>CÄ0D\$8Dt5D :C, >C =Cä2C,,B Cα>CÔDC,,3D4@C FC,,N Nginx CD;Dò ...EE 0.

15.3 Aô@Cä2CT@Cα0 C 2D\$>Cä1CÔ>C\$;CT=C,,O D 5D BC,,DC,,:C BC

```
$ bash
certbot renew --dry-run
# Aä6C,,4C 5D$ADó 'Congratulations, all simulated renewals succeeded'
```

'B 5D BC,,DC,,:C B CD5C"AD\$2D45D" " 4CÔ5C'à Certbot Cä1CÔ>C\$;Dô5D" 5C4> C 2D\$>CÄ0D\$8Dt5D :C, :C 6CDKCR c 4

16 B 5C48D BD 0Dd8Dò 2CT1DTCCα0 Telegram

Aô>D ;CR =C AD\$@Cä9Cα8 SSL CäBCα@Cä9D\$5 Cô0CÔ5C´L C 4CÄ8CÔ8D BD 0D\$>D 0 C" 1D 0D47CT@C
https://example.com !' D 0Ct4CT; «Telegram-C >D+2 „?CäAC´5CD=C,,9 CôCCÔ:D" <CT=Dâ•
A" ?Cä;CR μU\$Â 2CT1DTCCα0» C\$2CT4C,,BCS

```
$ bash
https://example.com/api/bot/webhook
```

AÔ0Cd<C,,BCR ´ C @CT3C,,AD\$@C,,@Cä2C BDÂ 2CT1DTCC«²Â 7C BCT< «Aô@Cä2CT@C,,BDÂ AD\$0D\$CD ²à
A" >D\$2CTBCR 4Cä;Cd5CÒ 1D´BDÂ 2C,,4CT= URL C\$0D,,5C4> C\$5C ED4:C 8 CD0D\$0 Cô>D ;CT4CÔ5C4> Cä1CÔ>

8ATAC´8 C\$5C ED4: CÔ5 D 5C48D BD 8D CCTBD O: Cô@Cä2CT@DÄBCR TELEGRAM_BOT_TOKEN C" æVàv C, CC 5CD

17 AÔ0D BD >C":C @CT:C\$8Ct8D\$>C" 4C´O D GCTBCä2

Aô5D 5C"4C,,BCR 2 D 0Ct4CT; «B 5Cα2C,,7C,,BD»² †‡GG 3ΦòöPxample.com/invoice-settings)
At0Cô>C´=C,,BCS

- AÔ0C,,<CT=Cä2C =C,,5 Cä@C40CÔ8Ct0Dd8C,Â
A,, AÔÂ
Aα AòÂ ND 8CD8Dt5D :C,,9 C 4D 5D
- B\$5C´5DD>CÒ 8
e
m
ail
Cä@C40CÔ8Ct0Dd8C€
- AÔ0C,,<CT=Cä2C =C,,5 C 0CÔ:C Â
D 0D GE BCÔKC' AdtQD"Â

A A¢Â :Cä@D 5D ?Cä=CD5CÔBD :C,,9 D GE B

•

Aô@CTDC,,D =D4<CT@C FC,,8

D GCTBCä2:

B '-,

BD B ÔÂ

A,, A"Ò

(C\$0D, 2D´1Cä@)

'Aô@C, ACÄ5CÔ5 C 0CÔ:C r ?D >D BCâ >C =Cä2C,,BCR @CT:C\$8Ct8D\$K Ct4CTADÂà A\$ACR =Cä2D´5 D GCTBC 0C\$B

18

AÔ0D BD >C":C @CT3C,,>CÔ>C" 8 CÄ5CÔ5CD6CT@Cä2

B 0Ct4CT; «B 5C48Cä=D»² †‡GG 3¢òöPxample.com/regions)

•

AD>C 0C\$LD\$5 D 5C48Cä=D³

AÄ>D :Cä2D :C O Cä1C´0D BDÂÂ

Bd\$AâÂ 'CT@CÔ>Ct5CÄLCR

C, B.CBà

•

AD;Dò :C 6CD>C4> D 5C48Cä=C

D4:C 6C,,BCR P

m

ail

CÄ5CÔ5CD6CT@C

•

AÔ0 DÔBCäB

e

m

ail

C CCDCD" ?D 8DT>CD8D\$L

Ct0C¤0CtK D

E

xc

el

-C ;C =C¤>CÂ 8

D GE BCä< CÔ0 Cä?C´0D\$C

At0D\$5CÂ 7C ?Cä;CÔ8D\$5 C¤0D\$0C´>C2 ,, D >C,,7C\$>CD8D\$5C´8 !' A¤>C´;CT:Dd8C, " CT:Cä@D²' 8 Cô@C 9D 2 D

19

Aô@Cä2CT@C¤0 D 0C >D\$K D 8D BCT<D°

Bt5C¤;C,,AD" 7C ?D4AC¤0

•

& B 0C"B

CäBC¤@D´2C 5D\$ADò ?Câ

H

T

T

P
S:
h
tt
p
s:
//
e
x
a
m
pl
e.
c
o
m
•

& Aô0CÔ5C´L
C 4CÄ8CÔ8D BD 0D\$>D 0 Ct0C4@D46C 5D\$ADò 1CT7 CăHC,,1Că:

•
& A\$5C ED4:
Ct0D 5C48D BD 8D >C\$0CÒ „@C 7CD5C²
T
el
e
gr
a
m
-C >D" "
Aô@Că2CT@C,,BDÂ AD\$0D\$CD •

•
& A >D"
CăBC\$5Dt0CTB CÔ0
Cᵝ>CÄ0CÔ4D2 ö
st
ar
t C"
T
el
e
gr
a
m
•

& B\$5D BCă2D´9
Ct0Cᵝ0Cr ACă7CD0E BD O,
C" T
el
e
gr
a
m
Cô@C,,ECă4DôB C ;C =C¢
+ D GE B

•
&
E
m
ail
CÄ5CÔ5CD6CT@D2 >D\$?D 0C\$;Dô5D\$ADò
D 4C\$CCÄO
E
xc
el
-C\$;Cä6CT=C,,OCÄ8
•
& B GE B
D :C GC,,2C 5D\$ADò 8Cr @C 7CD5C´0
At0C¬0CtK C" ?C =CT;C, 0CD<C,,=C,,AD\$@C BCä@C

A¬>CÄ0CÔ4D² CCô@C 2C´5CÔ8Dò AC,,AD\$5CÄ>C•

```
$ bash
pm2 status          # B BC BD4A C$ACTE Cò@CäFCTAD >C
pm2 logs facadebot-api --lines 100 # Aô>D ;CT4CÔ8CR  AD$@Cä: C´>C4>C
pm2 restart facadebot-api    # Aô5D 5Ct0CôCD : API

# Aä1CÔ>C$;CT=C,,5 Cò@Cä5C¬BC 8Cr v—C
cd /var/www/facadebot && git pull
pnpm install
pnpm --filter @workspace/api-server run build
pnpm --filter @workspace/admin-panel run build
pm2 restart facadebot-api

# Aô@Cä2CT@C¬0 nginx:
nginx -t && systemctl reload nginx

# Aô@Cä2CT@C¬0 PostgreSQL:
systemctl status postgresql
```

20

A\$>Ct<Cä6CÔKCR ?D >C ;CT<D² 8 D 5D,,5CÔ8Dď

Aô@Cä1C´5CÄ0	Aô@C,,GC,,=C 8 D 5D,,5CÔ8CP
A >D" =CR >D\$2CTGC 5D" 2 Telegram	Aô@Cä2CT@DÄBCS pm2 status (CD>C´6CT= C KD\$L online). Webhook Ct0D 5C48D BD 8D >C\$0C
AäHC,,1C¬0 502 Bad Gateway	API-D 5D 2CT@ CÔ5 Ct0CôCD"5CÒà A\$KCô>C´=C,,BCS pm2 start ecosystem.config.cjs
AäHC,,1C¬0 Cô>CD:C´NDt5CÔ8Dò : A	Aô@Cä2CT@DÄBCR @ATABASE_URL C" æVäv. B41CT4C,,BCTADÄ systemctl status postgresql
Aô8D LCÄ0 CÔ5 CäBCô@C 2C´ODäBD	Aô@Cä2CT@DÄBCR 4ÔE ò¢ =C AD\$@Cä9C¬8. Gmail/Bô=CD5C¬A D\$@CT1D4ND" ?C @Cä;DÄ
Webhook error 401	TELEGRAM_WEBHOOK_SECRET C" æVäv CÔ5 D >C\$?C 4C 5D" A Ct0D 5C48D BD 8D >C\$0CÔ>
SSL D 5D BC,,DC,,C B CÔ5 Cô>C´CDt8D\$	ND>CÄ5CÔ 4Cä;Cd5CÔ CC¬0CtKC\$0D\$L CÔ0 IP D 5D 2CT@C „Dä2 Ô7C ?C,,ADÄ'à Aô>D B 80
B\$0C ;C,,FD² AB =CR ACä7CD0CÔK	A\$KCô>C´=C,,BCS pnpm --filter @workspace/db run push-force
B BC BC,,C C @	B41CT4C,,BCTADÄ GD\$> CôCD\$L C" æv—ç, CC¬0CtKC\$0CTB CÔ0 artifacts/admin-panel/dist/ C, A

B BD CC▯BD4@C 2C 6CÔKDR DC 9C´>C" =C ACT@C\$5D 5

AôCD\$L C¢ DC 9C´C	BtBCâ =C AD\$@C 8C\$0D\$L
/var/www/facadebot/.env	A\$!AR ACT:D 5D\$K: D\$>C▯5CÒ 1CäBC Â ?C @Cä;C, ABÂ 4ÖE Ô=C AD\$@Cä9C▯8
/var/www/facadebot/ecosystem.config.cjs	A▯>CÔDC,,3D4@C FC,,O PM2 — Cô5D 5CÄ5CÔ=D´5 D @CT4D² 4C´O Node.js
/etc/nginx/sites-available/facadebot	Nginx: CD>CÄ5CÔÂ ?D4BDÂ : D BC BC,,:CRÂ ?D >C▯AC, =C •
artifacts/api-server/dist/	B :Cä<Cô8C´8D >C\$0CÔ=D´9 API-D 5D 2CT@ (CÔ5 D 5CD0C▯BC,,@Cä2C BDÂ•
artifacts/admin-panel/dist/	B >C @C =CÔ0Dò ?C =CT;DÂ 0CD<C,,=C,,AD\$@C BCä@C ,,=CR @CT4C :D\$8D >C\$

⚡\$ Ad Aă BD0C"; .env D >CD5D 6C,,B C\$ACR ACT:D 5D\$=D´5 CD0CÔ=D´5. AÔ8C▯>C44C =CR 4Că1C 2C´OC"BCR 5C4>

