(a) Cue-driven memory activation



activate(cue)

● write path · experience() ● read path · activate(cue)

(b) Agent brain directory

`manifest.json`	
`hippocampus/`	`engram segments`
`graph/`	`synapse edges`
`recall_index.sqlite`	
`  FTS5 + vector blobs`	
`*.wal`	`→ checkpoint()`

↓ **stores engram units**

(c) Engram (logical unit)

`content`	
`.`	
`context`	
`.`	
`outcome`	
`provenance`	`kind, verified`
`rag`	`doc_id, chunk_id`
`semantic_vector`	`optional embedding`
`graph wiring`	`co-activation edges`

↓ **upsert to sidecar**

(d) Recall sidecar

FTS5 lexical seeds + HNSW semantic seeds

(e) Write: experience()

1. separation gate
2. encode episode
3. wire graph synapses
4. upsert recall sidecar

(f) Read: activate(cue)

1. lexical + semantic seed
2. graph spread (0–4 hops)
3. fuse FTS5 + vector scores
4. provenance boost → rank

(g) Third data model

Relational
· Typed rows
· Predicate match
· No graph

Vector DB
· ANN top-k
· Embedding index
· No provenance

FluctlightDB
· Engram + graph
· Hybrid FTS5+HNSW
· Agent contract