

CODING

-----QUIZ-----

```
import mysql.connector as con

print("***50,WELCOME", "***50)

mydb=con.connect(host="localhost",user="root",password="123",database="Quizz")

mycur=mydb.cursor()

'''mycur.execute("create database Quizz")

print("created")

mycur.execute("create table easylevel(questionnumber int,question varchar(100),optionA varchar(50),optionB
varchar(50),optionC varchar(50),correctoption varchar(50),wrongquestion varchar(100),wrongoptionA
varchar(50),wrongoptionB varchar(50),wrongoptionC varchar(50),wrongcrtoption varchar(50))")

print(" easy table created")

mycur.execute("create table mediumlevel(questionnumber int,question varchar(100),optionA varchar(50),optionB
varchar(50),optionC varchar(50),correctoption varchar(50),wrongquestion varchar(100),wrongoptionA
varchar(50),wrongoptionB varchar(50),wrongoptionC varchar(50),wrongcrtoption varchar(50))")

print(" medium table created")

mycur.execute("create table hardlevel(questionnumber int,question varchar(100),optionA varchar(50),optionB
varchar(50),optionC varchar(50),correctoption varchar(50),wrongquestion varchar(100),wrongoptionA
varchar(50),wrongoptionB varchar(50),wrongoptionC varchar(50),wrongcrtoption varchar(50))")

print(" hard table created")

def level():

    while True:

        a=int(input("enter question number"))

        b=input("enter question")

        c=input("enter optionA")

        d=input("enter optionB")

        e=input("enter optionC")

        f=input("enter correct option")

        g=input("another question")
```

```

h=input("optionA")

i=input("optionB")

j=input("optionC")

k=input("crt answer")

l="insert into easylevel values({},'{}','{}','{}','{}','{}','{}','{}','{}','{}').format(a,b,c,d,e,f,g,h,i,j,k)

mycur.execute(l)

mydb.commit()

ans=input("enter continue or not")

if ans in 'Nn':

    break

```

while True:

```

m=int(input("enter question number"))

n=input("enter question")

o=input("enter optionA")

p=input("enter optionB")

q=input("enter optionC")

r=input("enter correct option")

s=input("another question")

t=input("optionA")

u=input("optionB")

v=input("optionC")

w=input("crt answer")

x="insert into mediumlevel values({},'{}','{}','{}','{}','{}','{}','{}','{}','{}').format(m,n,o,p,q,r,s,t,u,v,w)

mycur.execute(x)

mydb.commit()

ans=input("enter continue or not")

if ans in 'Nn':

    break

```

```
while True:
```

```
    y=int(input("enter question number"))
```

```
    z=input("enter question")
```

```
    ab=input("enter optionA")
```

```
    ac=input("enter optionB")
```

```
    ad=input("enter optionC")
```

```
    ae=input("enter correct option")
```

```
    af=input("another question")
```

```
    ag=input("optionA")
```

```
    ah=input("optionB")
```

```
    ai=input("optionC")
```

```
    aj=input("crt answer")
```

```
    ak="insert into hardlevel values({},'{}','{}','{}','{}','{}','{}','{}','{}','{}','{}').format(y,z,ab,ac,ad,ae,af,ag,ah,ai,aj)
```

```
    mycur.execute(ak)
```

```
    mydb.commit()
```

```
    ans=input("enter continue or not")
```

```
    if ans in 'Nn':
```

```
        break
```

```
level()'''
```

```
#to select admin or player
```

```
def choice():
```

```
    while True:
```

```
        print("select\n1.ADMIN\n2.PLAYER\n3.EXIT")
```

```
        ch=int(input("enter your choice"))
```

```
        if ch==1:
```

```
            print("""*35,"YOU ARE ADMIN NOW", ""*35)
```

```
            print("select your option\n1.ADD\n2.MODIFY\n3.DELETE")
```

```

jo=int(input("enter your option"))

if jo==1:

    print("YOU CAN ADD QUESTIONS NOW")

    print("select level to add questions\n1.EASY\n2.MEDIUM\n3.HARD")

    cg=int(input("enter choice"))

    if cg==1:

        print("add questions to easy level")

        while True:

            qa="select * from easylevel"

            mycur.execute(qa)

            re=mycur.fetchall()

            a=(re[-1][-11]+1)

            print("question number",a)

            b=input("enter question")

            c=input("enter optionA")

            d=input("enter optionB")

            e=input("enter optionC")

            f=input("enter correct option")

            g=input("another question")

            h=input("optionA")

            i=input("optionB")

            j=input("optionC")

            k=input("correct answer")

            l="insert into easylevel values({},'{}','{}','{}','{}','{}','{}','{}','{}','{}','{}').format(a,b,c,d,e,f,g,h,i,j,k)"

            mycur.execute(l)

            mydb.commit()

            ans=input("enter continue or not")

            if ans in 'Nn':

                break

```

```

elif cg==2:

    print("add questions to medium level")

    while True:

        qa="select * from mediumlevel"

        mycur.execute(qa)

        re=mycur.fetchall()

        a=(re[-1][-11]+1)

        print("question number",a)

        b=input("enter question")

        c=input("enter optionA")

        d=input("enter optionB")

        e=input("enter optionC")

        f=input("enter correct option")

        g=input("another question")

        h=input("optionA")

        i=input("optionB")

        j=input("optionC")

        k=input("correct answer")

        l="insert into mediumlevel values({},'{}','{}','{}','{}','{}','{}','{}','{}','{}','{}')".format(a,b,c,d,e,f,g,h,i,j,k)

        mycur.execute(l)

        mydb.commit()

        ans=input("enter continue or not")

        if ans in 'Nn':

            break

elif cg==3:

    print("you can add questions to hardlevel")

    while True:

        qa="select * from hardlevel"

        mycur.execute(qa)

```

```

re=mycur.fetchall()

a=(re[-1][-11]+1)

print("question number",a)

b=input("enter question")

c=input("enter optionA")

d=input("enter optionB")

e=input("enter optionC")

f=input("enter correct option")

g=input("another question")

h=input("optionA")

i=input("optionB")

j=input("optionC")

k=input("correct answer")

l="insert into hardlevel values({},'{}','{}','{}','{}','{}','{}','{}','{}','{}','{}')".format(a,b,c,d,e,f,g,h,i,j,k)

mycur.execute(l)

mydb.commit()

ans=input("enter continue or not")

if ans in 'Nn':

    break

else:

    print("invalid option")

elif jo==2:

    print("YOU CAN MODIFY QUESTIONS NOW")

    print("select\n1.EASY\n2.MEDIUM\n3.HARD")

    vb=int(input("enter your choice"))

    if vb==1:

        print("modify questions on easy level")

        qw=int(input("enter question number to modify"))

```

```

b=input("enter question")

c=input("enter optionA")

d=input("enter optionB")

e=input("enter optionC")

f=input("enter correct option")

g=input("another question")

h=input("optionA")

i=input("optionB")

j=input("optionC")

k=input("correct answer")

qt="update easylevel set
question='{',optionA='{',optionB='{',optionC='{',correctoption='{',wrongquestion='{',wrongoptionA='{',wrongoptionB='{',w
rongoptionC='{',wrongcrtoption='{', where questionnumber={}'.format(b,c,d,e,f,g,h,i,j,k,qw)

mycur.execute(qt)

mydb.commit()

print("UPDATED")

elif vb==2:

    print("modify questions on medium level")

    qw=int(input("enter question number to modify"))

    b=input("enter question")

    c=input("enter optionA")

    d=input("enter optionB")

    e=input("enter optionC")

    f=input("enter correct option")

    g=input("another question")

    h=input("optionA")

    i=input("optionB")

    j=input("optionC")

    k=input("correct answer")

```

```
qt="update medumlevel set
question='{',optionA='{',optionB='{',optionC='{',correctoption='{',wrongquestion='{',wrongoptionA='{',wrongoptionB='{',w
rongoptionC='{',wrongcrtopton='{ where questionnumber={}'.format(b,c,d,e,f,g,h,i,j,k,qw)
```

```
mycur.execute(qt)
```

```
mydb.commit()
```

```
print("UPDATED")
```

```
elif vb==3:
```

```
print("modify questions on hard level")
```

```
qw=int(input("enter queston number to modify"))
```

```
b=input("enter question")
```

```
c=input("enter optionA")
```

```
d=input("enter optionB")
```

```
e=input("enter optionC")
```

```
f=input("enter correct option")
```

```
g=input("another question")
```

```
h=input("optionA")
```

```
i=input("optionB")
```

```
j=input("optionC")
```

```
k=input("correct answer")
```

```
qt="update hardlevel set
question='{',optionA='{',optionB='{',optionC='{',correctoption='{',wrongquestion='{',wrongoptionA='{',wrongoptionB='{',w
rongoptionC='{',wrongcrtopton='{ where questionnumber={}'.format(b,c,d,e,f,g,h,i,j,k,qw)
```

```
mycur.execute(qt)
```

```
mydb.commit()
```

```
print("UPDATED")
```

```
else:
```

```
print("invalid option")
```

```
elif jo==3:
```



```
print("YOU CAN DELETE QUESTIONS NOW")

print("select level to delete\n1.EASY\n2.MEDIUM/n3.HARD")

po=int(input("enter level to delete"))

if po==1:

    print("delete questions from easy level")

    tu=int(input("enter question number to delete"))

    ty="delete from easylevel where questionnumber={}".format(tu)

    mycur.execute(ty)

    mydb.commit()

    print("DELETED")

elif po==2:

    print("delete questions from medium level")

    tu=int(input("enter question number to delete"))

    ty="delete from mediumlevel where questionnumber={}".format(tu)

    mycur.execute(ty)

    mydb.commit()

    print("DELETED")

elif po==3:

    print("delete questions from hard level")

    tu=int(input("enter question number to delete"))

    ty="delete from hardlevel where questionnumber={}".format(tu)

    mycur.execute(ty)

    mydb.commit()

    print("DELETED")

else:

    print("invalid option")
```

```

else:

    print("invalid option")

if ch==2:

    print("***35,\"YOU ARE PLAYER NOW\", \"***35)

    print("score for first correct answer is 2\n", "score for second correct chance is 1")

    print("select\n1.EASY\n2.MEDIUM\n3.HARD")

    al=int(input("enter your level"))

    if al==1:

        count=0

        print("EASY LEVEL")

        am="select * from easylevel"

        mycur.execute(am)

        ann=mycur.fetchall()

        wrong=0

        for an in ann:

            print("QUESTION IS",an[1],"\nOPTION A",an[2],"\nOPTION B",an[3],"\nOPTION C",an[4])

            ao=input("enter your option")

            if ao==an[5]:

                print("CORRECT")

                count=count+2

                print("\t\t\t", "score is",count)

            elif ao!=an[5]:

                print("WRONG")

                print("one more chance\n", "QUESTION IS",an[6],"\nOPTION A",an[7],"\nOPTION B",an[8],"\nOPTION C",an[9])

                ap=input("enter your option")

                if ap==an[10]:

                    print("CORRECT")

                    wrong=wrong+1

                    print("\t\t\t", "second chance score is",wrong)

```

```

else:

    print("wrong\n chance over")


print("CONGRATULATIONS\n", "TOTAL SCORE IS", count+wrong)


elif al==2:

    print("MEDIUM LEVEL")

    count=0

    aq="select * from mediumlevel"

    mycur.execute(aq)

    ar=mycur.fetchall()

    for at in ar:

        print("QUESTION IS",at[1],"\nOPTION A",at[2],"\nOPTION B",at[3],"\nOPTION C",at[4])

        au=input("enter your option")

        if au==at[5]:

            print("CORRECT")

            count=count+2

            print("\t\t\t", "score is", count)

        elif au!=at[5]:

            wrong=0

            print("WRONG")

            print("one more chance\n", "QUESTION IS",at[6],"\nOPTION A",at[7],"\nOPTION B",at[8],"\nOPTION C",at[9])

            av=input("enter your option")

            if av==at[10]:

                print("CORRECT")

                wrong=wrong+1

                print("\t\t\t", "second chance score is", wrong)

            else:

                print("wrong")

```

```

print("CONGRATULATIONS\n", "TOTAL SCORE IS", count+wrong)

elif al==3:

    print("HARD LEVEL")

    count=0

    aw="select * from hardlevel"

    mycur.execute(aw)

    ax=mycur.fetchall()

    for ay in ax:

        print("QUESTION IS", ay[1], "\nOPTION A", ay[2], "\nOPTION B", ay[3], "\nOPTION C", ay[4])

        az=input("enter your option")

        if az==ay[5]:

            print("CORRECT")

            count=count+2

            print("\t\t\t", "score is", count)

        elif az!=ay[5]:

            wrong=0

            print("WRONG")

            print("one more chance\n", "QUESTION IS", ay[6], "\nOPTION A", ay[7], "\nOPTION B", ay[8], "\nOPTION C", ay[9])

            ba=input("enter your option")

            if ba==ay[10]:

                print("CORRECT")

                wrong=wrong+1

                print("\t\t\t", "second chance score is", wrong)

            else:

                print("wrong")

        print("CONGRATULATIONS\n", "TOTAL SCORE IS", count+wrong)

    else:

```

```
        print("invalid option")

    print("DO YOU WANT TO PLAY AGAIN")

    uvv=input("enter continue or not")

    if uvv in "nN":

        break

    elif ch==3:

        print("EXIT")

    else:

        print("invalid option")

choice()
```

notes

Database:quiz

Table:easylevel,mediumlevel,hardlevel

quiz