

Bid Solicitation 3120003350

Questions and Answers:

These questions are in reference to Attachment I - Cost Proposal Sheet, Section 1.

Vendor Question 1.

Are we able to change what is listed under Base Model column?

For example, Vendor does not have an Aerial Platform 0-85' but we may want to provide base model pricing for two sizes under Platform 86' +.

State Answer: The Cost Proposal document has been revised and updated and has been added to the RFP labeled as Attachment I – Cost Proposal Sheet (Revised). Not all boxes in yellow must be completed. Additionally, additional boxes have been added to allow for additional models that may be unique to each Offeror.

Vendor Question 2.

Another example is Tanker – Vendor would like to provide base model pricing for a custom and commercial tanker and list them as such.

State Answer: The Cost Proposal document has been revised and updated and has been added to the RFP labeled as Attachment I – Cost Proposal Sheet (Revised). The revised Cost Proposal document now contains two additional boxes to enter in an Offeror's base models if they slightly differ from what is currently listed. It is important to note that it is the average discount in the category that will be used for scoring and awarding purposes.

Vendor Question 3.

- Attachment I – cost
- a. Section 1 Tab
 - i. Can the Base Model section be modified?

State Answer: The Cost Proposal document has been revised and updated to provide additional options and has been added to the RFP labeled as Attachment I – Cost Proposal Sheet (Revised)

Vendor Question 4.

1a. Can substitutions or changes be made to the base Model List in the section 1 of Cost Proposal?

State Answer: No changes or substitutions can be made to the spreadsheet. The revised Cost Proposal document now contains two additional boxes to enter in an Offeror's base models if they slightly differ from what is currently listed. It is important to note that it is the average discount in the category that will be used for scoring and awarding purposes

2a. Can we provide more than one submission of base model pricing for a Base Model category?

State Answer: The revised Cost Proposal document now contains two additional boxes to enter in an Offeror's base models if they slightly differ from what is currently listed. It is important to note that it is the average discount in the category that will be used for scoring and awarding purposes.

These questions are in reference to Attachment I – Cost Proposal Sheet, Section 2

Vendor Question 1.

Section 2 of Attachment I request that for each category an Offeror is seeking an award should submit an MSRP catalog price list for all its base models it seeks to offer under a potential contract.

Fire Apparatus are uniquely created for each fire department. Manufacturers do not have catalogs for trucks. Are you looking for a minimum requirement quote for each model category to serve as the catalog price list OR a price list with different models that show the NASPO discount?

State Answer: Regarding the MSRP catalog requirement in Section 2 of the Attachment I, manufactures may provide base model pricing utilizing stock or program models. While the State understands that Fire Apparatus are uniquely crafted and specialized, the State is looking for general base pricing before customization or application of discount, understanding that these will NOT be the final costs when it is quoted and/or built. Having a general understanding of the costs at the start promotes transparency for government purchasing.

Vendor Question 2.

Each truck is custom built for a customer so there really aren't any so called "base models". For Attachment I, is a price list with a % off MSRP by truck type acceptable or are specific truck quotes required for each model?

State Answer: Regarding the MSRP catalog requirement in Section 2 of the Attachment I, manufactures may provide base model pricing utilizing stock or program models. For Section 2, a price list by truck type is acceptable as the catalog submission. The discounts stated in Section 1 would then apply to the catalog and the trucks that fall within each category. For example, if Offeror is responding to Category 1 Aerial and they list 5% discount on all Aerial models, then within the catalog that is uploaded for Section 2, all apparatus that are considered "Aerial" would be required to have a 5% discount applied to it when an order is created. It is not required that the catalog itself has the discounts applied to the document itself. This is for transparency to the end user/purchaser as the discount will be applied when an order is made.

Vendor Question 3.

b. Section 2 Tab

i. MSRP price – please note – Fire trucks are all 100% custom, so we do not have a normal commodity type product with a normal commodity type list price. It should be clearly stated, if we provide a "base model price as starting point" that it is a "non-customized base model price" which will be comprised with the most standard options. Based on what each vendor builds as a non-customized specification/configuration – prices can vary significantly.

State Answer: The State understands that Fire Apparatus are highly customized. Offerors may provide non customized base model pricing or baseline configurations utilizing standard options, stock or program models.

Vendor Question 4.

ii. Row 4 in Section 2 Tab: The cost of initial operator and maintenance training shall be included in the base apparatus price – WE CANNOT INCLUDE OPERATOR AND MAINTENANCE TRAINING in our base cost – the base cost "non-customized" base cost is the apparatus only.

State Answer: As stated in Section 2, Line 4, the cost of initial operator and maintenance training shall be included in the submitted base apparatus price.

These questions are in reference to Attachment I – Cost Proposal Sheet – Section 3

Question 1.

How can we predict inflation or what a CAP in pricing will be. AGAIN – our “base model pricing” is not the sell price, since every truck is 100% customized and we cannot know what configuration, the customer will want.

State Answer: The intent of this request is not to require Offerors to predict exact inflation or final sell pricing. Rather, Offerors are being asked to provide the maximum annual percentage increase they may request on their submitted base MSRP catalog pricing during the contract term. This percentage will be used for evaluation and scoring purposes and will establish the maximum increase the Lead State will consider for future MSRP base model updates under the awarded contract.

These questions are in reference to solicitation documents and forms.

1. Please confirm if the forms in the solicitation are to be fillable forms.

State Answer: Word versions of the applicable documents were added to the RFP in MAGIC and websites accordingly for fillable access.

2. CONFIRM – should we be referencing the solicitation forms here in MAGIC portal or the official source for RFP information as noted in the overview.

State Answer: All documents are the same on the websites and in MAGIC.

3. Please provide an SOP of how to use the MAGIC portal.

State Answer: This document was an addition to the RFP as the Supplier Self Service Instructions document

Vendor Question:

I know we provide price for each apparatus we want to submit, do you want complete specifications and drawings or just a price for that specific unit with discount?

State Answer: NO, we are only requesting a price for the specific unit as a base model. You can also provide the price with the discount if you prefer.

For the bid response – do we have to submit all at once or once certain Attachments are complete, can we submit at that time, then do one final?

State Answer: Yes, you have to submit at one time. However, as you complete the documents, you can attach completed documents in MAGIC and SAVE your changes until you are ready to SUBMIT your response in MAGIC. (Refer to your Supplier Self Service guidelines)

If you are sending your response via USPS mail, please send the completed response in one envelope as one submission.

Can the due date be extended?

State Answer: An extended deadline is not currently anticipated.