WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 04-Feb-2020
GLOBAL

KEY:
- ON TRACK - Actual value better than obj
- POSSIBILE - objective is achievable
- UNLIKELY - it is improbable to make objective

Regional Breakdown

		3 MIS R/1000						3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		GLIDEPATH	ACTUAL	OBJECTIVE	B(W) Obj	RUN RATE	
F90-NA - NORTH AMERICA	18%	78.4	116.1	90.2	(29%)	82.0	±8.2	33.5	52.0	34.2	(52%)	28.5	±2.9
F92-SA - SOUTH AMERICA	23%	12.5	15.7	15.3	(3%)	14.8	±1.5	2.5	3.2	3.2	0%	3.2	±0.3
F93-EU - EUROPE	30%	31.1	36.6	50.0	27%	58.3	±5.8	7.5	8.8	11.4	23%	13.0	±1.3
F98-CN - CHINA	16%	14.1	13.6	16.8	19%	20.0	±2.0	4.4	5.0	4.7	(6%)	4.4	±0.4
F99-IM - INTERNATIONAL MARKET	12%	27.0	24.4	22.0	(11%)	19.6	±2.0	12.9	12.1	7.3	(66%)	2.5	±0.2
F05-F05 - NA LINCOLN TOTAL	1%	224.6	282.9	300.0	6%	306.8	±30.7	112.7	130.6	83.8	(56%)	65.2	±6.5

Top 25 Vehicles Lines At Risk (Sorted by Contribution Volume)

		3 MIS R/1000							3 MIS CPU					
		GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
BL - KA-B562 (SA CAMACARI)	▲	11.1	14.5	12.6	(15%)	10.8	±1.1	▲	2.2	2.9	2.1	(38%)	1.3	±0.1
A4 - FOCUS (EU-SAARLOUIS)	▲	45.1	58.7	51.4	(14%)	46.2	±4.6	▲	11.9	14.0	10.0	(40%)	7.2	±0.7
U2 - EXPLORER (NA-CAP)	▲	194.2	223.3	134.6	(66%)	75.5	±7.6	▲	84.6	99.6	47.5	(110%)	12.8	±1.3
BY - ECOSPORT (SA-CAMACARI)	●	17.4	18.4	19.9	8%	25.2	±2.5	●	3.8	3.9	4.5	13%	6.5	±0.7
BB - FIESTA (EU-COLOGNE)	●	26.8	24.8	30.5	19%	34.0	±3.4	●	5.4	4.3	6.0	29%	7.1	±0.7
DB - FUSION CD391 (LESS HYBRID) (NA-HSA	●	15.4	17.0	17.8	4%	18.2	±1.8	●	6.6	7.0	8.3	16%	9.1	±0.9
D2 - ESCORT (C490)(CN-CHONGQING III)	▲	9.0	10.3	6.9	(48%)	3.6	±0.4	▲	1.1	1.5	1.4	(2%)	1.4	±0.1
AI - KUGA (EU-VALENCIA)	●	25.5	17.9	36.1	50%	47.6	±4.8	●	6.7	5.2	11.9	56%	16.2	±1.6
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	10.2	16.0	36%	21.8	±2.2	●	0.0	2.4	3.9	38%	5.4	±0.5
AX - FOCUS (CN-CHONGQING II)	●	15.5	15.9	17.4	8%	18.9	±1.9	▲	9.1	11.6	6.0	(94%)	0.4	±0.0
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	38.9	40.5	37.0	(10%)	34.3	±3.4	▲	10.7	12.8	10.7	(20%)	9.1	±0.9
K3 - RANGER (IM-RAYONG-AAT)	●	15.1	12.5	12.8	2%	13.1	±1.3	▲	6.9	5.6	4.5	(24%)	3.4	±0.3
ED - ECOSPORT (IM-CHENNAI)	●	10.0	10.5	12.0	12%	13.5	±1.3	●	1.4	1.4	1.5	7%	1.6	±0.2
M3 - ESCAPE (NA-LOUISVILLE)	▲	72.6	68.6	55.2	(24%)	50.0	±5.0	▲	23.3	22.4	20.0	(12%)	19.1	±1.9
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	27.9	23.6	25.8	9%	28.1	±2.8	●	4.8	3.9	5.5	29%	7.1	±0.7
HG - EDGE (CD539)(CN-HANGZHOU)	●	14.1	8.6	14.7	41%	20.8	±2.1	●	3.6	1.6	4.0	61%	6.5	±0.6
E9 - FIGO (B562)(IM-SANAND)	●	11.2	13.9	16.0	13%	18.1	±1.8	●	0.7	0.8	1.6	53%	2.4	±0.2
KR - RANGER (IM-RAYONG-FTM)	●	49.5	26.9	28.5	6%	30.1	±3.0	●	31.5	13.1	14.8	12%	16.5	±1.7
R2 - RANGER (SA-PACHECO)	▲	19.1	19.7	18.2	(8%)	16.1	±1.6	●	2.8	3.4	5.2	35%	7.7	±0.8
BG - TRANSIT COURIER (B460)(EU-YENIKOY	●	15.8	14.4	22.4	36%	28.5	±2.9	●	2.1	2.4	5.1	53%	7.2	±0.7
TK - TRANSIT (V362)(CN-NANCHANG)	▲	9.7	16.8	16.0	(5%)	15.2	±1.5	◆	0.7	4.9	3.0	(66%)	1.0	±0.1
K7 - RANGER (IM-SILVERTON)	◆	70.0	84.5	45.6	(85%)	6.8	±0.7	◆	36.1	51.0	15.6	(227%)	(19.8)	±2.0
TF - TRANSIT (EU-KOCAELI)	◆	45.9	42.8	28.1	(52%)	14.9	±1.5	●	8.6	8.2	8.8	7%	9.4	±0.9
D4 - FOCUS (CN-TAIWAN)	▲	18.6	27.7	22.7	(22%)	17.7	±1.8	◆	6.5	13.6	6.5	(110%)	(0.6)	±0.1
T9 - TRANSIT CONNECT (EU-VALENCIA)	▲	25.7	29.7	25.0	(18%)	22.3	±2.2	●	7.0	7.2	7.7	7%	8.0	±0.8

Top 25 Assembly Plants At Risk (Sorted by Contribution Volume)

		3 MIS R/1000							3 MIS CPU					
		GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
A7 - CAMACARI PLANT BUILD	▲	12.1	15.4	13.9	(11%)	12.1	±1.2	▲	2.4	3.2	2.5	(25%)	1.8	±0.2
AT - SAARLOUIS PLANT BUILD	▲	45.1	58.7	51.4	(14%)	46.2	±4.6	▲	11.9	14.0	10.0	(40%)	7.2	±0.7
AD - CHICAGO PLANT BUILD	▲	220.6	246.5	147.9	(67%)	80.5	±8.0	▲	101.2	111.1	59.1	(88%)	23.5	±2.3
A3 - HERMOSILLO ASSY PLANT	●	19.2	19.0	20.8	9%	21.9	±2.2	●	8.5	8.1	9.4	14%	10.1	±1.0
AY - VALENCIA (SPAIN) PLANT BUILD	●	27.0	23.3	33.1	30%	39.2	±3.9	●	7.7	7.0	10.9	36%	13.3	±1.3
BE - COLOGNE PLANT BUILD	●	26.8	24.8	30.5	19%	34.0	±3.4	●	5.4	4.3	6.0	29%	7.1	±0.7
DD - JMC XIAOLAN, NANCHANG, CHINA	●	10.7	13.8	17.2	20%	20.6	±2.1	▲	3.0	4.1	4.1	(0%)	4.1	±0.4
C3 - CHONGQING III PLT BLD CHINA	▲	10.3	10.3	8.5	(21%)	6.7	±0.7	●	1.3	1.5	1.7	12%	1.8	±0.2
BX - KOCAELI PLANT BUILD	▲	42.0	41.2	33.1	(25%)	26.3	±2.6	▲	9.8	11.3	9.9	(14%)	8.7	±0.9
DZ - AAT- RAYONG ASSEMBLY PLT-LS	●	45.1	15.3	16.1	5%	17.0	±1.7	▲	11.9	6.8	5.0	(35%)	3.2	±0.3
B6 - CHONGQING II PLT BLD CHINA	●	20.2	15.9	21.7	27%	27.4	±2.7	▲	9.8	10.6	7.5	(42%)	4.4	±0.4
BU - CHENNAI (INDIA) PLANT BUILD	●	64.5	11.8	14.0	16%	16.2	±1.6	◆	21.4	6.1	2.2	(174%)	(1.6)	±0.2
AN - LOUISVILLE PLANT BUILD	▲	64.5	83.2	62.5	(33%)	55.5	±5.5	▲	21.4	28.6	22.5	(27%)	20.4	±2.0
DE - HANGZHOU ASSY PLANT	●	19.7	8.7	20.0	57%	31.3	±3.1	●	5.7	2.1	5.8	64%	9.5	±0.9
B3 - CRAIOVA (ROMANIA) PLANT BUILD	●	12.1	23.7	29.6	20%	31.6	±3.2	●	2.1	3.8	7.2	47%	8.3	±0.8
C8 - SANAND INDIA ASSY PLANT BUILD	●	64.5	13.9	16.0	13%	18.1	±1.8	●	21.4	0.8	1.6	53%	2.4	±0.2
B7 - FTM THAILAND ASY PLANT	●	64.5	26.9	28.5	6%	30.1	±3.0	●	21.4	13.1	14.8	12%	16.5	±1.7
BK - PACHECO ASSEMBLY PLANT	▲	19.1	19.7	18.2	(8%)	16.1	±1.6	●	2.8	3.4	5.2	35%	7.7	±0.8
BL - TAIWAN BAO ASSY PLANT	▲	17.4	25.8	21.7	(19%)	17.6	±1.8	◆	5.7	11.8	5.8	(105%)	(0.3)	±0.0
BQ - SILVERTON(S.AFRICA)PLANT BLD	◆	62.5	91.7	46.4	(97%)	1.2	±0.1	◆	24.6	55.4	15.6	(256%)	(24.3)	±2.4
C6 - YENIKOY ASSEMBLY PLANT	●	15.8	14.4	22.4	36%	28.5	±2.9	●	2.1	2.4	5.1	53%	7.2	±0.7
CL - FLATROCK ASSEMBLY PLANT - USA	●	59.1	33.6	64.3	48%	74.8	±7.5	●	29.6	25.6	31.3	18%	33.2	±3.3
C5 - ELABUGA PLANT	●	64.5	14.1	17.8	21%	21.5	±2.1	●	21.4	2.4	4.8	50%	7.2	±0.7
CY - CY-CHONGQING PLANT BUILD CHINA	●	11.9	8.7	9.7	10%	10.6	±1.1	●	1.2	0.9	1.8	49%	2.7	±0.3
BS - HAIDUONG ASSEMBLY PLT(VIETNAM)	▲	67.5	21.7	18.9	(15%)	16.0	±1.6	●	26.2	6.2	7.3	15%	8.4	±0.8

Functions Making Objectives Cross Region (By VL)

	3 MIS R/1000					3 MIS CPU				
Function	**NA**	**SA**	**EU**	**CN**	**IM**	**NA**	**SA**	**EU**	**CN**	**IM**
F1 - CONNECTED VEHICLE	2	0	1	1	0	3	0	1	1	0
F2 - CHASSIS	8	0	10	7	4	10	1	9	5	4
F3 - ELECTRICAL	10	1	8	9	7	10	1	9	9	7
F4 - POWERTRAIN	7	0	3	5	5	7	3	5	4	5
F5 - VEHICLE ENGINEERING	5	0	7	0	3	4	0	5	0	0
F6 - PAINT	6	1	6	1	2	6	0	7	0	2
F7 - BODY INTERIOR	8	3	7	8	3	7	3	8	7	6
F8 - BODY EXTERIOR	6	3	8	6	7	6	1	5	7	8
F9 - OTHERS	0	0	0	0	0	0	0	0	0	0

Top 15 VFG making objective cross region (Based on VL)										
	3 MIS R/1000					3 MIS CPU				
VFG	NA	SA	EU	CN	IM	NA	SA	EU	CN	IM
V17 - ELECTRICAL ACCESSORIES FUNCTION	10	3	5	5	4	7	3	9	3	6
V18 - WIRING & EDS COMPONENTS	10	2	8	3	4	10	2	9	5	2
V44 - BASE ENGINE MALFUNCTION	6	1	5	3	5	9	3	4	6	9
V19 - ELECTRICAL POWER	8	2	6	5	4	7	2	7	5	4
V75 - EXTERIOR TRIM & BUMPER FUNCTION	9	1	4	4	2	11	0	9	4	5
V83 - INSTRUMENTATION FUNCTION	8	2	7	1	2	9	3	10	4	3
V79 - CLIMATE CONTROL FUNCTION	7	2	6	4	3	7	2	7	2	8
V21 - BRAKING	8	0	7	4	4	9	1	8	2	4
V71 - I.P. & CONSOLE FUNCTION	z	2	8	3	2	10	1	7	2	1
V80 - SYNC AND CONNECTED SERVICES	9	0	9	2	3	7	0	10	2	1
V29 - CHECK ENGINE LIGHT	10	2	0	5	2	8	2	4	6	3
V45 - ENGINE COOLING	5	2	8	2	1	7	1	8	4	2
V31 - SHEET METAL FUNCTION	8	1	5	0	5	7	2	4	1	5
V07 - LATCHING & SECURITY	5	2	5	3	5	6	2	4	2	3
V74 - HARD TRIM/SOFT TRIM/OVERHEAD SYSTEM	5	2	6	3	2	5	2	6	3	2

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES:	AWS CUTOFF	Feb-2020	GLIDEPATH:	February 4, 2020
	OBJECTIVES:	February 4, 2020	RUN DATE:	February 4, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 04-Feb-2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F90 - NA - NORTH AMERICA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	18%	78.4	116.1	90.2	(29%)	82.0	±8.2		33.5	52.0	34.2	(52%)	28.5	±2.9
F92 - SA - SOUTH AMERICA	23%	12.5	15.7	15.3	(3%)	14.8	±1.5		2.5	3.2	3.2	0%	3.2	±0.3
F93 - EU - EUROPE	30%	31.1	36.6	50.0	27%	58.3	±5.8		7.5	8.8	11.4	23%	13.0	±1.3
F98 - CN - CHINA	16%	14.1	13.6	16.8	19%	20.0	±2.0		4.4	5.0	4.7	(6%)	4.4	±0.4
F99 - IM - INTERNATIONAL MARKET	12%	27.0	24.4	22.0	(11%)	19.6	±2.0		12.9	12.1	7.3	(66%)	2.5	±0.2
F05 - F05 - NA LINCOLN TOTAL	1%	224.6	282.9	300.0	6%	306.8	±30.7		112.7	130.6	83.8	(56%)	65.2	±6.5
Functional Breakdown														
F1 - CONNECTED VEHICLE			0.6	0.4	(47%)	0.3	±0.0			0.2	0.1	(11%)	0.1	±0.0
F2 - CHASSIS			5.2	4.3	(21%)	4.0	±0.4			2.1	1.7	(23%)	1.6	±0.2
F3 - ELECTRICAL			31.7	22.1	(43%)	19.1	±1.9			10.9	7.0	(56%)	5.7	±0.6
F4 - POWERTRAIN			31.1	11.4	(174%)	5.1	±0.5			22.4	8.6	(162%)	4.2	±0.4
F5 - VEHICLE ENGINEERING			1.7	1.9	12%	2.0	±0.2			0.2	0.2	14%	0.2	±0.0
F6 - PAINT			3.1	2.2	(40%)	1.9	±0.2			1.5	1.1	(44%)	0.9	±0.1
F7 - BODY INTERIOR			17.6	11.5	(53%)	9.6	±1.0			6.7	4.5	(49%)	3.8	±0.4
F8 - BODY EXTERIOR			25.1	16.2	(55%)	13.3	±1.3			8.0	5.0	(59%)	4.1	±0.4
F9 - OTHER			0.0	90.2	100%	119.0	±11.9			0.0	34.2	100%	45.1	±4.5
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	194.2	223.3	134.6	(66%)	75.5	±7.6	▲	84.6	99.6	47.5	(110%)	12.8	±1.3
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	15.4	17.0	17.8	4%	18.2	±1.8	●	6.6	7.0	8.3	16%	9.1	±0.9
M3 - ESCAPE (NA-LOUISVILLE)	▲	72.6	68.6	55.2	(24%)	50.0	±5.0	▲	23.3	22.4	20.0	(12%)	19.1	±1.9
DI - FUSION HYBRID CD391 (NA HSAP)	▲	24.7	25.4	21.8	(17%)	19.8	±2.0	●	12.0	9.3	9.7	4%	9.9	±1.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	539.8	506.8	275.0	(84%)	17.0	±1.7	▲	282.1	239.8	161.1	(49%)	73.5	±7.4
ZB - MUSTANG (S550) (NA)	●	50.2	28.9	53.3	46%	61.7	±6.2	●	22.6	16.3	22.6	28%	24.8	±2.5
U5 - EXPLORER POLICE INTERCEPTOR - U	●	122.5	123.0	123.5	0%	123.8	±12.4	▲	55.1	50.5	33.5	(51%)	22.2	±2.2
LM - LINCOLN CORSAIR (NA LOUISVILLE)	▲	68.7	180.6	166.1	(9%)	154.9	±15.5	▲	21.9	73.2	50.0	(46%)	32.2	±3.2
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	●	42.3	39.8	45.9	13%	49.1	±4.9	▲	18.0	22.5	20.1	(12%)	18.8	±1.9
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	54.0	28.7	70.9	60%	100.0	±10.0	▲	15.1	24.0	17.5	(37%)	13.1	±1.3
DN - FUSION INTERCEPTOR HYBRID (NA-H	●	0.0	3.8	20.9	82%	30.8	±3.1	●	0.0	1.7	8.6	80%	12.5	±1.3
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	50.8	24.2	65.4	63%	71.5	±7.2	●	23.5	8.2	26.9	69%	29.6	±3.0
TA - TRANSIT (NA-KCAP)	●	23.0	8.9	25.1	65%	27.4	±2.7	●	8.2	3.7	10.0	64%	10.9	±1.1
ZT - MUSTANG FP (S550)(NA)	●	117.2	100.0	136.0	26%	148.2	±14.8	▲	101.0	184.4	113.3	(63%)	89.1	±8.9
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	34.2	66.9	58.2	(15%)	57.0	±5.7	●	14.5	14.6	23.0	37%	24.2	±2.4
Q1 - EDGE (NA-OAKVILLE)	●	58.7	25.4	60.5	58%	71.6	±7.2	●	21.7	10.0	21.0	52%	24.4	±2.4
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	1.5	1.2	0.3	(244%)		±0.0	◆	0.5	0.3	0.1	(158%)	(0.0)	±0.0
DB - FUSION CD391 (LESS HYBRID) (NA-HS	◆	1.4	0.4	0.1	(242%)		±0.0	◆	0.2	0.1	0.0	(256%)	(0.0)	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	◆	0.6	0.3	0.1	(142%)	0.1	±0.0	◆	0.2	0.1	0.0	(228%)	0.0	±0.0
DI - FUSION HYBRID CD391 (NA HSAP)	◆	2.2	0.4	0.1	(145%)	0.0	±0.0	◆	0.9	0.2	0.0	(241%)	(0.0)	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	●	6.3	2.5	4.1	39%	5.9	±0.6	●	0.4	0.4	2.4	84%	4.7	±0.5
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	6.0	0.3	2.8	89%	4.8	±0.5	●	2.6	0.4	0.5	27%	0.7	±0.1
ZI - MKZ HYBRID CD533 (NA-HSAP)	◆	16.2	3.6	2.3	(56%)	1.4	±0.1	●	2.2	0.1	0.4	63%	0.5	±0.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	0.2	0.1	0.1	(30%)	0.1	±0.0	▲	0.1	0.0	0.0	(71%)	0.0	±0.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	0.5	0.8	0.2	(351%)	0.1	±0.0	◆	0.2	0.0	0.0	(31%)	0.0	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	19.1	7.5	6.4	(18%)	5.6	±0.6	▲	8.1	3.2	2.6	(23%)	2.2	±0.2
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	1.4	0.5	0.9	47%	1.1	±0.1	●	0.1	0.2	0.3	46%	0.3	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	▲	13.8	4.8	3.6	(33%)	3.1	±0.3	●	3.0	1.1	1.6	30%	1.8	±0.2
DI - FUSION HYBRID CD391 (NA HSAP)	▲	7.5	1.3	1.2	(5%)	1.2	±0.1	●	3.8	0.3	0.5	47%	0.7	±0.1
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	78.8	31.6	16.1	(96%)	(1.0)	±0.1	◆	46.7	13.4	9.6	(40%)	5.3	±0.5
ZB - MUSTANG (S550) (NA)	●	9.9	2.4	3.4	30%	3.7	±0.4	●	3.5	0.8	1.0	15%	1.0	±0.1
U5 - EXPLORER POLICE INTERCEPTOR - U	●	25.0	10.3	14.5	29%	17.3	±1.7	●	20.2	6.5	7.6	14%	8.3	±0.8
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	23.0	13.6	17.2	21%	20.0	±2.0	●	6.7	4.2	5.0	16%	5.6	±0.6
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)		5.3	0.0	2.6	100%	3.9	±0.4		1.4	0.0	0.7	100%	1.1	±0.1
ZI - MKZ HYBRID CD533 (NA-HSAP)	◆	14.5	3.6	0.5	(652%)	(1.7)	±0.2	◆	14.2	11.6	0.1	(11888%)	(7.9)	±0.8
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	9.9	1.7	6.1	72%	6.8	±0.7	●	3.4	0.6	2.1	71%	2.4	±0.2
TA - TRANSIT (NA-KCAP)	●	5.0	1.3	2.8	52%	3.0	±0.3	●	1.4	0.7	1.1	36%	1.1	±0.1
ZT - MUSTANG FP (S550)(NA)	●	50.4	6.2	7.2	13%	7.5	±0.7	▲	16.7	2.0	1.0	(108%)	0.6	±0.1
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	6.1	4.3	3.6	(21%)	3.5	±0.3	●	3.0	0.3	1.2	78%	1.3	±0.1
Q1 - EDGE (NA-OAKVILLE)	●	13.5	0.9	3.8	77%	4.7	±0.5	●	3.6	0.2	1.1	85%	1.4	±0.1
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	89.1	54.2	46.3	(17%)	41.1	±4.1	▲	30.2	18.5	14.7	(26%)	12.2	±1.2
DB - FUSION CD391 (LESS HYBRID) (NA-HS	▲	31.3	8.5	8.0	(5%)	7.8	±0.8	●	9.1	2.5	2.7	6%	2.8	±0.3
M3 - ESCAPE (NA-LOUISVILLE)	▲	72.0	20.5	20.1	(2%)	19.9	±2.0	●	16.2	5.5	5.6	2%	5.6	±0.6
DI - FUSION HYBRID CD391 (NA HSAP)	▲	42.3	10.6	8.8	(20%)	7.8	±0.8	▲	19.8	3.9	2.8	(38%)	2.2	±0.2
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	351.3	146.0	80.5	(81%)	7.7	±0.8	▲	154.2	64.0	37.8	(69%)	8.7	±0.9
ZB - MUSTANG (S550) (NA)	●	33.2	5.7	12.1	53%	14.2	±1.4	●	8.5	1.8	3.0	38%	3.4	±0.3
U5 - EXPLORER POLICE INTERCEPTOR - U	●	63.2	27.4	40.7	33%	49.5	±4.9	▲	24.4	9.9	7.6	(30%)	6.1	±0.6
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	34.5	45.7	59.7	23%	70.4	±7.0	●	(6.0)	15.1	16.6	9%	17.8	±1.8
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	▲	120.3	25.0	23.7	(6%)	22.9	±2.3	▲	34.1	13.5	6.9	(95%)	3.4	±0.3
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	83.6	10.6	27.0	61%	38.4	±3.8	●	29.2	4.0	5.3	24%	6.2	±0.6
DN - FUSION INTERCEPTOR HYBRID (NA-H	●	0.0	3.8	5.7	34%	6.8	±0.7	▲	0.0	1.7	1.7	(0%)	1.7	±0.2
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	24.6	5.3	17.5	70%	19.3	±1.9	●	8.4	2.0	5.8	65%	6.4	±0.6
TA - TRANSIT (NA-KCAP)	●	12.3	1.7	5.9	71%	6.5	±0.7	●	2.7	0.7	1.8	58%	1.9	±0.2
ZT - MUSTANG FP (S550)(NA)	●	49.6	9.1	10.9	16%	11.5	±1.2	●	19.2	2.6	3.6	28%	4.0	±0.4
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	●	43.5	21.1	29.8	29%	31.0	±3.1	●	17.7	3.6	7.0	49%	7.5	±0.8
Q1 - EDGE (NA-OAKVILLE)	●	38.7	9.9	17.2	43%	19.6	±2.0	●	12.5	3.4	4.8	28%	5.2	±0.5
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	82.4	68.1	11.6	(488%)	(26.0)	±2.6	◆	52.9	47.4	5.5	(759%)	(22.4)	±2.2
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	11.0	3.3	4.7	30%	5.5	±0.5	●	13.3	3.1	3.9	22%	4.4	±0.4
M3 - ESCAPE (NA-LOUISVILLE)	◆	47.5	15.9	7.1	(124%)	3.7	±0.4	▲	32.5	9.7	7.8	(23%)	7.1	±0.7
DI - FUSION HYBRID CD391 (NA HSAP)	●	47.9	6.6	7.0	5%	7.2	±0.7	●	25.5	1.5	4.7	69%	6.6	±0.7
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	(38.3)	57.5	12.5	(358%)	(37.5)	±3.7	◆	44.3	38.6	10.7	(261%)	(20.4)	±2.0
ZB - MUSTANG (S550) (NA)	●	32.6	8.7	11.4	24%	12.4	±1.2	●	29.9	10.0	11.4	12%	11.8	±1.2
U5 - EXPLORER POLICE INTERCEPTOR - U	◆	44.8	15.8	5.3	(196%)	(1.6)	±0.2	▲	12.5	6.2	4.1	(50%)	2.7	±0.3
LM - LINCOLN CORSAIR (NA LOUISVILLE)	▲	27.5	8.5	7.3	(17%)	6.3	±0.6	▲	24.6	8.5	5.4	(58%)	3.0	±0.3
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	26.4	6.7	14.7	54%	15.9	±1.6	●	22.2	3.8	10.8	65%	11.8	±1.2
TA - TRANSIT (NA-KCAP)	●	17.7	2.2	6.2	65%	6.7	±0.7	●	12.5	1.2	4.7	75%	5.2	±0.5
ZT - MUSTANG FP (S550)(NA)	●	107.8	25.3	46.6	46%	53.9	±5.4	▲	170.6	140.3	66.8	(110%)	41.7	±4.2
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	46.8	13.8	11.3	(22%)	10.9	±1.1	●	24.4	4.9	11.0	56%	11.9	±1.2
Q1 - EDGE (NA-OAKVILLE)	●	34.0	5.6	10.9	49%	12.6	±1.3	●	25.3	4.2	7.4	43%	8.4	±0.8

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	6.1	2.5	1.6	(50%)	1.1	±0.1	▲	0.7	0.3	0.2	(48%)	0.1	±0.0
DB - FUSION CD391 (LESS HYBRID) (NA-HS	▲	2.4	0.6	0.3	(81%)	0.2	±0.0	◆	0.2	0.1	0.0	(214%)	(0.0)	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	●	3.4	0.7	1.4	48%	1.7	±0.2	●	0.2	0.1	0.1	43%	0.1	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	19.2	8.3	7.9	(4%)	7.6	±0.8	●	1.7	0.8	0.9	17%	1.1	±0.1
ZB - MUSTANG (S550) (NA)	●	5.2	0.6	0.9	29%	1.0	±0.1	▲	0.5	0.1	0.0	(22%)	0.0	±0.0
U5 - EXPLORER POLICE INTERCEPTOR - U	▲	2.9	3.5	3.2	(9%)	3.0	±0.3	▲	0.3	0.3	0.2	(45%)	0.2	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	▲	12.1	4.5	3.5	(30%)	2.7	±0.3	▲	1.6	0.4	0.3	(31%)	0.2	±0.0
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	5.7	0.7	3.6	80%	4.0	±0.4	●	0.7	0.1	0.5	85%	0.5	±0.1
ZT - MUSTANG FP (S550)(NA)	●	27.7	3.7	6.6	44%	7.6	±0.8	▲	4.7	0.5	0.4	(29%)	0.3	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	5.4	0.1	1.3	91%	1.7	±0.2	●	0.7	0.0	0.1	92%	0.2	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	15.8	8.5	6.4	(33%)	5.0	±0.5	▲	11.1	3.8	3.0	(28%)	2.4	±0.2
DB - FUSION CD391 (LESS HYBRID) (NA-HS	◆	0.3	0.1	0.1	(33%)	0.1	±0.0	●	0.0	0.0	0.0	52%	0.1	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	●	1.6	0.4	0.5	25%	0.5	±0.1	▲	1.0	0.2	0.2	(3%)	0.2	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	▲	59.7	19.2	13.3	(45%)	6.7	±0.7	◆	32.0	11.9	7.6	(55%)	2.9	±0.3
ZB - MUSTANG (S550) (NA)	●	14.1	0.5	2.8	83%	3.6	±0.4	●	7.8	0.3	0.8	62%	0.9	±0.1
U5 - EXPLORER POLICE INTERCEPTOR - U	●	11.6	3.8	5.2	27%	6.1	±0.6	●	5.8	1.6	1.7	7%	1.8	±0.2
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	5.0	3.1	5.3	42%	7.0	±0.7	●	5.3	1.1	1.7	39%	2.2	±0.2
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	◆	2.0	1.1	0.2	(390%)	(0.2)	±0.0	◆	0.4	0.3	0.0	(1539%)	(0.1)	±0.0
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	3.2	0.3	1.5	80%	1.7	±0.2	●	1.7	0.1	0.8	85%	0.9	±0.1
TA - TRANSIT (NA-KCAP)	▲	1.2	1.0	0.7	(39%)	0.6	±0.1	▲	0.8	0.3	0.3	(2%)	0.3	±0.0
ZT - MUSTANG FP (S550)(NA)	▲	65.9	10.9	9.2	(18%)	8.6	±0.9	▲	42.8	17.3	7.7	(126%)	4.4	±0.4
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	1.4	0.9	0.1	(529%)	0.0	±0.0	◆	0.7	0.8	0.0	(2402%)	(0.1)	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	7.4	0.6	1.8	68%	2.1	±0.2	●	3.5	0.3	0.7	53%	0.8	±0.1
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	86.0	36.5	32.3	(13%)	29.5	±3.0	▲	36.4	13.3	13.2	(1%)	13.1	±1.3
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	5.5	1.5	1.6	5%	1.6	±0.2	●	1.3	0.4	0.7	47%	0.9	±0.1
M3 - ESCAPE (NA-LOUISVILLE)	▲	25.8	8.1	6.9	(17%)	6.5	±0.6	▲	5.5	2.6	2.2	(17%)	2.0	±0.2
DI - FUSION HYBRID CD391 (NA HSAP)	▲	3.2	2.2	1.7	(35%)	1.3	±0.1	▲	2.6	1.7	0.8	(116%)	0.3	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	260.6	93.5	66.4	(41%)	36.3	±3.6	▲	116.3	47.3	35.2	(34%)	21.8	±2.2
ZB - MUSTANG (S550) (NA)	●	25.9	4.8	9.3	49%	10.9	±1.1	●	9.7	1.5	3.5	58%	4.2	±0.4
U5 - EXPLORER POLICE INTERCEPTOR - U	●	25.3	17.2	18.4	7%	19.3	±1.9	▲	10.6	5.2	3.6	(44%)	2.5	±0.3
LM - LINCOLN CORSAIR (NA LOUISVILLE)	▲	28.2	37.4	28.6	(31%)	21.9	±2.2	▲	11.0	16.1	9.3	(74%)	4.0	±0.4
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	▲	7.1	4.3	3.0	(44%)	2.3	±0.2	▲	2.5	2.4	1.3	(87%)	0.7	±0.1
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	31.0	3.6	4.1	11%	4.4	±0.4	●	4.2	0.2	1.3	84%	2.0	±0.2
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	14.5	5.9	7.9	25%	8.2	±0.8	●	5.3	1.1	2.9	63%	3.1	±0.3
TA - TRANSIT (NA-KCAP)	●	10.2	2.0	2.5	21%	2.6	±0.3	●	3.6	0.7	1.0	32%	1.0	±0.1
ZT - MUSTANG FP (S550)(NA)	●	45.1	9.2	12.5	26%	13.6	±1.4	●	38.9	3.3	7.1	54%	8.4	±0.8
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	14.4	10.0	4.8	(107%)	4.1	±0.4	◆	6.4	2.3	1.8	(30%)	1.7	±0.2
Q1 - EDGE (NA-OAKVILLE)	●	17.9	2.6	5.7	54%	6.7	±0.7	●	4.3	0.3	1.6	81%	2.0	±0.2

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	78.6	44.9	29.6	(52%)	19.5	±1.9	▲	24.8	12.8	8.2	(56%)	5.2	±0.5
DB - FUSION CD391 (LESS HYBRID) (NA-HS	▲	8.4	2.3	2.1	(9%)	2.0	±0.2	▲	2.3	0.7	0.7	(5%)	0.7	±0.1
M3 - ESCAPE (NA-LOUISVILLE)	▲	52.1	17.9	15.4	(16%)	14.5	±1.4	▲	10.9	3.2	2.4	(32%)	2.1	±0.2
DI - FUSION HYBRID CD391 (NA HSAP)	▲	19.8	4.3	2.7	(61%)	1.7	±0.2	▲	7.4	1.9	0.8	(129%)	0.2	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	342.0	147.9	74.1	(100%)	(8.1)	±0.8	▲	168.5	63.3	56.9	(11%)	49.8	±5.0
ZB - MUSTANG (S550) (NA)	●	29.1	6.2	13.3	53%	15.7	±1.6	●	7.8	1.9	3.0	38%	3.4	±0.3
U5 - EXPLORER POLICE INTERCEPTOR - U	▲	72.6	45.1	36.2	(25%)	30.2	±3.0	◆	36.9	20.8	8.7	(140%)	0.6	±0.1
LM - LINCOLN CORSAIR (NA LOUISVILLE)	▲	70.0	67.7	41.7	(62%)	21.8	±2.2	◆	19.8	27.5	11.2	(146%)	(1.3)	±0.1
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	▲	68.1	9.4	8.7	(8%)	8.3	±0.8	▲	38.3	6.4	4.7	(34%)	3.9	±0.4
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	139.7	7.3	23.9	70%	35.3	±3.5	●	50.8	8.0	9.0	11%	9.6	±1.0
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	16.5	3.4	14.1	76%	15.6	±1.6	●	5.2	0.6	4.0	86%	4.5	±0.5
TA - TRANSIT (NA-KCAP)	●	21.4	0.7	6.7	90%	7.5	±0.8	●	3.3	0.1	1.1	92%	1.3	±0.1
ZT - MUSTANG FP (S550)(NA)	●	121.1	35.6	42.9	17%	45.4	±4.5	●	110.4	18.4	26.8	31%	29.6	±3.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	21.8	15.9	7.7	(106%)	6.6	±0.7	◆	5.3	2.8	1.9	(45%)	1.8	±0.2
Q1 - EDGE (NA-OAKVILLE)	●	53.6	5.7	18.8	70%	22.9	±2.3	●	13.5	1.6	5.1	68%	6.2	±0.6
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	0.1	0.5	0.0		(0.5)	±0.1	◆	0.1	0.3	0.0		(0.3)	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (999), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Jan-2020	RUN DATE:	Tuesday, February 4, 2020
	GlidePath Tuesday, February 4, 2020	Objectives	Tuesday, February 4, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 04-Feb-2020

KEY: ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F92 - SA - SOUTH AMERICA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	18%	78.4	116.1	90.2	(29%)	82.0	±8.2		33.5	52.0	34.2	(52%)	28.5	±2.9
F92 - SA - SOUTH AMERICA	23%	12.5	15.7	15.3	(3%)	14.8	±1.5		2.5	3.2	3.2	0%	3.2	±0.3
F93 - EU - EUROPE	30%	31.1	36.6	50.0	27%	58.3	±5.8		7.5	8.8	11.4	23%	13.0	±1.3
F98 - CN - CHINA	16%	14.1	13.6	16.8	19%	20.0	±2.0		4.4	5.0	4.7	(6%)	4.4	±0.4
F99 - IM - INTERNATIONAL MARKET	12%	27.0	24.4	22.0	(11%)	19.6	±2.0		12.9	12.1	7.3	(66%)	2.5	±0.2
F05 - F05 - NA LINCOLN TOTAL	1%	224.6	282.9	300.0	6%	306.8	±30.7		112.7	130.6	83.8	(56%)	65.2	±6.5
Functional Breakdown														
F2 - CHASSIS			2.8	2.0	(39%)	1.1	±0.1			0.5	0.3	(51%)	0.1	±0.0
F3 - ELECTRICAL			5.7	4.3	(34%)	2.5	±0.3			1.3	0.7	(80%)	0.0	±0.0
F4 - POWERTRAIN			3.3	2.6	(30%)	1.6	±0.2			1.1	1.2	13%	1.5	±0.1
F5 - VEHICLE ENGINEERING			0.0	0.0		(0.0)	±0.0			0.0	0.0		0.0	±0.0
F6 - PAINT			0.1	0.2	61%	0.4	±0.0			0.0	0.0	27%	0.0	±0.0
F7 - BODY INTERIOR			1.4	1.9	27%	2.6	±0.3			0.2	0.2	25%	0.3	±0.0
F8 - BODY EXTERIOR			2.3	3.2	26%	4.2	±0.4			0.2	0.2	8%	0.2	±0.0
F9 - OTHER			0.0	0.0		0.0	±0.0			0.0	0.0		(0.0)	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	11.1	14.5	12.6	(15%)	10.8	±1.1	▲	2.2	2.9	2.1	(38%)	1.3	±0.1
BY - ECOSPORT (SA-CAMACARI)	●	17.4	18.4	19.9	8%	25.2	±2.5	●	3.8	3.9	4.5	13%	6.5	±0.7
R2 - RANGER (SA-PACHECO)	▲	19.1	19.7	18.2	(8%)	16.1	±1.6	●	2.8	3.4	5.2	35%	7.7	±0.8
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	4.7	3.2	2.1	(54%)	1.0	±0.1	▲	0.7	0.5	0.3	(61%)	0.1	±0.0
BY - ECOSPORT (SA-CAMACARI)	▲	3.2	1.8	1.7	(6%)	1.3	±0.1	◆	0.8	0.4	0.3	(42%)	(0.1)	±0.0
R2 - RANGER (SA-PACHECO)	▲	2.2	2.3	1.9	(22%)	1.3	±0.1	●	0.2	0.3	0.3	27%	0.5	±0.0
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	8.7	6.2	4.1	(50%)	2.1	±0.2	◆	2.2	1.4	0.6	(129%)	(0.2)	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	10.2	5.3	5.6	6%	6.7	±0.7	●	2.1	1.0	1.2	13%	1.7	±0.2
R2 - RANGER (SA-PACHECO)	▲	7.0	3.3	2.6	(28%)	1.6	±0.2	▲	1.0	0.8	0.5	(56%)	0.1	±0.0
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	4.1	2.7	2.1	(26%)	1.6	±0.2	●	1.2	0.8	0.9	8%	0.9	±0.1
BY - ECOSPORT (SA-CAMACARI)	▲	6.3	3.7	3.2	(15%)	1.6	±0.2	●	3.4	1.8	2.3	22%	4.0	±0.4
R2 - RANGER (SA-PACHECO)	▲	17.1	8.3	6.5	(28%)	3.9	±0.4	●	2.9	1.6	3.5	54%	6.2	±0.6

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	(0.1)	0.1	0.0		(0.1)	±0.0	◆	(0.1)	0.0	0.0		(0.0)	±0.0
BY - ECOSPORT (SA-CAMACARI)		(0.1)	0.0	0.0		0.0	±0.0		(0.1)	0.0	0.0		0.0	±0.0
R2 - RANGER (SA-PACHECO)		0.0	0.0	0.0		0.0	±0.0		0.0	0.0	0.0		0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
BY - ECOSPORT (SA-CAMACARI)	●	0.8	0.3	0.3	13%	0.5	±0.0	◆	0.1	0.0	0.0	(50%)	(0.0)	±0.0
R2 - RANGER (SA-PACHECO)	◆	0.5	0.4	0.3	(48%)	0.1	±0.0	▲	0.2	0.1	0.1	(20%)	0.1	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	1.3	0.9	1.4	34%	1.9	±0.2	●	0.1	0.1	0.1	29%	0.2	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	5.9	2.7	4.1	35%	9.2	±0.9	●	0.5	0.2	0.4	40%	0.9	±0.1
R2 - RANGER (SA-PACHECO)	●	3.2	1.9	2.9	33%	4.3	±0.4	●	0.8	0.4	0.5	22%	0.6	±0.1
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	3.4	1.5	2.7	46%	3.9	±0.4	●	0.2	0.1	0.2	41%	0.2	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	8.7	4.7	5.0	6%	6.0	±0.6	▲	0.7	0.4	0.3	(15%)	0.2	±0.0
R2 - RANGER (SA-PACHECO)	●	7.8	3.4	4.0	16%	4.9	±0.5	▲	0.5	0.3	0.3	(3%)	0.3	±0.0
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
BY - ECOSPORT (SA-CAMACARI)		0.0	0.0	0.0		0.0	±0.0	◆	0.0	0.0	0.0		(0.1)	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (999), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Jan-2020	RUN DATE:	Tuesday, February 4, 2020
	GlidePath Tuesday, February 4, 2020	Objectives	Tuesday, February 4, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 04-Feb-2020

KEY: ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F93 - EU - EUROPE

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	18%	78.4	116.1	90.2	(29%)	82.0	±8.2		33.5	52.0	34.2	(52%)	28.5	±2.9
F92 - SA - SOUTH AMERICA	23%	12.5	15.7	15.3	(3%)	14.8	±1.5		2.5	3.2	3.2	0%	3.2	±0.3
F93 - EU - EUROPE	30%	31.1	36.6	50.0	27%	58.3	±5.8		7.5	8.8	11.4	23%	13.0	±1.3
F98 - CN - CHINA	16%	14.1	13.6	16.8	19%	20.0	±2.0		4.4	5.0	4.7	(6%)	4.4	±0.4
F99 - IM - INTERNATIONAL MARKET	12%	27.0	24.4	22.0	(11%)	19.6	±2.0		12.9	12.1	7.3	(66%)	2.5	±0.2
F05 - F05 - NA LINCOLN TOTAL	1%	224.6	282.9	300.0	6%	306.8	±30.7		112.7	130.6	83.8	(56%)	65.2	±6.5
Functional Breakdown														
F1 - CONNECTED VEHICLE			3.4	1.0	(240%)	(0.5)	±0.0			0.4	0.1	(221%)	(0.0)	±0.0
F2 - CHASSIS			1.9	2.7	30%	3.2	±0.3			0.5	0.7	19%	0.7	±0.1
F3 - ELECTRICAL			8.2	9.0	9%	9.5	±0.9			1.5	2.0	22%	2.2	±0.2
F4 - POWERTRAIN			9.9	7.7	(28%)	6.4	±0.6			4.0	3.2	(26%)	2.7	±0.3
F5 - VEHICLE ENGINEERING			0.5	0.7	34%	0.9	±0.1			0.0	0.1	27%	0.1	±0.0
F6 - PAINT			1.0	1.1	5%	1.1	±0.1			0.3	0.3	23%	0.4	±0.0
F7 - BODY INTERIOR			3.4	4.4	23%	5.1	±0.5			0.5	0.7	28%	0.8	±0.1
F8 - BODY EXTERIOR			8.2	8.3	1%	8.3	±0.8			1.4	1.3	(7%)	1.3	±0.1
F9 - OTHER			0.0	0.0		(0.0)	±0.0			0.0	0.0		0.0	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	45.1	58.7	51.4	(14%)	46.2	±4.6	▲	11.9	14.0	10.0	(40%)	7.2	±0.7
BB - FIESTA (EU-COLOGNE)	●	26.8	24.8	30.5	19%	34.0	±3.4	●	5.4	4.3	6.0	29%	7.1	±0.7
AI - KUGA (EU-VALENCIA)	●	25.5	17.9	36.1	50%	47.6	±4.8	●	6.7	5.2	11.9	56%	16.2	±1.6
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	38.9	40.5	37.0	(10%)	34.3	±3.4	▲	10.7	12.8	10.7	(20%)	9.1	±0.9
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	27.9	23.6	25.8	9%	28.1	±2.8	●	4.8	3.9	5.5	29%	7.1	±0.7
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	15.8	14.4	22.4	36%	28.5	±2.9	●	2.1	2.4	5.1	53%	7.2	±0.7
TF - TRANSIT (EU-KOCAELI)	◆	45.9	42.8	28.1	(52%)	14.9	±1.5	●	8.6	8.2	8.8	7%	9.4	±0.9
T9 - TRANSIT CONNECT (EU-VALENCIA)	▲	25.7	29.7	25.0	(18%)	22.3	±2.2	●	7.0	7.2	7.7	7%	8.0	±0.8
ND - MONDEO (CD391)(EU-VALENCIA)	▲	27.0	32.2	25.6	(26%)	22.2	±2.2	▲	9.5	13.0	10.3	(26%)	8.9	±0.9
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	●	39.4	35.5	44.8	21%	52.1	±5.2	●	12.6	11.1	12.7	13%	14.0	±1.4
XX - FORD TRUCKS (EU-ESKISEHIR)	▲	86.8	61.0	51.3	(19%)	46.0	±4.6	▲	17.3	10.3	9.8	(5%)	9.5	±0.9
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	◆	12.8	10.4	2.7	(281%)	(2.6)	±0.3	◆	1.9	1.3	0.3	(371%)	(0.4)	±0.0
BB - FIESTA (EU-COLOGNE)	●	0.1	0.0	0.2	80%	0.3	±0.0		0.0	0.0	0.0	100%	0.1	±0.0
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	1.9	0.2	0.1	(58%)	0.1	±0.0	●	0.2	0.0	0.0	55%	0.1	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	10.3	3.2	4.5	30%	5.5	±0.5	●	2.8	0.8	0.8	1%	0.8	±0.1
BB - FIESTA (EU-COLOGNE)	●	1.8	1.1	1.7	36%	2.1	±0.2	●	0.5	0.2	0.4	44%	0.5	±0.0
AI - KUGA (EU-VALENCIA)	●	3.3	0.5	1.6	68%	2.3	±0.2	●	1.2	0.2	0.7	78%	1.0	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	●	6.0	2.8	4.3	36%	5.5	±0.5	▲	5.0	1.8	1.2	(45%)	0.8	±0.1
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	3.2	1.5	1.8	17%	2.1	±0.2	●	0.7	0.3	0.4	29%	0.5	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	0.5	0.5	1.4	67%	2.2	±0.2	●	0.0	0.1	0.2	62%	0.3	±0.0
TF - TRANSIT (EU-KOCAELI)	▲	22.4	3.9	3.4	(14%)	3.0	±0.3	●	2.9	0.3	0.9	62%	1.4	±0.1
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	2.6	0.4	1.3	68%	1.8	±0.2	●	1.0	0.1	0.5	83%	0.8	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	●	1.9	0.8	1.3	41%	1.6	±0.2	●	0.7	0.2	0.6	61%	0.8	±0.1
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	●	3.4	0.7	1.0	31%	1.3	±0.1	▲	0.9	0.6	0.5	(24%)	0.4	±0.0
XX - FORD TRUCKS (EU-ESKISEHIR)	●	16.5	2.6	12.6	80%	18.1	±1.8	●	2.3	0.1	2.1	97%	3.3	±0.3
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	33.7	13.0	12.0	(8%)	11.4	±1.1	▲	5.9	2.5	2.1	(14%)	1.9	±0.2
BB - FIESTA (EU-COLOGNE)	●	8.2	6.7	9.6	30%	11.3	±1.1	●	1.6	1.2	1.8	34%	2.2	±0.2
AI - KUGA (EU-VALENCIA)	●	18.7	5.1	10.5	51%	13.9	±1.4	●	5.5	1.0	2.3	58%	3.2	±0.3
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	23.8	8.7	7.3	(19%)	6.3	±0.6	●	4.4	1.4	2.1	31%	2.6	±0.3
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	11.3	6.1	7.6	20%	9.1	±0.9	●	1.9	1.3	1.7	23%	2.1	±0.2
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	3.5	2.1	6.6	68%	10.0	±1.0	●	0.9	0.2	1.8	87%	2.9	±0.3
TF - TRANSIT (EU-KOCAELI)	●	23.4	5.9	7.2	18%	8.4	±0.8	●	2.6	0.8	1.8	57%	2.6	±0.3
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	16.9	5.3	7.1	26%	8.2	±0.8	●	3.6	0.8	1.6	49%	2.1	±0.2
ND - MONDEO (CD391)(EU-VALENCIA)	●	17.0	6.2	6.3	1%	6.3	±0.6	●	4.6	1.7	2.3	29%	2.7	±0.3
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	●	19.9	6.4	10.6	39%	13.8	±1.4	●	6.5	1.1	3.2	65%	4.9	±0.5
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	25.1	26.0	10.1	(158%)	1.3	±0.1	◆	4.6	4.3	1.1	(290%)	(0.7)	±0.1
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	26.6	11.9	9.6	(23%)	8.0	±0.8	▲	15.5	6.1	3.8	(62%)	2.1	±0.2
BB - FIESTA (EU-COLOGNE)	▲	3.4	5.8	4.7	(23%)	4.0	±0.4	●	1.2	1.1	1.7	32%	2.0	±0.2
AI - KUGA (EU-VALENCIA)	●	16.3	4.2	7.0	40%	8.8	±0.9	●	6.5	2.5	4.7	46%	6.0	±0.6
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	45.8	14.1	12.8	(11%)	11.7	±1.2	▲	14.9	6.6	4.5	(46%)	2.9	±0.3
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	16.6	6.8	4.1	(67%)	1.3	±0.1	●	1.9	0.9	1.5	43%	2.2	±0.2
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	7.0	8.6	9.3	7%	9.7	±1.0	●	0.4	1.6	2.3	30%	2.8	±0.3
TF - TRANSIT (EU-KOCAELI)	◆	93.0	21.7	8.1	(168%)	(4.1)	±0.4	▲	25.8	6.0	4.1	(48%)	2.3	±0.2
T9 - TRANSIT CONNECT (EU-VALENCIA)	▲	18.5	16.8	8.5	(97%)	3.7	±0.4	▲	6.1	4.7	3.4	(40%)	2.6	±0.3
ND - MONDEO (CD391)(EU-VALENCIA)	▲	16.3	13.9	8.2	(70%)	5.2	±0.5	▲	10.2	8.8	4.5	(97%)	2.2	±0.2
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	●	18.2	10.9	15.7	31%	19.5	±1.9	●	10.7	5.5	5.6	1%	5.6	±0.6
XX - FORD TRUCKS (EU-ESKISEHIR)	▲	18.3	31.3	19.8	(58%)	13.5	±1.4	▲	2.4	5.8	4.6	(25%)	4.0	±0.4
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	2.6	1.1	1.5	29%	1.8	±0.2	▲	0.4	0.1	0.1	(32%)	0.1	±0.0
BB - FIESTA (EU-COLOGNE)	▲	0.5	0.4	0.4	(9%)	0.3	±0.0	▲	0.1	0.0	0.0	(13%)	0.0	±0.0
AI - KUGA (EU-VALENCIA)	●	1.0	0.1	1.0	87%	1.6	±0.2	●	0.1	0.0	0.1	88%	0.1	±0.0
TC - TRANSIT CUSTOM (EU-KOCAELI)	●	2.4	0.1	0.7	84%	1.2	±0.1	●	0.3	0.0	0.0	78%	0.1	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	0.4	0.2	0.2	8%	0.2	±0.0	●	0.1	0.0	0.0	63%	0.0	±0.0
TF - TRANSIT (EU-KOCAELI)	●	5.2	0.5	1.0	53%	1.5	±0.1	●	0.1	0.0	0.1	87%	0.1	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	0.4	0.2	0.2	20%	0.2	±0.0	●	0.0	0.0	0.0	38%	0.0	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	●	0.9	0.3	0.4	25%	0.5	±0.0	▲	0.1	0.0	0.0	(13%)	0.0	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	5.7	2.1	1.4	(46%)	1.0	±0.1	▲	1.4	0.5	0.3	(56%)	0.2	±0.0
BB - FIESTA (EU-COLOGNE)	●	1.8	1.0	1.7	41%	2.2	±0.2	●	0.5	0.3	0.5	46%	0.6	±0.1
AI - KUGA (EU-VALENCIA)	●	0.4	0.3	0.9	69%	1.2	±0.1	●	0.2	0.1	0.3	65%	0.4	±0.0
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	1.9	0.9	0.7	(34%)	0.5	±0.0	●	0.6	0.2	0.4	52%	0.6	±0.1
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	2.0	0.4	1.2	66%	1.9	±0.2	●	0.7	0.1	0.4	77%	0.6	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO		0.1	0.0	0.2	100%	0.3	±0.0		0.0	0.0	0.1	100%	0.1	±0.0
TF - TRANSIT (EU-KOCAELI)	●	0.8	0.2	0.4	50%	0.6	±0.1	●	0.1	0.0	0.2	83%	0.3	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	0.1	0.3	0.3	13%	0.3	±0.0	●	0.0	0.1	0.1	38%	0.1	±0.0
ND - MONDEO (CD391)(EU-VALENCIA)	●	(0.4)	0.4	0.6	29%	0.7	±0.1	●	(0.2)	0.1	0.3	61%	0.3	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	◆	1.7	2.5	0.6	(297%)	(0.8)	±0.1	▲	0.3	0.3	0.3	(13%)	0.2	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	13.9	5.0	6.4	22%	7.4	±0.7	●	2.1	0.7	0.9	23%	1.1	±0.1
BB - FIESTA (EU-COLOGNE)	●	3.9	2.3	4.5	48%	5.8	±0.6	●	0.5	0.3	0.6	54%	0.8	±0.1
AI - KUGA (EU-VALENCIA)	●	5.4	2.1	5.4	62%	7.5	±0.8	●	1.1	0.3	0.7	57%	0.9	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	11.0	4.2	4.0	(6%)	3.8	±0.4	●	1.9	0.9	1.0	5%	1.0	±0.1
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	10.9	3.9	4.7	17%	5.4	±0.5	●	2.0	0.5	0.5	12%	0.6	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	1.8	0.6	1.8	68%	2.7	±0.3	●	0.4	0.1	0.4	80%	0.6	±0.1
TF - TRANSIT (EU-KOCAELI)	◆	16.5	5.5	2.5	(114%)	(0.1)	±0.0	▲	1.4	0.6	0.5	(22%)	0.4	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	3.3	2.1	2.4	13%	2.6	±0.3	●	1.2	0.6	0.8	29%	1.0	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	▲	3.8	2.5	2.3	(9%)	2.1	±0.2	●	1.3	0.3	0.7	61%	1.0	±0.1
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	●	13.8	3.8	4.6	19%	5.3	±0.5	▲	2.3	1.2	1.0	(20%)	0.8	±0.1
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	29.8	12.1	13.1	8%	13.8	±1.4	▲	5.8	2.1	1.7	(24%)	1.4	±0.1
BB - FIESTA (EU-COLOGNE)	●	7.1	7.4	7.8	5%	8.0	±0.8	▲	1.1	1.1	1.0	(14%)	0.9	±0.1
AI - KUGA (EU-VALENCIA)	●	26.3	5.7	7.6	25%	8.8	±0.9	●	5.0	1.2	1.8	33%	2.1	±0.2
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	24.1	9.4	7.1	(33%)	5.2	±0.5	▲	4.8	1.9	1.5	(29%)	1.1	±0.1
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	11.2	4.8	6.2	23%	7.6	±0.8	●	2.2	0.8	0.9	3%	0.9	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	2.9	2.7	3.0	10%	3.2	±0.3	▲	0.3	0.4	0.4	(3%)	0.4	±0.0
TF - TRANSIT (EU-KOCAELI)	●	22.5	5.1	5.2	2%	5.3	±0.5	●	1.8	0.4	1.3	69%	2.1	±0.2
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	9.7	4.6	5.0	8%	5.2	±0.5	●	2.0	0.9	1.3	30%	1.5	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	◆	12.5	8.5	4.3	(98%)	2.1	±0.2	▲	2.4	1.8	1.6	(16%)	1.5	±0.1
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V.	▲	20.7	10.9	9.2	(19%)	7.8	±0.8	▲	4.0	2.4	1.9	(27%)	1.5	±0.1
XX - FORD TRUCKS (EU-ESKISEHIR)	●	6.3	1.1	5.3	80%	7.7	±0.8	●	1.2	0.1	1.0	92%	1.4	±0.1
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	◆	(0.0)	0.0	0.0		(0.0)	±0.0		(0.0)	0.0	0.0		0.0	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (999), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Jan-2020	RUN DATE:	Tuesday, February 4, 2020
	GlidePath Tuesday, February 4, 2020	Objectives	Tuesday, February 4, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 04-Feb-2020

KEY: ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F99 - IM - INTERNATIONAL MARKET

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	18%	78.4	116.1	90.2	(29%)	82.0	±8.2		33.5	52.0	34.2	(52%)	28.5	±2.9
F92 - SA - SOUTH AMERICA	23%	12.5	15.7	15.3	(3%)	14.8	±1.5		2.5	3.2	3.2	0%	3.2	±0.3
F93 - EU - EUROPE	30%	31.1	36.6	50.0	27%	58.3	±5.8		7.5	8.8	11.4	23%	13.0	±1.3
F98 - CN - CHINA	16%	14.1	13.6	16.8	19%	20.0	±2.0		4.4	5.0	4.7	(6%)	4.4	±0.4
F99 - IM - INTERNATIONAL MARKET	12%	27.0	24.4	22.0	(11%)	19.6	±2.0		12.9	12.1	7.3	(66%)	2.5	±0.2
F05 - F05 - NA LINCOLN TOTAL	1%	224.6	282.9	300.0	6%	306.8	±30.7		112.7	130.6	83.8	(56%)	65.2	±6.5
Functional Breakdown														
F2 - CHASSIS			2.8	2.3	(21%)	1.8	±0.2			1.0	0.6	(64%)	0.2	±0.0
F3 - ELECTRICAL			4.0	4.2	6%	4.5	±0.4			1.0	1.0	3%	1.0	±0.1
F4 - POWERTRAIN			7.3	6.1	(21%)	4.8	±0.5			8.8	4.0	(119%)	(0.8)	±0.1
F5 - VEHICLE ENGINEERING			0.2	0.4	55%	0.6	±0.1			0.0	0.0	28%	0.0	±0.0
F6 - PAINT			1.4	0.8	(79%)	0.2	±0.0			0.3	0.2	(69%)	0.1	±0.0
F7 - BODY INTERIOR			4.1	3.6	(14%)	3.0	±0.3			0.5	0.4	(16%)	0.4	±0.0
F8 - BODY EXTERIOR			4.8	3.9	(21%)	3.1	±0.3			0.5	0.5	5%	0.5	±0.1
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	15.1	12.5	12.8	2%	13.1	±1.3	▲	6.9	5.6	4.5	(24%)	3.4	±0.3
ED - ECOSPORT (IM-CHENNAI)	●	10.0	10.5	12.0	12%	13.5	±1.3	●	1.4	1.4	1.5	7%	1.6	±0.2
E9 - FIGO (B562)(IM-SANAND)	●	11.2	13.9	16.0	13%	18.1	±1.8	●	0.7	0.8	1.6	53%	2.4	±0.2
KR - RANGER (IM-RAYONG-FTM)	●	49.5	26.9	28.5	6%	30.1	±3.0	●	31.5	13.1	14.8	12%	16.5	±1.7
K7 - RANGER (IM-SILVERTON)	◆	70.0	84.5	45.6	(85%)	6.8	±0.7	◆	36.1	51.0	15.6	(227%)	(19.8)	±2.0
TJ - TRANSIT (IM-ELABUGA)	●	17.7	14.1	17.8	21%	21.5	±2.1	●	3.6	2.4	4.8	50%	7.2	±0.7
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	32.8	23.9	31.4	24%	38.9	±3.9	▲	15.9	10.5	7.4	(41%)	4.4	±0.4
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	20.9	16.0	30.0	47%	44.0	±4.4	◆	17.7	22.2	8.4	(163%)	(5.4)	±0.5
TG - TRANSIT (V347/348)(IM-HAIDUONG)	▲	14.5	25.0	20.9	(20%)	16.8	±1.7	●	5.3	7.8	11.7	34%	15.6	±1.6
EG - ECOSPORT (IM-HAIDUONG)	▲	8.0	11.7	10.0	(17%)	8.3	±0.8	●	0.9	1.2	1.7	32%	2.3	±0.2
KV - EVEREST (U375)(IM-SILVERTON)	◆	155.5	163.8	61.3	(167%)	(41.2)	±4.1	◆	54.5	115.2	15.4	(649%)	(84.4)	±8.4
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	◆	8.0	1.5	0.8	(79%)	0.2	±0.0	◆	3.6	0.8	0.2	(230%)	(0.3)	±0.0
ED - ECOSPORT (IM-CHENNAI)	●	2.3	1.4	1.4	2%	1.4	±0.1	●	0.4	0.1	0.1	56%	0.2	±0.0
E9 - FIGO (B562)(IM-SANAND)	▲	2.0	1.3	1.0	(33%)	0.7	±0.1	◆	0.4	0.2	0.1	(113%)	(0.0)	±0.0
KR - RANGER (IM-RAYONG-FTM)	▲	20.9	3.5	3.0	(15%)	2.6	±0.3	▲	13.3	1.9	1.7	(11%)	1.5	±0.2
K7 - RANGER (IM-SILVERTON)	▲	23.8	6.8	4.5	(51%)	2.2	±0.2	◆	14.1	3.0	1.1	(165%)	(0.7)	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	7.8	1.3	4.3	69%	7.2	±0.7	●	3.7	0.6	0.8	25%	1.1	±0.1
KT - EVEREST (U375)(IM-RAYONG-AAT)	▲	27.1	4.2	2.9	(43%)	1.7	±0.2	▲	3.5	0.6	0.5	(22%)	0.4	±0.0
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	28.8	2.9	8.4	66%	13.9	±1.4	●	8.5	0.5	1.3	59%	2.1	±0.2
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	11.2	7.8	3.5	(122%)	(0.8)	±0.1	◆	4.9	3.6	1.8	(99%)	0.0	±0.0
EG - ECOSPORT (IM-HAIDUONG)	◆	2.7	3.6	1.0	(255%)	(1.6)	±0.2	▲	0.2	0.1	0.1	(4%)	0.1	±0.0
KV - EVEREST (U375)(IM-SILVERTON)	●	35.1	3.8	5.6	32%	7.4	±0.7	●	2.4	0.4	0.8	50%	1.2	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	10.2	1.9	1.9	2%	1.9	±0.2	▲	3.4	0.8	0.8	(0%)	0.8	±0.1
ED - ECOSPORT (IM-CHENNAI)	●	12.3	3.5	4.2	16%	4.8	±0.5	●	1.4	0.4	0.5	27%	0.6	±0.1
E9 - FIGO (B562)(IM-SANAND)	●	6.3	1.8	3.4	47%	5.0	±0.5	●	0.4	0.2	0.3	29%	0.3	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	33.6	6.2	6.7	7%	7.1	±0.7	●	9.1	1.7	2.1	20%	2.5	±0.3
K7 - RANGER (IM-SILVERTON)	▲	43.5	11.9	7.0	(69%)	2.2	±0.2	▲	11.6	3.0	1.8	(66%)	0.6	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	7.3	1.2	2.5	53%	3.8	±0.4	●	0.7	0.1	0.3	65%	0.5	±0.1
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	17.0	2.6	4.9	47%	7.2	±0.7	●	8.0	1.1	1.3	14%	1.4	±0.1
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	18.0	2.6	10.2	74%	17.8	±1.8	●	2.7	0.7	1.0	38%	1.4	±0.1
TG - TRANSIT (V347/348)(IM-HAIDUONG)	▲	1.8	1.9	1.8	(3%)	1.8	±0.2	●	0.1	0.0	0.4	90%	0.7	±0.1
EG - ECOSPORT (IM-HAIDUONG)		6.1	0.0	2.5	100%	5.1	±0.5		1.6	0.0	0.7	100%	1.3	±0.1
KV - EVEREST (U375)(IM-SILVERTON)	◆	84.3	17.5	5.0	(247%)	(7.4)	±0.7	◆	16.8	3.3	0.9	(286%)	(1.6)	±0.2
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	▲	38.8	4.9	3.3	(49%)	1.7	±0.2	▲	26.1	3.8	2.8	(35%)	1.8	±0.2
ED - ECOSPORT (IM-CHENNAI)	●	8.0	2.7	3.7	28%	4.8	±0.5	▲	1.6	0.7	0.6	(15%)	0.6	±0.1
E9 - FIGO (B562)(IM-SANAND)	●	7.3	2.9	3.6	19%	4.3	±0.4	●	0.2	0.1	0.7	85%	1.4	±0.1
KR - RANGER (IM-RAYONG-FTM)	▲	154.4	9.1	9.1	(1%)	9.0	±0.9	●	128.4	8.3	9.2	10%	10.1	±1.0
K7 - RANGER (IM-SILVERTON)	▲	73.5	21.4	14.1	(52%)	6.8	±0.7	◆	97.4	39.0	9.6	(306%)	(19.8)	±2.0
TJ - TRANSIT (IM-ELABUGA)	◆	49.1	9.4	3.9	(141%)	(1.6)	±0.2	●	9.4	1.6	2.6	39%	3.7	±0.4
KT - EVEREST (U375)(IM-RAYONG-AAT)	▲	86.2	8.8	8.2	(7%)	7.7	±0.8	▲	55.7	6.8	3.9	(76%)	0.9	±0.1
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	27.5	5.6	6.0	7%	6.4	±0.6	◆	75.4	20.8	5.6	(269%)	(9.5)	±1.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)	●	1.7	6.6	9.4	30%	12.2	±1.2	●	2.7	2.5	7.1	65%	11.7	±1.2
EG - ECOSPORT (IM-HAIDUONG)	●	6.5	2.4	3.3	27%	4.2	±0.4	●	0.5	0.1	0.7	85%	1.4	±0.1
KV - EVEREST (U375)(IM-SILVERTON)	◆	76.4	25.8	8.1	(217%)	(9.5)	±1.0	◆	116.2	88.8	6.2	(1328%)	(76.4)	±7.6
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	0.6	0.2	0.4	36%	0.5	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	4.1	0.7	0.9	26%	1.1	±0.1	▲	0.3	0.1	0.0	(28%)	0.0	±0.0
K7 - RANGER (IM-SILVERTON)		(0.0)	0.0	0.2	100%	0.4	±0.0		(0.0)	0.0	0.0	100%	0.0	±0.0
TJ - TRANSIT (IM-ELABUGA)	●	1.9	0.4	0.5	20%	0.6	±0.1	◆	0.4	0.0	0.0	(11%)	0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	0.5	0.1	0.3	66%	0.4	±0.0	●	0.1	0.0	0.0	79%	0.1	±0.0
ED - ECOSPORT (IM-CHENNAI)	◆	0.0	0.1	0.1	(108%)	(0.0)	±0.0	◆	(0.1)	0.0	0.0	(1%)	0.0	±0.0
E9 - FIGO (B562)(IM-SANAND)	●	0.6	0.1	0.1	5%	0.1	±0.0	●	0.1	0.0	0.0	66%	0.0	±0.0
KR - RANGER (IM-RAYONG-FTM)	◆	3.3	0.5	0.3	(46%)	0.2	±0.0	◆	1.7	0.2	0.1	(81%)	0.0	±0.0
K7 - RANGER (IM-SILVERTON)	◆	44.2	11.4	4.1	(179%)	(3.2)	±0.3	◆	10.3	2.6	1.1	(130%)	(0.3)	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	0.9	0.9	0.5	(63%)	0.2	±0.0	◆	0.0	0.1	0.0	(41%)	0.0	±0.0
KV - EVEREST (U375)(IM-SILVERTON)	◆	80.0	19.9	6.9	(189%)	(6.1)	±0.6	◆	19.8	4.6	1.7	(167%)	(1.2)	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	11.1	2.4	3.8	37%	5.2	±0.5	●	0.6	0.1	0.3	64%	0.5	±0.1
ED - ECOSPORT (IM-CHENNAI)	▲	2.9	1.4	0.8	(65%)	0.3	±0.0	▲	0.2	0.1	0.1	(42%)	0.0	±0.0
E9 - FIGO (B562)(IM-SANAND)	▲	8.4	4.8	4.6	(3%)	4.5	±0.4	●	0.4	0.2	0.3	25%	0.3	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	14.2	3.2	3.7	13%	4.2	±0.4	●	2.1	0.5	0.6	21%	0.7	±0.1
K7 - RANGER (IM-SILVERTON)	◆	36.6	12.1	5.8	(109%)	(0.5)	±0.1	▲	5.4	1.4	0.7	(83%)	0.1	±0.0
TJ - TRANSIT (IM-ELABUGA)		0.8	0.0	4.4	100%	8.8	±0.9		0.1	0.0	0.9	100%	1.7	±0.2
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	20.8	4.5	5.3	15%	6.1	±0.6	◆	10.3	1.7	0.7	(132%)	(0.2)	±0.0
KA - ENDEAVOUR (U375)(IM-CHENNAI)	▲	22.7	4.1	3.7	(11%)	3.3	±0.3	●	1.0	0.2	0.3	46%	0.4	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)	▲	6.1	4.0	2.8	(42%)	1.6	±0.2	●	0.5	0.7	1.3	46%	1.9	±0.2
EG - ECOSPORT (IM-HAIDUONG)	◆	2.6	3.2	1.3	(145%)	(0.6)	±0.1	●	0.2	0.1	0.2	61%	0.2	±0.0
KV - EVEREST (U375)(IM-SILVERTON)	◆	94.8	35.1	11.8	(197%)	(11.5)	±1.1	◆	31.9	9.9	3.2	(212%)	(3.6)	±0.4
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	6.5	1.6	2.3	30%	3.0	±0.3	●	0.6	0.1	0.3	50%	0.4	±0.0
ED - ECOSPORT (IM-CHENNAI)	●	4.3	1.5	1.7	14%	2.0	±0.2	●	0.3	0.1	0.1	7%	0.1	±0.0
E9 - FIGO (B562)(IM-SANAND)	●	8.7	3.0	3.1	2%	3.1	±0.3	●	0.3	0.1	0.2	49%	0.3	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	18.8	3.7	4.9	24%	6.0	±0.6	●	3.0	0.5	1.1	56%	1.6	±0.2
K7 - RANGER (IM-SILVERTON)	◆	59.8	20.9	9.9	(111%)	(1.1)	±0.1	▲	5.6	2.1	1.2	(74%)	0.3	±0.0
TJ - TRANSIT (IM-ELABUGA)	●	3.3	1.8	2.1	15%	2.5	±0.2	●	0.2	0.1	0.1	57%	0.2	±0.0
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	14.8	3.9	7.2	47%	10.6	±1.1	●	1.7	0.4	0.8	56%	1.3	±0.1
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	6.6	0.9	1.5	45%	2.2	±0.2	●	0.5	0.0	0.1	74%	0.2	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	7.0	4.0	2.8	(40%)	1.7	±0.2	●	2.3	0.9	1.1	18%	1.3	±0.1
EG - ECOSPORT (IM-HAIDUONG)	◆	4.9	2.4	1.8	(34%)	1.2	±0.1	◆	0.2	0.9	0.1	(923%)	(0.7)	±0.1
KV - EVEREST (U375)(IM-SILVERTON)	◆	247.1	61.9	23.0	(169%)	(15.9)	±1.6	◆	32.4	8.1	2.6	(218%)	(3.0)	±0.3
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (999), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Jan-2020	RUN DATE:	Tuesday, February 4, 2020
	GlidePath Tuesday, February 4, 2020	Objectives	Tuesday, February 4, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 04-Feb-2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F98 - CN - CHINA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	18%	78.4	116.1	90.2	(29%)	82.0	±8.2		33.5	52.0	34.2	(52%)	28.5	±2.9
F92 - SA - SOUTH AMERICA	23%	12.5	15.7	15.3	(3%)	14.8	±1.5		2.5	3.2	3.2	0%	3.2	±0.3
F93 - EU - EUROPE	30%	31.1	36.6	50.0	27%	58.3	±5.8		7.5	8.8	11.4	23%	13.0	±1.3
F98 - CN - CHINA	16%	14.1	13.6	16.8	19%	20.0	±2.0		4.4	5.0	4.7	(6%)	4.4	±0.4
F99 - IM - INTERNATIONAL MARKET	12%	27.0	24.4	22.0	(11%)	19.6	±2.0		12.9	12.1	7.3	(66%)	2.5	±0.2
F05 - F05 - NA LINCOLN TOTAL	1%	224.6	282.9	300.0	6%	306.8	±30.7		112.7	130.6	83.8	(56%)	65.2	±6.5
Functional Breakdown														
F1 - CONNECTED VEHICLE			0.1	0.3	64%	0.4	±0.0			0.0	0.1	74%	0.2	±0.0
F2 - CHASSIS			0.9	1.7	45%	2.5	±0.2			0.2	0.3	38%	0.5	±0.0
F3 - ELECTRICAL			2.7	3.6	26%	4.6	±0.5			0.5	0.9	44%	1.2	±0.1
F4 - POWERTRAIN			6.2	5.2	(18%)	4.2	±0.4			3.7	2.3	(63%)	0.8	±0.1
F5 - VEHICLE ENGINEERING			0.0	0.0		(0.0)	±0.0			0.0	0.0		0.0	±0.0
F6 - PAINT			0.1	0.2	60%	0.3	±0.0			0.0	0.0	75%	0.1	±0.0
F7 - BODY INTERIOR			1.1	2.2	49%	3.3	±0.3			0.2	0.4	54%	0.5	±0.1
F8 - BODY EXTERIOR			2.5	3.2	23%	4.0	±0.4			0.4	0.4	18%	0.5	±0.1
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	▲	9.0	10.3	6.9	(48%)	3.6	±0.4	▲	1.1	1.5	1.4	(2%)	1.4	±0.1
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	10.2	16.0	36%	21.8	±2.2	●	0.0	2.4	3.9	38%	5.4	±0.5
AX - FOCUS (CN-CHONGQING II)	●	15.5	15.9	17.4	8%	18.9	±1.9	▲	9.1	11.6	6.0	(94%)	0.4	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	14.1	8.6	14.7	41%	20.8	±2.1	●	3.6	1.6	4.0	61%	6.5	±0.6
TK - TRANSIT (V362)(CN-NANCHANG)	▲	9.7	16.8	16.0	(5%)	15.2	±1.5	◆	0.7	4.9	3.0	(66%)	1.0	±0.1
D4 - FOCUS (CN-TAIWAN)	▲	18.6	27.7	22.7	(22%)	17.7	±1.8	◆	6.5	13.6	6.5	(110%)	(0.6)	±0.1
TI - TRANSIT (V348)(CN-JMC)	●	19.4	20.7	24.6	16%	28.5	±2.8	▲	9.6	8.5	5.8	(46%)	3.1	±0.3
NL - MONDEO (CD391)(CN-CHONGQING)	●	11.9	8.8	9.3	6%	9.9	±1.0	●	1.0	0.9	1.3	32%	1.8	±0.2
PJ - TAURUS (D568)(CN-HANGZHOU)	●	18.9	9.1	16.4	45%	23.8	±2.4	▲	4.1	5.0	4.1	(23%)	3.1	±0.3
A2 - KUGA (CN-CHONGQING II)	▲	12.1	16.2	12.7	(28%)	9.1	±0.9	●	2.4	2.5	2.5	1%	2.6	±0.3
BI - KUGA (CN-TAIWAN)	●	12.8	17.1	19.0	10%	20.9	±2.1	●	2.1	3.0	3.6	18%	4.3	±0.4
D7 - FOCUS (C346)(CN-HARBIN)	●	4.7	2.6	5.0	49%	7.4	±0.7	●	0.7	0.0	1.0	98%	2.0	±0.2
KU - EVEREST (U375)(CN-NANCHANG)	▲	16.8	20.6	18.6	(11%)	16.6	±1.7	▲	2.8	6.9	4.6	(50%)	2.3	±0.2
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.4	0.7	38%	1.0	±0.1	●	0.0	0.1	0.4	64%	0.6	±0.1
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	0.3	0.9	0.2	(330%)		±0.0	◆	0.1	0.2	0.0	(400%)	(0.1)	±0.0
A2 - KUGA (CN-CHONGQING II)		2.1	0.0	0.5	100%	0.9	±0.1		0.6	0.0	0.1	100%	0.2	±0.0
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	0.9	0.3	0.6	56%	0.9	±0.1	●	0.2	0.1	0.1	57%	0.2	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.3	1.9	84%	3.5	±0.3	●	0.0	0.0	0.4	97%	0.8	±0.1
AX - FOCUS (CN-CHONGQING II)	●	6.8	1.3	1.6	20%	2.0	±0.2	▲	2.2	0.6	0.4	(25%)	0.3	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	1.3	0.6	0.7	19%	0.8	±0.1	●	0.2	0.1	0.3	78%	0.5	±0.0
TK - TRANSIT (V362)(CN-NANCHANG)	●	7.6	2.6	3.6	29%	4.7	±0.5	●	1.2	0.4	0.4	14%	0.5	±0.0
D4 - FOCUS (CN-TAIWAN)	▲	3.8	1.9	1.6	(19%)	1.3	±0.1	●	0.7	0.3	0.5	38%	0.6	±0.1
TI - TRANSIT (V348)(CN-JMC)	●	1.7	1.7	2.2	24%	2.7	±0.3	▲	0.3	0.2	0.2	(12%)	0.2	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	●	3.2	0.7	1.3	48%	1.9	±0.2	▲	1.9	0.5	0.3	(93%)	0.0	±0.0
A2 - KUGA (CN-CHONGQING II)	◆	4.7	3.6	0.7	(439%)	(2.2)	±0.2	◆	1.1	1.2	0.2	(521%)	(0.8)	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	2.9	0.8	1.3	41%	1.9	±0.2	●	0.3	0.1	0.2	52%	0.3	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	3.3	5.0	33%	6.7	±0.7	●	0.0	0.4	1.1	62%	1.9	±0.2
AX - FOCUS (CN-CHONGQING II)	▲	13.3	3.6	2.6	(42%)	1.5	±0.1	▲	3.2	1.0	0.5	(94%)	0.0	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	9.1	2.9	3.8	25%	4.8	±0.5	●	1.2	0.7	1.2	41%	1.8	±0.2
TK - TRANSIT (V362)(CN-NANCHANG)	●	5.3	2.0	2.0	0%	2.0	±0.2	▲	1.1	0.4	0.2	(79%)	0.0	±0.0
D4 - FOCUS (CN-TAIWAN)	▲	22.1	6.1	6.0	(1%)	6.0	±0.6	●	3.9	0.9	1.1	17%	1.3	±0.1
TI - TRANSIT (V348)(CN-JMC)	●	0.7	1.9	2.0	8%	2.2	±0.2	●	0.0	0.1	0.1	57%	0.2	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	▲	26.4	3.5	3.0	(15%)	2.5	±0.3	▲	1.9	0.3	0.3	(11%)	0.3	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	●	5.9	3.8	4.1	6%	4.3	±0.4	●	1.5	0.3	1.3	80%	2.3	±0.2
A2 - KUGA (CN-CHONGQING II)	●	13.4	2.3	2.9	22%	3.6	±0.4	●	3.1	0.7	0.7	6%	0.7	±0.1
BI - KUGA (CN-TAIWAN)	●	(2.7)	3.0	6.7	56%	10.5	±1.0	●	(2.3)	0.8	1.1	31%	1.4	±0.1
KU - EVEREST (U375)(CN-NANCHANG)	●	7.3	2.7	4.0	33%	5.4	±0.5	●	0.8	0.4	0.5	25%	0.6	±0.1
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	◆	16.4	6.4	2.5	(155%)	(1.4)	±0.1	▲	2.0	1.0	0.9	(2%)	0.9	±0.1
YM - TERRITORY (CX743) (CN-JMC)	▲	0.0	2.7	2.5	(8%)	2.3	±0.2	●	0.0	1.3	1.6	18%	1.8	±0.2
AX - FOCUS (CN-CHONGQING II)	●	38.0	6.0	9.0	33%	11.9	±1.2	◆	36.6	9.4	4.4	(113%)	(0.6)	±0.1
HG - EDGE (CD539)(CN-HANGZHOU)	●	6.2	2.0	3.8	49%	5.7	±0.6	●	2.1	0.3	1.5	82%	2.8	±0.3
TK - TRANSIT (V362)(CN-NANCHANG)	▲	14.2	9.0	6.1	(47%)	3.3	±0.3	◆	(0.2)	3.8	1.8	(108%)	(0.2)	±0.0
D4 - FOCUS (CN-TAIWAN)	◆	41.5	16.9	8.4	(101%)	(0.1)	±0.0	◆	19.9	12.1	4.5	(169%)	(3.1)	±0.3
TI - TRANSIT (V348)(CN-JMC)	▲	14.7	14.1	13.2	(7%)	12.2	±1.2	◆	8.9	7.8	3.9	(98%)	0.1	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	●	3.6	0.3	2.8	88%	5.4	±0.5	●	(0.1)	0.0	0.6	98%	1.2	±0.1
PJ - TAURUS (D568)(CN-HANGZHOU)	●	7.1	1.3	3.5	63%	5.7	±0.6	◆	2.1	3.7	1.4	(158%)	(0.8)	±0.1
A2 - KUGA (CN-CHONGQING II)	◆	12.2	6.6	2.5	(160%)	(1.5)	±0.2	▲	2.0	0.5	0.4	(18%)	0.3	±0.0
BI - KUGA (CN-TAIWAN)	●	8.1	2.8	4.7	41%	6.6	±0.7	●	1.5	0.5	1.6	71%	2.7	±0.3
D7 - FOCUS (C346)(CN-HARBIN)		2.1	0.0	2.1	100%	4.1	±0.4		1.1	0.0	0.4	100%	0.9	±0.1
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
TK - TRANSIT (V362)(CN-NANCHANG)	◆	0.0	0.1	0.1	(32%)	0.1	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	◆	0.0	0.1	0.0	(400%)	(0.1)	±0.0		0.0	0.0	0.0		0.0	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	◆	(0.1)	0.2	0.1	(97%)	0.0	±0.0	◆	0.0	0.0	0.0	(72%)	0.0	±0.0
D4 - FOCUS (CN-TAIWAN)	●	(0.2)	0.2	0.9	83%	1.6	±0.2		(0.0)	0.0	0.1	100%	0.2	±0.0
BI - KUGA (CN-TAIWAN)	◆	4.7	1.4	0.8	(78%)	0.2	±0.0	◆	0.3	0.1	0.0	(1300%)	(0.1)	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	1.7	0.6	1.2	50%	1.8	±0.2	▲	0.2	0.1	0.1	(40%)	0.0	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.6	1.6	62%	2.6	±0.3	●	0.0	0.1	0.1	25%	0.2	±0.0
AX - FOCUS (CN-CHONGQING II)	●	5.9	0.9	1.2	27%	1.5	±0.2	●	0.6	0.0	0.1	64%	0.2	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	5.9	1.0	3.1	67%	5.2	±0.5	●	0.7	0.1	0.5	72%	0.8	±0.1
TK - TRANSIT (V362)(CN-NANCHANG)	●	1.1	2.1	2.3	12%	2.6	±0.3	●	(0.1)	0.2	0.3	34%	0.4	±0.0
D4 - FOCUS (CN-TAIWAN)	●	1.9	0.9	1.1	23%	1.4	±0.1	●	0.1	0.0	0.1	70%	0.2	±0.0
TI - TRANSIT (V348)(CN-JMC)	●	(0.3)	1.4	3.7	63%	6.1	±0.6	●	0.1	0.2	1.2	80%	2.1	±0.2
NL - MONDEO (CD391)(CN-CHONGQING)	◆	11.1	2.9	1.3	(120%)	(0.3)	±0.0	◆	1.5	0.4	0.1	(220%)	(0.1)	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	●	10.2	1.2	3.2	61%	5.2	±0.5	●	1.9	0.2	0.6	66%	1.1	±0.1
BI - KUGA (CN-TAIWAN)	◆	14.5	4.7	1.3	(272%)	(2.2)	±0.2	◆	2.0	0.4	0.1	(340%)	(0.2)	±0.0
KU - EVEREST (U375)(CN-NANCHANG)	◆	11.1	17.9	2.6	(584%)	(12.7)	±1.3	◆	(6.2)	6.6	0.2	(3024%)	(6.1)	±0.6

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	◆	5.4	2.1	1.2	(71%)	0.4	±0.0	◆	0.5	0.3	0.1	(136%)	(0.0)	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	2.8	4.2	34%	5.6	±0.6	◆	0.0	0.5	0.3	(60%)	0.1	±0.0
AX - FOCUS (CN-CHONGQING II)	▲	14.4	4.1	2.8	(46%)	1.5	±0.2	▲	2.4	0.6	0.5	(28%)	0.3	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	9.4	2.0	3.0	34%	4.0	±0.4	●	2.1	0.3	0.4	26%	0.5	±0.1
TK - TRANSIT (V362)(CN-NANCHANG)	●	1.0	1.0	1.7	43%	2.4	±0.2	●	0.1	0.1	0.1	13%	0.1	±0.0
D4 - FOCUS (CN-TAIWAN)	●	4.0	1.8	4.6	62%	7.5	±0.7	▲	1.0	0.3	0.2	(42%)	0.1	±0.0
TI - TRANSIT (V348)(CN-JMC)	●	2.1	1.7	3.0	45%	4.4	±0.4	●	0.2	0.2	0.3	34%	0.4	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	▲	6.1	2.1	1.3	(58%)	0.6	±0.1	●	0.6	0.2	0.3	25%	0.3	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	●	10.2	1.2	4.2	70%	7.2	±0.7	●	0.8	0.2	0.5	61%	0.7	±0.1
A2 - KUGA (CN-CHONGQING II)	▲	18.6	3.8	3.8	(0%)	3.8	±0.4	●	4.2	0.2	0.9	75%	1.6	±0.2
BI - KUGA (CN-TAIWAN)	▲	26.1	5.3	4.2	(25%)	3.1	±0.3	▲	6.8	1.2	0.7	(67%)	0.2	±0.0
D7 - FOCUS (C346)(CN-HARBIN)	◆	19.8	2.6	0.7	(267%)	(1.2)	±0.1	●	0.3	0.0	0.1	80%	0.2	±0.0

F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (999), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Jan-2020	RUN DATE:	Tuesday, February 4, 2020
	GlidePath Tuesday, February 4, 2020	Objectives	Tuesday, February 4, 2020