GQRS - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 02-Jun-2020
GLOBAL

KEY:
- ON TRACK - Actual value better than obj
- POSSIBILE - objective is achievable
- UNLIKELY - it is improbable to make objective

Regional Breakdown

		3 MIS TGW/1000						3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	%B(W) Obj	RUN RATE
F90-NA - NORTH AMERICA	37%	842	865	979	900	(9%)	859	80%	80%	79%	81%	(2%)	82%
F92-SA - SOUTH AMERICA	18%	1333	1334	1415	1190	(19%)	(9225)	60%	63%	64%	61%	4%	(101%)
F93-EU - EUROPE	17%	1137	982	1004	1200	16%	1545	65%	66%	64%	65%	(1%)	67%
F98-CN - CHINA	14%	1260	1211	1236	1340	8%	1643	53%	55%	53%	55%	(2%)	61%
F99-IM - INTERNATIONAL MARKET	9%	1415	1157	1144	1350	15%	1967	66%	67%	68%	60%	8%	36%
F05-LE - LINCOLN NA TOTAL	4%	1094	1014	1152	1035	(10%)	978	81%	80%	80%	82%	(2%)	83%

Top 25 Vehicles Lines At Risk (Sorted by Contribution Volume)

		3 MIS TGW/1000							3 MIS CUST SAT					
		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
BL - KA-B562 (SA CAMACARI)	◆	1361	1333	1468	1139	(29%)	(10761)	●	54%	62%	62%	61%	1%	25%
U2 - EXPLORER (NA-CAP)	◆	955	1016	1271	716	(78%)	(11)	◆	77%	77%	76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	◆	750	787	956	611	(56%)	440	◆	80%	79%	78%	81%	(3%)	82%
BB - FIESTA (EU-COLOGNE)	●	1024	931	944	1015	7%	1165	△	68%	70%	69%	70%	(1%)	72%
D2 - ESCORT (C490)(CN-CHONGQING III)	●	1090	1007	1045	1094	4%	1240	◆	52%	58%	56%	59%	(3%)	68%
A4 - FOCUS (EU-SAARLOUIS)	△	1165	1122	1279	1255	(2%)	1203	◆	64%	67%	64%	67%	(3%)	73%
FE - F-SERIES (P552)(NA-DTP)	●	908	650	738	917	19%	945	●	81%	82%	84%	82%	2%	82%
BY - ECOSPORT (SA-CAMACARI)	◆	1404	1327	1404	1167	(20%)	N/A	●	61%	63%	63%	61%	2%	N/A%
YM - TERRITORY (CX743) (CN-JMC)	●	1302	0	1281	1410	9%	1798	◆	44%	0%	43%	47%	(4%)	59%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	794	694	714	772	8%	772	●	81%	83%	85%	81%	4%	80%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	955	955	945	1120	16%	1572	●	65%	63%	62%	61%	1%	58%
AX - FOCUS (CN-CHONGQING II)	●	1690	1536	1578	1590	1%	1625	●	47%	51%	50%	49%	1%	46%
Q1 - EDGE (NA-OAKVILLE)	●	826	642	574	905	37%	977	●	80%	83%	81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	681	719	660	793	17%	1019	◆	81%	79%	81%	83%	(2%)	87%
R2 - RANGER (SA-PACHECO)	◆	1083	1143	1169	1019	(15%)	(38126)	●	69%	70%	70%	66%	4%	(885%)
K3 - RANGER (IM-RAYONG-AAT)	●	1317	1214	1152	1455	21%	2365	●	60%	65%	67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	1339	1288	1241	1338	7%	1630	●	66%	61%	63%	63%	0%	63%
AI - KUGA (EU-VALENCIA)	●	967	880	686	1019	33%	1176	◆	70%	68%	55%	68%	(13%)	74%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	1004	964	1050	1030	(2%)	971	◆	60%	61%	56%	63%	(7%)	84%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	1570	1341	1501	1067	(41%)	(303)	◆	77%	78%	77%	83%	(6%)	103%
TK - TRANSIT (V362)(CN-NANCHANG)	●	1343	1209	1164	1315	11%	1767	◆	65%	65%	63%	66%	(3%)	75%
K7 - RANGER (IM-SILVERTON)	◆	1357	1339	1358	1357	(0%)	1354	●	61%	62%	65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	●	1324	843	781	843	7%	1028	●	73%	72%	75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	1331	1033	832	1198	31%	2295	●	66%	71%	80%	64%	16%	16%
FL - F-SERIES (P552)(NA-KCAP)	●	795	586	580	861	33%	905	●	81%	87%	82%	82%	0%	82%

Top 25 Assembly Plants At Risk (Sorted by Contribution Volume)

		3 MIS TGW/1000							3 MIS CUST SAT					
		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
A7 - CAMACARI PLANT BUILD	◆	1363	1361	1454	1143	(27%)	(12010)	●	59%	62%	62%	61%	1%	19%
AD - CHICAGO PLANT BUILD	◆	883	1145	1301	764	(70%)	4	◆	77%	76%	76%	80%	(4%)	86%
AN - LOUISVILLE PLANT BUILD	▲	755	804	966	634	(52%)	460	◆	80%	79%	79%	81%	(2%)	82%
DD - JMC XIAOLAN, NANCHANG, CHINA	●	1298	1224	1212	1361	11%	1807	◆	60%	55%	53%	55%	(2%)	61%
C3 - CHONGQING III PLT BLD CHINA	●	1100	1063	1092	1116	2%	1186	◆	54%	57%	55%	58%	(3%)	66%
BE - COLOGNE PLANT BUILD	●	1020	942	944	1015	7%	1165	▲	69%	69%	69%	70%	(1%)	72%
A1 - KENTUCKY TRUCK PLANT BUILD	●	827	759	784	796	2%	798	●	82%	85%	84%	83%	1%	83%
AT - SAARLOUIS PLANT BUILD	▲	1230	1122	1279	1255	(2%)	1203	◆	64%	67%	64%	67%	(3%)	73%
A3 - HERMOSILLO PLANT BUILD	●	906	748	739	846	13%	1032	◆	79%	79%	80%	81%	(1%)	83%
AF - DEARBORN PLANT BUILD	●	907	660	738	917	19%	945	●	83%	83%	84%	82%	2%	82%
B6 - CHONGQING II PLT BLD CHINA	◆	1642	1465	1540	1484	(4%)	1331	◆	49%	52%	50%	52%	(2%)	58%
AS - OAKVILLE PLANT BUILD	●	872	645	576	917	37%	989	●	81%	83%	83%	81%	2%	81%
DZ - AAT- RAYONG ASSEMBLY PLT-LS	●	1636	1264	1243	1513	18%	2322	●	58%	65%	66%	57%	9%	30%
AY - VALENCIA (SPAIN) PLANT BUILD	●	1193	1070	778	1194	35%	1544	◆	65%	66%	59%	65%	(6%)	70%
B3 - CRAIOVA (ROMANIA) PLANT BUILD	●	975	955	945	1120	16%	1572	●	64%	63%	62%	61%	1%	58%
BK - PACHECO ASSEMBLY PLANT	◆	1089	1143	1169	1019	(15%)	(38126)	●	69%	70%	70%	66%	4%	(981%)
DE - HANGZHOU PLANT BUILD (CHINA)	◆	1052	1041	1131	1055	(7%)	826	◆	59%	59%	55%	63%	(8%)	87%
B7 - THAILAND LTD PLANT BUILD	●	1332	1287	1241	1338	7%	1630	●	62%	62%	63%	63%	0%	63%
BQ - SILVERTON(S.AFRICA)PLANT BLD	●	1375	1342	1345	1370	2%	1444	●	61%	61%	64%	55%	9%	28%
BU - CHENNAI (INDIA) PLANT BUILD	●	1351	843	781	843	7%	1028	●	74%	72%	75%	73%	2%	67%
C8 - SANAND INDIA ASSY PLANT BUILD	●	1422	1033	832	1198	31%	2295	●	65%	71%	80%	64%	16%	16%
AJ - KANSAS CITY PLANT BUILD	●	789	585	580	861	33%	905	●	81%	87%	82%	82%	0%	82%
CY - CY-CHONGQING PLANT BUILD CHINA	●	1185	1154	1144	1230	7%	1488	◆	55%	55%	52%	57%	(5%)	72%
CL - FLATROCK ASSEMBLY PLANT - USA	●	962	785	817	991	18%	1016	●	79%	81%	81%	78%	3%	78%
AP - MICHIGAN PLANT BUILD	●	948	793	807	984	18%	1023	◆	70%	82%	79%	81%	(2%)	81%

Functions Making Objectives Cross Region (By VL)

	3 MIS TGW/1000					3 MIS CUST SAT				
Function	NA	SA	EU	CN	IM	NA	SA	EU	CN	IM
F1 - CONNECTED VEHICLE	13	0	6	4	4	8	3	2	3	6
F2 - CHASSIS	11	1	5	7	6	8	3	2	3	6
F3 - ELECTRICAL	10	0	5	7	5	8	3	2	3	6
F4 - POWERTRAIN	10	3	2	3	2	8	3	2	3	6
F5 - VEHICLE ENGINEERING	10	2	4	5	5	8	3	2	3	6
F6 - PAINT	11	3	4	3	4	8	3	2	3	6
F7 - BODY INTERIOR	9	0	6	5	7	8	3	2	3	6
F8 - BODY EXTERIOR	12	2	3	6	6	8	3	2	3	6

Top 15 VFG making objective cross region (Based on VL)										
	3 MIS TGW/1000					3 MIS CUST SAT				
VFG	NA	SA	EU	CN	IM	NA	SA	EU	CN	IM
V79 - CLIMATE CONTROL FUNCTION	14	1	6	7	6	8	3	2	3	6
V88 - TIRES	12	2	2	5	7	8	3	2	3	6
V39 - SQUEAKS & RATTLES	9	3	2	7	4	8	3	2	3	6
V03 - SEATING	10	0	6	4	7	8	3	2	3	6
V74 - HARD TRIM/SOFT TRIM/OVERHEAD SYSTEM	9	0	4	6	6	8	3	2	3	6
V75 - EXTERIOR TRIM & BUMPER FUNCTION	10	0	4	6	5	8	3	2	3	6
V80 - SYNC AND CONNECTED SERVICES	10	0	6	5	5	8	3	2	3	6
V85 - CONNECTED VEHICLE & SERVICES	13	0	6	4	4	8	3	2	3	6
V15 - GLASS WIPING & WASHING	9	2	1	7	4	8	3	2	3	6
V21 - BRAKING	7	1	4	7	4	8	3	2	3	6
V49 - POWERTRAIN SOUND AND NVH	7	2	5	7	2	8	3	2	3	6
V87 - STEERING	12	1	3	5	3	8	3	2	3	6
V12 - ROAD NOISE	9	3	3	5	3	8	3	2	3	6
V33 - PAINT APPEARANCE	11	3	4	3	4	8	3	2	3	6
V37 - WATER LEAKS	6	2	1	7	5	8	3	2	3	6

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES:	QARS/GQRS:	Jun-2020	GLIDEPATH:	June 2, 2020
	OBJECTIVES:	June 2, 2020	RUN DATE:	June 2, 2020

KEY ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F90-NA - NORTH AMERICA

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	37%	842	865	979	900	(9%)	859		80%	80%	79%	81%	(2%)	82%
F92-SA - SOUTH AMERICA	18%	1333	1333	1415	1190	(19%)	(9225)		60%	63%	64%	61%	4%	(101%)
F93-EU - EUROPE	17%	1137	982	1004	1200	16%	1545		65%	66%	64%	65%	(1%)	67%
F98-CN - CHINA	14%	1260	1211	1236	1340	8%	1643		53%	55%	53%	55%	(2%)	61%
F99-IM - INTERNATIONAL MARKET	9%	1415	1158	1144	1350	15%	1967		66%	67%	68%	60%	8%	36%
F05-LE - LINCOLN NA TOTAL	4%	1094	1014	1152	1035	(10%)	978		81%	80%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		77		62	59	(4%)	58		80%		79%	81%	(2%)	82%
F2 - CHASSIS		44		53	46	(15%)	42		80%		79%	81%	(2%)	82%
F3 - ELECTRICAL		249		323	262	(23%)	230		80%		79%	81%	(2%)	82%
F4 - POWERTRAIN		104		119	81	(47%)	61		80%		79%	81%	(2%)	82%
F5 - VEHICLE ENGINEERING		129		156	108	(44%)	83		80%		79%	81%	(2%)	82%
F6 - PAINT		22		17	19	12%	21		80%		79%	81%	(2%)	82%
F7 - BODY INTERIOR		142		156	139	(12%)	130		80%		79%	81%	(2%)	82%
F8 - BODY EXTERIOR		98		93	86	(8%)	82		80%		79%	81%	(2%)	82%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	955	1016	1271	716	(78%)	(11)	◆	77%	77%	76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	◆	750	787	956	611	(56%)	440	◆	80%	79%	78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	908	650	738	917	19%	945	●	81%	82%	84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	794	694	714	772	8%	772	●	81%	83%	85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	826	642	574	905	37%	977	●	80%	83%	81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	681	719	660	793	17%	1019	◆	81%	79%	81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	1570	1341	1501	1067	(41%)	(303)	◆	77%	78%	77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	795	586	580	861	33%	905	●	81%	87%	82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	◆	793	821	1014	706	(44%)	120	◆	83%	79%	82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	▲	846	670	893	761	(17%)	695	◆	83%	87%	79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	●	968	906	903	939	4%	1002	●	78%	79%	82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	●	919	762	834	967	14%	986	●	77%	80%	81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	917	663	585	975	40%	1048	●	78%	86%	89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	880	802	807	984	18%	1023	◆	80%	82%	79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	978	777	941	990	5%	1089	▲	72%	72%	72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	●	1197	937	1039	1062	2%	1071	●	85%	84%	86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	●	1050	850	929	1171	21%	1206	◆	74%	80%	73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	1295	993	551	1126	51%	1259	◆	78%	89%	89%	89%	(0%)	89%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	38	194	74	53	(38%)	27	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	◆	53	255	72	61	(19%)	55	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	50	150	48	57	16%	58	●	83%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	40	88	40	50	19%	50	●	82%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	113	128	27	51	48%	56	●	1%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	96	239	62	67	7%	75	◆	82%		81%	83%	(2%)	87%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	110	282	107	74	(45%)	(30)	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	83	119	39	59	34%	62	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	●	36	162	46	51	10%	60	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	●	49	111	54	57	4%	58	◆	85%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	●	166	300	59	67	12%	81	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	●	58	103	39	63	38%	67	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	67	117	31	46	32%	49	●	84%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	61	94	42	87	52%	97	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	◆	97	242	52	50	(5%)	45	◆	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	◆	86	223	108	80	(35%)	70	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	●	16	99	11	20	47%	21	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	112	104	22	70	68%	81	◆	1%		89%	89%	(0%)	89%
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	△	55	131	74	53	(41%)	24	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	△	35	180	58	41	(39%)	33	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	29	92	24	35	31%	37	●	82%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	58	92	41	60	31%	60	●	81%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	33	80	26	50	48%	55	●	81%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	39	198	44	52	15%	64	◆	81%		81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	76	173	69	57	(22%)	18	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	23	88	22	29	24%	30	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	△	42	148	52	38	(37%)	11	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	●	31	61	18	38	51%	47	◆	83%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	●	53	301	39	69	44%	123	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	△	49	120	50	45	(11%)	44	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	42	104	26	55	53%	60	●	81%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	46	90	44	51	14%	53	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	△	46	150	45	45	(1%)	44	△	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	●	56	133	43	53	19%	57	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	●	97	332	72	123	41%	130	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	△	67	83	47	41	(15%)	40	◆	1%		89%	89%	(0%)	89%
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	248	899	402	188	(114%)	(93)	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	◆	243	963	309	194	(59%)	136	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	278	485	277	346	20%	357	●	82%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	△	226	344	214	207	(3%)	207	●	81%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	277	552	176	359	51%	399	●	81%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	274	1239	274	340	19%	451	◆	81%		81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	570	1288	537	247	(118%)	(671)	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	258	568	234	277	16%	284	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	◆	219	931	284	209	(36%)	65	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	△	282	431	310	258	(20%)	233	◆	83%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	●	368	2140	381	452	16%	576	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	△	215	539	262	232	(13%)	228	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	262	533	174	347	50%	380	●	81%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	218	460	214	262	18%	272	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	283	898	307	338	9%	401	△	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	△	424	871	371	365	(2%)	363	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	●	130	523	104	155	33%	163	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	564	553	162	383	58%	434	◆	1%		89%	89%	(0%)	89%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	44	378	179	36	(404%)	(152)	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	◆	57	353	121	49	(147%)	13	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	155	398	82	158	48%	169	●	82%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	76	193	96	67	(43%)	67	●	81%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	48	243	64	120	47%	132	●	81%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	54	201	39	49	22%	68	◆	81%		81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	124	297	118	69	(71%)	(86)	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	139	337	61	142	57%	155	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	◆	75	230	107	51	(108%)	(54)	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	▲	84	91	95	77	(23%)	69	◆	83%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	◆	58	142	80	45	(76%)	(15)	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	●	115	317	99	110	11%	112	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	54	273	77	170	54%	187	●	81%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	134	180	103	149	31%	159	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	79	166	78	98	21%	139	▲	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	●	138	224	109	110	1%	110	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	◆	43	174	48	38	(28%)	36	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	63	96	35	52	32%	56	◆	1%		89%	89%	(0%)	89%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	125	514	222	98	(126%)	(64)	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	◆	117	618	166	90	(84%)	53	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	111	357	104	118	11%	120	●	82%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	121	223	104	125	17%	125	●	81%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	109	273	94	104	10%	107	●	81%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	85	351	69	98	30%	149	◆	81%		81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	227	606	219	177	(24%)	44	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	124	264	52	123	58%	135	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	◆	130	713	163	106	(53%)	(1)	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	◆	101	157	122	85	(44%)	66	◆	83%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	◆	106	503	131	100	(31%)	46	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	●	119	345	73	125	42%	133	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	130	357	103	120	14%	123	●	81%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	153	292	138	148	6%	150	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	▲	190	851	202	178	(14%)	129	▲	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	◆	156	368	148	137	(8%)	133	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	●	113	495	107	120	11%	122	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	387	532	83	221	63%	253	◆	1%		89%	89%	(0%)	89%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	●	27	27	20	23	10%	25	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	▲	6	16	5	4	(5%)	4	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	21	47	20	23	12%	23	●	82%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	25	44	15	25	41%	25	●	81%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	▲	20	33	20	18	(16%)	17	●	81%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	6	23	3	6	49%	11	◆	81%		81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	35	83	35	14	(145%)	(51)	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	23	49	16	28	44%	30	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	▲	16	50	15	15	(1%)	15	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	●	15	13	4	15	71%	21	◆	83%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)		6	28	0	7	100%	18	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	●	58	152	65	67	3%	67	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	▲	14	27	10	6	(65%)	5	●	80%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	26	43	24	35	30%	37	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	28	127	6	30	81%	78	▲	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	●	21	34	7	15	52%	18	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	●	217	315	147	291	49%	311	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT		55	43	0	46	100%	57	◆	1%		89%	89%	(0%)	89%
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	221	556	198	175	(13%)	144	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	▲	121	509	137	103	(32%)	87	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	▲	102	210	123	102	(21%)	98	●	82%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	131	247	107	126	15%	126	●	81%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	118	339	95	107	12%	110	●	81%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	▲	154	523	142	140	(2%)	135	◆	81%		81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	●	222	771	213	308	31%	609	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	124	197	112	124	10%	126	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	◆	155	712	185	161	(15%)	115	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	◆	172	313	168	134	(25%)	118	◆	83%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	▲	154	821	173	143	(21%)	89	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	●	152	407	105	165	36%	173	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	159	366	111	146	24%	153	●	81%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	164	312	161	168	4%	170	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	141	745	108	143	25%	214	▲	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	◆	211	500	176	138	(28%)	124	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	◆	139	709	169	108	(56%)	99	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	251	401	118	222	47%	246	◆	1%		89%	89%	(0%)	89%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	116	208	102	91	(12%)	77	◆	77%		76%	80%	(4%)	85%
M3 - ESCAPE (NA-LOUISVILLE)	▲	86	252	89	68	(30%)	58	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	69	209	60	79	24%	82	●	82%		84%	82%	2%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	103	157	96	111	13%	111	●	81%		85%	81%	4%	80%
Q1 - EDGE (NA-OAKVILLE)	●	96	277	71	96	26%	101	●	81%		81%	80%	1%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	37	100	27	41	35%	65	◆	81%		81%	83%	(2%)	87%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	206	520	203	121	(67%)	(136)	◆	77%		77%	83%	(6%)	103%
FL - F-SERIES (P552)(NA-KCAP)	●	57	136	45	79	43%	85	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVIL	◆	111	337	162	75	(117%)	(91)	◆	83%		82%	85%	(3%)	91%
B3 - EXPEDITION (NA)	▲	119	163	122	97	(27%)	84	◆	83%		79%	86%	(7%)	90%
DI - FUSION HYBRID CD391 (NA HSAP)	●	53	293	40	56	28%	83	●	78%		82%	79%	3%	73%
ZB - MUSTANG (S550) (NA)	●	154	303	141	159	11%	161	●	78%		81%	77%	4%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	86	214	53	86	38%	92	●	81%		89%	84%	5%	83%
KB - RANGER (NA-MICHIGAN)	●	80	132	79	85	7%	86	◆	80%		79%	81%	(2%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	▲	122	708	143	108	(32%)	37	▲	72%		72%	73%	(1%)	76%
B4 - NAVIGATOR (NA)	●	170	456	78	165	52%	196	●	85%		86%	84%	2%	83%
ZT - MUSTANG FP (S550)(NA)	●	293	754	270	316	15%	323	◆	74%		73%	75%	(2%)	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	146	174	83	91	9%	93	◆	1%		89%	89%	(0%)	89%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES				
	QARS GQRS	Tuesday, June 2, 2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath	Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F92-SA - SOUTH AMERICA

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	37%	842	865	979	900	(9%)	859		80%	80%	79%	81%	(2%)	82%
F92-SA - SOUTH AMERICA	18%	1333	1333	1415	1190	(19%)	(9225)		60%	63%	64%	61%	4%	(101%)
F93-EU - EUROPE	17%	1137	982	1004	1200	16%	1545		65%	66%	64%	65%	(1%)	67%
F98-CN - CHINA	14%	1260	1211	1236	1340	8%	1643		53%	55%	53%	55%	(2%)	61%
F99-IM - INTERNATIONAL MARKET	9%	1415	1158	1144	1350	15%	1967		66%	67%	68%	60%	8%	36%
F05-LE - LINCOLN NA TOTAL	4%	1094	1014	1152	1035	(10%)	978		81%	80%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		56		79	34	(129%)	(2015)		61%		64%	61%	4%	(101%)
F2 - CHASSIS		88		84	76	(11%)	(300)		60%		64%	61%	4%	(101%)
F3 - ELECTRICAL		271		359	227	(58%)	(5848)		60%		64%	61%	4%	(101%)
F4 - POWERTRAIN		95		93	102	9%	533		60%		64%	61%	4%	(101%)
F5 - VEHICLE ENGINEERING		297		282	271	(4%)	(230)		60%		64%	61%	4%	(101%)
F6 - PAINT		20		19	20	8%	92		60%		64%	61%	4%	(101%)
F7 - BODY INTERIOR		298		309	225	(38%)	(3682)		60%		64%	61%	4%	(101%)
F8 - BODY EXTERIOR		195		191	174	(10%)	(607)		60%		64%	61%	4%	(101%)
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	1361	1333	1468	1139	(29%)	(10761)	●	54%	62%	62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	◆	1404	1327	1404	1167	(20%)	N/A	●	61%	63%	63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	◆	1083	1143	1169	1019	(15%)	(38126)	●	69%	70%	70%	66%	4%	(885%)
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	46	111	61	34	(80%)	(949)	●	60%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	◆	89	209	115	44	(158%)	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	◆	37	232	117	24	(392%)	(24444)	●	69%		70%	66%	4%	(885%)
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	104	201	101	83	(21%)	(560)	●	57%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	●	60	108	47	63	24%	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	◆	55	101	53	43	(24%)	(2579)	●	69%		70%	66%	4%	(885%)
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	237	568	347	228	(52%)	(4068)	●	57%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	◆	284	753	435	216	(102%)	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	◆	250	622	316	237	(34%)	(20650)	●	69%		70%	66%	4%	(885%)
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	96	203	99	101	2%	172	●	57%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	●	113	178	86	110	22%	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	●	79	137	69	99	30%	7901	●	69%		70%	66%	4%	(885%)

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	322	559	304	276	(10%)	(729)	●	57%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	●	314	576	277	313	11%	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	●	172	342	179	182	2%	1030	●	69%		70%	66%	4%	(885%)
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	17	32	18	19	6%	57	●	57%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	●	21	45	20	24	16%	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	●	34	47	22	27	20%	1426	●	69%		70%	66%	4%	(885%)
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	288	598	317	215	(47%)	(3445)	●	57%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	◆	329	538	301	254	(18%)	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	◆	265	553	286	262	(9%)	(5991)	●	69%		70%	66%	4%	(885%)
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	212	395	222	183	(22%)	(1238)	●	57%		62%	61%	1%	25%
BY - ECOSPORT (SA-CAMACARI)	●	136	246	124	144	14%	N/A	●	61%		63%	61%	2%	N/A%
R2 - RANGER (SA-PACHECO)	●	166	249	127	146	13%	5181	●	69%		70%	66%	4%	(885%)

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, June 2, 2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F93-EU - EUROPE

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	37%	842	865	979	900	(9%)	859		80%	80%	79%	81%	(2%)	82%
F92-SA - SOUTH AMERICA	18%	1333	1333	1415	1190	(19%)	(9225)		60%	63%	64%	61%	4%	(101%)
F93-EU - EUROPE	17%	1137	982	1004	1200	16%	1545		65%	66%	64%	65%	(1%)	67%
F98-CN - CHINA	14%	1260	1211	1236	1340	8%	1643		53%	55%	53%	55%	(2%)	61%
F99-IM - INTERNATIONAL MARKET	9%	1415	1158	1144	1350	15%	1967		66%	67%	68%	60%	8%	36%
F05-LE - LINCOLN NA TOTAL	4%	1094	1014	1152	1035	(10%)	978		81%	80%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		119		76	139	45%	249		65%		64%	65%	(1%)	67%
F2 - CHASSIS		49		44	56	23%	79		65%		64%	65%	(1%)	67%
F3 - ELECTRICAL		343		307	311	1%	319		65%		64%	65%	(1%)	67%
F4 - POWERTRAIN		106		88	89	2%	92		65%		64%	65%	(1%)	67%
F5 - VEHICLE ENGINEERING		174		177	184	4%	196		65%		64%	65%	(1%)	67%
F6 - PAINT		21		18	23	18%	30		65%		64%	65%	(1%)	67%
F7 - BODY INTERIOR		210		170	216	21%	296		65%		64%	65%	(1%)	67%
F8 - BODY EXTERIOR		122		124	121	(3%)	115		65%		64%	65%	(1%)	67%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	1024	931	944	1015	7%	1165	▲	68%	70%	69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	▲	1165	1122	1279	1255	(2%)	1203	◆	64%	67%	64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	955	955	945	1120	16%	1572	●	65%	63%	62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	●	967	880	686	1019	33%	1176	◆	70%	68%	55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	1309	1111	745	1308	43%	2279	●	49%	63%	75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	1703	1581	1438	1655	13%	2194	◆	56%	66%	59%	62%	(3%)	69%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	109	91	78	128	39%	232	◆	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	●	136	309	90	181	50%	375	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	103	175	60	108	45%	233	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	●	82	189	86	106	18%	115	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	112	186	20	138	86%	343	●	53%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	139	184	48	131	63%	336	◆	56%		59%	62%	(3%)	69%
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	▲	48	45	49	45	(9%)	37	▲	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	●	59	160	63	69	9%	82	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	43	84	39	61	37%	120	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	●	40	122	7	44	83%	61	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	79	145	20	74	73%	167	●	57%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	57	142	41	66	38%	129	◆	56%		59%	62%	(3%)	69%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	319	299	299	325	8%	381	△	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	◆	342	1019	448	320	(40%)	48	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	257	477	229	268	15%	369	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	●	331	810	187	284	34%	330	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	273	477	152	282	46%	505	●	57%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	466	878	393	419	6%	483	◆	56%		59%	62%	(3%)	69%
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	◆	82	64	71	60	(19%)	36	△	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	△	120	298	120	110	(9%)	88	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	68	146	79	73	(8%)	57	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	●	98	193	50	97	48%	119	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	117	135	137	143	4%	153	●	57%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	◆	135	469	168	122	(38%)	7	◆	56%		59%	62%	(3%)	69%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	149	134	146	150	3%	158	△	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	●	216	557	209	222	6%	249	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	164	340	183	169	(9%)	132	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	△	155	491	193	171	(13%)	161	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	164	311	81	177	54%	342	●	57%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	245	485	180	256	30%	444	◆	56%		59%	62%	(3%)	69%
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	25	22	23	24	4%	26	△	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	●	26	66	22	23	4%	25	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	14	34	16	21	24%	34	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)		13	46	0	20	100%	29	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	◆	25	21	46	20	(130%)	(25)	●	57%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	20	56	11	27	59%	67	◆	56%		59%	62%	(3%)	69%
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	167	158	142	180	21%	260	△	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	●	193	510	179	211	15%	280	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	214	435	227	282	19%	424	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	●	148	475	95	176	46%	214	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	342	581	210	322	35%	515	●	57%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	378	501	393	439	10%	552	◆	56%		59%	62%	(3%)	69%
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	△	120	117	135	103	(31%)	36	△	69%		69%	70%	(1%)	72%
A4 - FOCUS (EU-SAARLOUIS)	◆	155	393	148	119	(25%)	57	◆	64%		64%	67%	(3%)	73%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	98	217	113	138	18%	203	●	65%		62%	61%	1%	58%
AI - KUGA (EU-VALENCIA)	●	79	313	67	121	45%	147	◆	70%		55%	68%	(13%)	74%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	180	403	78	152	49%	279	●	57%		75%	60%	15%	34%
HA - S-MAX/GALAXY (CD390/CD539E)(I	◆	189	448	203	195	(4%)	176	◆	56%		59%	62%	(3%)	69%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, June 2, 2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F98-CN - CHINA

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	37%	842	865	979	900	(9%)	859		80%	80%	79%	81%	(2%)	82%
F92-SA - SOUTH AMERICA	18%	1333	1333	1415	1190	(19%)	(9225)		60%	63%	64%	61%	4%	(101%)
F93-EU - EUROPE	17%	1137	982	1004	1200	16%	1545		65%	66%	64%	65%	(1%)	67%
F98-CN - CHINA	14%	1260	1211	1236	1340	8%	1643		53%	55%	53%	55%	(2%)	61%
F99-IM - INTERNATIONAL MARKET	9%	1415	1158	1144	1350	15%	1967		66%	67%	68%	60%	8%	36%
F05-LE - LINCOLN NA TOTAL	4%	1094	1014	1152	1035	(10%)	978		81%	80%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		41		39	43	10%	55		53%		53%	55%	(2%)	61%
F2 - CHASSIS		102		73	88	17%	131		53%		53%	55%	(2%)	61%
F3 - ELECTRICAL		232		233	234	1%	239		53%		53%	55%	(2%)	61%
F4 - POWERTRAIN		137		157	146	(7%)	115		53%		53%	55%	(2%)	61%
F5 - VEHICLE ENGINEERING		352		371	365	(2%)	349		53%		53%	55%	(2%)	61%
F6 - PAINT		25		23	23	1%	24		53%		53%	55%	(2%)	61%
F7 - BODY INTERIOR		243		227	254	10%	331		53%		53%	55%	(2%)	61%
F8 - BODY EXTERIOR		116		114	120	5%	138		53%		53%	55%	(2%)	61%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	1090	1007	1045	1094	4%	1240	◆	52%	58%	56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	●	1302	0	1281	1410	9%	1798	◆	44%	0%	43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	●	1690	1536	1578	1590	1%	1625	●	47%	51%	50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	1004	964	1050	1030	(2%)	971	◆	60%	61%	56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	●	1343	1209	1164	1315	11%	1767	◆	65%	65%	63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	1182	1125	1144	1230	7%	1488	◆	54%	55%	52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	●	982	993	1133	1170	3%	1281	●	57%	66%	66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	◆	1305	1269	1309	1270	(3%)	1152	◆	49%	56%	53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	1623	1592	1610	1650	2%	1769	◆	52%	57%	52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	1782	1496	1782	1309	(36%)	521	●	51%	51%	51%	51%	0%	51%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	19	61	16	25	35%	50	◆	56%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	●	35	32	32	53	40%	117	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	◆	85	393	80	76	(6%)	61	●	48%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	47	180	45	45	(1%)	43	◆	61%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	●	9	27	4	14	71%	44	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	◆	41	179	52	36	(43%)	(11)	◆	55%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	●	10	32	11	26	58%	71	●	76%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	◆	64	299	72	60	(21%)	23	◆	55%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	57	202	110	92	(20%)	37	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	68	130	68	62	(10%)	51	●	51%		51%	51%	0%	51%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	98	230	74	115	36%	240	◆	54%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	●	62	63	63	97	35%	199	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	●	110	426	88	98	10%	128	●	47%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	●	43	154	30	43	30%	82	◆	60%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	◆	77	192	77	74	(4%)	65	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	61	224	50	63	20%	102	◆	54%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	◆	97	69	108	78	(39%)	(13)	●	71%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	◆	77	417	115	70	(63%)	(62)	◆	53%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	60	136	61	75	18%	116	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	●	95	195	95	100	4%	107	●	51%		51%	51%	0%	51%
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	141	329	118	153	23%	256	◆	54%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	●	182	173	173	198	13%	274	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	◆	458	2218	468	420	(12%)	274	●	47%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	●	273	1112	281	318	12%	429	◆	60%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	●	112	333	104	121	14%	173	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	258	1020	264	269	2%	284	◆	54%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	●	146	143	87	157	45%	369	●	61%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	●	297	1460	272	295	8%	363	◆	53%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	437	886	594	329	(80%)	(465)	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	532	747	532	304	(75%)	(77)	●	51%		51%	51%	0%	51%
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	◆	124	398	150	121	(24%)	33	◆	54%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	◆	245	240	240	204	(18%)	97	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	●	198	834	180	223	19%	349	●	47%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	69	239	73	70	(4%)	61	◆	60%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	●	106	347	87	103	16%	152	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	171	578	158	169	7%	204	◆	54%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	◆	75	106	121	120	(1%)	117	●	71%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	◆	93	405	94	85	(10%)	59	◆	53%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	197	377	199	187	(7%)	150	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	236	329	236	94	(151%)	(143)	●	51%		51%	51%	0%	51%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	◆	369	1092	378	364	(4%)	324	◆	54%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	◆	497	496	496	446	(11%)	295	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	◆	471	2255	467	433	(8%)	331	●	47%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	242	998	261	246	(6%)	202	◆	60%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	●	326	851	280	325	14%	459	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	302	1151	284	319	11%	422	◆	54%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	●	220	235	208	274	24%	472	●	61%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	●	361	1785	348	360	3%	396	◆	53%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	311	816	310	500	38%	1068	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	373	735	373	370	(1%)	365	●	51%		51%	51%	0%	51%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	◆	31	61	21	20	(7%)	16	◆	54%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	●	20	18	18	29	39%	63	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	◆	25	122	27	20	(37%)	(2)	●	47%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	22	95	25	23	(9%)	17	◆	60%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	◆	26	79	36	20	(78%)	(27)	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	36	127	27	37	25%	65	◆	54%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)		21	15	0	16	100%	64	●	61%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	●	17	82	9	21	58%	57	◆	53%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	19	35	19	16	(15%)	9	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	27	47	27	20	(36%)	8	●	51%		51%	51%	0%	51%
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	◆	227	599	209	197	(6%)	160	◆	54%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	●	155	150	150	249	40%	546	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	●	214	902	176	192	9%	242	●	47%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	192	763	191	190	(0%)	189	◆	60%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	●	524	1404	452	512	12%	693	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	206	797	206	209	2%	219	◆	54%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	◆	307	294	364	362	(1%)	353	●	61%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	◆	236	1215	250	245	(2%)	230	◆	53%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	213	481	212	270	22%	445	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	250	482	250	232	(8%)	202	●	51%		51%	51%	0%	51%
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	95	252	78	99	21%	162	◆	54%		56%	59%	(3%)	68%
YM - TERRITORY (CX743) (CN-JMC)	●	105	108	108	133	19%	209	◆	44%		43%	47%	(4%)	59%
AX - FOCUS (CN-CHONGQING II)	●	119	530	91	129	29%	241	●	47%		50%	49%	1%	46%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	106	477	144	95	(52%)	(52)	◆	60%		56%	63%	(7%)	84%
TK - TRANSIT (V362)(CN-NANCHANG)	●	159	394	124	145	14%	208	◆	65%		63%	66%	(3%)	75%
NL - MONDEO (CD391)(CN-CHONGQIN	●	113	426	103	128	19%	202	◆	54%		52%	57%	(5%)	72%
TI - TRANSIT (V348)(CN-JMC)	◆	113	99	234	137	(70%)	(152)	●	61%		66%	65%	1%	62%
A2 - KUGA (CN-CHONGQING II)	◆	139	690	149	133	(12%)	85	◆	53%		53%	57%	(4%)	69%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	183	292	105	181	42%	409	◆	52%		52%	61%	(9%)	88%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	200	326	200	128	(56%)	8	●	51%		51%	51%	0%	51%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES				
	QARS GQRS	Tuesday, June 2, 2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath	Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

GQRS - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 02-Jun-2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F99-IM - INTERNATIONAL MARKET

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	37%	842	865	979	900	(9%)	859		80%	80%	79%	81%	(2%)	82%
F92-SA - SOUTH AMERICA	18%	1333	1333	1415	1190	(19%)	(9225)		60%	63%	64%	61%	4%	(101%)
F93-EU - EUROPE	17%	1137	982	1004	1200	16%	1545		65%	66%	64%	65%	(1%)	67%
F98-CN - CHINA	14%	1260	1211	1236	1340	8%	1643		53%	55%	53%	55%	(2%)	61%
F99-IM - INTERNATIONAL MARKET	9%	1415	1158	1144	1350	15%	1967		66%	67%	68%	60%	8%	36%
F05-LE - LINCOLN NA TOTAL	4%	1094	1014	1152	1035	(10%)	978		81%	80%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		65		43	50	13%	70		66%		68%	60%	8%	36%
F2 - CHASSIS		103		64	68	5%	77		66%		68%	60%	8%	36%
F3 - ELECTRICAL		294		252	279	10%	361		66%		68%	60%	8%	36%
F4 - POWERTRAIN		182		167	144	(16%)	76		66%		68%	60%	8%	36%
F5 - VEHICLE ENGINEERING		273		223	236	5%	273		66%		68%	60%	8%	36%
F6 - PAINT		32		32	38	16%	56		66%		68%	60%	8%	36%
F7 - BODY INTERIOR		307		211	314	33%	621		66%		68%	60%	8%	36%
F8 - BODY EXTERIOR		172		152	178	15%	256		66%		68%	60%	8%	36%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	1317	1214	1152	1455	21%	2365	●	60%	65%	67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	1339	1288	1241	1338	7%	1630	●	66%	61%	63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	◆	1357	1339	1358	1357	(0%)	1354	●	61%	62%	65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	●	1324	843	781	843	7%	1028	●	73%	72%	75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	1331	1033	832	1198	31%	2295	●	66%	71%	80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	1906	1615	1547	1850	16%	2760	●	51%	54%	63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	●		1588	1208	1580	24%	2695	◆	58%	55%	56%	61%	(5%)	76%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	◆	59	241	52	45	(16%)	24	●	63%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	47	435	37	84	57%	227	●	65%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	●	35	304	33	48	31%	92	●	62%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	◆	71	154	59	40	(49%)	(18)	●	75%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	◆	44	134	41	29	(42%)	(7)	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	91	243	36	109	67%	328	●	56%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	●	21	254	17	26	35%	52	◆	58%		56%	61%	(5%)	76%
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	56	179	26	50	48%	121	●	61%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	71	306	54	65	16%	97	●	66%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	◆	85	558	168	69	(145%)	(230)	●	61%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	●	150	250	66	81	18%	126	●	73%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	117	149	22	72	69%	221	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	75	473	76	97	21%	158	●	54%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	●	57	265	17	100	83%	350	◆	58%		56%	61%	(5%)	76%
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	▲	263	1271	257	246	(5%)	213	●	61%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	353	1703	351	388	10%	499	●	66%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	●	290	951	204	324	37%	684	●	61%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	●	281	568	174	204	15%	293	●	73%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	231	502	159	194	18%	299	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	423	1274	326	399	18%	618	●	54%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	◆	301	1486	333	264	(26%)	55	◆	58%		56%	61%	(5%)	76%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	▲	209	766	186	176	(6%)	146	●	61%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	◆	218	1143	243	204	(19%)	89	●	66%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	◆	118	497	137	129	(6%)	107	●	61%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	●	165	296	96	102	6%	120	●	73%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	148	343	74	135	45%	317	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	◆	233	760	232	167	(39%)	(29)	●	54%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	◆	85	619	108	62	(76%)	(79)	◆	58%		56%	61%	(5%)	76%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	280	1355	239	290	17%	440	●	61%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	216	920	207	209	1%	216	●	66%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	◆	244	1031	266	235	(13%)	142	●	61%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	◆	264	473	151	127	(19%)	56	●	73%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	294	648	175	249	30%	470	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	409	2033	327	349	6%	416	●	54%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	●	288	1107	267	310	14%	442	◆	58%		56%	61%	(5%)	76%
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	31	177	22	42	48%	103	●	61%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	30	128	26	31	14%	44	●	66%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	◆	53	174	50	40	(25%)	10	●	61%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	▲	17	42	20	17	(20%)	7	●	73%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	26	63	11	44	74%	142	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	◆	60	331	90	63	(44%)	(19)	●	54%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	●	72	445	58	86	32%	167	◆	58%		56%	61%	(5%)	76%
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	362	1411	244	430	43%	987	●	61%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	●	230	931	172	239	28%	440	●	66%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	●	282	1017	292	302	3%	333	●	61%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	●	294	515	149	182	18%	282	●	73%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	312	587	150	234	36%	486	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	417	1905	265	408	35%	837	●	54%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	●	269	744	217	322	33%	637	◆	58%		56%	61%	(5%)	76%
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	143	672	124	176	29%	332	●	61%		67%	57%	10%	27%
KR - RANGER (IM-RAYONG-FTM)	◆	124	565	151	118	(28%)	19	●	66%		63%	63%	0%	63%
K7 - RANGER (IM-SILVERTON)	●	222	826	208	210	1%	216	●	61%		65%	55%	10%	25%
ED - ECOSPORT (IM-CHENNAI)	●	103	230	66	90	27%	161	●	73%		75%	73%	2%	67%
E9 - FIGO (B562)(IM-SANAND)	●	230	672	199	241	17%	366	●	65%		80%	64%	16%	16%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	273	1054	194	258	25%	451	●	54%		63%	55%	8%	31%
KV - EVEREST (U375)(IM-SILVERTON)	●	302	1433	192	411	53%	1071	◆	58%		56%	61%	(5%)	76%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, June 2, 2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020