WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 02-Jun-2020
GLOBAL

KEY:
- ON TRACK - Actual value better than obj
- POSSIBILE - objective is achievable
- UNLIKELY - it is improbable to make objective

Regional Breakdown

		3 MIS R/1000						3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		GLIDEPATH	ACTUAL	OBJECTIVE	B(W) Obj	RUN RATE	
F90-NA - NORTH AMERICA	36%	72.9	85.0	90.2	6%	98.9	±9.9	33.0	40.9	34.2	(20%)	23.0	±2.3
F92-SA - SOUTH AMERICA	13%	10.8	12.5	15.3	18%	28.9	±2.9	2.0	2.5	3.2	21%	6.5	±0.6
F93-EU - EUROPE	30%	32.5	36.8	50.0	26%	85.8	±8.6	7.9	9.4	11.4	18%	17.0	±1.7
F98-CN - CHINA	11%	12.3	12.9	16.8	23%	35.7	±3.6	4.2	4.7	4.7	(0%)	4.7	±0.5
F99-IM - INTERNATIONAL MARKET	7%	18.7	20.1	22.0	9%	31.4	±3.1	7.9	8.8	7.3	(21%)	(0.3)	±0.0
F05-F05 - NA LINCOLN TOTAL	2%	217.8	255.5	300.0	14%	351.5	±0.0	103.0	126.1	83.8	(50%)	34.9	±0.0

Top 25 Vehicles Lines At Risk (Sorted by Contribution Volume)

		3 MIS R/1000							3 MIS CPU					
		GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
BL - KA-B562 (SA CAMACARI)	●	9.2	11.2	12.6	12%	17.8	±1.8	▲	1.7	2.2	2.1	(5%)	1.7	±0.2
A4 - FOCUS (EU-SAARLOUIS)	▲	44.5	54.2	51.4	(5%)	42.9	±4.3	▲	9.8	13.0	10.0	(30%)	0.9	±0.1
U2 - EXPLORER (NA-CAP)	◆	200.0	206.2	134.6	(53%)	(22.5)	±2.3	◆	78.3	98.5	47.5	(107%)	(64.5)	±6.4
BB - FIESTA (EU-COLOGNE)	●	28.7	27.0	30.5	11%	41.4	±4.1	●	5.9	5.3	6.0	12%	8.2	±0.8
AI - KUGA (EU-VALENCIA)	●	19.3	20.6	36.1	43%	67.6	±6.8	●	4.9	6.7	11.9	43%	22.4	±2.2
FE - F150 (NA-DTP)	●	51.1	52.5	64.7	19%	108.8	±10.9	●	24.1	23.4	27.2	14%	40.9	±4.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	64.9	73.6	65.4	(13%)	57.0	±5.7	▲	33.9	39.6	26.9	(47%)	13.8	±1.4
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	14.7	14.3	17.8	20%	36.4	±3.6	●	6.8	6.9	8.3	18%	16.2	±1.6
M3 - ESCAPE (NA-LOUISVILLE)	▲	69.5	68.9	55.2	(25%)	38.0	±3.8	▲	27.4	28.7	20.0	(43%)	9.1	±0.9
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	39.1	45.0	37.0	(22%)	12.9	±1.3	◆	12.7	15.4	10.7	(44%)	(3.4)	±0.3
BY - ECOSPORT (SA-CAMACARI)	●	14.4	15.4	19.9	23%	N/A	±0.0	●	2.7	3.2	4.5	29%	N/A	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	32.9	34.4	60.5	43%	87.5	±8.7	●	15.4	15.6	21.0	25%	26.5	±2.6
D2 - ESCORT (C490)(CN-CHONGQING III)	▲	6.1	7.6	6.9	(10%)	3.4	±0.3	●	0.7	1.0	1.4	27%	3.4	±0.3
TA - TRANSIT (NA-KCAP)	◆	35.8	40.4	25.1	(61%)	8.8	±0.9	◆	18.5	23.8	10.0	(138%)	(4.8)	±0.5
FL - F150 (NA-KCAP)	▲	37.6	41.2	38.4	(7%)	28.5	±2.8	●	14.0	15.2	18.4	17%	30.0	±3.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	10.8	16.0	33%	42.2	±4.2	●	0.0	3.4	3.9	14%	6.6	±0.7
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	28.7	30.5	25.8	(18%)	8.4	±0.8	●	4.6	4.9	5.5	12%	7.9	±0.8
BG - TRANSIT COURIER (B460)(EU-YENIKO'	●	24.6	20.9	22.4	7%	27.5	±2.8	●	3.4	3.1	5.1	40%	12.1	±1.2
AX - FOCUS (CN-CHONGQING II)	●	11.1	13.5	17.4	22%	36.6	±3.7	◆	8.1	10.5	6.0	(75%)	(16.5)	±1.7
ED - ECOSPORT (IM-CHENNAI)	●	8.0	7.9	12.0	35%	32.8	±3.3	●	0.9	1.0	1.5	30%	3.7	±0.4
T9 - TRANSIT CONNECT (EU-VALENCIA)	◆	24.7	28.4	25.0	(14%)	15.2	±1.5	▲	7.9	8.4	7.7	(8%)	5.9	±0.6
K3 - RANGER (IM-RAYONG-AAT)	●	10.3	11.1	12.8	13%	21.3	±2.1	▲	3.9	5.0	4.5	(12%)	1.8	±0.2
TF - TRANSIT (EU-KOCAELI)	◆	35.3	39.4	28.1	(41%)	(9.5)	±1.0	◆	9.7	10.5	8.8	(19%)	3.3	±0.3
ZB - MUSTANG (S550) (NA)	●	37.4	39.9	53.3	25%	75.0	±7.5	●	19.9	18.5	22.6	18%	29.3	±2.9
B3 - EXPEDITION (NA)	●	45.5	41.2	60.9	32%	89.3	±8.9	●	19.5	19.7	22.8	14%	27.5	±2.7

Top 25 Assembly Plants At Risk (Sorted by Contribution Volume)

		3 MIS R/1000							3 MIS CPU					
		GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
A7 - CAMACARI PLANT BUILD	●	10.3	12.1	13.9	13%	22.4	±2.2	●	1.9	2.4	2.5	4%	3.0	±0.3
AT - SAARLOUIS PLANT BUILD	▲	44.5	54.1	51.4	(5%)	42.9	±4.3	◆	9.8	13.0	10.0	(30%)	1.0	±0.1
AD - CHICAGO PLANT BUILD	◆	196.2	230.4	147.9	(56%)	(42.6)	±4.3	◆	85.8	110.2	59.1	(87%)	(59.1)	±5.9
AY - VALENCIA (SPAIN) PLANT BUILD	●	22.9	26.4	33.1	20%	48.7	±4.9	●	6.9	8.6	10.9	21%	16.2	±1.6
A1 - KENTUCKY TRUCK PLANT	▲	62.0	69.0	66.9	(3%)	64.7	±6.5	▲	33.4	37.8	28.3	(33%)	17.8	±1.8
BE - COLOGNE PLANT BUILD	●	25.4	27.0	30.5	11%	41.4	±4.1	●	5.0	5.3	6.0	12%	8.2	±0.8
AN - LOUISVILLE PLANT BUILD	▲	93.8	89.5	62.5	(43%)	28.4	±2.8	▲	36.4	36.2	22.5	(61%)	5.1	±0.5
A3 - HERMOSILLO ASSY PLANT	●	16.1	16.1	20.8	23%	47.5	±4.8	●	8.2	8.1	9.4	14%	16.7	±1.7
AJ - KANSAS CITY PLANT BUILD	◆	37.0	40.9	31.6	(29%)	14.6	±1.5	▲	17.2	19.9	14.1	(41%)	3.5	±0.3
BX - KOCAELI PLANT BUILD	◆	37.7	42.9	33.1	(30%)	2.2	±0.2	◆	11.6	13.6	9.9	(37%)	(1.7)	±0.2
AF - DEARBORN PLANT BUILD	●	53.9	52.5	64.7	19%	108.8	±10.9	●	23.2	23.4	27.2	14%	40.9	±4.1
DD - JMC XIAOLAN, NANCHANG, CHINA	●	11.5	14.9	17.2	13%	28.5	±2.9	◆	3.4	4.7	4.1	(16%)	0.8	±0.1
B3 - CRAIOVA (ROMANIA) PLANT BUILD	▲	33.4	32.1	29.6	(8%)	24.6	±2.5	●	6.6	6.0	7.2	17%	9.7	±1.0
AS - OAKVILLE PLANT BUILD	●	40.0	40.0	69.2	42%	98.9	±9.9	●	18.3	17.6	26.4	34%	35.4	±3.5
C3 - CHONGQING III PLT BLD CHINA	●	7.6	8.3	8.5	3%	9.6	±1.0	●	1.0	1.2	1.7	30%	4.0	±0.4
DZ - AAT- RAYONG ASSEMBLY PLT-LS	●	13.7	15.0	16.1	7%	22.1	±2.2	◆	4.6	6.2	5.0	(23%)	(0.7)	±0.1
BU - CHENNAI (INDIA) PLANT BUILD	●	8.9	8.8	14.0	37%	40.0	±4.0	◆	3.0	3.5	2.2	(56%)	(4.0)	±0.4
B6 - CHONGQING II PLT BLD CHINA	●	15.6	13.3	21.7	38%	59.1	±5.9	◆	8.6	9.4	7.5	(25%)	(1.0)	±0.1
C6 - YENIKOY ASSEMBLY PLANT	●	21.4	20.9	22.4	7%	27.5	±2.8	●	2.7	3.1	5.1	40%	12.1	±1.2
CL - FLATROCK ASSEMBLY PLANT - USA	●	49.5	48.6	64.3	24%	89.2	±8.9	▲	33.5	32.4	31.3	(4%)	29.4	±2.9
DE - HANGZHOU ASSY PLANT	●	14.6	7.4	20.0	63%	82.6	±8.3	●	4.7	2.6	5.8	56%	21.9	±2.2
BL - TAIWAN BAO ASSY PLANT	▲	20.1	24.3	21.7	(12%)	9.0	±0.9	◆	7.2	9.7	5.8	(68%)	(13.9)	±1.4
C8 - SANAND INDIA ASSY PLANT BUILD	●	7.5	10.7	16.0	33%	42.5	±4.3	●	0.5	0.6	1.6	61%	6.5	±0.6
B7 - FTM THAILAND ASY PLANT	●	19.9	22.8	28.5	20%	57.1	±5.7	●	8.2	10.7	14.8	28%	35.2	±3.5
BK - PACHECO ASSEMBLY PLANT	●	17.9	17.9	18.2	2%	N/A	±0.0	●	3.6	3.7	5.2	29%	N/A	±0.0

Functions Making Objectives Cross Region (By VL)

	3 MIS R/1000					3 MIS CPU				
Function	**NA**	**SA**	**EU**	**CN**	**IM**	**NA**	**SA**	**EU**	**CN**	**IM**
F1 - CONNECTED VEHICLE	10	0	7	3	0	10	0	6	2	0
F2 - CHASSIS	16	1	10	7	5	13	0	7	7	7
F3 - ELECTRICAL	16	3	7	11	7	9	1	10	10	9
F4 - POWERTRAIN	12	2	2	8	5	13	3	5	6	5
F5 - VEHICLE ENGINEERING	14	0	7	0	4	13	0	6	0	0
F6 - PAINT	13	3	7	3	4	13	3	9	1	2
F7 - BODY INTERIOR	15	3	9	8	6	17	3	10	8	7
F8 - BODY EXTERIOR	13	3	5	6	7	13	2	5	6	7

Top 15 VFG making objective cross region (Based on VL)										
	3 MIS R/1000					3 MIS CPU				
VFG	NA	SA	EU	CN	IM	NA	SA	EU	CN	IM
V83 - INSTRUMENTATION FUNCTION	16	2	10	4	3	19	3	9	8	2
V44 - BASE ENGINE MALFUNCTION	12	2	6	7	8	16	3	4	8	8
V79 - CLIMATE CONTROL FUNCTION	15	3	9	5	5	13	2	7	4	8
V17 - ELECTRICAL ACCESSORIES FUNCTION	10	3	6	11	6	6	3	8	9	7
V18 - WIRING & EDS COMPONENTS	17	3	7	3	7	13	2	7	4	6
V21 - BRAKING	10	2	7	9	6	10	2	7	4	6
V74 - HARD TRIM/SOFT TRIM/OVERHEAD SYSTEM	14	3	6	6	4	13	2	6	6	3
V75 - EXTERIOR TRIM & BUMPER FUNCTION	18	1	3	3	2	19	1	7	5	3
V45 - ENGINE COOLING	12	1	8	3	3	14	2	8	5	4
V86 - SUSPENSION & FRAME	14	1	5	7	5	10	1	5	5	6
V33 - PAINT APPEARANCE	13	3	7	3	4	13	3	9	1	2
V07 - LATCHING & SECURITY	11	3	6	3	6	10	2	7	4	5
V71 - I.P. & CONSOLE FUNCTION	10	3	9	5	2	14	3	8	3	0
V29 - CHECK ENGINE LIGHT	11	2	0	5	5	14	2	2	7	6
V09 - MOVEABLE & FIXED GLASS	13	1	6	5	4	12	2	3	4	3

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES:	AWS CUTO	Jun-2020	GLIDEPATH:	June 2, 2020
	OBJECTIVE	June 2, 2020	RUN DATE:	June 2, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F90 - NA - NORTH AMERICA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	36%	72.9	85.0	90.2	6%	98.9	±9.9		33.0	40.9	34.2	(20%)	23.0	±2.3
F92 - SA - SOUTH AMERICA	13%	10.8	12.5	15.3	18%	28.9	±2.9		2.0	2.5	3.2	21%	6.5	±0.6
F93 - EU - EUROPE	30%	32.5	36.8	50.0	26%	85.8	±8.6		7.9	9.4	11.4	18%	17.0	±1.7
F98 - CN - CHINA	11%	12.3	12.9	16.8	23%	35.7	±3.6		4.2	4.7	4.7	(0%)	4.7	±0.5
F99 - IM - INTERNATIONAL MARKET	7%	18.7	20.1	22.0	9%	31.4	±3.1		7.9	8.8	7.3	(21%)	(0.3)	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	217.8	255.5	300.0	14%	351.5	±0.0		103.0	126.1	83.8	(50%)	34.9	±0.0
Functional Breakdown														
F1 - CONNECTED VEHICLE			0.4	0.4	(2%)	0.4	±0.0			0.1	0.1	19%	0.2	±0.0
F2 - CHASSIS			4.9	4.3	(15%)	3.2	±0.3			2.3	1.7	(33%)	0.8	±0.1
F3 - ELECTRICAL			23.7	22.1	(7%)	19.5	±2.0			8.6	7.0	(23%)	4.3	±0.4
F4 - POWERTRAIN			23.4	11.4	(106%)	(8.8)	±0.9			18.4	8.6	(115%)	(7.9)	±0.8
F5 - VEHICLE ENGINEERING			1.5	1.9	21%	2.5	±0.3			0.2	0.2	5%	0.2	±0.0
F6 - PAINT			2.5	2.2	(15%)	1.6	±0.2			1.3	1.1	(17%)	0.8	±0.1
F7 - BODY INTERIOR			10.7	11.5	7%	12.9	±1.3			4.1	4.5	9%	5.2	±0.5
F8 - BODY EXTERIOR			17.9	16.2	(11%)	13.2	±1.3			6.0	5.0	(18%)	3.5	±0.3
F9 - OTHER			0.0	0.0		(0.0)	±0.0			0.0	0.0		0.0	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	200.0	206.2	134.6	(53%)	(22.5)	±2.3	◆	78.3	98.5	47.5	(107%)	(64.5)	±6.4
FE - F150 (NA-DTP)	●	51.1	52.5	64.7	19%	108.8	±10.9	●	24.1	23.4	27.2	14%	40.9	±4.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	64.9	73.6	65.4	(13%)	57.0	±5.7	▲	33.9	39.6	26.9	(47%)	13.8	±1.4
DB - FUSION CD391 (LESS HYBRID) (NA-H	●	14.7	14.3	17.8	20%	36.4	±3.6	●	6.8	6.9	8.3	18%	16.2	±1.6
M3 - ESCAPE (NA-LOUISVILLE)	▲	69.5	68.9	55.2	(25%)	38.0	±3.8	▲	27.4	28.7	20.0	(43%)	9.1	±0.9
Q1 - EDGE (NA-OAKVILLE)	●	32.9	34.4	60.5	43%	87.5	±8.7	●	15.4	15.6	21.0	25%	26.5	±2.6
TA - TRANSIT (NA-KCAP)	◆	35.8	40.4	25.1	(61%)	8.8	±0.9	◆	18.5	23.8	10.0	(138%)	(4.8)	±0.5
FL - F150 (NA-KCAP)	▲	37.6	41.2	38.4	(7%)	28.5	±2.8	●	14.0	15.2	18.4	17%	30.0	±3.0
ZB - MUSTANG (S550) (NA)	●	37.4	39.9	53.3	25%	75.0	±7.5	●	19.9	18.5	22.6	18%	29.3	±2.9
B3 - EXPEDITION (NA)	●	45.5	41.2	60.9	32%	89.3	±8.9	●	19.5	19.7	22.8	14%	27.5	±2.7
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	480.1	519.0	275.0	(89%)	(1016.5)	±0.0	◆	223.2	255.6	161.1	(59%)	(339.4)	±33.9
DI - FUSION HYBRID CD391 (NA HSAP)	●	19.1	19.2	21.8	12%	36.5	±3.6	●	9.6	9.2	9.7	5%	12.4	±1.2
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	140.8	126.0	58.2	(116%)	(0.2)	±0.0	◆	52.8	46.4	23.0	(102%)	2.8	±0.3
KB - RANGER (NA-MICHIGAN)	●	34.7	30.1	56.4	47%	85.4	±8.5	●	10.3	10.8	18.0	40%	25.9	±2.6
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	203.9	206.9	166.1	(25%)	(346.4)	±34.6	◆	85.0	84.5	50.0	(69%)	(382.6)	±38.3
U5 - EXPLORER POLICE INTERCEPTOR - U	▲	130.1	126.6	123.5	(3%)	116.6	±11.7	◆	56.1	48.3	33.5	(44%)	1.1	±0.1
B4 - NAVIGATOR (NA)	▲	122.7	122.2	110.8	(10%)	96.6	±9.7	▲	75.0	86.6	69.2	(25%)	47.7	±4.8
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	88.6	90.1	117.2	23%	142.2	±14.2	●	37.9	35.2	56.4	38%	76.0	±7.6
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	●	39.3	38.2	45.9	17%	138.5	±13.9	◆	28.0	26.7	20.1	(33%)	(59.4)	±5.9
U8 - EXPLORER INTERCEPTOR HYBRID (N	◆	147.3	145.2	107.1	(36%)	60.5	±6.1	◆	75.7	75.1	39.4	(91%)	(4.3)	±0.4
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	97.5	76.4	140.9	46%	222.0	±22.2	●	49.6	40.8	73.9	45%	115.6	±11.6
FM - F-SERIES SUPERDUTY (NA-OHIO)	●	23.6	21.4	21.8	2%	22.2	±2.2	▲	9.7	10.5	9.7	(8%)	9.1	±0.9
ZT - MUSTANG FP (S550)(NA)	▲	199.4	160.2	136.0	(18%)	96.7	±9.7	◆	243.3	255.4	113.3	(125%)	(116.8)	±11.7
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	47.9	39.7	70.9	44%	N/A	±0.0	◆	22.2	23.3	17.5	(33%)	N/A	±0.0
Y1 - F-STRIPPED CHASSIS (NA)	◆	201.7	170.0	22.2	(666%)	(306.0)	±30.6	◆	43.7	39.6	9.8	(302%)	(56.3)	±5.6
DN - FUSION INTERCEPTOR HYBRID (NA-H	●	3.8	3.8	20.9	82%	N/A	±0.0	●	0.7	1.7	8.6	80%	N/A	±0.0
U6 - EXPLORER HYBRID (NA-CAP)	◆	57.3	236.8	134.8	(76%)	9.8	±1.0	▲	23.6	79.3	77.5	(2%)	75.2	±7.5
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	89.5	671.1	291.8	(130%)	N/A	±0.0	◆	39.7	320.4	180.6	(77%)	N/A	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	2.1	1.0	0.3	(200%)	(1.2)	±0.1	◆	0.5	0.3	0.1	(117%)	(0.2)	±0.0
FE - F150 (NA-DTP)	●	0.2	0.1	0.4	82%	1.5	±0.1	●	0.1	0.0	0.1	78%	0.5	±0.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	◆	0.6	0.3	0.1	(210%)	(0.1)	±0.0	◆	0.2	0.1	0.0	(357%)	(0.0)	±0.0
DB - FUSION CD391 (LESS HYBRID) (NA-H	◆	1.4	0.4	0.1	(242%)	(1.3)	±0.1	◆	0.4	0.1	0.0	(223%)	(0.3)	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	◆	1.8	0.4	0.1	(259%)	(0.3)	±0.0	◆	0.4	0.1	0.0	(269%)	(0.1)	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	0.4	0.1	1.0	91%	1.9	±0.2	●	0.1	0.0	0.2	91%	0.4	±0.0
FL - F150 (NA-KCAP)	●	0.5	0.2	0.2	23%	0.4	±0.0	●	0.1	0.0	0.0	31%	0.1	±0.0
ZB - MUSTANG (S550) (NA)	◆	0.7	0.1	0.1	(10%)	0.1	±0.0	◆	0.4	0.1	0.0	(12281%)	(0.1)	±0.0
B3 - EXPEDITION (NA)	●		0.1	0.2	50%	0.3	±0.0	●	0.7	0.0	0.0	69%	0.1	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	●	9.4	2.9	4.1	28%	10.3	±1.0	●	1.5	0.5	2.4	81%	12.8	±1.3
DI - FUSION HYBRID CD391 (NA HSAP)	●	0.3	0.1	0.1	23%	0.3	±0.0	△	0.1	0.1	0.0	(14%)	0.0	±0.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	2.8	0.7	0.2	(294%)	(0.3)	±0.0	◆	0.4	0.1	0.0	(162%)	(0.0)	±0.0
KB - RANGER (NA-MICHIGAN)		0.6	0.0	0.4	100%	0.9	±0.1	●	0.2	0.0	0.1	60%	0.2	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	2.2	0.8	2.8	71%	28.0	±2.8	●	0.7	0.3	0.5	42%	3.4	±0.3
U5 - EXPLORER POLICE INTERCEPTOR - U	◆	2.1	0.2	0.0		(0.4)	±0.0	◆	0.4	0.1	0.0		(0.2)	±0.0
B4 - NAVIGATOR (NA)	△	3.9	1.6	1.5	(4%)	1.4	±0.1	●	2.3	0.9	0.9	2%	0.9	±0.1
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	1.8	0.3	2.5	88%	4.5	±0.5	●	1.8	0.3	1.1	74%	1.9	±0.2
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	●	5.5	1.1	1.8	38%	9.9	±1.0	◆	0.8	0.2	0.1	(104%)	(0.9)	±0.1
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	10.4	1.7	2.3	25%	N/A		●	0.4	0.1	0.4	83%	N/A	
U6 - EXPLORER HYBRID (NA-CAP)	◆	0.4	7.9	0.4	(1910%)		±0.9	◆	0.2	2.6	0.1	(3571%)	(3.0)	±0.3
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	2.8	10.5	4.9	(117%)	N/A		◆	1.1	11.3	2.6	(337%)	N/A	
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	30.7	9.0	6.4	(41%)	0.6	±0.1	◆	17.8	4.9	2.6	(90%)	(2.5)	±0.3
FE - F150 (NA-DTP)	●	7.8	2.5	2.6	2%	2.8	±0.3	◆	4.1	1.6	1.1	(39%)	(0.5)	±0.0
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	10.2	5.6	6.1	9%	6.7	±0.7	△	4.3	2.5	2.1	(17%)	1.8	±0.2
DB - FUSION CD391 (LESS HYBRID) (NA-H	●	2.6	0.7	0.9	22%	1.9	±0.2	△	1.2	0.3	0.3	(5%)	0.2	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	△	10.6	4.3	3.6	(18%)	2.8	±0.3	●	4.4	1.4	1.6	14%	1.9	±0.2
Q1 - EDGE (NA-OAKVILLE)	●	9.0	2.5	3.8	34%	5.1	±0.5	●	3.1	0.9	1.1	22%	1.3	±0.1
TA - TRANSIT (NA-KCAP)	△	11.5	4.3	2.8	(54%)	1.2	±0.1	△	4.4	1.5	1.1	(46%)	0.5	±0.1
FL - F150 (NA-KCAP)	●	6.0	1.6	2.0	21%	3.6	±0.4	●	2.0	0.6	0.8	32%	1.8	±0.2
ZB - MUSTANG (S550) (NA)	●	5.9	2.0	3.4	41%	5.6	±0.6	●	1.6	0.6	1.0	36%	1.5	±0.2
B3 - EXPEDITION (NA)	●	2.9	0.8	2.2	62%	4.3	±0.4	●	1.1	0.3	0.9	71%	1.9	±0.2
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	92.2	31.4	16.1	(95%)	(64.7)	±6.5	◆	45.3	15.9	9.6	(66%)	(23.8)	±2.4
DI - FUSION HYBRID CD391 (NA HSAP)	●	6.2	1.2	1.2	4%	1.5	±0.1	△	2.9	0.6	0.5	(7%)	0.3	±0.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	22.1	4.3	3.6	(18%)	3.0	±0.3	◆	17.1	2.5	1.2	(110%)	0.1	±0.0
KB - RANGER (NA-MICHIGAN)	△	5.0	2.8	2.7	(2%)	2.6	±0.3	●	1.8	0.5	1.0	45%	1.5	±0.1
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	42.3	11.6	17.2	33%	87.7	±8.8	●	18.0	4.3	5.0	14%	13.7	±1.4
U5 - EXPLORER POLICE INTERCEPTOR - U	●	36.6	10.4	14.5	29%	23.6	±2.4	●	14.3	4.2	7.6	45%	15.0	±1.5
B4 - NAVIGATOR (NA)	●	3.4	3.5	4.3	19%	5.3	±0.5	●	(10.8)	2.4	3.2	26%	4.2	±0.4
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	20.2	5.3	6.1	14%	6.9	±0.7	●	7.8	1.6	3.0	45%	4.2	±0.4
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	●	4.3	0.5	2.6	79%	27.0	±2.7	●	1.5	0.3	0.7	59%	5.7	±0.6
U8 - EXPLORER INTERCEPTOR HYBRID (N	◆	60.1	15.2	7.0	(117%)	(3.0)	±0.3	◆	20.6	5.1	2.1	(150%)	(1.7)	±0.2
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	12.6	1.7	7.7	78%	15.4	±1.5	●	6.9	2.2	3.9	43%	6.0	±0.6
FM - F-SERIES SUPERDUTY (NA-OHIO)	●	1.3	1.7	2.5	30%	3.1	±0.3	△	0.4	2.0	1.3	(54%)	0.8	±0.1
ZT - MUSTANG FP (S550)(NA)	△	36.4	7.7	7.2	(7%)	6.3	±0.6	◆	23.4	3.3	1.0	(235%)	(2.7)	±0.3
ZI - MKZ HYBRID CD533 (NA-HSAP)	◆	19.4	3.3	0.5	(590%)	N/A	±0.0	◆	36.2	6.0	0.1	(6106%)	N/A	±0.0
Y1 - F-STRIPPED CHASSIS (NA)	◆	160.1	131.4	5.5	(2294%)	(274.1)	±27.4	◆	33.8	32.6	1.6	(1907%)	(67.1)	±6.7
U6 - EXPLORER HYBRID (NA-CAP)	●	8.3	6.9	8.9	23%	11.3	±1.1	●	3.2	0.3	4.2	94%	9.0	±0.9
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	14.6	28.1	12.8	(119%)	N/A	±0.0	◆	10.2	67.5	11.2	(500%)	N/A	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	●	103.2	43.0	46.3	7%	53.6	±5.4	△	38.1	15.6	14.7	(6%)	12.8	±1.3
FE - F150 (NA-DTP)	●	51.3	16.4	19.9	17%	32.5	±3.2	●	18.4	5.5	5.8	6%	7.1	±0.7
F8 - F-SERIES SUPERDUTY (NA-KTP)	△	42.9	23.1	17.5	(32%)	11.7	±1.2	△	15.7	8.4	5.8	(44%)	3.2	±0.3
DB - FUSION CD391 (LESS HYBRID) (NA-H	●	28.2	6.3	8.0	21%	17.2	±1.7	●	9.8	2.2	2.7	20%	5.5	±0.6
M3 - ESCAPE (NA-LOUISVILLE)	△	110.5	24.1	20.1	(20%)	15.0	±1.5	◆	36.3	7.9	5.6	(41%)	2.7	±0.3
Q1 - EDGE (NA-OAKVILLE)	●	33.2	12.3	17.2	28%	22.3	±2.2	●	10.2	4.1	4.8	14%	5.5	±0.5
TA - TRANSIT (NA-KCAP)	◆	26.6	8.7	5.9	(46%)	3.0	±0.3	◆	10.2	3.1	1.8	(78%)	0.3	±0.0
FL - F150 (NA-KCAP)	◆	38.5	13.8	11.6	(19%)	3.6	±0.4	△	13.2	4.3	3.7	(16%)	1.6	±0.2
ZB - MUSTANG (S550) (NA)	◆	31.4	17.3	12.1	(43%)	3.6	±0.4	◆	16.1	7.2	3.0	(144%)	(4.0)	±0.4
B3 - EXPEDITION (NA)	●	29.0	14.2	18.8	24%	25.4	±2.5	△	12.7	5.6	5.5	(3%)	5.3	±0.5
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	409.0	144.0	80.5	(79%)	(255.4)	±25.5	◆	170.4	62.3	37.8	(65%)	(91.7)	±9.2
DI - FUSION HYBRID CD391 (NA HSAP)	●	47.5	8.6	8.8	2%	10.0	±1.0	△	16.0	3.1	2.8	(9%)	1.3	±0.1
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	315.4	56.5	29.8	(90%)	6.7	±0.7	◆	102.5	17.8	7.0	(154%)	(2.3)	±0.2
KB - RANGER (NA-MICHIGAN)	●	13.9	9.3	14.4	35%	20.0	±2.0	●	3.5	2.4	4.9	50%	7.6	±0.8
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	234.5	55.9	59.7	6%	107.6	±10.8	◆	75.2	19.1	16.6	(15%)	(15.3)	±1.5
U5 - EXPLORER POLICE INTERCEPTOR - U	●	97.7	28.2	40.7	31%	68.1	±6.8	◆	61.6	12.8	7.6	(69%)	(3.8)	±0.4
B4 - NAVIGATOR (NA)	△	99.6	46.4	31.2	(49%)	12.3	±1.2	△	56.5	18.9	13.6	(39%)	7.1	±0.7
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	84.5	30.0	31.3	4%	32.6	±3.3	●	34.6	10.7	12.8	16%	14.7	±1.5
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	●	95.2	18.7	23.7	21%	83.8	±8.4	◆	50.2	9.9	6.9	(43%)	(29.1)	±2.9
U8 - EXPLORER INTERCEPTOR HYBRID (N	●	144.5	35.1	58.6	40%	87.3	±8.7	◆	108.5	26.9	12.1	(123%)	(6.0)	±0.6
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	49.0	19.7	30.2	35%	43.5	±4.4	●	27.9	11.3	13.0	13%	15.1	±1.5
FM - F-SERIES SUPERDUTY (NA-OHIO)	△	21.5	10.8	7.2	(51%)	4.5	±0.4	△	8.0	5.6	2.8	(100%)	0.7	±0.1
ZT - MUSTANG FP (S550)(NA)	◆	137.4	25.3	10.9	(131%)	(12.3)	±1.2	◆	51.3	8.9	3.6	(146%)	(4.9)	±0.5
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	107.2	15.7	27.0	42%	N/A	±0.0	●	28.2	4.7	5.3	12%	N/A	±0.0
Y1 - F-STRIPPED CHASSIS (NA)	●	8.4	4.7	9.4	50%	19.8	±2.0	●	0.5	0.7	1.6	55%	3.5	±0.3
DN - FUSION INTERCEPTOR HYBRID (NA-H	●	19.0	3.8	5.7	34%	N/A	±0.0	◆	3.6	1.7	1.7	(0%)	N/A	±0.0
U6 - EXPLORER HYBRID (NA-CAP)	△	64.9	78.3	73.4	(7%)	67.4	±6.7	●	25.1	23.8	24.6	3%	25.6	±2.6
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	75.5	174.7	95.3	(83%)	N/A	±0.0	◆	26.9	57.6	40.2	(43%)	N/A	±0.0
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	266.2	77.4	11.6	(568%)	(133.0)	±13.3	◆	108.1	52.1	5.5	(842%)	(96.6)	±9.7
FE - F150 (NA-DTP)	●	35.9	12.5	16.4	24%	30.5	±3.1	●	34.3	10.0	12.8	22%	22.9	±2.3
F8 - F-SERIES SUPERDUTY (NA-KTP)	△	35.6	21.5	14.7	(47%)	7.7	±0.8	◆	34.2	20.7	10.8	(92%)	0.6	±0.1
DB - FUSION CD391 (LESS HYBRID) (NA-H	●	12.8	3.4	4.7	28%	11.8	±1.2	●	12.2	3.3	3.9	16%	7.2	±0.7
M3 - ESCAPE (NA-LOUISVILLE)	◆	59.8	16.8	7.1	(136%)	(5.1)	±0.5	◆	40.7	13.4	7.8	(71%)	0.9	±0.1
Q1 - EDGE (NA-OAKVILLE)	●	21.8	8.0	10.9	27%	13.9	±1.4	●	22.8	7.3	7.4	2%	7.5	±0.7
TA - TRANSIT (NA-KCAP)	◆	33.8	14.4	6.2	(133%)	(2.6)	±0.3	◆	27.9	16.0	4.7	(237%)	(7.3)	±0.7
FL - F150 (NA-KCAP)	◆	31.8	11.5	10.7	(8%)	7.7	±0.8	●	21.1	6.8	9.9	31%	21.0	±2.1
ZB - MUSTANG (S550) (NA)	●	19.8	7.4	11.4	35%	17.9	±1.8	●	25.6	6.4	11.4	44%	19.4	±1.9
B3 - EXPEDITION (NA)	●	19.7	6.9	11.6	40%	18.3	±1.8	△	11.2	7.6	7.3	(4%)	6.8	±0.7
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	170.7	63.3	12.5	(405%)	(256.4)	±25.6	◆	95.1	44.8	10.7	(319%)	(169.8)	±17.0
DI - FUSION HYBRID CD391 (NA HSAP)	●	26.1	5.4	7.0	24%	16.3	±1.6	●	18.6	3.2	4.7	32%	13.3	±1.3
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	125.9	22.4	11.3	(99%)	1.7	±0.2	◆	79.9	14.6	11.0	(33%)	7.9	±0.8
KB - RANGER (NA-MICHIGAN)	●	9.6	4.4	15.3	71%	27.5	±2.7	●	6.0	3.6	4.9	27%	6.4	±0.6
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	47.1	12.4	7.3	(71%)	(57.2)	±5.7	◆	43.7	9.2	5.4	(70%)	(41.8)	±4.2
U5 - EXPLORER POLICE INTERCEPTOR - U	◆	39.4	15.0	5.3	(181%)	(15.9)	±1.6	◆	19.4	6.7	4.1	(62%)	(1.5)	±0.1
B4 - NAVIGATOR (NA)	△	59.9	18.4	16.1	(15%)	13.1	±1.3	△	39.5	31.2	19.1	(63%)	4.1	±0.4
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	24.2	8.1	17.0	52%	25.2	±2.5	●	18.5	5.0	13.9	65%	22.2	±2.2
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	●	25.5	4.7	5.7	18%	18.3	±1.8	◆	47.1	8.5	6.3	(34%)	(19.9)	±2.0
U8 - EXPLORER INTERCEPTOR HYBRID (N	◆	94.4	23.5	15.3	(53%)	5.3	±0.5	●	56.6	14.2	18.8	25%	24.5	±2.5

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	29.0	5.7	18.2	69%	34.1	±3.4	●	13.2	4.9	11.1	56%	19.0	±1.9
FM - F-SERIES SUPERDUTY (NA-OHIO)	●	20.6	7.3	8.9	18%	10.1	±1.0	●	9.7	2.3	4.5	49%	6.1	±0.6
ZT - MUSTANG FP (S550)(NA)	▲	152.7	48.6	46.6	(4%)	43.5	±4.3	◆	581.3	199.5	66.8	(199%)	(148.2)	±14.8
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	13.0	3.2	5.2	40%	N/A	±0.0	◆	10.1	5.4	0.6	(739%)	N/A	±0.0
Y1 - F-STRIPPED CHASSIS (NA)	◆	37.1	33.4	5.8	(473%)	(55.4)	±5.5	▲	9.0	6.2	6.2	(1%)	6.0	±0.6
U6 - EXPLORER HYBRID (NA-CAP)	◆	44.2	71.4	19.2	(272%)	(44.8)	±4.5	●	19.9	34.9	35.5	1%	36.1	±3.6
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	85.9	80.1	22.2	(261%)	N/A	±0.0	●	56.6	41.7	56.0	26%	N/A	±0.0
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	6.6	2.3	1.6	(41%)	0.2	±0.0	◆	0.7	0.4	0.2	(95%)	(0.2)	±0.0
FE - F150 (NA-DTP)	●	5.4	1.7	2.9	42%	7.3	±0.7	●	0.5	0.2	0.3	39%	0.7	±0.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	4.1	2.4	3.6	34%	4.9	±0.5	●	0.7	0.4	0.5	17%	0.6	±0.1
DB - FUSION CD391 (LESS HYBRID) (NA-H	◆	1.7	0.4	0.3	(38%)	(0.3)	±0.0	◆	0.1	0.0	0.0	(57%)	(0.0)	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	●	3.2	0.9	1.4	37%	2.1	±0.2	●	0.3	0.1	0.1	35%	0.2	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	1.5	0.6	1.3	57%	2.0	±0.2	●	0.2	0.1	0.1	53%	0.2	±0.0
TA - TRANSIT (NA-KCAP)	●	0.5	0.3	0.3	16%	0.4	±0.0	●	0.1	0.0	0.0	11%	0.0	±0.0
FL - F150 (NA-KCAP)	▲	3.6	1.2	1.1	(3%)	1.0	±0.1	◆	0.3	0.2	0.1	(46%)	(0.1)	±0.0
ZB - MUSTANG (S550) (NA)	●	2.4	0.2	0.9	79%	2.0	±0.2	●	0.1	0.0	0.0	59%	0.1	±0.0
B3 - EXPEDITION (NA)	●	1.8	1.0	1.1	9%	1.2	±0.1	●	0.2	0.1	0.1	42%	0.2	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	24.1	8.8	7.9	(11%)	3.4	±0.3	▲	2.8	1.0	0.9	(8%)	0.5	±0.1
DI - FUSION HYBRID CD391 (NA HSAP)	●	1.0	0.2	0.2	31%	0.6	±0.1	●	0.1	0.0	0.0	1%	0.0	±0.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	6.1	1.3	0.7	(96%)	0.1	±0.0	◆	0.5	0.1	0.0	(113%)	0.0	±0.0
KB - RANGER (NA-MICHIGAN)	●	1.8	0.9	1.7	50%	2.6	±0.3	●	0.2	0.1	0.2	75%	0.4	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	▲	12.6	3.6	3.5	(4%)	1.8	±0.2	◆	1.8	0.5	0.3	(51%)	(1.6)	±0.2
U5 - EXPLORER POLICE INTERCEPTOR - U	●	4.5	2.0	3.2	36%	5.8	±0.6	●	0.5	0.2	0.2	12%	0.3	±0.0
B4 - NAVIGATOR (NA)	●	3.7	1.5	2.5	38%	3.6	±0.4	●	(4.3)	0.2	0.3	40%	0.4	±0.0
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	9.2	3.1	4.6	31%	5.9	±0.6	▲	0.9	0.6	0.6	(13%)	0.5	±0.0
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP		(0.2)	0.0	0.2	100%	2.9	±0.3		0.2	0.0	0.0	100%	0.2	±0.0
U8 - EXPLORER INTERCEPTOR HYBRID (N	◆	26.2	6.5	1.3	(387%)	(5.0)	±0.5	◆	2.8	0.7	0.1	(769%)	(0.7)	±0.1
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	7.6	2.0	4.2	54%	7.1	±0.7	●	0.7	0.1	0.4	69%	0.8	±0.1
ZT - MUSTANG FP (S550)(NA)	●	14.3	2.7	6.6	60%	13.0	±1.3	●	3.2	0.3	0.4	26%	0.5	±0.1
ZI - MKZ HYBRID CD533 (NA-HSAP)		2.4	0.0	1.5	100%	N/A	±0.0		0.8	0.0	0.3	100%	N/A	±0.0
U6 - EXPLORER HYBRID (NA-CAP)	◆	3.9	11.3	1.7	(575%)	(10.1)	±1.0	◆	0.5	1.0	0.2	(514%)	(0.9)	±0.1
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	5.7	26.6	5.0	(437%)	N/A	±0.0	◆	1.0	3.4	1.1	(216%)	N/A	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	23.1	8.9	6.4	(39%)	0.9	±0.1	◆	10.4	3.8	3.0	(27%)	1.2	±0.1
FE - F150 (NA-DTP)	●	2.8	1.5	1.6	7%	2.1	±0.2	●	2.3	0.9	0.9	1%	1.0	±0.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	2.5	1.4	1.5	10%	1.7	±0.2	●	1.4	0.8	0.8	2%	0.8	±0.1
DB - FUSION CD391 (LESS HYBRID) (NA-H	●	0.2	0.1	0.1	7%	0.1	±0.0	●	0.1	0.0	0.0	52%	0.2	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	●	0.9	0.3	0.5	33%	0.7	±0.1	●	0.3	0.2	0.2	18%	0.2	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	1.9	0.6	1.8	66%	3.0	±0.3	●	0.9	0.3	0.7	53%	1.0	±0.1
TA - TRANSIT (NA-KCAP)	▲	2.2	0.9	0.7	(24%)	0.5	±0.1	▲	1.1	0.4	0.3	(46%)	0.2	±0.0
FL - F150 (NA-KCAP)	●	1.9	0.8	1.2	39%	2.9	±0.3	●	0.4	0.3	0.7	59%	2.1	±0.2
ZB - MUSTANG (S550) (NA)	●	3.5	1.1	2.8	60%	5.5	±0.6	▲	2.0	0.8	0.8	(4%)	0.7	±0.1
B3 - EXPEDITION (NA)	●	0.7	0.2	0.7	77%	1.5	±0.1	●	0.6	0.1	0.4	71%	0.8	±0.1
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	62.7	22.3	13.3	(69%)	(34.9)	±3.5	◆	40.7	13.8	7.6	(81%)	(25.2)	±2.5
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	7.7	1.0	0.1	(584%)	(0.6)	±0.1	◆	4.9	0.6	0.0	(1968%)	(0.5)	±0.0
KB - RANGER (NA-MICHIGAN)	●	3.0	1.4	2.0	29%	2.6	±0.3	●	0.9	0.7	1.5	51%	2.4	±0.2
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	11.8	3.2	5.3	40%	31.9	±3.2	●	4.3	1.4	1.7	21%	6.2	±0.6
U5 - EXPLORER POLICE INTERCEPTOR - U	●	9.9	3.5	5.2	33%	9.0	±0.9	●	4.7	1.7	1.7	1%	1.8	±0.2
B4 - NAVIGATOR (NA)	●	1.4	0.2	1.1	79%	2.2	±0.2	●	0.5	0.1	0.3	86%	0.7	±0.1
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	◆	23.5	11.6	4.3	(170%)	(2.4)	±0.2	◆	11.5	4.3	1.9	(126%)	(0.3)	±0.0
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	◆	2.5	0.5	0.2	(145%)	(3.6)	±0.4	◆	0.7	0.2	0.0	(746%)	(1.7)	±0.2
U8 - EXPLORER INTERCEPTOR HYBRID (N	◆	20.8	5.2	0.3	(1713%)	(5.7)	±0.6	◆	10.8	2.7	0.1	(5158%)	(3.2)	±0.3
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	3.3	1.2	3.7	68%	6.8	±0.7	●	7.0	2.5	2.7	10%	3.0	±0.3
ZT - MUSTANG FP (S550)(NA)	◆	99.6	15.9	9.2	(73%)	(1.7)	±0.2	◆	113.7	14.9	7.7	(94%)	(4.0)	±0.4
DN - FUSION INTERCEPTOR HYBRID (NA-H		0.0	0.0	2.1	100%	N/A	±0.0		0.0	0.0	1.2	100%	N/A	±0.0
U6 - EXPLORER HYBRID (NA-CAP)	◆	18.6	10.1	0.4	(2694%)	(11.5)	±1.2	◆	10.5	5.3	0.1	(4980%)	(6.3)	±0.6
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	18.2	26.3	16.0	(65%)	N/A	±0.0	●	11.3	10.7	12.5	14%	N/A	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	●	60.5	27.8	32.3	14%	42.2	±4.2	●	20.2	10.8	13.2	18%	18.3	±1.8
FE - F150 (NA-DTP)	●	17.4	6.4	7.7	16%	12.0	±1.2	●	4.1	1.8	2.5	28%	4.9	±0.5
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	13.5	6.3	7.9	20%	9.4	±0.9	●	4.5	2.3	2.9	18%	3.4	±0.3
DB - FUSION CD391 (LESS HYBRID) (NA-H	●	5.1	1.4	1.6	10%	2.5	±0.2	●	1.2	0.4	0.7	48%	2.5	±0.2
M3 - ESCAPE (NA-LOUISVILLE)	▲	30.2	7.5	6.9	(8%)	6.3	±0.6	▲	8.6	2.2	2.2	(0%)	2.2	±0.2
Q1 - EDGE (NA-OAKVILLE)	●	6.5	2.7	5.7	53%	8.8	±0.9	●	1.4	0.7	1.6	57%	2.6	±0.3
TA - TRANSIT (NA-KCAP)	▲	8.1	3.9	2.5	(53%)	1.1	±0.1	▲	3.0	1.5	1.0	(57%)	0.4	±0.0
FL - F150 (NA-KCAP)	▲	10.5	4.2	4.1	(2%)	3.8	±0.4	●	(0.1)	0.9	1.6	41%	4.0	±0.4
ZB - MUSTANG (S550) (NA)	●	15.6	4.5	9.3	52%	17.2	±1.7	●	3.6	1.2	3.5	66%	7.2	±0.7
B3 - EXPEDITION (NA)	●	14.7	7.0	12.0	41%	19.1	±1.9	●	5.0	2.7	4.2	37%	6.5	±0.6
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	229.6	89.2	66.4	(34%)	(54.1)	±5.4	◆	108.5	45.2	35.2	(28%)	(17.5)	±1.8
DI - FUSION HYBRID CD391 (NA HSAP)	●	3.2	1.0	1.7	39%	5.3	±0.5	▲	4.9	0.8	0.8	(8%)	0.4	±0.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	81.0	13.4	4.8	(177%)	(2.5)	±0.3	◆	21.4	3.6	1.8	(102%)	0.2	±0.0
KB - RANGER (NA-MICHIGAN)	●	21.1	4.8	11.3	58%	18.5	±1.8	●	4.1	1.7	3.0	42%	4.4	±0.4
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	185.3	44.7	28.6	(56%)	(173.4)	±17.3	◆	76.1	19.2	9.3	(107%)	(115.4)	±11.5
U5 - EXPLORER POLICE INTERCEPTOR - U	●	36.6	15.7	18.4	15%	24.4	±2.4	▲	11.1	4.7	3.6	(31%)	1.1	±0.1
B4 - NAVIGATOR (NA)	▲	71.7	22.7	20.1	(13%)	17.0	±1.7	▲	56.1	16.3	12.2	(33%)	7.1	±0.7
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	30.7	9.3	20.0	53%	29.9	±3.0	●	6.6	3.0	8.9	66%	14.2	±1.4
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	●	11.5	2.3	3.0	25%	11.9	±1.2	●	4.9	1.0	1.3	24%	5.0	±0.5
U8 - EXPLORER INTERCEPTOR HYBRID (N	▲	45.7	10.1	9.5	(7%)	8.6	±0.9	◆	19.3	4.4	3.1	(45%)	1.4	±0.1
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	24.8	10.3	36.0	71%	68.3	±6.8	●	10.6	3.6	22.2	84%	45.6	±4.6
FM - F-SERIES SUPERDUTY (NA-OHIO)	◆	1.2	1.1	0.8	(44%)	0.5	±0.1	●	0.5	0.1	0.3	82%	0.5	±0.1
ZT - MUSTANG FP (S550)(NA)	●	67.2	5.7	12.5	55%	23.6	±2.4	●	52.2	3.4	7.1	53%	13.1	±1.3

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
ZI - MKZ HYBRID CD533 (NA-HSAP)	◆	26.5	5.2	4.1	(28%)	N/A	±0.0	●	3.3	0.4	1.3	67%	N/A	±0.0
Y1 - F-STRIPPED CHASSIS (NA)	●	0.9	0.5	0.8	38%	1.5	±0.2	●	0.1	0.1	0.2	46%	0.4	±0.0
U6 - EXPLORER HYBRID (NA-CAP)	◆	33.8	30.7	11.9	(157%)	(11.1)	±1.1	●	17.9	6.0	6.2	5%	6.6	±0.7
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	47.7	137.4	41.8	(229%)	N/A	±0.0	◆	19.2	62.0	21.2	(193%)	N/A	±0.0
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	92.3	36.6	29.6	(24%)	14.2	±1.4	▲	25.4	10.7	8.2	(30%)	2.8	±0.3
FE - F150 (NA-DTP)	●	32.4	11.3	13.2	14%	20.1	±2.0	●	8.5	3.6	3.7	4%	4.3	±0.4
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	15.8	13.0	14.1	7%	15.1	±1.5	▲	4.2	4.5	4.0	(12%)	3.5	±0.4
DB - FUSION CD391 (LESS HYBRID) (NA-H	●	6.7	1.6	2.1	22%	4.5	±0.5	●	2.6	0.6	0.7	7%	0.9	±0.1
M3 - ESCAPE (NA-LOUISVILLE)	●	58.7	14.6	15.4	6%	16.5	±1.7	▲	15.6	3.5	2.4	(44%)	1.1	±0.1
Q1 - EDGE (NA-OAKVILLE)	●	21.7	7.6	18.8	60%	30.4	±3.0	●	6.4	2.3	5.1	55%	7.9	±0.8
TA - TRANSIT (NA-KCAP)	▲	19.8	8.1	6.7	(21%)	5.2	±0.5	▲	3.5	1.2	1.1	(6%)	1.1	±0.1
FL - F150 (NA-KCAP)	▲	19.4	8.1	7.5	(7%)	5.5	±0.6	◆	4.8	2.1	1.5	(37%)	(0.5)	±0.0
ZB - MUSTANG (S550) (NA)	●	24.1	7.3	13.3	45%	23.1	±2.3	●	7.5	2.2	3.0	29%	4.4	±0.4
B3 - EXPEDITION (NA)	●	22.0	10.9	14.3	24%	19.3	±1.9	●	6.8	3.3	4.4	25%	5.9	±0.6
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	442.1	156.7	74.1	(112%)	(363.3)	±36.3	◆	205.1	72.1	56.9	(27%)	(23.9)	±2.4
DI - FUSION HYBRID CD391 (NA HSAP)	▲	11.5	2.8	2.7	(4%)	2.1	±0.2	◆	5.3	1.5	0.8	(84%)	(3.0)	±0.3
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	151.9	26.3	7.7	(240%)	(8.3)	±0.8	◆	41.3	7.1	1.9	(270%)	(2.5)	±0.3
KB - RANGER (NA-MICHIGAN)	●	13.8	6.6	8.6	22%	10.7	±1.1	●	3.6	1.6	2.4	31%	3.2	±0.3
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	282.1	74.7	41.7	(79%)	(372.9)	±37.3	◆	121.2	30.6	11.2	(173%)	(231.8)	±23.2
U5 - EXPLORER POLICE INTERCEPTOR - U	◆	165.5	51.7	36.2	(43%)	2.0	±0.2	◆	60.4	17.9	8.7	(107%)	(11.7)	±1.2
B4 - NAVIGATOR (NA)	●	116.8	28.0	34.1	18%	41.7	±4.2	●	76.6	16.7	19.6	15%	23.1	±2.3
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	68.8	22.3	31.4	29%	39.7	±4.0	●	33.0	9.6	14.2	33%	18.5	±1.9
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP	◆	52.6	10.4	8.7	(20%)	(11.8)	±1.2	◆	34.0	6.7	4.7	(41%)	(18.7)	±1.9
U8 - EXPLORER INTERCEPTOR HYBRID (N	◆	198.5	49.6	15.1	(228%)	(27.0)	±2.7	◆	84.6	21.1	3.3	(547%)	(18.6)	±1.9
LG - LINCOLN CONTINENTAL (NA-FLATRO	●	72.4	36.0	40.4	11%	46.0	±4.6	●	33.3	16.3	20.4	20%	25.7	±2.6
FM - F-SERIES SUPERDUTY (NA-OHIO)	●	1.9	0.4	2.2	81%	3.5	±0.4	●	1.0	0.5	0.7	22%	0.8	±0.1
ZT - MUSTANG FP (S550)(NA)	▲	295.0	54.5	42.9	(27%)	24.2	±2.4	●	141.1	25.3	26.8	6%	29.3	±2.9
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	94.0	10.7	23.9	55%	N/A	±0.0	●	53.4	6.7	9.0	26%	N/A	±0.0
U6 - EXPLORER HYBRID (NA-CAP)	◆	55.1	20.4	19.1	(7%)	17.5	±1.7	●	17.1	5.5	6.7	17%	8.1	±0.8
LJ - LINCOLN AVIATOR HYBRID (NA-CHICA	◆	107.3	187.3	93.9	(99%)	N/A	±0.0	◆	32.5	66.1	35.8	(84%)	N/A	±0.0
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
F8 - F-SERIES SUPERDUTY (NA-KTP)	◆	0.0	0.0	0.0		(0.0)	±0.0		0.0	0.0	0.0		0.0	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	0.5	0.3	0.0		(1.4)	±0.1	◆	0.3	0.2	0.0		(0.8)	±0.1

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: May-2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

KEY: ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F92 - SA - SOUTH AMERICA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	36%	72.9	85.0	90.2	6%	98.9	±9.9		33.0	40.9	34.2	(20%)	23.0	±2.3
F92 - SA - SOUTH AMERICA	13%	10.8	12.5	15.3	18%	28.9	±2.9		2.0	2.5	3.2	21%	6.5	±0.6
F93 - EU - EUROPE	30%	32.5	36.8	50.0	26%	85.8	±8.6		7.9	9.4	11.4	18%	17.0	±1.7
F98 - CN - CHINA	11%	12.3	12.9	16.8	23%	35.7	±3.6		4.2	4.7	4.7	(0%)	4.7	±0.5
F99 - IM - INTERNATIONAL MARKET	7%	18.7	20.1	22.0	9%	31.4	±3.1		7.9	8.8	7.3	(21%)	(0.3)	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	217.8	255.5	300.0	14%	351.5	±0.0		103.0	126.1	83.8	(50%)	34.9	±0.0
Functional Breakdown														
F2 - CHASSIS			2.4	2.0	(16%)	0.4	±0.0			0.4	0.3	(19%)	0.0	±0.0
F3 - ELECTRICAL			3.9	4.3	9%	6.1	±0.6			0.9	0.7	(22%)	(0.0)	±0.0
F4 - POWERTRAIN			2.8	2.6	(9%)	1.4	±0.1			1.0	1.2	24%	2.7	±0.3
F5 - VEHICLE ENGINEERING			0.0	0.0		0.0	±0.0			0.0	0.0		0.0	±0.0
F6 - PAINT			0.1	0.2	61%	0.9	±0.1			0.0	0.0	64%	0.1	±0.0
F7 - BODY INTERIOR			1.3	1.9	35%	5.3	±0.5			0.2	0.2	25%	0.4	±0.0
F8 - BODY EXTERIOR			2.1	3.2	33%	8.3	±0.8			0.2	0.2	8%	0.3	±0.0
F9 - OTHER			0.0	0.0		(0.1)	±0.0			0.0	0.0		(0.0)	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	9.2	11.2	12.6	12%	17.8	±1.8	▲	1.7	2.2	2.1	(5%)	1.7	±0.2
BY - ECOSPORT (SA-CAMACARI)	●	14.4	15.4	19.9	23%	N/A	±0.0	●	2.7	3.2	4.5	29%	N/A	±0.0
R2 - RANGER (SA-PACHECO)	●	17.9	17.9	18.2	2%	N/A	±0.0	●	3.6	3.7	5.2	29%	N/A	±0.0
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	4.1	2.5	2.1	(19%)	0.7	±0.1	▲	0.5	0.4	0.3	(16%)	0.1	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	2.7	1.4	1.7	17%	N/A	±0.0	◆	0.7	0.4	0.3	(13%)	N/A	±0.0
R2 - RANGER (SA-PACHECO)	◆	6.5	3.4	1.9	(80%)	N/A	±0.0	◆	1.0	0.5	0.3	(59%)	N/A	±0.0
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	5.8	4.0	4.1	3%	4.6	±0.5	◆	1.1	0.9	0.6	(42%)	(0.3)	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	7.2	4.0	5.6	28%	N/A	±0.0	●	1.2	0.9	1.2	22%	N/A	±0.0
R2 - RANGER (SA-PACHECO)	●	5.2	2.6	2.6	0%	N/A	±0.0	◆	1.0	0.5	0.5	(6%)	N/A	±0.0
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	4.2	2.4	2.1	(13%)	1.1	±0.1	●	1.4	0.8	0.9	11%	1.2	±0.1
BY - ECOSPORT (SA-CAMACARI)	●	5.4	3.0	3.2	7%	N/A	±0.0	●	2.2	1.3	2.3	43%	N/A	±0.0
R2 - RANGER (SA-PACHECO)	●	12.5	6.2	6.5	4%	N/A	±0.0	●	3.6	1.9	3.5	47%	N/A	±0.0
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
BY - ECOSPORT (SA-CAMACARI)		(0.0)	0.0	0.0		N/A	±0.0		(0.0)	0.0	0.0		N/A	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	0.1	0.1	0.2	76%	0.8	±0.1	●	0.0	0.0	0.0	57%	0.1	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	0.4	0.2	0.3	38%	N/A	±0.0	●	0.0	0.0	0.0	0%	N/A	±0.0
R2 - RANGER (SA-PACHECO)	●	0.5	0.2	0.3	24%	N/A	±0.0	●	0.1	0.1	0.1	40%	N/A	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	1.8	0.9	1.4	34%	3.1	±0.3	●	0.2	0.1	0.1	22%	0.2	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	4.5	2.3	4.1	43%	N/A	±0.0	●	0.6	0.3	0.4	35%	N/A	±0.0
R2 - RANGER (SA-PACHECO)	●	3.4	1.6	2.9	46%	N/A	±0.0	●	0.5	0.2	0.5	50%	N/A	±0.0
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	2.5	1.3	2.7	51%	7.6	±0.8	●	0.2	0.1	0.2	35%	0.4	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	8.7	4.5	5.0	11%	N/A	±0.0	●	0.6	0.3	0.3	3%	N/A	±0.0
R2 - RANGER (SA-PACHECO)	●	7.5	3.8	4.0	5%	N/A	±0.0	◆	0.9	0.5	0.3	(64%)	N/A	±0.0
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	0.0	0.0	0.0		(0.1)	±0.0		0.0	0.0	0.0		0.0	±0.0
BY - ECOSPORT (SA-CAMACARI)		0.0	0.0	0.0		N/A	±0.0	◆	0.0	0.0	0.0		N/A	±0.0
R2 - RANGER (SA-PACHECO)		0.3	0.0	0.0		N/A	±0.0		0.0	0.0	0.0		N/A	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: May-2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

KEY: ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F93 - EU - EUROPE

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	36%	72.9	85.0	90.2	6%	98.9	±9.9		33.0	40.9	34.2	(20%)	23.0	±2.3
F92 - SA - SOUTH AMERICA	13%	10.8	12.5	15.3	18%	28.9	±2.9		2.0	2.5	3.2	21%	6.5	±0.6
F93 - EU - EUROPE	30%	32.5	36.8	50.0	26%	85.8	±8.6		7.9	9.4	11.4	18%	17.0	±1.7
F98 - CN - CHINA	11%	12.3	12.9	16.8	23%	35.7	±3.6		4.2	4.7	4.7	(0%)	4.7	±0.5
F99 - IM - INTERNATIONAL MARKET	7%	18.7	20.1	22.0	9%	31.4	±3.1		7.9	8.8	7.3	(21%)	(0.3)	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	217.8	255.5	300.0	14%	351.5	±0.0		103.0	126.1	83.8	(50%)	34.9	±0.0
Functional Breakdown														
F1 - CONNECTED VEHICLE			2.0	1.0	(97%)	(1.7)	±0.2			0.3	0.1	(94%)	(0.2)	±0.0
F2 - CHASSIS			2.1	2.7	20%	4.1	±0.4			0.7	0.7	(8%)	0.5	±0.1
F3 - ELECTRICAL			8.1	9.0	10%	11.5	±1.2			1.6	2.0	20%	3.0	±0.3
F4 - POWERTRAIN			11.1	7.7	(43%)	(1.3)	±0.1			4.4	3.2	(38%)	(0.1)	±0.0
F5 - VEHICLE ENGINEERING			0.5	0.7	36%	1.5	±0.1			0.0	0.1	27%	0.1	±0.0
F6 - PAINT			0.9	1.1	23%	1.8	±0.2			0.2	0.3	32%	0.6	±0.1
F7 - BODY INTERIOR			3.3	4.4	26%	7.6	±0.8			0.5	0.7	31%	1.3	±0.1
F8 - BODY EXTERIOR			9.0	8.3	(8%)	6.4	±0.6			1.6	1.3	(22%)	0.5	±0.1
F9 - OTHER			0.0	0.0		0.0	±0.0			0.0	0.0		0.0	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	44.5	54.2	51.4	(5%)	42.9	±4.3	▲	9.8	13.0	10.0	(30%)	0.9	±0.1
BB - FIESTA (EU-COLOGNE)	●	28.7	27.0	30.5	11%	41.4	±4.1	●	5.9	5.3	6.0	12%	8.2	±0.8
AI - KUGA (EU-VALENCIA)	●	19.3	20.6	36.1	43%	67.6	±6.8	●	4.9	6.7	11.9	43%	22.4	±2.2
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	39.1	45.0	37.0	(22%)	12.9	±1.3	◆	12.7	15.4	10.7	(44%)	(3.4)	±0.3
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	28.7	30.5	25.8	(18%)	8.4	±0.8	●	4.6	4.9	5.5	12%	7.9	±0.8
BG - TRANSIT COURIER (B460)(EU-YENIKC	●	24.6	20.9	22.4	7%	27.5	±2.8	●	3.4	3.1	5.1	40%	12.1	±1.2
T9 - TRANSIT CONNECT (EU-VALENCIA)	◆	24.7	28.4	25.0	(14%)	15.2	±1.5	▲	7.9	8.4	7.7	(8%)	5.9	±0.6
TF - TRANSIT (EU-KOCAELI)	◆	35.3	39.4	28.1	(41%)	(9.5)	±1.0	◆	9.7	10.5	8.8	(19%)	3.3	±0.3
SE - B-CUV (BX726) (EU-CRAIOVA)	▲	0.0	33.5	32.5	(3%)	31.0	±3.1	●	0.0	7.3	8.5	15%	10.2	±1.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	●	38.0	42.5	44.8	5%	52.5	±5.3	▲	12.1	13.7	12.7	(8%)	9.3	±0.9
ND - MONDEO (CD391)(EU-VALENCIA)	◆	30.8	35.2	25.6	(38%)	2.1	±0.2	◆	12.0	13.3	10.3	(29%)	2.9	±0.3
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	84.4	97.5	51.3	(90%)	(99.3)	±9.9	◆	20.1	20.8	9.8	(113%)	(26.3)	±2.6
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	◆	13.7	7.3	2.7	(167%)		±1.1	◆	1.7	0.9	0.3	(243%)	(1.7)	±0.2
BB - FIESTA (EU-COLOGNE)	●	0.1	0.1	0.2	71%	0.7	±0.1		0.0	0.0	0.0	100%	0.2	±0.0
AI - KUGA (EU-VALENCIA)	●	5.0	0.1	2.1	96%	6.3	±0.6	●	0.5	0.0	0.4	95%	1.2	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	1.0	0.3	0.1	(85%)		±0.0	●	0.2	0.0	0.0	9%	0.1	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	0.2	0.1	0.2	77%	0.8	±0.1		0.0	0.0	0.0	100%	0.2	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)		0.0	0.0	0.2	100%	0.6	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
TF - TRANSIT (EU-KOCAELI)	●	0.4	0.1	0.2	64%	0.5	±0.1	●	0.0	0.0	0.0	79%	0.2	±0.0
SE - B-CUV (BX726) (EU-CRAIOVA)	●	0.0	0.4	0.5	20%	0.6	±0.1	●	0.0	0.1	0.1	28%	0.1	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	●	0.6	0.1	2.6	95%	11.5	±1.1	●	0.1	0.0	0.3	96%	1.1	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	●	0.9	0.3	2.1	86%	6.5	±0.6	●	0.1	0.0	0.3	92%	0.9	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	9.7	3.6	4.5	20%	7.3	±0.7	◆	3.0	1.1	0.8	(39%)	(0.2)	±0.0
BB - FIESTA (EU-COLOGNE)	●	1.2	1.3	1.7	27%	3.1	±0.3	●	0.2	0.2	0.4	41%	0.9	±0.1
AI - KUGA (EU-VALENCIA)	●	1.8	0.7	1.6	55%	3.5	±0.3	●	0.4	0.2	0.7	65%	1.6	±0.2
TC - TRANSIT CUSTOM (EU-KOCAELI)	●	8.8	3.4	4.3	21%	7.0	±0.7	◆	6.1	2.2	1.2	(78%)	(1.7)	±0.2
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	2.8	1.3	1.8	30%	3.8	±0.4	●	0.4	0.2	0.4	48%	1.2	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKC	●	2.0	1.3	1.4	10%	1.9	±0.2	◆	0.5	0.3	0.2	(73%)	(0.3)	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	1.1	0.5	1.3	59%	3.5	±0.4	●	0.6	0.3	0.5	43%	1.2	±0.1
TF - TRANSIT (EU-KOCAELI)	▲	10.8	3.5	3.4	(3%)	3.1	±0.3	●	2.4	0.8	0.9	14%	1.3	±0.1
SE - B-CUV (BX726) (EU-CRAIOVA)	◆	0.0	2.0	1.7	(18%)	1.3	±0.1	▲	0.0	0.4	0.4	(26%)	0.2	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	●	1.7	0.9	1.0	18%	1.7	±0.2	▲	1.4	0.5	0.5	(0%)	0.5	±0.0
ND - MONDEO (CD391)(EU-VALENCIA)	●	2.2	1.3	1.3	6%	1.5	±0.2	●	0.5	0.3	0.6	44%	1.3	±0.1
XX - FORD TRUCKS (EU-ESKISEHIR)	●	12.6	8.6	12.6	32%	25.6	±2.6	●	1.0	0.6	2.1	74%	7.3	±0.7
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	28.9	11.1	12.0	8%	14.9	±1.5	●	5.9	2.1	2.1	4%	2.4	±0.2
BB - FIESTA (EU-COLOGNE)	●	7.1	6.2	9.6	35%	20.0	±2.0	●	1.4	1.2	1.8	35%	3.8	±0.4
AI - KUGA (EU-VALENCIA)	●	20.3	5.5	10.5	48%	20.6	±2.1	●	4.1	1.2	2.3	50%	4.7	±0.5
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	23.8	9.3	7.3	(26%)	1.6	±0.2	●	4.3	1.8	2.1	14%	2.9	±0.3
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	21.4	10.0	7.6	(31%)	(1.4)	±0.1	●	3.8	1.7	1.7	1%	1.8	±0.2
BG - TRANSIT COURIER (B460)(EU-YENIKC	●	2.6	2.7	6.6	59%	19.7	±2.0	●	0.4	0.4	1.8	80%	6.6	±0.7
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	10.2	5.4	7.1	24%	12.1	±1.2	●	2.0	1.1	1.6	32%	3.1	±0.3
TF - TRANSIT (EU-KOCAELI)	●	24.1	6.2	7.2	14%	10.5	±1.1	●	3.4	0.9	1.8	50%	4.7	±0.5
SE - B-CUV (BX726) (EU-CRAIOVA)	●	0.0	7.3	8.1	11%	9.3	±0.9	●	0.0	1.6	1.9	15%	2.3	±0.2
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	▲	23.8	10.8	10.6	(2%)	9.7	±1.0	●	5.8	3.0	3.2	6%	4.0	±0.4
ND - MONDEO (CD391)(EU-VALENCIA)	◆	16.3	8.9	6.3	(42%)	(0.2)	±0.0	▲	4.9	2.6	2.3	(11%)	1.7	±0.2
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	19.8	42.0	10.1	(315%)	(93.8)	±9.4	◆	5.3	10.4	1.1	(839%)	(29.2)	±2.9
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	27.7	11.8	9.6	(23%)	2.9	±0.3	◆	10.1	5.4	3.8	(45%)	(1.3)	±0.1
BB - FIESTA (EU-COLOGNE)	◆	5.9	5.9	4.7	(25%)	1.0	±0.1	●	1.8	1.4	1.7	16%	2.5	±0.3
AI - KUGA (EU-VALENCIA)	●	11.2	6.0	7.0	14%	8.9	±0.9	●	5.5	3.6	4.7	24%	7.0	±0.7
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	45.9	17.5	12.8	(37%)	(1.6)	±0.2	◆	20.7	8.5	4.5	(90%)	(7.7)	±0.8
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	11.7	7.0	4.1	(72%)	(6.9)	±0.7	●	2.1	1.3	1.5	17%	2.5	±0.2
BG - TRANSIT COURIER (B460)(EU-YENIKC	◆	16.8	13.8	9.3	(49%)	(6.1)	±0.6	●	2.3	2.0	2.3	12%	3.2	±0.3
T9 - TRANSIT CONNECT (EU-VALENCIA)	◆	26.2	15.9	8.5	(86%)	(12.7)	±1.3	◆	9.5	5.5	3.4	(63%)	(2.8)	±0.3
TF - TRANSIT (EU-KOCAELI)	◆	77.7	21.5	8.1	(165%)	(36.0)	±3.6	◆	29.4	7.7	4.1	(91%)	(8.1)	±0.8
SE - B-CUV (BX726) (EU-CRAIOVA)	◆	0.0	7.5	5.8	(30%)	3.4	±0.3	●	0.0	2.5	2.6	5%	2.7	±0.3
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	●	23.2	14.0	15.7	11%	21.6	±2.2	◆	11.3	6.8	5.6	(22%)	1.2	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	◆	22.0	12.4	8.2	(52%)	(2.2)	±0.2	◆	13.3	7.6	4.5	(69%)	(3.1)	±0.3
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	20.6	26.5	19.8	(33%)	(1.8)	±0.2	◆	8.5	7.9	4.6	(69%)	(5.8)	±0.6

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	2.7	1.0	1.5	35%	3.1	±0.3	△	0.3	0.1	0.1	(18%)	0.0	±0.0
BB - FIESTA (EU-COLOGNE)	△	0.4	0.4	0.4	(4%)	0.3	±0.0	△	0.0	0.0	0.0	(13%)	0.0	±0.0
AI - KUGA (EU-VALENCIA)	●	0.5	0.2	1.0	82%	2.7	±0.3	●	0.0	0.0	0.1	75%	0.2	±0.0
TC - TRANSIT CUSTOM (EU-KOCAELI)	●	1.9	0.4	0.7	40%	1.5	±0.2	●	0.2	0.0	0.0	33%	0.1	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	0.2	0.2	0.2	(35%)	(0.1)	±0.0	●	0.0	0.0	0.0	63%	0.1	±0.0
BG - TRANSIT COURIER (B460)(EU-YENIKC		0.0	0.0	0.3	100%	1.3	±0.1		(0.0)	0.0	0.0	100%	0.1	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	0.1	0.1	0.2	70%	0.6	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
TF - TRANSIT (EU-KOCAELI)	●	3.0	0.5	1.0	46%	2.5	±0.3	●	0.2	0.0	0.1	48%	0.2	±0.0
SE - B-CUV (BX726) (EU-CRAIOVA)	●	0.0	0.3	0.5	50%	0.8	±0.1	●	0.0	0.0	0.1	70%	0.2	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	◆	1.3	0.5	0.4	(25%)	0.0	±0.0	◆	0.1	0.0	0.0	(70%)	(0.0)	±0.0
ND - MONDEO (CD391)(EU-VALENCIA)	●	1.1	0.4	0.6	33%	1.1	±0.1	●	0.0	0.0	0.0	78%	0.1	±0.0
XX - FORD TRUCKS (EU-ESKISEHIR)		0.0	0.0	0.0		0.0	±0.0		0.0	0.0	0.0		0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	△	2.3	1.5	1.4	(1%)	1.4	±0.1	△	0.7	0.4	0.3	(18%)	0.2	±0.0
BB - FIESTA (EU-COLOGNE)	●	0.8	1.0	1.7	45%	4.2	±0.4	●	0.2	0.2	0.5	56%	1.4	±0.1
AI - KUGA (EU-VALENCIA)	●	0.4	0.3	0.9	70%	2.1	±0.2	●	0.1	0.1	0.3	73%	0.6	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	3.5	1.2	0.7	(85%)	(1.0)	±0.1	●	1.0	0.3	0.4	19%	0.6	±0.1
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	1.3	0.6	1.2	51%	3.4	±0.3	●	0.4	0.1	0.4	60%	1.2	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKC		0.0	0.0	0.2	100%	0.7	±0.1		0.0	0.0	0.1	100%	0.3	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	0.7	0.3	0.3	6%	0.3	±0.0	●	0.1	0.1	0.1	38%	0.2	±0.0
TF - TRANSIT (EU-KOCAELI)	●	0.6	0.2	0.4	43%	1.0	±0.1	●	0.2	0.1	0.2	65%	0.5	±0.1
SE - B-CUV (BX726) (EU-CRAIOVA)	●	0.0	1.0	1.5	32%	2.1	±0.2	●	0.0	0.3	0.4	9%	0.4	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	◆	1.1	1.1	0.6	(78%)	(1.1)	±0.1	●	0.1	0.1	0.3	45%	0.7	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	●	0.4	0.5	0.6	22%	1.0	±0.1	●	0.1	0.1	0.3	73%	0.7	±0.1
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	12.5	4.8	6.4	24%	11.1	±1.1	●	1.6	0.6	0.9	32%	1.8	±0.2
BB - FIESTA (EU-COLOGNE)	●	2.3	2.5	4.5	44%	10.6	±1.1	●	0.4	0.4	0.6	38%	1.2	±0.1
AI - KUGA (EU-VALENCIA)	●	4.8	2.0	5.4	64%	12.4	±1.2	●	1.1	0.4	0.7	43%	1.3	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	●	9.0	3.7	4.0	8%	5.0	±0.5	●	1.4	0.7	1.0	33%	2.0	±0.2
EH - ECOSPORT (B515)(EU-CRAIOVA)	△	8.1	5.1	4.7	(9%)	3.2	±0.3	●	0.9	0.5	0.5	6%	0.7	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKC	●	0.6	0.6	1.8	66%	5.7	±0.6	●	0.0	0.1	0.4	82%	1.5	±0.1
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	3.6	1.7	2.4	31%	4.5	±0.5	●	1.2	0.5	0.8	45%	1.9	±0.2
TF - TRANSIT (EU-KOCAELI)	●	6.4	2.5	2.5	2%	2.7	±0.3	●	0.6	0.3	0.5	42%	1.2	±0.1
SE - B-CUV (BX726) (EU-CRAIOVA)	●	0.0	4.2	5.0	15%	6.1	±0.6	●	0.0	0.7	0.8	15%	1.0	±0.1
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	●	8.7	4.3	4.6	7%	5.8	±0.6	△	2.6	1.2	1.0	(17%)	0.4	±0.0
ND - MONDEO (CD391)(EU-VALENCIA)	△	3.2	2.3	2.3	(3%)	2.1	±0.2	●	0.6	0.4	0.7	45%	1.5	±0.2
XX - FORD TRUCKS (EU-ESKISEHIR)	△	11.0	3.1	3.1	(0%)	3.1	±0.3	◆	4.1	1.2	0.9	(39%)	(0.2)	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	36.1	13.1	13.1	0%	13.3	±1.3	◆	6.1	2.3	1.7	(37%)	(0.2)	±0.0
BB - FIESTA (EU-COLOGNE)	◆	10.9	9.8	7.8	(26%)	1.5	±0.1	◆	2.0	1.9	1.0	(90%)	(1.8)	±0.2
AI - KUGA (EU-VALENCIA)	●	13.8	5.8	7.6	23%	11.2	±1.1	●	2.8	1.3	1.8	27%	2.7	±0.3
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	23.7	9.2	7.1	(30%)	0.7	±0.1	◆	4.4	1.8	1.5	(27%)	0.3	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	▲	11.7	6.4	6.2	(3%)	5.5	±0.6	◆	1.7	1.0	0.9	(14%)	0.4	±0.0
BG - TRANSIT COURIER (B460)(EU-YENIKC	●	2.6	2.6	3.0	14%	4.3	±0.4	●	0.2	0.3	0.4	27%	0.7	±0.1
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	7.6	4.6	5.0	8%	6.2	±0.6	●	2.4	1.0	1.3	22%	2.1	±0.2
TF - TRANSIT (EU-KOCAELI)	●	18.5	5.0	5.2	5%	6.0	±0.6	●	2.7	0.7	1.3	48%	3.3	±0.3
SE - B-CUV (BX726) (EU-CRAIOVA)	◆	0.0	10.9	9.4	(16%)	7.4	±0.7	◆	0.0	1.7	1.4	(20%)	1.0	±0.1
HA - S-MAX/GALAXY (CD390/CD539E)(EU-\	◆	15.8	10.8	9.2	(18%)	3.3	±0.3	▲	2.4	2.0	1.9	(7%)	1.4	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	◆	15.1	9.1	4.3	(113%)	(7.6)	±0.8	◆	4.6	2.3	1.6	(45%)	(0.1)	±0.0
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	18.5	17.4	5.3	(226%)	(33.9)	±3.4	●	1.0	0.8	1.0	18%	1.5	±0.2
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)		(0.0)	0.0	0.0		0.0	±0.0		(0.0)	0.0	0.0		0.0	±0.0
XX - FORD TRUCKS (EU-ESKISEHIR)		0.0	0.0	0.0		0.0	±0.0		0.0	0.0	0.0		0.0	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: May-2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F98 - CN - CHINA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	36%	72.9	85.0	90.2	6%	98.9	±9.9		33.0	40.9	34.2	(20%)	23.0	±2.3
F92 - SA - SOUTH AMERICA	13%	10.8	12.5	15.3	18%	28.9	±2.9		2.0	2.5	3.2	21%	6.5	±0.6
F93 - EU - EUROPE	30%	32.5	36.8	50.0	26%	85.8	±8.6		7.9	9.4	11.4	18%	17.0	±1.7
F98 - CN - CHINA	11%	12.3	12.9	16.8	23%	35.7	±3.6		4.2	4.7	4.7	(0%)	4.7	±0.5
F99 - IM - INTERNATIONAL MARKET	7%	18.7	20.1	22.0	9%	31.4	±3.1		7.9	8.8	7.3	(21%)	(0.3)	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	217.8	255.5	300.0	14%	351.5	±0.0		103.0	126.1	83.8	(50%)	34.9	±0.0
Functional Breakdown														
F1 - CONNECTED VEHICLE			0.1	0.3	61%	1.0	±0.1			0.0	0.1	74%	0.5	±0.1
F2 - CHASSIS			1.0	1.7	41%	5.0	±0.5			0.2	0.3	29%	0.8	±0.1
F3 - ELECTRICAL			2.6	3.6	28%	8.5	±0.9			0.6	0.9	36%	2.3	±0.2
F4 - POWERTRAIN			5.7	5.2	(10%)	2.7	±0.3			3.5	2.3	(51%)	(3.3)	±0.3
F5 - VEHICLE ENGINEERING			0.1	0.0		(0.2)	±0.0			0.0	0.0		0.0	±0.0
F6 - PAINT			0.1	0.2	70%	0.9	±0.1			0.0	0.0	75%	0.2	±0.0
F7 - BODY INTERIOR			1.1	2.2	52%	7.7	±0.8			0.1	0.4	63%	1.4	±0.1
F8 - BODY EXTERIOR			2.3	3.2	30%	7.8	±0.8			0.3	0.4	32%	1.1	±0.1
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	▲	6.1	7.6	6.9	(10%)	3.4	±0.3	●	0.7	1.0	1.4	27%	3.4	±0.3
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	10.8	16.0	33%	42.2	±4.2	●	0.0	3.4	3.9	14%	6.6	±0.7
AX - FOCUS (CN-CHONGQING II)	●	11.1	13.5	17.4	22%	36.6	±3.7	◆	8.1	10.5	6.0	(75%)	(16.5)	±1.7
HG - EDGE (CD539)(CN-HANGZHOU)	●	7.9	7.0	14.7	53%	53.3	±5.3	●	2.1	1.7	4.0	57%	15.3	±1.5
TK - TRANSIT (V362)(CN-NANCHANG)	◆	16.3	18.3	16.0	(14%)	4.6	±0.5	◆	4.3	5.7	3.0	(94%)	(10.9)	±1.1
D4 - FOCUS (CN-TAIWAN)	◆	23.4	27.9	22.7	(23%)	(3.1)	±0.3	◆	8.9	11.9	6.5	(84%)	(20.7)	±2.1
TI - TRANSIT (V348)(CN-JMC)	●	20.8	21.0	24.6	15%	42.5	±4.3	◆	6.2	6.9	5.8	(19%)	0.2	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	●	7.9	7.3	9.3	22%	19.5	±2.0	●	0.7	0.7	1.3	49%	4.7	±0.5
BI - KUGA (CN-TAIWAN)	●	9.5	12.2	19.0	36%	53.4	±5.3	●	1.6	1.9	3.6	47%	12.0	±1.2
PJ - TAURUS (D568)(CN-HANGZHOU)	●	8.5	9.9	16.4	39%	48.8	±4.9	◆	6.1	6.7	4.1	(63%)	(8.8)	±0.9
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	15.8	14.1	20.0	30%	37.9	±3.8	●	2.6	1.9	3.3	42%	7.4	±0.7
A2 - KUGA (CN-CHONGQING II)	▲	12.6	13.6	12.7	(7%)	8.1	±0.8	●	2.3	2.2	2.5	14%	4.3	±0.4
D7 - FOCUS (C346)(CN-HARBIN)	●	1.7	1.5	5.0	71%	22.7	±2.3	●	0.5	0.0	1.0	99%	6.0	±0.6
KU - EVEREST (U375)(CN-NANCHANG)	●	18.7	18.5	18.6	1%	19.3	±1.9	▲	2.4	5.2	4.6	(14%)	1.4	±0.1
ET - CORSAIR (CX483) (CN-CHONGQING II	●	32.2	0.4	42.9	99%	170.5	±17.0	●	11.9	0.1	15.8	99%	63.0	±6.3
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.3	0.7	51%	2.4	±0.2	●	0.0	0.1	0.4	72%	1.8	±0.2
AX - FOCUS (CN-CHONGQING II)	●	1.5	0.1	0.2	18%	0.3	±0.0	◆	0.6	0.1	0.0	(67%)	(0.1)	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	0.6	0.1	0.2	33%	0.4	±0.0	●	0.1	0.0	0.0	50%	0.1	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	1.4	0.5	0.2	(150%)		±0.1	◆	0.3	0.1	0.0	(175%)	(0.3)	±0.0
A2 - KUGA (CN-CHONGQING II)		1.3	0.0	0.5	100%	2.7	±0.3		0.4	0.0	0.1	100%	0.7	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	0.9	0.3	0.6	42%	1.8	±0.2	●	0.2	0.1	0.1	23%	0.2	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.4	1.9	79%	9.4	±0.9	●	0.0	0.0	0.4	97%	2.3	±0.2
AX - FOCUS (CN-CHONGQING II)	●	4.8	1.2	1.6	29%	4.0	±0.4	●	1.5	0.4	0.4	0%	0.4	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	2.7	0.6	0.7	14%	1.2	±0.1	●	0.2	0.1	0.3	82%	1.4	±0.1
TK - TRANSIT (V362)(CN-NANCHANG)	●	6.0	2.7	3.6	26%	8.3	±0.8	●	0.8	0.3	0.4	21%	0.9	±0.1
D4 - FOCUS (CN-TAIWAN)	◆	6.1	1.9	1.6	(14%)	0.5	±0.0	△	1.8	0.5	0.5	(15%)	0.1	±0.0
TI - TRANSIT (V348)(CN-JMC)	△	2.2	2.2	2.2	(0%)	2.1	±0.2	◆	1.7	0.7	0.2	(231%)	(2.1)	±0.2
NL - MONDEO (CD391)(CN-CHONGQING)	●	2.4	0.5	0.8	43%	2.6	±0.3	●	0.1	0.0	0.1	80%	0.3	±0.0
BI - KUGA (CN-TAIWAN)		0.0	0.0	1.3	100%	7.5	±0.8		0.0	0.0	0.1	100%	0.8	±0.1
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	4.2	2.0	1.3	(59%)	(2.5)	±0.2	◆	1.0	0.6	0.3	(114%)	(1.3)	±0.1
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	2.0	0.5	1.3	62%	3.7	±0.4	●	0.7	0.3	0.3	3%	0.4	±0.0
A2 - KUGA (CN-CHONGQING II)	◆	3.7	1.7	0.7	(158%)	(4.5)	±0.5	◆	2.0	1.0	0.2	(411%)	(3.7)	±0.4
D7 - FOCUS (C346)(CN-HARBIN)		0.2	0.0	0.7	100%	4.2	±0.4		0.4	0.0	0.1	100%	0.6	±0.1
KU - EVEREST (U375)(CN-NANCHANG)		1.7	0.0	2.7	100%	16.1	±1.6		0.2	0.0	0.6	100%	3.8	±0.4
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	2.0	0.6	1.3	54%	4.9	±0.5	●	0.3	0.1	0.2	67%	0.9	±0.1
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	3.6	5.0	28%	11.9	±1.2	●	0.0	0.8	1.1	29%	2.8	±0.3
AX - FOCUS (CN-CHONGQING II)	●	9.4	2.5	2.6	1%	2.7	±0.3	◆	2.7	0.7	0.5	(45%)	(0.6)	±0.1
HG - EDGE (CD539)(CN-HANGZHOU)	●	8.8	2.6	3.8	33%	10.2	±1.0	●	4.4	0.9	1.2	29%	3.0	±0.3
TK - TRANSIT (V362)(CN-NANCHANG)	◆	6.6	2.4	2.0	(17%)	0.3	±0.0	◆	1.1	0.4	0.2	(107%)	(0.9)	±0.1
D4 - FOCUS (CN-TAIWAN)	△	26.1	6.9	6.0	(14%)	1.7	±0.2	●	4.0	1.1	1.1	1%	1.2	±0.1
TI - TRANSIT (V348)(CN-JMC)	◆	3.1	2.4	2.0	(15%)	0.5	±0.0	◆	0.4	0.2	0.1	(28%)	(0.1)	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	●	9.6	1.9	3.0	37%	8.5	±0.8	●	0.5	0.2	0.3	43%	0.9	±0.1
BI - KUGA (CN-TAIWAN)	●	7.1	2.3	6.7	65%	28.6	±2.9	●	2.3	0.6	1.1	45%	3.5	±0.3
PJ - TAURUS (D568)(CN-HANGZHOU)	●	6.4	4.0	4.1	2%	4.4	±0.4	◆	3.8	1.7	1.3	(36%)	(1.0)	±0.1
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	6.1	3.6	4.1	11%	5.4	±0.5	●	0.7	0.2	0.6	64%	1.8	±0.2
A2 - KUGA (CN-CHONGQING II)	●	9.8	1.7	2.9	41%	8.9	±0.9	●	3.2	0.4	0.7	49%	2.4	±0.2
D7 - FOCUS (C346)(CN-HARBIN)		0.2	0.0	0.9	100%	5.4	±0.5		1.1	0.0	0.3	100%	1.8	±0.2
KU - EVEREST (U375)(CN-NANCHANG)	●	3.5	1.8	4.0	56%	15.4	±1.5	●	0.5	0.2	0.5	52%	1.7	±0.2
ET - CORSAIR (CX483) (CN-CHONGQING II)	●	22.9	0.4	10.1	96%	39.2	±3.9	●	8.0	0.1	3.5	98%	13.9	±1.4
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	◆	10.2	4.6	2.5	(82%)	(7.9)	±0.8	●	1.0	0.6	0.9	32%	2.5	±0.2
YM - TERRITORY (CX743) (CN-JMC)	◆	0.0	3.4	2.5	(34%)	(1.8)	±0.2	◆	0.0	1.9	1.6	(23%)	(0.2)	±0.0
AX - FOCUS (CN-CHONGQING II)	●	26.5	6.3	9.0	29%	22.1	±2.2	◆	33.8	8.8	4.4	(100%)	(17.6)	±1.8
HG - EDGE (CD539)(CN-HANGZHOU)	●	7.4	1.9	3.8	52%	13.7	±1.4	●	2.4	0.5	1.5	67%	6.6	±0.7
TK - TRANSIT (V362)(CN-NANCHANG)	◆	23.4	9.0	6.1	(47%)	(8.3)	±0.8	◆	10.0	4.5	1.8	(143%)	(11.3)	±1.1
D4 - FOCUS (CN-TAIWAN)	◆	42.5	14.9	8.4	(77%)	(23.8)	±2.4	◆	28.5	10.0	4.5	(123%)	(23.0)	±2.3
TI - TRANSIT (V348)(CN-JMC)	●	8.7	11.2	13.2	15%	23.2	±2.3	◆	3.5	5.5	3.9	(40%)	(4.0)	±0.4
NL - MONDEO (CD391)(CN-CHONGQING)	●	8.4	1.4	2.8	50%	10.0	±1.0	●	1.2	0.2	0.6	69%	2.7	±0.3
BI - KUGA (CN-TAIWAN)	●	10.1	2.8	4.7	40%	14.1	±1.4	●	1.0	0.3	1.6	82%	8.1	±0.8
PJ - TAURUS (D568)(CN-HANGZHOU)	●	5.8	2.0	3.5	44%	11.1	±1.1	◆	10.5	4.1	1.4	(191%)	(12.1)	±1.2
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	8.0	2.5	4.5	44%	10.4	±1.0	●	2.0	0.5	1.2	59%	3.4	±0.3
A2 - KUGA (CN-CHONGQING II)	◆	19.0	5.7	2.5	(123%)	(13.1)	±1.3	△	1.4	0.4	0.4	(5%)	0.3	±0.0
D7 - FOCUS (C346)(CN-HARBIN)		1.7	0.0	2.1	100%	12.4	±1.2		0.9	0.0	0.4	100%	2.6	±0.3
KU - EVEREST (U375)(CN-NANCHANG)	●	8.7	3.3	5.9	43%	18.6	±1.9	●	(5.3)	0.1	2.9	96%	17.0	±1.7
ET - CORSAIR (CX483) (CN-CHONGQING II)		23.1	0.0	10.3	100%	41.1	±4.1		11.2	0.0	5.0	100%	19.9	±2.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
HG - EDGE (CD539)(CN-HANGZHOU)		0.0	0.0	0.0		0.0	±0.0		0.0	0.0	0.0		0.0	±0.0
TK - TRANSIT (V362)(CN-NANCHANG)	◆	0.7	0.3	0.1	(164%)	(0.8)	±0.1		0.0	0.0	0.0	100%	0.0	±0.0
D4 - FOCUS (CN-TAIWAN)	◆	0.4	0.1	0.0		(0.6)	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
TI - TRANSIT (V348)(CN-JMC)		0.0	0.0	0.2	100%	1.4	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	◆	1.2	0.2	0.0		(1.2)	±0.1		0.0	0.0	0.0		0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	◆	0.1	0.1	0.0	(350%)	(0.3)	±0.0		(0.0)	0.0	0.0		0.0	±0.0
AX - FOCUS (CN-CHONGQING II)		0.0	0.0	0.1	100%	0.6	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	0.4	0.1	0.1	11%	0.2	±0.0	◆	0.1	0.0	0.0	(72%)	(0.0)	±0.0
TK - TRANSIT (V362)(CN-NANCHANG)		(0.0)	0.0	0.1	100%	0.6	±0.1		(0.0)	0.0	0.0	100%	0.2	±0.0
D4 - FOCUS (CN-TAIWAN)	●	0.5	0.2	0.9	76%	4.1	±0.4	●	0.0	0.0	0.1	92%	0.7	±0.1
TI - TRANSIT (V348)(CN-JMC)		0.2	0.0	0.2	100%	1.3	±0.1		0.0	0.0	0.1	100%	0.4	±0.0
BI - KUGA (CN-TAIWAN)	●	1.6	0.7	0.8	13%	1.3	±0.1	◆	0.2	0.1	0.0	(600%)	(0.3)	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	1.7	0.6	1.2	50%	4.3	±0.4	◆	0.2	0.1	0.1	(40%)	(0.1)	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.5	1.6	71%	7.2	±0.7	●	0.0	0.1	0.1	40%	0.4	±0.0
AX - FOCUS (CN-CHONGQING II)	●	3.1	0.5	1.2	55%	4.5	±0.5	●	0.3	0.0	0.1	82%	0.6	±0.1
HG - EDGE (CD539)(CN-HANGZHOU)	●	1.6	0.6	3.1	81%	15.7	±1.6	●	0.1	0.1	0.5	85%	2.4	±0.2
TK - TRANSIT (V362)(CN-NANCHANG)	●	6.5	2.1	2.3	12%	3.8	±0.4	●	0.7	0.2	0.3	34%	0.8	±0.1
D4 - FOCUS (CN-TAIWAN)	◆	6.3	1.3	1.1	(15%)	0.3	±0.0	●	0.2	0.0	0.1	60%	0.4	±0.0
TI - TRANSIT (V348)(CN-JMC)	●	1.3	1.7	3.7	54%	13.8	±1.4	●	0.1	0.2	1.2	80%	5.9	±0.6
NL - MONDEO (CD391)(CN-CHONGQING)	△	3.6	1.4	1.3	(9%)	0.7	±0.1	◆	0.4	0.2	0.1	(40%)	(0.1)	±0.0
BI - KUGA (CN-TAIWAN)	◆	8.3	2.6	1.3	(103%)	(5.3)	±0.5	◆	0.6	0.2	0.1	(110%)	(0.5)	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	●	4.1	1.0	3.2	68%	14.2	±1.4	●	0.5	0.1	0.6	84%	3.3	±0.3
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	6.1	2.5	3.7	33%	7.3	±0.7	●	0.4	0.1	0.3	65%	0.9	±0.1
A2 - KUGA (CN-CHONGQING II)		4.6	0.0	2.3	100%	14.0	±1.4		0.3	0.0	0.2	100%	1.4	±0.1
KU - EVEREST (U375)(CN-NANCHANG)	◆	22.4	13.4	2.6	(410%)	(51.1)	±5.1	◆	9.2	4.9	0.2	(2229%)	(23.2)	±2.3
ET - CORSAIR (CX483) (CN-CHONGQING II)		14.6	0.0	6.5	100%	26.0	±2.6		6.2	0.0	2.8	100%	11.0	±1.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	▲	3.4	1.4	1.2	(13%)	0.4	±0.0	◆	0.4	0.2	0.1	(45%)	(0.1)	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	2.6	4.2	39%	12.5	±1.3	◆	0.0	0.5	0.3	(57%)	(0.6)	±0.1
AX - FOCUS (CN-CHONGQING II)	▲	10.9	2.9	2.8	(3%)	2.4	±0.2	●	1.2	0.4	0.5	13%	0.8	±0.1
HG - EDGE (CD539)(CN-HANGZHOU)	●	3.7	1.2	3.0	60%	11.9	±1.2	●	0.4	0.2	0.4	61%	1.7	±0.2
TK - TRANSIT (V362)(CN-NANCHANG)	▲	6.0	1.9	1.7	(12%)	0.6	±0.1	◆	0.4	0.3	0.1	(106%)	(0.5)	±0.1
D4 - FOCUS (CN-TAIWAN)	●	10.7	2.6	4.6	44%	14.8	±1.5	◆	0.9	0.3	0.2	(21%)	(0.0)	±0.0
TI - TRANSIT (V348)(CN-JMC)	◆	5.3	3.6	3.0	(19%)	0.2	±0.0	◆	0.4	0.3	0.3	(21%)	(0.0)	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	◆	6.3	1.9	1.3	(41%)	(1.4)	±0.1	●	0.4	0.1	0.3	51%	0.9	±0.1
BI - KUGA (CN-TAIWAN)	●	11.1	3.8	4.2	10%	6.4	±0.6	▲	2.6	0.8	0.7	(9%)	0.4	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	●	7.2	0.5	4.2	88%	22.7	±2.3	●	0.5	0.0	0.5	93%	2.6	±0.3
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	8.8	5.0	6.0	18%	9.2	±0.9	▲	1.4	0.8	0.8	(3%)	0.7	±0.1
A2 - KUGA (CN-CHONGQING II)	◆	24.9	4.5	3.8	(19%)	0.2	±0.0	●	4.2	0.5	0.9	49%	3.2	±0.3
D7 - FOCUS (C346)(CN-HARBIN)	◆	5.5	1.5	0.7	(110%)	(3.2)	±0.3	●	0.1	0.0	0.1	90%	0.6	±0.1
ET - CORSAIR (CX483) (CN-CHONGQING II)		18.6	0.0	8.3	100%	33.2	±3.3		6.6	0.0	2.9	100%	11.7	±1.2

F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: May-2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F99 - IM - INTERNATIONAL MARKET

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	36%	72.9	85.0	90.2	6%	98.9	±9.9		33.0	40.9	34.2	(20%)	23.0	±2.3
F92 - SA - SOUTH AMERICA	13%	10.8	12.5	15.3	18%	28.9	±2.9		2.0	2.5	3.2	21%	6.5	±0.6
F93 - EU - EUROPE	30%	32.5	36.8	50.0	26%	85.8	±8.6		7.9	9.4	11.4	18%	17.0	±1.7
F98 - CN - CHINA	11%	12.3	12.9	16.8	23%	35.7	±3.6		4.2	4.7	4.7	(0%)	4.7	±0.5
F99 - IM - INTERNATIONAL MARKET	7%	18.7	20.1	22.0	9%	31.4	±3.1		7.9	8.8	7.3	(21%)	(0.3)	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	217.8	255.5	300.0	14%	351.5	±0.0		103.0	126.1	83.8	(50%)	34.9	±0.0
Functional Breakdown														
F2 - CHASSIS			2.3	2.3	1%	2.4	±0.2			0.7	0.6	(12%)	0.2	±0.0
F3 - ELECTRICAL			3.2	4.2	23%	9.1	±0.9			0.7	1.0	24%	2.2	±0.2
F4 - POWERTRAIN			6.1	6.1	(0%)	5.9	±0.6			6.2	4.0	(54%)	(6.9)	±0.7
F5 - VEHICLE ENGINEERING			0.1	0.4	63%	1.5	±0.1			0.0	0.0	28%	0.0	±0.0
F6 - PAINT			1.1	0.8	(35%)	(0.6)	±0.1			0.3	0.2	(33%)	(0.1)	±0.0
F7 - BODY INTERIOR			3.2	3.6	10%	5.4	±0.5			0.4	0.4	7%	0.6	±0.1
F8 - BODY EXTERIOR			4.2	3.9	(7%)	2.6	±0.3			0.5	0.5	9%	0.7	±0.1
F9 - OTHER			0.0	0.0		0.0	±0.0			0.0	0.0		0.0	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
ED - ECOSPORT (IM-CHENNAI)	●	8.0	7.9	12.0	35%	32.8	±3.3	●	0.9	1.0	1.5	30%	3.7	±0.4
K3 - RANGER (IM-RAYONG-AAT)	●	10.3	11.1	12.8	13%	21.3	±2.1	▲	3.9	5.0	4.5	(12%)	1.8	±0.2
E9 - FIGO (B562)(IM-SANAND)	●	7.5	10.7	16.0	33%	42.5	±4.3	●	0.5	0.6	1.6	61%	6.5	±0.6
KR - RANGER (IM-RAYONG-FTM)	●	21.5	22.8	28.5	20%	57.1	±5.7	●	8.8	10.7	14.8	28%	35.2	±3.5
K7 - RANGER (IM-SILVERTON)	◆	63.9	73.8	45.6	(62%)	(95.2)	±9.5	◆	36.3	40.1	15.6	(157%)	(107.1)	±10.7
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	24.2	24.7	31.4	21%	65.1	±6.5	◆	8.1	9.0	7.4	(22%)	(0.7)	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	15.5	15.4	17.8	14%	29.9	±3.0	●	2.3	2.3	4.8	52%	17.3	±1.7
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	14.6	13.7	30.0	54%	111.4	±11.1	◆	15.2	16.4	8.4	(94%)	(31.1)	±3.1
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	20.7	24.0	20.9	(15%)	5.5	±0.6	●	9.2	8.2	11.7	30%	29.3	±2.9
KV - EVEREST (U375)(IM-SILVERTON)	◆	142.7	151.0	61.3	(146%)	(387.0)	±38.7	◆	95.8	94.4	15.4	(513%)	(379.4)	±37.9
EG - ECOSPORT (IM-HAIDUONG)	◆	16.1	18.8	10.0	(88%)	(34.0)	±3.4	◆	2.5	3.3	1.7	(90%)	(6.1)	±0.6
TS - TRANSIT (V362) (IM-HAIDUONG)	●	37.2	20.3	40.3	50%	140.3	±14.0	●	6.7	3.3	6.8	52%	24.4	±2.4
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
ED - ECOSPORT (IM-CHENNAI)	●	2.7	0.9	1.4	34%	3.8	±0.4	●	0.1	0.1	0.1	63%	0.6	±0.1
K3 - RANGER (IM-RAYONG-AAT)	◆	6.8	1.4	0.8	(74%)	(2.2)	±0.2	◆	2.5	0.5	0.2	(135%)	(1.3)	±0.1
E9 - FIGO (B562)(IM-SANAND)	◆	3.4	1.2	1.0	(19%)	0.0	±0.0	◆	0.5	0.2	0.1	(100%)	(0.3)	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	14.5	2.9	3.0	3%	3.5	±0.4	●	4.2	1.3	1.7	26%	3.9	±0.4
K7 - RANGER (IM-SILVERTON)	◆	22.5	6.2	4.5	(38%)	(4.0)	±0.4	◆	9.8	2.5	1.1	(125%)	(5.9)	±0.6
KT - EVEREST (U375)(IM-RAYONG-AAT)	▲	14.7	3.1	2.9	(7%)	1.9	±0.2	●	1.3	0.3	0.5	24%	1.0	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	10.4	1.9	4.3	56%	16.1	±1.6	●	1.6	0.4	0.8	49%	2.9	±0.3
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	9.3	2.0	8.4	76%	40.5	±4.1	●	4.0	0.4	1.3	72%	6.1	±0.6
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	15.9	8.3	3.5	(136%)	(20.3)	±2.0	◆	7.4	3.7	1.8	(105%)	(7.6)	±0.8
KV - EVEREST (U375)(IM-SILVERTON)	●	13.8	4.3	5.6	24%	12.2	±1.2	●	1.7	0.4	0.8	55%	2.9	±0.3
EG - ECOSPORT (IM-HAIDUONG)	◆	4.0	1.7	1.0	(64%)	(2.2)	±0.2	●	0.2	0.1	0.1	53%	0.4	±0.0
TS - TRANSIT (V362) (IM-HAIDUONG)	◆	6.3	10.2	9.4	(8%)	5.4	±0.5	◆	1.0	1.3	1.1	(22%)	(0.1)	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
ED - ECOSPORT (IM-CHENNAI)	●	6.8	2.6	4.2	38%	12.0	±1.2	●	0.7	0.3	0.5	44%	1.6	±0.2
K3 - RANGER (IM-RAYONG-AAT)	●	7.8	1.7	1.9	12%	3.0	±0.3	●	3.5	0.7	0.8	12%	1.3	±0.1
E9 - FIGO (B562)(IM-SANAND)	●	2.9	1.5	3.4	56%	12.9	±1.3	●	0.3	0.2	0.3	36%	0.7	±0.1
KR - RANGER (IM-RAYONG-FTM)	●	25.5	5.3	6.7	21%	13.6	±1.4	●	6.8	1.3	2.1	39%	6.2	±0.6
K7 - RANGER (IM-SILVERTON)	◆	34.1	9.8	7.0	(39%)	(6.8)	±0.7	◆	8.9	2.5	1.8	(39%)	(1.7)	±0.2
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	13.8	2.9	4.9	40%	14.6	±1.5	●	5.4	1.0	1.3	18%	2.4	±0.2
TJ - TRANSIT (IM-ELABUGA)	●	2.7	0.5	2.5	79%	12.2	±1.2	●	0.4	0.0	0.3	97%	1.8	±0.2
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	18.9	3.4	10.2	67%	44.6	±4.5	●	1.8	0.5	1.0	48%	3.6	±0.4
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	4.8	3.0	1.8	(62%)	(3.9)	±0.4	●	0.4	0.2	0.4	48%	1.3	±0.1
KV - EVEREST (U375)(IM-SILVERTON)	◆	35.4	9.5	5.0	(89%)	(17.3)	±1.7	◆	9.4	2.6	0.9	(198%)	(7.6)	±0.8
EG - ECOSPORT (IM-HAIDUONG)	◆	14.9	4.5	2.5	(78%)	(7.4)	±0.7	●	0.5	0.2	0.7	70%	3.0	±0.3
TS - TRANSIT (V362) (IM-HAIDUONG)		9.3	0.0	8.0	100%	48.1	±4.8		0.2	0.0	0.5	100%	3.0	±0.3
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
ED - ECOSPORT (IM-CHENNAI)	●	8.1	2.3	3.7	38%	10.8	±1.1	●	1.6	0.6	0.6	13%	1.1	±0.1
K3 - RANGER (IM-RAYONG-AAT)	◆	15.9	4.0	3.3	(22%)	(0.3)	±0.0	◆	11.5	3.5	2.8	(25%)	(0.7)	±0.1
E9 - FIGO (B562)(IM-SANAND)	●	5.7	2.6	3.6	30%	9.0	±0.9	●	0.2	0.1	0.7	88%	3.9	±0.4
KR - RANGER (IM-RAYONG-FTM)	●	29.8	7.2	9.1	20%	18.3	±1.8	●	27.8	7.1	9.2	22%	19.3	±1.9
K7 - RANGER (IM-SILVERTON)	◆	70.7	18.8	14.1	(33%)	(9.3)	±0.9	◆	107.8	29.6	9.6	(208%)	(90.3)	±9.0
KT - EVEREST (U375)(IM-RAYONG-AAT)	△	41.1	8.9	8.2	(8%)	5.0	±0.5	◆	25.1	5.9	3.9	(53%)	(6.3)	±0.6
TJ - TRANSIT (IM-ELABUGA)	◆	25.9	9.1	3.9	(133%)	(22.0)	±2.2	●	5.3	1.6	2.6	39%	7.8	±0.8
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	24.5	4.7	6.0	23%	12.8	±1.3	◆	66.6	15.1	5.6	(167%)	(41.4)	±4.1
TG - TRANSIT (V347/348)(IM-HAIDUONG)	●	8.0	5.3	9.4	44%	30.2	±3.0	●	7.3	3.1	7.1	56%	27.0	±2.7
KV - EVEREST (U375)(IM-SILVERTON)	◆	126.8	31.6	8.1	(290%)	(109.5)	±10.9	◆	294.1	70.9	6.2	(1039%)	(317.0)	±31.7
EG - ECOSPORT (IM-HAIDUONG)	◆	18.3	8.0	3.3	(142%)	(20.1)	±2.0	◆	5.5	2.5	0.7	(235%)	(7.9)	±0.8
TS - TRANSIT (V362) (IM-HAIDUONG)		12.5	0.0	11.1	100%	66.8	±6.7		4.5	0.0	4.0	100%	24.0	±2.4
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	1.3	0.2	0.4	47%	1.2	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
E9 - FIGO (B562)(IM-SANAND)		0.0	0.0	0.1	100%	0.5	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	1.1	0.5	0.9	44%	2.8	±0.3	△	0.1	0.0	0.0	(3%)	0.0	±0.0
K7 - RANGER (IM-SILVERTON)		(0.0)	0.0	0.2	100%	1.2	±0.1		(0.0)	0.0	0.0	100%	0.1	±0.0
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	0.9	0.2	1.2	87%	6.5	±0.6		0.0	0.0	0.0	100%	0.1	±0.0
TJ - TRANSIT (IM-ELABUGA)	●	1.7	0.3	0.5	44%	1.5	±0.1	◆	0.2	0.0	0.0	(11%)	0.0	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)		(0.0)	0.0	0.0		0.0	±0.0		(0.0)	0.0	0.0		0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
ED - ECOSPORT (IM-CHENNAI)	◆	(0.1)	0.1	0.1	(14%)	0.0	±0.0		(0.0)	0.0	0.0	100%	0.1	±0.0
K3 - RANGER (IM-RAYONG-AAT)	●	1.7	0.3	0.3	6%	0.3	±0.0	●	0.2	0.0	0.0	37%	0.1	±0.0
E9 - FIGO (B562)(IM-SANAND)	●	0.2	0.1	0.1	27%	0.3	±0.0	●	0.0	0.0	0.0	66%	0.1	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	1.0	0.3	0.3	12%	0.5	±0.1	△	0.5	0.1	0.1	(10%)	0.1	±0.0
K7 - RANGER (IM-SILVERTON)	◆	22.2	9.7	4.1	(138%)	(24.0)	±2.4	◆	7.1	2.2	1.1	(98%)	(4.4)	±0.4
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	2.7	0.3	1.4	76%	6.6	±0.7	◆	1.5	0.2	0.2	(26%)	(0.1)	±0.0
TJ - TRANSIT (IM-ELABUGA)		0.0	0.0	0.1	100%	0.7	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)		0.2	0.0	0.5	100%	3.2	±0.3		0.0	0.0	0.0	100%	0.2	±0.0
KV - EVEREST (U375)(IM-SILVERTON)	◆	49.0	15.1	6.9	(119%)	(34.3)	±3.4	◆	12.1	3.2	1.7	(82%)	(5.4)	±0.5

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
ED - ECOSPORT (IM-CHENNAI)	◆	3.7	1.0	0.8	(20%)	(0.0)	±0.0	●	0.1	0.1	0.1	5%	0.1	±0.0
K3 - RANGER (IM-RAYONG-AAT)	●	5.5	1.9	3.8	51%	13.6	±1.4	●	0.2	0.1	0.3	76%	1.6	±0.2
E9 - FIGO (B562)(IM-SANAND)	●	5.9	3.4	4.6	27%	10.8	±1.1	●	0.2	0.1	0.3	49%	0.9	±0.1
KR - RANGER (IM-RAYONG-FTM)	●	14.4	3.0	3.7	20%	7.3	±0.7	●	2.1	0.4	0.6	27%	1.4	±0.1
K7 - RANGER (IM-SILVERTON)	◆	37.3	10.7	5.8	(85%)	(18.9)	±1.9	◆	3.9	1.3	0.7	(69%)	(1.8)	±0.2
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	23.0	4.6	5.3	14%	8.9	±0.9	◆	5.0	1.1	0.7	(56%)	(1.3)	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	5.1	0.3	4.4	94%	25.2	±2.5	●	0.8	0.0	0.9	95%	5.0	±0.5
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	15.0	3.4	3.7	7%	5.0	±0.5	◆	2.5	0.4	0.3	(24%)	(0.1)	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)	▲	5.2	3.0	2.8	(7%)	1.8	±0.2	●	1.7	0.5	1.3	59%	5.2	±0.5
KV - EVEREST (U375)(IM-SILVERTON)	◆	80.7	24.9	11.8	(111%)	(53.8)	±5.4	◆	28.3	7.6	3.2	(138%)	(18.7)	±1.9
EG - ECOSPORT (IM-HAIDUONG)	◆	6.6	3.1	1.3	(141%)	(7.9)	±0.8	●	0.2	0.1	0.2	68%	0.7	±0.1
TS - TRANSIT (V362) (IM-HAIDUONG)		2.4	0.0	5.0	100%	30.0	±3.0		0.2	0.0	0.5	100%	3.1	±0.3
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
ED - ECOSPORT (IM-CHENNAI)	●	2.5	0.9	1.7	46%	5.7	±0.6	●	0.1	0.1	0.1	48%	0.3	±0.0
K3 - RANGER (IM-RAYONG-AAT)	●	12.8	1.7	2.3	25%	5.1	±0.5	●	1.6	0.2	0.3	24%	0.6	±0.1
E9 - FIGO (B562)(IM-SANAND)	●	3.9	2.0	3.1	35%	8.3	±0.8	●	0.1	0.1	0.2	64%	0.8	±0.1
KR - RANGER (IM-RAYONG-FTM)	●	22.0	3.7	4.9	25%	11.0	±1.1	●	2.3	0.4	1.1	60%	4.2	±0.4
K7 - RANGER (IM-SILVERTON)	◆	69.1	18.5	9.9	(87%)	(33.2)	±3.3	◆	7.7	2.0	1.2	(71%)	(3.0)	±0.3
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	25.5	4.7	7.2	35%	19.9	±2.0	●	2.1	0.4	0.8	53%	3.1	±0.3
TJ - TRANSIT (IM-ELABUGA)	◆	14.3	3.3	2.1	(56%)	(3.8)	±0.4	◆	0.7	0.2	0.1	(64%)	(0.3)	±0.0
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	4.1	0.3	1.5	79%	7.6	±0.8	●	0.3	0.0	0.1	83%	0.6	±0.1
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	7.1	4.5	2.8	(59%)	(5.6)	±0.6	●	1.4	0.7	1.1	39%	3.2	±0.3
KV - EVEREST (U375)(IM-SILVERTON)	◆	261.8	65.5	23.0	(185%)	(189.7)	±19.0	◆	37.5	9.9	2.6	(285%)	(33.9)	±3.4
EG - ECOSPORT (IM-HAIDUONG)	●	4.6	1.5	1.8	18%	3.4	±0.3	◆	1.0	0.6	0.1	(532%)	(2.2)	±0.2
TS - TRANSIT (V362) (IM-HAIDUONG)	◆	5.6	10.2	5.7	(77%)	(16.4)	±1.6	◆	0.7	2.0	0.7	(185%)	(5.8)	±0.6
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)		0.0	0.0	0.0		0.0	±0.0		0.0	0.0	0.0		0.0	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: May-2020	RUN DATE:	Tuesday, June 2, 2020
	GlidePath Tuesday, June 2, 2020	Objectives	Tuesday, June 2, 2020