GQRS - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 05-May-2020
GLOBAL

KEY:
- ON TRACK - Actual value better than obj
- POSSIBILE - objective is achievable
- UNLIKELY - it is improbable to make objective

Regional Breakdown

		3 MIS TGW/1000						3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	%B(W) Obj	RUN RATE
F90-NA - NORTH AMERICA	37%	853	893	1016	900	(13%)	857	80%	79%	80%	81%	(1%)	81%
F92-SA - SOUTH AMERICA	18%	1351	1375	1443	1190	(21%)	(1055)	60%	61%	64%	61%	4%	29%
F93-EU - EUROPE	17%	1151	1019	1009	1200	16%	1393	65%	67%	63%	65%	(2%)	67%
F98-CN - CHINA	14%	1253	1232	1234	1340	8%	1544	53%	56%	53%	55%	(2%)	59%
F99-IM - INTERNATIONAL MARKET	9%	1433	1224	1174	1350	13%	1701	66%	64%	67%	60%	7%	46%
F05-F05 - LINCOLN NA TOTAL	4%	1140	1032	1230	1035	(16%)	940	78%	78%	80%	82%	(2%)	83%

Top 25 Vehicles Lines At Risk (Sorted by Contribution Volume)

		3 MIS TGW/1000							3 MIS CUST SAT					
		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
BL - KA-B562 (SA CAMACARI)	◆	1378	1315	1495	1139	(31%)	(1380)	●	54%	60%	62%	61%	1%	54%
U2 - EXPLORER (NA-CAP)	◆	958	1085	1300	716	(82%)	107	◆	77%	75%	77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	◆	757	664	1073	611	(76%)	440	◆	80%	80%	78%	81%	(3%)	82%
BB - FIESTA (EU-COLOGNE)	●	1026	944	921	1015	9%	1126	▲	68%	70%	69%	70%	(1%)	71%
D2 - ESCORT (C490)(CN-CHONGQING III)	●	1084	1043	1015	1094	7%	1251	◆	52%	60%	56%	59%	(3%)	65%
A4 - FOCUS (EU-SAARLOUIS)	▲	1180	1146	1291	1255	(3%)	1210	▲	63%	67%	64%	67%	(3%)	71%
FE - F-SERIES (P552)(NA-DTP)	●	930	651	733	917	20%	925	●	78%	82%	87%	82%	5%	82%
BY - ECOSPORT (SA-CAMACARI)	◆	1424	1433	1412	1167	(21%)	(40077)	●	60%	61%	63%	61%	2%	(277%)
YM - TERRITORY (CX743) (CN-JMC)	●	1301	0	1274	1410	10%	1683	◆	44%	0%	44%	47%	(3%)	53%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	802	684	690	772	11%	772	●	77%	83%	86%	81%	5%	80%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	969	1014	959	1120	14%	1387	●	65%	62%	61%	61%	0%	61%
AX - FOCUS (CN-CHONGQING II)	●	1691	1529	1573	1590	1%	1624	●	47%	51%	50%	49%	1%	47%
Q1 - EDGE (NA-OAKVILLE)	●	843	690	525	905	42%	960	●	80%	83%	82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	738	731	678	793	14%	911	◆	81%	79%	80%	83%	(3%)	86%
R2 - RANGER (SA-PACHECO)	◆	1120	1176	1221	1019	(20%)	(3309)	●	69%	68%	73%	66%	7%	(76%)
K3 - RANGER (IM-RAYONG-AAT)	●	1312	1230	1119	1455	23%	2127	●	62%	64%	67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	1348	1285	1246	1338	7%	1522	◆	66%	62%	61%	63%	(2%)	67%
AI - KUGA (EU-VALENCIA)	●	967	880	682	1019	33%	1068	▲	70%	68%	55%	68%	(13%)	70%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	1008	908	1083	1030	(5%)	925	◆	60%	63%	56%	63%	(7%)	77%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	1703	1427	1596	1067	(50%)	(19)	◆	76%	78%	76%	83%	(7%)	98%
TK - TRANSIT (V362)(CN-NANCHANG)	●	1345	1313	1165	1315	11%	1615	◆	65%	66%	63%	66%	(3%)	72%
K7 - RANGER (IM-SILVERTON)	●	1357	1472	1313	1357	3%	1445	●	58%	59%	62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	◆	1369	837	880	843	(4%)	769	●	73%	72%	74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	1355	1126	886	1198	26%	1822	●	66%	66%	79%	64%	15%	34%
FL - F-SERIES (P552)(NA-KCAP)	●	828	586	660	861	23%	871	●	81%	87%	82%	82%	0%	82%

Top 25 Assembly Plants At Risk (Sorted by Contribution Volume)

		3 MIS TGW/1000							3 MIS CUST SAT					
		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
A7 - CAMACARI PLANT BUILD	◆	1383	1374	1478	1143	(29%)	(1638)	●	59%	61%	62%	61%	1%	53%
AD - CHICAGO PLANT BUILD	◆	878	1135	1337	764	(75%)	128	◆	77%	76%	77%	80%	(3%)	83%
AN - LOUISVILLE PLANT BUILD	▲	763	698	1080	634	(70%)	469	◆	79%	79%	78%	81%	(3%)	82%
DD - JMC XIAOLAN, NANCHANG, CHINA	●	1304	1295	1223	1361	10%	1638	◆	60%	55%	53%	55%	(2%)	59%
C3 - CHONGQING III PLT BLD CHINA	●	1098	1068	1074	1116	4%	1196	◆	54%	59%	56%	58%	(2%)	62%
BE - COLOGNE PLANT BUILD	●	1023	944	921	1015	9%	1126	▲	69%	70%	69%	70%	(1%)	71%
A1 - KENTUCKY TRUCK PLANT BUILD	●	836	721	796	796	0%	796	●	81%	87%	84%	83%	1%	83%
AT - SAARLOUIS PLANT BUILD	▲	1245	1146	1291	1255	(3%)	1210	▲	63%	67%	64%	67%	(3%)	71%
A3 - HERMOSILLO PLANT BUILD	●	894	766	746	846	12%	949	◆	79%	78%	80%	81%	(1%)	82%
AF - DEARBORN PLANT BUILD	●	929	651	733	917	20%	925	●	82%	82%	87%	82%	5%	82%
B6 - CHONGQING II PLT BLD CHINA	◆	1644	1445	1538	1484	(4%)	1386	◆	49%	53%	50%	52%	(2%)	56%
AS - OAKVILLE PLANT BUILD	●	892	690	550	917	40%	967	●	80%	83%	83%	81%	2%	81%
DZ - AAT- RAYONG ASSEMBLY PLT-LS	●	1662		1294	1513	14%	1950	●	58%		66%	57%	9%	39%
B3 - CRAIOVA (ROMANIA) PLANT BUILD	●	990	1014	959	1120	14%	1387	●	64%	62%	61%	61%	0%	61%
AY - VALENCIA (SPAIN) PLANT BUILD	●	1189	1077	798	1194	33%	1352	▲	65%	66%	57%	65%	(8%)	68%
BK - PACHECO ASSEMBLY PLANT	◆	1124	1176	1221	1019	(20%)	(3309)	●	69%	68%	73%	66%	7%	(84%)
DE - HANGZHOU PLANT BUILD (CHINA)	◆	1056	971	1153	1055	(9%)	860	◆	59%	63%	56%	63%	(7%)	77%
B7 - THAILAND LTD PLANT BUILD	●	1341		1246	1338	7%	1522	◆	59%		61%	63%	(2%)	67%
BQ - SILVERTON(S.AFRICA)PLANT BLD	●	1376		1302	1370	5%	1506	●	59%		62%	55%	7%	41%
BU - CHENNAI (INDIA) PLANT BUILD	▲	1397		880	843	(4%)	769	●	74%		74%	73%	1%	71%
C8 - SANAND INDIA ASSY PLANT BUILD	●	1446		886	1198	26%	1822	●	65%		79%	64%	15%	34%
AJ - KANSAS CITY PLANT BUILD	●	815	586	660	861	23%	871	●	81%	87%	82%	82%	0%	82%
CY - CY-CHONGQING PLANT BUILD CHINA	●	1175	1152	1096	1230	11%	1497	◆	55%	56%	53%	57%	(4%)	65%
CL - FLATROCK ASSEMBLY PLANT - USA	●	980	797	861	991	13%	1002	●	78%	81%	83%	78%	5%	78%
AP - MICHIGAN PLANT BUILD	●	995	790	981	984	0%	985	◆	70%	82%	78%	81%	(3%)	81%

Functions Making Objectives Cross Region (By VL)

	3 MIS TGW/1000					3 MIS CUST SAT				
Function	NA	SA	EU	CN	IM	NA	SA	EU	CN	IM
F1 - CONNECTED VEHICLE	12	0	6	4	4	10	3	2	2	5
F2 - CHASSIS	12	1	5	7	5	10	3	2	2	5
F3 - ELECTRICAL	10	0	4	7	5	10	3	2	2	5
F4 - POWERTRAIN	8	2	2	4	2	10	3	2	2	5
F5 - VEHICLE ENGINEERING	7	1	4	6	4	10	3	2	2	5
F6 - PAINT	12	3	4	4	5	10	3	2	2	5
F7 - BODY INTERIOR	7	0	6	5	6	10	3	2	2	5
F8 - BODY EXTERIOR	13	2	3	6	6	10	3	2	2	5

Top 15 VFG making objective cross region (Based on VL)										
	3 MIS TGW/1000					3 MIS CUST SAT				
VFG	NA	SA	EU	CN	IM	NA	SA	EU	CN	IM
V79 - CLIMATE CONTROL FUNCTION	11	1	5	7	5	10	3	2	2	5
V75 - EXTERIOR TRIM & BUMPER FUNCTION	12	0	5	6	5	10	3	2	2	5
V33 - PAINT APPEARANCE	12	3	4	4	5	10	3	2	2	5
V03 - SEATING	10	0	6	4	7	10	3	2	2	5
V80 - SYNC AND CONNECTED SERVICES	11	0	5	5	5	10	3	2	2	5
V88 - TIRES	12	2	2	5	5	10	3	2	2	5
V21 - BRAKING	6	1	5	7	4	10	3	2	2	5
V39 - SQUEAKS & RATTLES	8	3	1	7	4	10	3	2	2	5
V81 - ENTERTAINMENT & COMMUNICATION	7	1	3	7	5	10	3	2	2	5
V85 - CONNECTED VEHICLE & SERVICES	12	0	6	4	4	10	3	2	2	5
V87 - STEERING	13	1	3	5	3	10	3	2	2	5
V89 - RIDE & HANDLING	10	0	4	7	2	10	3	2	2	5
V05 - OCCUPANT RESTRAINT	10	1	2	5	6	10	3	2	2	5
V71 - I.P. & CONSOLE FUNCTION	5	1	6	6	5	10	3	2	2	5
V11 - WIND NOISE	10	1	2	5	5	10	3	2	2	5

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES:	QARS/GQRS:	May-2020	GLIDEPATH:	May 5, 2020
	OBJECTIVES:	May 5, 2020	RUN DATE:	May 5, 2020

KEY ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F90-NA - NORTH AMERICA

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	39%	853	893	1016	900	(13%)	857		80%	79%	80%	81%	(1%)	81%
F92-SA - SOUTH AMERICA	19%	1351	1375	1443	1190	(21%)	(1055)		60%	61%	64%	61%	4%	29%
F93-EU - EUROPE	37%	1151	1019	1009	1200	16%	1393		65%	67%	63%	65%	(2%)	67%
F98-CN - CHINA	18%	1253	1232	1234	1340	8%	1544		53%	56%	53%	55%	(2%)	59%
F99-IM - INTERNATIONAL MARKET	17%	1433	1224	1174	1350	13%	1701		66%	64%	67%	60%	7%	46%
F05-F05 - LINCOLN NA TOTAL	14%	1140	1032	1230	1035	(16%)	940		78%	78%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		80		63	59	(7%)	58		80%		80%	81%	(1%)	81%
F2 - CHASSIS		43		53	46	(15%)	43		80%		80%	81%	(1%)	81%
F3 - ELECTRICAL		249		327	262	(25%)	237		80%		80%	81%	(1%)	81%
F4 - POWERTRAIN		106		132	81	(64%)	62		80%		80%	81%	(1%)	81%
F5 - VEHICLE ENGINEERING		130		167	108	(54%)	87		80%		80%	81%	(1%)	81%
F6 - PAINT		22		14	19	28%	21		80%		80%	81%	(1%)	81%
F7 - BODY INTERIOR		146		167	139	(20%)	129		80%		80%	81%	(1%)	81%
F8 - BODY EXTERIOR		101		93	86	(8%)	83		80%		80%	81%	(1%)	81%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	958	1085	1300	716	(82%)	107	◆	77%	75%	77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	◆	757	664	1073	611	(76%)	440	◆	80%	80%	78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	930	651	733	917	20%	925	●	78%	82%	87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	802	684	690	772	11%	772	●	77%	83%	86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	843	690	525	905	42%	960	●	80%	83%	82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	738	731	678	793	14%	911	◆	81%	79%	80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	1703	1427	1596	1067	(50%)	(19)	◆	76%	78%	76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	828	586	660	861	23%	871	●	81%	87%	82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	◆	801	810	1112	706	(57%)	353	◆	83%	79%	81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	◆	867	670	988	761	(30%)	684	◆	83%	87%	76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	●	951	905	871	939	7%	1011	●	78%	79%	82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	●	941	754	897	967	7%	972	●	77%	80%	84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	973	688	667	975	32%	1010	●	79%	86%	89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	●	1062	790	981	984	0%	985	◆	81%	82%	78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	981	773	941	990	5%	1045	▲	71%	73%	71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	▲	1292	937	1137	1062	(7%)	1045	●	86%	84%	87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	●		850	969	1171	17%	1187	●		80%	76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	1296	993	474	1126	58%	1252	●	78%	89%	90%	89%	1%	89%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	36	210	75	53	(41%)	31	◆	78%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	◆	50	217	73	61	(21%)	56	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	47	150	34	57	41%	58	●	83%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	36	92	33	50	34%	50	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	122	136	28	51	45%	54	●	1%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	◆	105	242	75	67	(13%)	58	◆	81%		80%	83%	(3%)	86%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	122	290	122	74	(65%)	(25)	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	89	118	57	59	3%	59	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	●	36	167	43	51	16%	58	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	◆	50	111	67	57	(18%)	53	◆	84%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	●	197	300	64	67	4%	70	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	●	60	102	45	63	29%	65	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	75	119	43	46	7%	46	●	84%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	●	152	93	56	87	36%	90	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	86	241	37	50	25%	64	◆	72%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	◆	79	223	116	80	(45%)	72	●	84%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	●		99	15	20	26%	20	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	112	104	29	70	58%	78	●	1%		90%	89%	1%	89%
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	△	50	131	61	53	(15%)	45	◆	77%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	△	32	149	83	41	(101%)	26	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	△	32	92	39	35	(11%)	35	●	82%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	58	98	28	60	53%	60	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	36	137	34	50	33%	52	●	80%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	38	201	37	52	28%	66	◆	81%		80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	89	208	76	57	(35%)	17	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	24	88	26	29	8%	29	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	△	43	143	57	38	(52%)	21	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	●	33	61	23	38	40%	43	◆	83%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	●	53	301	48	69	30%	92	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	●	46	118	32	45	28%	46	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	46	157	34	55	38%	57	●	81%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	◆	44	89	59	51	(14%)	51	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	46	149	45	45	0%	45	△	71%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	●	58	133	49	53	7%	54	●	86%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	●		332	67	123	45%	127	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	67	83	38	41	8%	42	●	1%		90%	89%	1%	89%
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	247	975	416	188	(121%)	(50)	◆	77%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	◆	239	761	306	194	(58%)	152	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	273	485	237	346	32%	351	●	82%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	219	300	162	207	22%	207	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	283	558	170	359	53%	386	●	80%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	286	1256	290	340	15%	391	◆	81%		80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	635	1375	585	247	(137%)	(447)	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	263	566	240	277	13%	279	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	◆	225	925	319	209	(53%)	113	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	△	295	431	386	258	(49%)	215	◆	83%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	●	373	2145	379	452	16%	529	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	△	209	519	252	232	(9%)	231	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	275	534	195	347	44%	364	●	81%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	◆	228	455	277	262	(6%)	260	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	281	880	310	338	8%	369	△	71%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	△	458	871	428	365	(17%)	351	●	86%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	●		523	96	155	38%	160	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	564	553	201	383	48%	419	●	1%		90%	89%	1%	89%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	43	318	194	36	(447%)	(130)	◆	77%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	◆	57	244	138	49	(182%)	16	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	166	403	102	158	35%	160	●	82%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	69	193	118	67	(75%)	67	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	46	254	58	120	52%	129	●	80%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	56	197	41	49	17%	58	◆	81%		80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	136	309	129	69	(86%)	(53)	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	145	342	78	142	45%	145	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	◆	75	221	116	51	(127%)	(5)	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	▲	81	91	80	77	(4%)	76	◆	83%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	▲	49	137	62	45	(36%)	28	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	▲	124	312	156	110	(41%)	107	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	57	277	87	170	49%	179	●	81%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	●	152	174	145	149	3%	150	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	80	160	80	98	19%	118	▲	71%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	▲	145	224	142	110	(30%)	102	●	86%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	◆		174	46	38	(21%)	37	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	63	96	38	52	27%	55	●	1%		90%	89%	1%	89%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	164	507	235	98	(140%)	(45)	◆	77%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	◆	117	583	189	90	(110%)	54	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	113	357	113	118	4%	118	●	82%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	126	231	123	125	2%	125	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	110	272	94	104	10%	106	●	80%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	89	356	66	98	33%	132	◆	81%		80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	231	634	211	177	(19%)	107	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	125	265	55	123	56%	127	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	◆	130	715	173	106	(63%)	48	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	◆	101	157	134	85	(57%)	68	◆	83%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	▲	95	501	115	100	(16%)	84	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	●	119	355	67	125	47%	130	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	▲	124	361	120	120	(0%)	120	●	81%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	◆	152	285	180	148	(22%)	145	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	▲	189	846	197	178	(11%)	157	▲	71%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	◆	160	368	153	137	(11%)	134	●	86%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	▲		495	121	120	(0%)	120	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	387	532	56	221	74%	253	●	1%		90%	89%	1%	89%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	●	26	34	14	23	37%	31	◆	77%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	●	7	14	1	4	75%	6	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	22	47	20	23	13%	23	●	82%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	26	52	9	25	65%	25	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	19	28	14	18	19%	18	●	80%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	7	24	2	6	68%	11	◆	79%		80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	34	71	33	14	(132%)	(25)	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	24	49	17	28	40%	29	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	●	16	49	15	15	1%	15	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	●	16	13	9	15	43%	18	◆	83%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)		5	29	0	7	100%	14	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	△	56	149	89	67	(32%)	66	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	△	16	27	14	6	(139%)	5	●	80%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	●	41	42	28	35	21%	35	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	29	130	6	30	80%	56	△	71%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)		28	34	0	15	100%	19	●	84%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	●		315	158	291	46%	301	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT		55	43	0	46	100%	55	●	1%		90%	89%	1%	89%
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	233	631	214	175	(22%)	134	◆	77%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	◆	128	515	172	103	(66%)	78	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	△	99	210	122	102	(19%)	101	●	82%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	133	265	106	126	16%	126	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	116	367	70	107	35%	113	●	80%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	△	161	544	144	140	(3%)	136	◆	81%		80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	●	238	889	222	308	28%	484	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	△	130	194	138	124	(11%)	123	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	◆	158	705	206	161	(28%)	122	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	◆	172	313	196	134	(46%)	114	◆	83%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	△	141	821	168	143	(18%)	116	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	●	159	415	130	165	21%	168	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	155	369	117	146	20%	150	●	81%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	◆	206	310	175	168	(4%)	167	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	●	146	750	116	143	19%	174	△	71%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	◆	282	500	176	138	(28%)	129	●	86%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	◆		709	144	108	(33%)	105	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	251	401	56	222	75%	254	●	1%		90%	89%	1%	89%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	●	119	271	91	91	0%	92	◆	77%		77%	80%	(3%)	83%
M3 - ESCAPE (NA-LOUISVILLE)	▲	87	173	111	68	(62%)	53	◆	80%		78%	81%	(3%)	82%
FE - F-SERIES (P552)(NA-DTP)	●	72	209	68	79	14%	80	●	82%		87%	82%	5%	82%
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	105	137	110	111	1%	111	●	80%		86%	81%	5%	80%
Q1 - EDGE (NA-OAKVILLE)	●	96	317	57	96	41%	101	●	80%		82%	80%	2%	80%
DB - FUSION CD391 (LESS HYBRID) (N	●	38	104	23	41	43%	59	◆	81%		80%	83%	(3%)	86%
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	218	506	218	121	(79%)	(76)	◆	76%		76%	83%	(7%)	98%
FL - F-SERIES (P552)(NA-KCAP)	●	60	136	49	79	38%	81	●	81%		82%	82%	0%	82%
LM - LINCOLN CORSAIR (NA LOUISVILI	◆	111	316	181	75	(142%)	(18)	◆	83%		81%	85%	(4%)	88%
B3 - EXPEDITION (NA)	●	114	163	94	97	2%	97	◆	83%		76%	86%	(10%)	89%
DI - FUSION HYBRID CD391 (NA HSAP)	●	56	295	34	56	39%	79	●	78%		82%	79%	3%	76%
ZB - MUSTANG (S550) (NA)	●	153	293	127	159	20%	161	●	79%		84%	77%	7%	77%
MX - LINCOLN NAUTILUS (NA-OAKVILL	●	90	219	57	86	34%	89	●	81%		89%	84%	5%	84%
KB - RANGER (NA-MICHIGAN)	●	83	132	63	85	26%	87	◆	81%		78%	81%	(3%)	81%
ZK - MKZ CD533 (LESS HYBRID) (NA-H	▲	125	707	150	108	(39%)	61	▲	71%		71%	73%	(2%)	76%
B4 - NAVIGATOR (NA)	●	224	456	73	165	56%	186	●	86%		87%	84%	3%	83%
ZT - MUSTANG FP (S550)(NA)	▲		752	322	316	(2%)	316	●			76%	75%	1%	75%
LG - LINCOLN CONTINENTAL (NA-FLAT	●	146	174	56	91	38%	98	●	1%		90%	89%	1%	89%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, May 5, 2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F92-SA - SOUTH AMERICA

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	39%	853	893	1016	900	(13%)	857		80%	79%	80%	81%	(1%)	81%
F92-SA - SOUTH AMERICA	19%	1351	1375	1443	1190	(21%)	(1055)		60%	61%	64%	61%	4%	29%
F93-EU - EUROPE	37%	1151	1019	1009	1200	16%	1393		65%	67%	63%	65%	(2%)	67%
F98-CN - CHINA	18%	1253	1232	1234	1340	8%	1544		53%	56%	53%	55%	(2%)	59%
F99-IM - INTERNATIONAL MARKET	17%	1433	1224	1174	1350	13%	1701		66%	64%	67%	60%	7%	46%
F05-F05 - LINCOLN NA TOTAL	14%	1140	1032	1230	1035	(16%)	940		78%	78%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		55		80	34	(134%)	(375)		61%		64%	61%	4%	29%
F2 - CHASSIS		90		88	76	(16%)	(30)		60%		64%	61%	4%	29%
F3 - ELECTRICAL		269		356	227	(57%)	(919)		60%	0%	64%	61%	4%	29%
F4 - POWERTRAIN		98		97	102	5%	149		60%	0%	64%	61%	4%	29%
F5 - VEHICLE ENGINEERING		305		291	271	(7%)	91		60%		64%	61%	4%	29%
F6 - PAINT		20		18	20	10%	38		60%		64%	61%	4%	29%
F7 - BODY INTERIOR		304		321	225	(43%)	(632)		60%	0%	64%	61%	4%	29%
F8 - BODY EXTERIOR		197		191	174	(9%)	29		60%	0%	64%	61%	4%	29%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	1378	1315	1495	1139	(31%)	(1380)	●	54%	60%	62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	◆	1424	1433	1412	1167	(21%)	(40077)	●	60%	61%	63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	◆	1120	1176	1221	1019	(20%)	(3309)	●	69%	68%	73%	66%	7%	(76%)
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	45	107	61	34	(78%)	(155)	●	59%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	◆	87	220	114	44	(158%)	(11780)	●	61%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	◆	38	245	132	24	(455%)	(2305)	●	70%		73%	66%	7%	(76%)
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	106	203	104	83	(26%)	(67)	●	57%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	●	63	90	55	63	13%	1388	●	60%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	◆	55	83	53	43	(25%)	(182)	●	69%		73%	66%	7%	(76%)
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	232	575	342	228	(50%)	(578)	●	57%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	◆	277	849	423	216	(96%)	(34840)	●	60%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	◆	227	703	336	237	(42%)	(1907)	●	69%		73%	66%	7%	(76%)
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	99	172	104	101	(3%)	83	●	57%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	●	117	212	88	110	20%	3888	●	60%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	●	84	159	74	99	25%	626	●	69%		73%	66%	7%	(76%)

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	329	570	312	276	(13%)	21	●	57%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	●	327	664	292	313	7%	3822	●	60%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	◆	177	309	187	182	(2%)	85	●	69%		73%	66%	7%	(76%)
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	17	36	16	19	13%	36	●	57%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	●	22	36	23	24	3%	162	●	60%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	●	34	59	21	27	22%	157	●	69%		73%	66%	7%	(76%)
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	305	570	335	215	(55%)	(627)	●	57%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	◆	330	555	290	254	(14%)	(5868)	●	60%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	◆	272	529	297	262	(13%)	(488)	●	69%		73%	66%	7%	(76%)
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	◆	214	396	222	183	(21%)	(93)	●	57%		62%	61%	1%	54%
BY - ECOSPORT (SA-CAMACARI)	●	139	242	126	144	12%	3151	●	60%		63%	61%	2%	(277%)
R2 - RANGER (SA-PACHECO)	●	171	267	120	146	18%	704	●	69%		73%	66%	7%	(76%)

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, May 5, 2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F93-EU - EUROPE

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	39%	853	893	1016	900	(13%)	857		80%	79%	80%	81%	(1%)	81%
F92-SA - SOUTH AMERICA	19%	1351	1375	1443	1190	(21%)	(1055)		60%	61%	64%	61%	4%	29%
F93-EU - EUROPE	37%	1151	1019	1009	1200	16%	1393		65%	67%	63%	65%	(2%)	67%
F98-CN - CHINA	18%	1253	1232	1234	1340	8%	1544		53%	56%	53%	55%	(2%)	59%
F99-IM - INTERNATIONAL MARKET	17%	1433	1224	1174	1350	13%	1701		66%	64%	67%	60%	7%	46%
F05-F05 - LINCOLN NA TOTAL	14%	1140	1032	1230	1035	(16%)	940		78%	78%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		122		80	139	42%	198		65%	0%	63%	65%		67%
F2 - CHASSIS		50		46	56	18%	66		65%	0%	63%	65%		67%
F3 - ELECTRICAL		347		307	311	1%	316		65%		63%	65%		67%
F4 - POWERTRAIN		108		88	89	2%	91		65%	0%	63%	65%		67%
F5 - VEHICLE ENGINEERING		175		177	184	4%	190		65%	0%	63%	65%		67%
F6 - PAINT		22		18	23	19%	27		65%	0%	63%	65%		67%
F7 - BODY INTERIOR		210		171	216	21%	262		65%	0%	63%	65%		67%
F8 - BODY EXTERIOR		123		122	121	(1%)	119		65%		63%	65%		67%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	1026	944	921	1015	9%	1126	▲	68%	70%	69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	▲	1180	1146	1291	1255	(3%)	1210	▲	63%	67%	64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	969	1014	959	1120	14%	1387	●	65%	62%	61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	●	967	880	682	1019	33%	1068	▲	70%	68%	55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	1309	1111	822	1308	37%	1763	●	49%	63%	74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	1703	1581	1535	1655	7%	1828	◆	56%	66%	60%	62%	(2%)	65%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	112	92	82	128	36%	182	◆	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	●	142	360	94	181	48%	289	◆	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	107	226	64	108	41%	182	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	●	82	189	86	106	18%	108	◆	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	112	186	38	138	72%	232	●	53%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	139	184	47	131	64%	253	◆	56%		60%	62%	(2%)	65%
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	▲	49	44	50	45	(12%)	39	▲	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	●	62	154	68	69	1%	70	▲	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	44	94	42	61	32%	94	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	●	40	122	5	44	89%	50	▲	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	79	145	26	74	65%	119	●	57%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	57	142	45	66	31%	96	◆	56%		60%	62%	(2%)	65%
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	318	302	291	325	11%	366	▲	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	▲	346	992	454	320	(42%)	153	▲	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	282	508	215	268	20%	356	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	●	331	810	187	284	34%	298	▲	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	273	477	175	282	38%	381	●	57%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	◆	466	878	449	419	(7%)	375	◆	56%		60%	62%	(2%)	65%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	◆	82	61	68	60	(13%)	51	△	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	△	120	268	120	110	(9%)	97	△	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	69	144	92	73	(26%)	41	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	●	98	193	48	97	51%	104	△	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	117	135	91	143	36%	192	●	57%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	◆	135	469	181	122	(48%)	38	◆	56%		60%	62%	(2%)	65%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	149	131	141	150	6%	161	△	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	●	219	554	210	222	5%	237	△	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	166	347	190	169	(12%)	134	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	△	155	491	197	171	(15%)	167	△	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	164	311	54	177	70%	292	●	57%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	245	485	177	256	31%	370	◆	56%		60%	62%	(2%)	65%
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	24	25	19	24	20%	30	△	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	●	27	76	23	23	0%	23	△	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	15	38	18	21	12%	25	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)		13	46	0	20	100%	23	△	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	◆	25	21	59	20	(196%)	(17)	●	57%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	20	56	16	27	42%	43	◆	56%		60%	62%	(2%)	65%
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	●	172	178	142	180	21%	224	△	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	●	196	530	179	211	15%	251	△	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	213	439	222	282	21%	381	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	●	148	475	94	176	47%	188	△	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	342	581	263	322	18%	377	●	57%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	●	378	501	411	439	6%	480	◆	56%		60%	62%	(2%)	65%
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BB - FIESTA (EU-COLOGNE)	△	117	112	128	103	(24%)	74	△	69%		69%	70%	(1%)	71%
A4 - FOCUS (EU-SAARLOUIS)	△	157	418	143	119	(20%)	90	△	63%		64%	67%	(3%)	71%
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	100	231	116	138	16%	174	●	65%		61%	61%	0%	61%
AI - KUGA (EU-VALENCIA)	●	79	313	64	121	47%	129	△	70%		55%	68%	(13%)	70%
T9 - TRANSIT CONNECT (EU-VALENCI/	●	180	403	116	152	23%	185	●	57%		74%	60%	14%	47%
HA - S-MAX/GALAXY (CD390/CD539E)(I	◆	189	448	210	195	(8%)	173	◆	56%		60%	62%	(2%)	65%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, May 5, 2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F99-IM - INTERNATIONAL MARKET

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	39%	853	893	1016	900	(13%)	857		80%	79%	80%	81%	(1%)	81%
F92-SA - SOUTH AMERICA	19%	1351	1375	1443	1190	(21%)	(1055)		60%	61%	64%	61%	4%	29%
F93-EU - EUROPE	37%	1151	1019	1009	1200	16%	1393		65%	67%	63%	65%	(2%)	67%
F98-CN - CHINA	18%	1253	1232	1234	1340	8%	1544		53%	56%	53%	55%	(2%)	59%
F99-IM - INTERNATIONAL MARKET	17%	1433	1224	1174	1350	13%	1701		66%	64%	67%	60%	7%	46%
F05-F05 - LINCOLN NA TOTAL	14%	1140	1032	1230	1035	(16%)	940		78%	78%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		66		43	50	13%	63		66%	0%	67%	60%	7%	46%
F2 - CHASSIS		100		67	68	1%	68		66%	0%	67%	60%	7%	46%
F3 - ELECTRICAL		296		253	279	9%	331		66%	0%	67%	60%	7%	46%
F4 - POWERTRAIN		186		183	144	(27%)	66		66%	0%	67%	60%	7%	46%
F5 - VEHICLE ENGINEERING		276		226	236	4%	256		66%	0%	67%	60%	7%	46%
F6 - PAINT		32		30	38	20%	52		66%		67%	60%	7%	46%
F7 - BODY INTERIOR		313		216	314	31%	510		66%		67%	60%	7%	46%
F8 - BODY EXTERIOR		174		157	178	12%	220		66%	0%	67%	60%	7%	46%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	1312	1230	1119	1455	23%	2127	●	62%	64%	67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	1348	1285	1246	1338	7%	1522	◆	66%	62%	61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	●	1357	1472	1313	1357	3%	1445	●	58%	59%	62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	◆	1369	837	880	843	(4%)	769	●	73%	72%	74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	1355	1126	886	1198	26%	1822	●	66%	66%	79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	△	1745	1614	1865	1850	(1%)	1819	●	52%	55%	64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	●		1587	1183	1580	25%	2374	◆		55%	55%	61%	(6%)	73%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	◆	60	186	59	45	(31%)	17	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	45	421	31	84	63%	190	◆	65%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	●	38	370	39	48	19%	66	●	61%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	◆	71	145	43	40	(7%)	34	●	75%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	◆	44	126	41	29	(41%)	6	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	98	243	48	109	56%	232	●	55%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	●		254	17	26	35%	43	◆			55%	61%	(6%)	73%
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	58	178	27	50	45%	94	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	73	316	56	65	13%	82	◆	66%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	◆	77	568	146	69	(113%)	(86)	●	59%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	◆	157	268	93	81	(15%)	57	●	73%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	117	188	25	72	65%	166	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	76	473	89	97	8%	111	●	54%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	●		265	17	100	83%	267	◆			55%	61%	(6%)	73%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	▲	265	1148	272	246	(11%)	194	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	352	1775	338	388	13%	488	◆	66%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	●	294	1057	200	324	38%	572	●	59%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	●	289	591	152	204	26%	308	●	73%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	233	513	159	194	18%	265	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	444	1274	387	399	3%	422	●	54%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	◆		1486	313	264	(19%)	166	◆			55%	61%	(6%)	73%
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	207	727	176	176	0%	178	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	◆	204	934	287	204	(40%)	39	◆	66%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	◆	119	512	141	129	(9%)	107	●	59%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	▲	173	297	122	102	(19%)	63	●	73%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	151	404	80	135	41%	245	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	◆	226	760	282	167	(69%)	(64)	●	54%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	◆		619	130	62	(112%)	(76)	◆			55%	61%	(6%)	73%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	277	1438	224	290	23%	421	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	214	940	197	209	6%	233	◆	66%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	◆	245	1070	266	235	(13%)	174	●	59%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	◆	270	395	169	127	(33%)	42	●	73%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	300	714	186	249	25%	375	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	▲	421	2042	382	349	(9%)	284	●	54%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	●		1104	296	310	5%	339	◆			55%	61%	(6%)	73%
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	32	247	21	42	51%	85	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	28	129	17	31	43%	57	◆	66%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	●	49	157	36	40	11%	49	●	59%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	◆	18	42	27	17	(57%)	(2)	●	73%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	26	71	11	44	75%	110	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	◆	60	331	120	63	(91%)	(52)	●	54%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	●		445	66	86	23%	125	◆			55%	61%	(6%)	73%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	359	1541	214	430	50%	862	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	●	236	948	181	239	24%	354	◆	66%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	●	283	1289	288	302	5%	331	●	59%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	▲	300	533	186	182	(2%)	174	●	73%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	319	677	163	234	30%	375	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	436	1900	310	408	24%	604	●	54%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	●		744	214	322	34%	538	◆			55%	61%	(6%)	73%
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	145	684	126	176	28%	276	●	62%		67%	57%	10%	37%
KR - RANGER (IM-RAYONG-FTM)	◆	121	650	138	118	(17%)	79	◆	66%		61%	63%	(2%)	67%
K7 - RANGER (IM-SILVERTON)	●	220	867	198	210	6%	233	●	59%		62%	55%	7%	41%
ED - ECOSPORT (IM-CHENNAI)	●	109	239	88	90	2%	94	●	73%		74%	73%	1%	71%
E9 - FIGO (B562)(IM-SANAND)	●	234	686	221	241	8%	280	●	65%		79%	64%	15%	34%
KT - EVEREST (U375)(IM-RAYONG-AAT	●	288	1044	246	258	5%	282	●	54%		64%	55%	9%	37%
KV - EVEREST (U375)(IM-SILVERTON)	●		1433	131	411	68%	972	◆			55%	61%	(6%)	73%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, May 5, 2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F98-CN - CHINA

		3 MIS TGW/1000							3 MIS CUST SAT					
	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
Regional Breakdown														
F90-NA - NORTH AMERICA	39%	853	893	1016	900	(13%)	857		80%	79%	80%	81%	(1%)	81%
F92-SA - SOUTH AMERICA	19%	1351	1375	1443	1190	(21%)	(1055)		60%	61%	64%	61%	4%	29%
F93-EU - EUROPE	37%	1151	1019	1009	1200	16%	1393		65%	67%	63%	65%	(2%)	67%
F98-CN - CHINA	18%	1253	1232	1234	1340	8%	1544		53%	56%	53%	55%	(2%)	59%
F99-IM - INTERNATIONAL MARKET	17%	1433	1224	1174	1350	13%	1701		66%	64%	67%	60%	7%	46%
F05-F05 - LINCOLN NA TOTAL	14%	1140	1032	1230	1035	(16%)	940		78%	78%	80%	82%	(2%)	83%
Functional Breakdown														
F1 - CONNECTED VEHICLE		41		39	43	9%	50		53%	0%	53%	55%		59%
F2 - CHASSIS		102		73	88	17%	117		53%	0%	53%	55%		59%
F3 - ELECTRICAL		232		232	234	1%	240		53%	0%	53%	55%		59%
F4 - POWERTRAIN		137		156	146	(7%)	126		53%	0%	53%	55%		59%
F5 - VEHICLE ENGINEERING		351		365	365	0%	366		53%	0%	53%	55%		59%
F6 - PAINT		26		23	23	2%	24		53%	0%	53%	55%		59%
F7 - BODY INTERIOR		244		230	254	10%	301		53%	0%	53%	55%		59%
F8 - BODY EXTERIOR		117		117	120	2%	125		53%	0%	53%	55%		59%
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING		1084	1043	1015	1094	7%	1251		52%	60%	56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)		1301	0	1274	1410	10%	1683		44%	0%	44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)		1691	1529	1573	1590	1%	1624		47%	51%	50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)		1008	908	1083	1030	(5%)	925		60%	63%	56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)		1345	1313	1165	1315	11%	1615		65%	66%	63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN		1171	1152	1096	1230	11%	1497		54%	56%	53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)		982	994	1227	1170	(5%)	1055		57%	66%	62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)		1308	1310	1329	1270	(5%)	1151		49%	55%	52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)		1285	1653	1563	1650	5%	1824		53%	59%	53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN		1938	1303	1938	1309	(48%)	681		53%	51%	53%	51%	2%	49%
F1-CONNECTED VEHICLE - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING		19	61	16	25	35%	42		56%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)		36	33	33	53	38%	94		44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)		85	341	80	76	(6%)	67		48%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)		48	189	48	45	(7%)	39		61%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)		10	29	4	14	70%	34		65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN		40	171	48	36	(33%)	12		55%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)		10	32	11	26	58%	56		76%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)		64	312	74	60	(23%)	32		54%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)		62	242	99	92	(8%)	78		53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN		89	124	89	62	(44%)	34		53%		53%	51%	2%	49%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	97	249	70	115	40%	207	◆	54%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)	●	61	61	61	97	37%	168	◆	44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)	●	112	395	91	98	7%	112	●	47%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)	●	42	143	33	43	23%	63	◆	60%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)	◆	76	186	75	74	(1%)	73	◆	65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN	●	62	226	52	63	18%	85	◆	54%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)	◆	97	69	120	78	(55%)	(7)	◆	71%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)	◆	77	392	118	70	(67%)	(24)	◆	52%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	61	125	63	75	16%	100	◆	53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN	●	80	199	80	100	19%	119	●	53%		53%	51%	2%	49%
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	140	340	113	153	26%	232	◆	54%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)	●	187	178	178	198	10%	240	◆	44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)	◆	456	2189	460	420	(10%)	339	●	47%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)	●	276	1173	293	318	8%	367	◆	60%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)	●	113	359	107	121	12%	150	◆	65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN	●	254	1026	250	269	7%	307	◆	54%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)	●	146	143	101	157	36%	270	◆	61%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)	●	297	1512	273	295	7%	338	◆	52%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	394	955	555	329	(69%)	(123)	◆	53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	518	607	518	304	(71%)	89	●	53%		53%	51%	2%	49%
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	◆	124	435	147	121	(22%)	69	◆	54%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)	◆	249	246	246	204	(20%)	122	◆	44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)	●	198	830	179	223	20%	310	●	47%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)	●	67	211	65	70	7%	80	◆	60%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)	●	106	409	87	103	16%	136	◆	65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN	●	169	535	151	169	11%	206	◆	54%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)	◆	75	106	136	120	(13%)	88	◆	71%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)	◆	94	500	95	85	(12%)	66	◆	52%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	197	359	200	187	(7%)	160	◆	53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	250	185	250	94	(166%)	(62)	●	53%		53%	51%	2%	49%
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	366	1157	363	364	0%	367	◆	54%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)	◆	486	481	481	446	(8%)	377	◆	44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)	◆	470	2250	465	433	(7%)	369	●	47%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	243	939	269	246	(9%)	201	◆	60%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)	●	326	902	280	325	14%	415	◆	65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN	●	298	1185	268	319	16%	419	◆	54%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)	●	220	235	221	274	19%	380	◆	61%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)	●	362	1856	356	360	1%	369	◆	52%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	308	859	307	500	39%	886	◆	53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	375	732	375	370	(1%)	365	●	53%		53%	51%	2%	49%

	Volume	FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		FORECAST	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	◆	32	72	22	20	(11%)	16	◆	54%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)	●	21	18	18	29	38%	51	◆	44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)	◆	24	109	26	20	(32%)	7	●	47%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	23	85	27	23	(18%)	14	◆	60%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)	◆	26	94	34	20	(70%)	(8)	◆	65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN	●	36	151	28	37	22%	53	◆	54%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)		21	15	0	16	100%	48	◆	61%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)	●	17	81	9	21	56%	45	◆	52%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	19	40	19	16	(16%)	11	◆	53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN	●	9	40	9	20	55%	31	●	53%		53%	51%	2%	49%
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	◆	225	564	202	197	(3%)	187	◆	54%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)	●	156	150	150	249	40%	447	◆	44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)	●	215	938	177	192	8%	223	●	47%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	193	677	200	190	(5%)	172	◆	60%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)	●	526	1524	455	512	11%	626	◆	65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN	●	205	837	198	209	5%	230	◆	54%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)	◆	307	294	385	362	(6%)	315	◆	61%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)	◆	237	1230	256	245	(5%)	223	◆	52%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	214	506	212	270	21%	386	◆	53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	357	464	357	232	(54%)	107	●	53%		53%	51%	2%	49%
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING	●	96	255	81	99	18%	134	◆	54%		56%	59%	(3%)	65%
YM - TERRITORY (CX743) (CN-JMC)	●	105	107	107	133	19%	184	◆	44%		44%	47%	(3%)	53%
AX - FOCUS (CN-CHONGQING II)	●	120	591	95	129	26%	196	●	47%		50%	49%	1%	47%
HG - EDGE (CD539)(CN-HANGZHOU)	◆	106	405	148	95	(56%)	(11)	◆	60%		56%	63%	(7%)	77%
TK - TRANSIT (V362)(CN-NANCHANG)	●	159	436	123	145	15%	189	◆	65%		63%	66%	(3%)	72%
NL - MONDEO (CD391)(CN-CHONGQIN	●	112	476	100	128	22%	183	◆	54%		53%	57%	(4%)	65%
TI - TRANSIT (V348)(CN-JMC)	◆	113	99	253	137	(84%)	(94)	◆	61%		62%	65%	(3%)	71%
A2 - KUGA (CN-CHONGQING II)	◆	139	677	148	133	(11%)	103	◆	52%		52%	57%	(5%)	67%
PJ - TAURUS (D568)(CN-HANGZHOU)	●	186	268	108	181	40%	327	◆	53%		53%	61%	(8%)	77%
KC - ESCAPE (CX482) (CN-CHONGQIN	◆	259	256	259	128	(102%)	(3)	●	53%		53%	51%	2%	49%

DEFINITIONS

FORECAST	A weighted Average using the Time Series Decomposition Model which consist of the following: Yt = St X Tt X Et where Yt is the data at period Tt, St is the seasonal component, Tt is the trend-cycle component and Et is the remainder (or irregular or error) component at period tt.
GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Average 3 MIS value needed on remaining forecast volumes to be built in order to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES			
	QARS GQRS Tuesday, May 5, 2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020