WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 05-May-2020
GLOBAL

KEY:
- ON TRACK - Actual value better than obj
- POSSIBILE - objective is achievable
- UNLIKELY - it is improbable to make objective

Regional Breakdown

		3 MIS R/1000						3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE		GLIDEPATH	ACTUAL	OBJECTIVE	B(W) Obj	RUN RATE	
F90-NA - NORTH AMERICA	31%	72.7	91.2	90.2	(1%)	89.0	±8.9	32.6	43.9	34.2	(28%)	23.3	±2.3
F92-SA - SOUTH AMERICA	15%	10.7	13.0	15.3	15%	22.9	±2.3	2.0	2.6	3.2	18%	5.1	±0.5
F93-EU - EUROPE	31%	35.9	37.8	50.0	24%	72.0	±7.2	8.4	9.5	11.4	17%	14.8	±1.5
F98-CN - CHINA	13%	11.4	12.4	16.8	26%	29.6	±3.0	3.9	4.8	4.7	(2%)	4.5	±0.4
F99-IM - INTERNATIONAL MARKET	8%	22.3	21.2	22.0	4%	24.5	±2.4	7.6	9.6	7.3	(32%)	0.2	±0.0
F05-F05 - NA LINCOLN TOTAL	2%	231.3	263.3	300.0	12%	342.5	±34.3	111.7	130.8	83.8	(56%)	29.5	±2.9

Top 25 Vehicles Lines At Risk (Sorted by Contribution Volume)

		3 MIS R/1000							3 MIS CPU					
		MATURED YTD	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
BL - KA-B562 (SA CAMACARI)	●	10.0	11.7	12.6	8%	15.0	±1.5	▲	1.7	2.3	2.1	(10%)	1.6	±0.2
A4 - FOCUS (EU-SAARLOUIS)	▲	51.1	57.2	51.4	(11%)	39.6	±4.0	▲	12.1	13.6	10.0	(36%)	2.8	±0.3
U2 - EXPLORER (NA-CAP)	◆	196.2	220.1	134.6	(64%)	(4.3)	±0.4	◆	74.1	104.5	47.5	(120%)	(45.1)	±4.5
BB - FIESTA (EU-COLOGNE)	●	26.3	27.7	30.5	9%	36.2	±3.6	●	6.6	5.5	6.0	8%	7.0	±0.7
AI - KUGA (EU-VALENCIA)	●	19.5	20.1	36.1	44%	58.1	±5.8	●	5.5	6.4	11.9	46%	19.4	±1.9
FE - F150 (NA-DTP)	●	54.2	51.8	64.7	20%	87.6	±8.8	●	23.9	23.4	27.2	14%	34.0	±3.4
DB - FUSION CD391 (LESS HYBRID) (NA-HSA	●	12.9	15.2	17.8	14%	24.2	±2.4	●	7.2	7.1	8.3	15%	11.5	±1.2
M3 - ESCAPE (NA-LOUISVILLE)	▲	60.9	72.4	55.2	(31%)	38.6	±3.9	▲	29.7	28.8	20.0	(44%)	11.4	±1.1
BY - ECOSPORT (SA-CAMACARI)	●	14.9	15.8	19.9	21%	(N/A)	±0.0	●	2.7	3.1	4.5	31%	(N/A)	±0.0
D2 - ESCORT (C490)(CN-CHONGQING III)	▲	7.6	7.7	6.9	(10%)	4.8	±0.5	●	0.9	1.0	1.4	27%	2.6	±0.3
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	68.4	75.2	65.4	(15%)	58.6	±5.9	▲	33.0	38.1	26.9	(42%)	19.0	±1.9
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	43.2	46.7	37.0	(26%)	16.9	±1.7	◆	14.5	15.8	10.7	(48%)	0.1	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	34.5	36.2	60.5	40%	79.7	±8.0	●	16.4	16.6	21.0	21%	24.4	±2.4
YM - TERRITORY (CX743) (CN-JMC)	●	11.7	10.9	16.0	32%	31.2	±3.1	●	0.0	3.4	3.9	13%	5.4	±0.5
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	28.5	29.0	25.8	(12%)	17.7	±1.8	●	4.7	4.8	5.5	12%	7.2	±0.7
AX - FOCUS (CN-CHONGQING II)	●	13.6	13.6	17.4	22%	28.7	±2.9	◆	7.6	10.8	6.0	(81%)	(8.5)	±0.9
BG - TRANSIT COURIER (B460)(EU-YENIKOY	●	19.2	22.1	22.4	1%	23.1	±2.3	●	3.3	3.2	5.1	37%	9.0	±0.9
K3 - RANGER (IM-RAYONG-AAT)	●	10.3	11.2	12.8	13%	17.7	±1.8	▲	4.0	5.4	4.5	(20%)	1.9	±0.2
T9 - TRANSIT CONNECT (EU-VALENCIA)	▲	27.3	30.3	25.0	(21%)	14.8	±1.5	▲	6.8	8.9	7.7	(16%)	5.4	±0.5
FL - F150 (NA-KCAP)	●	37.4	37.4	38.4	3%	40.3	±4.0	●	15.0	14.3	18.4	22%	25.8	±2.6
TF - TRANSIT (EU-KOCAELI)	◆	38.8	41.4	28.1	(47%)	(1.9)	±0.2	▲	8.7	10.2	8.8	(16%)	5.6	±0.6
ED - ECOSPORT (IM-CHENNAI)	●	7.5	8.8	12.0	26%	21.5	±2.2	●	1.1	1.1	1.5	23%	2.4	±0.2
TA - TRANSIT (NA-KCAP)	◆	33.8	41.6	25.1	(66%)	12.6	±1.3	◆	14.0	25.1	10.0	(151%)	(1.5)	±0.1
HG - EDGE (CD539)(CN-HANGZHOU)	●	6.9	6.9	14.7	53%	38.1	±3.8	●	1.6	1.7	4.0	59%	11.0	±1.1
ZB - MUSTANG (S550) (NA)	●	35.0	41.0	53.3	23%	67.0	±6.7	●	21.9	19.8	22.6	13%	25.7	±2.6

Top 25 Assembly Plants At Risk (Sorted by Contribution Volume)

		3 MIS R/1000							3 MIS CPU					
		MATURED YTD	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
A7 - CAMACARI PLANT BUILD	●	11.1	12.6	13.9	10%	18.3	±1.8	●	1.9	2.5	2.5	2%	2.7	±0.3
AY - VALENCIA (SPAIN) PLANT BUILD	●	25.3	26.3	33.1	21%	43.9	±4.4	●	6.6	8.5	10.9	22%	14.6	±1.5
AT - SAARLOUIS PLANT BUILD	▲	51.5	57.2	51.4	(11%)	39.6	±4.0	◆	12.1	13.6	10.0	(36%)	2.8	±0.3
AD - CHICAGO PLANT BUILD	◆	223.8	244.6	147.9	(65%)	(14.8)	±1.5	◆	89.0	116.6	59.1	(97%)	(37.8)	±3.8
BE - COLOGNE PLANT BUILD	●	26.7	27.7	30.5	9%	36.2	±3.6	●	6.6	5.5	6.0	8%	7.0	±0.7
BX - KOCAELI PLANT BUILD	◆	41.8	44.8	33.1	(35%)	8.0	±0.8	◆	12.2	13.8	9.9	(40%)	1.4	±0.1
DD - JMC XIAOLAN, NANCHANG, CHINA	●	13.6	14.0	17.2	18%	26.7	±2.7	◆	2.9	4.8	4.1	(18%)	1.9	±0.2
A1 - KENTUCKY TRUCK PLANT	▲	65.1	71.2	66.9	(6%)	63.6	±6.4	▲	31.5	37.4	28.3	(32%)	21.3	±2.1
AN - LOUISVILLE PLANT BUILD	▲	82.3	94.2	62.5	(51%)	33.1	±3.3	▲	38.2	37.1	22.5	(65%)	8.9	±0.9
A3 - HERMOSILLO ASSY PLANT	●	15.1	17.3	20.8	17%	30.1	±3.0	●	9.3	8.5	9.4	10%	11.7	±1.2
AF - DEARBORN PLANT BUILD	●	55.0	51.8	64.7	20%	87.6	±8.8	●	23.9	23.4	27.2	14%	34.1	±3.4
C3 - CHONGQING III PLT BLD CHINA	●	7.5	7.7	8.5	10%	10.8	±1.1	●	1.1	1.0	1.7	38%	3.4	±0.3
AJ - KANSAS CITY PLANT BUILD	▲	36.1	39.4	31.6	(25%)	22.7	±2.3	▲	14.6	19.9	14.1	(41%)	7.5	±0.7
AS - OAKVILLE PLANT BUILD	●	40.2	41.8	69.2	40%	90.4	±9.0	●	19.0	18.5	26.4	30%	32.5	±3.3
B3 - CRAIOVA (ROMANIA) PLANT BUILD	▲	28.9	30.5	29.6	(3%)	28.5	±2.9	●	5.9	5.5	7.2	24%	9.5	±0.9
B6 - CHONGQING II PLT BLD CHINA	●	13.4	13.5	21.7	38%	43.4	±4.3	▲	8.4	9.8	7.5	(30%)	1.5	±0.1
DZ - AAT- RAYONG ASSEMBLY PLT-LS	●	14.6	15.2	16.1	6%	18.9	±1.9	◆	12.1	6.6	5.0	(31%)	0.4	±0.0
C6 - YENIKOY ASSEMBLY PLANT	●	19.7	22.1	22.4	1%	23.1	±2.3	●	3.3	3.2	5.1	37%	9.0	±0.9
BU - CHENNAI (INDIA) PLANT BUILD	●	8.4	9.8	14.0	30%	26.6	±2.7	◆	38.2	4.0	2.2	(80%)	(3.1)	±0.3
DE - HANGZHOU ASSY PLANT	●	7.3	7.4	20.0	63%	57.6	±5.8	●	4.3	2.5	5.8	57%	15.6	±1.6
CL - FLATROCK ASSEMBLY PLANT - USA	●	47.0	48.9	64.3	24%	81.2	±8.1	▲	31.7	35.1	31.3	(12%)	27.1	±2.7
BL - TAIWAN BAO ASSY PLANT	▲	22.2	24.4	21.7	(12%)	13.6	±1.4	◆	6.2	10.0	5.8	(74%)	(7.2)	±0.7
C8 - SANAND INDIA ASSY PLANT BUILD	●	10.6	11.7	16.0	27%	29.0	±2.9	●	38.2	0.7	1.6	57%	4.3	±0.4
B7 - FTM THAILAND ASY PLANT	●	23.4	24.0	28.5	16%	42.1	±4.2	●	38.2	11.8	14.8	20%	23.7	±2.4
BK - PACHECO ASSEMBLY PLANT	▲	15.4	18.7	18.2	(3%)	14.4	±1.4	●	3.8	4.1	5.2	22%	13.9	±1.4

Functions Making Objectives Cross Region (By VL)

	3 MIS R/1000					3 MIS CPU				
Function	**NA**	**SA**	**EU**	**CN**	**IM**	**NA**	**SA**	**EU**	**CN**	**IM**
F1 - CONNECTED VEHICLE	11	0	7	3	0	10	0	6	2	0
F2 - CHASSIS	14	1	10	7	5	13	0	9	6	7
F3 - ELECTRICAL	13	1	6	9	7	6	1	10	9	9
F4 - POWERTRAIN	12	1	2	7	5	10	3	5	5	5
F5 - VEHICLE ENGINEERING	14	0	8	0	4	10	0	7	0	1
F6 - PAINT	14	3	7	3	4	11	3	9	1	2
F7 - BODY INTERIOR	17	3	9	8	6	15	3	11	8	6
F8 - BODY EXTERIOR	12	3	3	7	7	10	2	6	8	7
0	0	0	0	0	0	0	0	0	0	0

Top 15 VFG making objective cross region (Based on VL)

	3 MIS R/1000					3 MIS CPU				
VFG	**NA**	**SA**	**EU**	**CN**	**IM**	**NA**	**SA**	**EU**	**CN**	**IM**
V44 - BASE ENGINE MALFUNCTION	11	2	5	6	8	13	3	4	7	8
V83 - INSTRUMENTATION FUNCTION	12	2	7	4	2	16	3	10	7	2
V18 - WIRING & EDS COMPONENTS	15	3	7	3	6	11	2	7	4	6
V75 - EXTERIOR TRIM & BUMPER FUNCTION	17	1	4	4	1	18	1	8	6	3
V21 - BRAKING	11	1	8	8	5	10	1	8	4	6
V79 - CLIMATE CONTROL FUNCTION	13	2	7	5	4	10	2	6	4	8
V17 - ELECTRICAL ACCESSORIES FUNCTION	10	2	5	8	6	4	3	8	7	6
V45 - ENGINE COOLING	12	1	7	3	4	13	2	8	5	4
V74 - HARD TRIM/SOFT TRIM/OVERHEAD SYSTEM	14	3	6	5	4	12	2	6	4	3
V33 - PAINT APPEARANCE	14	3	7	3	3	11	3	9	1	2
V71 - I.P. & CONSOLE FUNCTION	10	3	9	3	2	14	3	7	2	0
V07 - LATCHING & SECURITY	12	3	5	3	6	7	2	7	4	3
V09 - MOVEABLE & FIXED GLASS	12	1	7	5	4	9	2	3	5	3
V29 - CHECK ENGINE LIGHT	13	2	0	4	4	13	2	2	5	6
V19 - ELECTRICAL POWER	12	2	5	6	3	6	1	6	8	1

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

DATES:	AWS CUTOI	May-2020	GLIDEPATH:	May 5, 2020
	OBJECTIVE	May 5, 2020	RUN DATE:	May 5, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 05-May-2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F90 - NA - NORTH AMERICA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	31%	72.7	91.2	90.2	(1%)	89.0	±8.9		32.6	43.9	34.2	(28%)	23.3	±2.3
F92 - SA - SOUTH AMERICA	15%	10.7	13.0	15.3	15%	22.9	±2.3		2.0	2.6	3.2	18%	5.1	±0.5
F93 - EU - EUROPE	31%	35.9	37.8	50.0	24%	72.0	±7.2		8.4	9.5	11.4	17%	14.8	±1.5
F98 - CN - CHINA	13%	11.4	12.4	16.8	26%	29.6	±3.0		3.9	4.8	4.7	(2%)	4.5	±0.4
F99 - IM - INTERNATIONAL MARKET	8%	22.3	21.2	22.0	4%	24.5	±2.4		7.6	9.6	7.3	(32%)	0.2	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	231.3	263.3	300.0	12%	342.5	±34.3		111.7	130.8	83.8	(56%)	29.5	±2.9
Functional Breakdown														
F1 - CONNECTED VEHICLE			0.5	0.4	(12%)	0.3	±0.0			0.1	0.1	11%	0.2	±0.0
F2 - CHASSIS			4.9	4.3	(15%)	3.6	±0.4			2.3	1.7	(37%)	1.0	±0.1
F3 - ELECTRICAL			24.9	22.1	(12%)	19.0	±1.9			9.0	7.0	(29%)	4.7	±0.5
F4 - POWERTRAIN			26.2	11.4	(130%)	(5.3)	±0.5			20.1	8.6	(134%)	(4.4)	±0.4
F5 - VEHICLE ENGINEERING			1.5	1.9	19%	2.3	±0.2			0.2	0.2	14%	0.2	±0.0
F6 - PAINT			2.5	2.2	(16%)	1.8	±0.2			1.3	1.1	(19%)	0.8	±0.1
F7 - BODY INTERIOR			11.7	11.5	(1%)	11.4	±1.1			4.5	4.5	(0%)	4.5	±0.4
F8 - BODY EXTERIOR			19.1	16.2	(18%)	12.8	±1.3			6.3	5.0	(26%)	3.6	±0.4
F9 - OTHER			0.0	0.0		(0.0)	±0.0			0.0	0.0		0.0	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	168.1	220.1	134.6	(64%)	(4.3)	±0.4	◆	74.1	104.5	47.5	(120%)	(45.1)	±4.5
FE - F150 (NA-DTP)	●	49.7	51.8	64.7	20%	87.6	±8.8	●	23.9	23.4	27.2	14%	34.0	±3.4
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	15.1	15.2	17.8	14%	24.2	±2.4	●	7.2	7.1	8.3	15%	11.5	±1.2
M3 - ESCAPE (NA-LOUISVILLE)	▲	77.8	72.4	55.2	(31%)	38.6	±3.9	▲	29.7	28.8	20.0	(44%)	11.4	±1.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	65.0	75.2	65.4	(15%)	58.6	±5.9	▲	33.0	38.1	26.9	(42%)	19.0	±1.9
Q1 - EDGE (NA-OAKVILLE)	●	35.1	36.2	60.5	40%	79.7	±8.0	●	16.4	16.6	21.0	21%	24.4	±2.4
FL - F150 (NA-KCAP)	●	35.0	37.4	38.4	3%	40.3	±4.0	●	15.0	14.3	18.4	22%	25.8	±2.6
TA - TRANSIT (NA-KCAP)	◆	31.5	41.6	25.1	(66%)	12.6	±1.3	◆	14.0	25.1	10.0	(151%)	(1.5)	±0.1
ZB - MUSTANG (S550) (NA)	●	51.9	41.0	53.3	23%	67.0	±6.7	●	21.9	19.8	22.6	13%	25.7	±2.6
B3 - EXPEDITION (NA)	●	46.7	44.9	60.9	26%	77.6	±7.8	●	18.9	21.4	22.8	6%	24.3	±2.4
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	497.8	516.9	275.0	(88%)	(468.2)	±46.8	◆	246.2	258.1	161.1	(60%)	(136.9)	±13.7
DI - FUSION HYBRID CD391 (NA HSAP)	●	24.2	21.7	21.8	0%	22.0	±2.2	▲	11.6	10.2	9.7	(5%)	8.5	±0.8
KB - RANGER (NA-MICHIGAN)	●	33.1	30.8	56.4	45%	73.9	±7.4	●	12.3	10.9	18.0	39%	22.8	±2.3
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	139.4	134.3	58.2	(131%)	13.1	±1.3	◆	43.6	48.4	23.0	(111%)	7.9	±0.8
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	232.5	214.7	166.1	(29%)	14.1	±1.4	◆	98.6	88.6	50.0	(77%)	(70.7)	±7.1
U5 - EXPLORER POLICE INTERCEPTOR - U	▲	127.5	130.9	123.5	(6%)	111.4	±11.1	◆	50.1	48.9	33.5	(46%)	8.5	±0.9
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	89.9	90.6	117.2	23%	135.5	±13.5	●	35.3	35.1	56.4	38%	71.1	±7.1
B4 - NAVIGATOR (NA)	▲	121.8	129.8	110.8	(17%)	95.3	±9.5	▲	63.7	89.6	69.2	(29%)	52.7	±5.3
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	●	36.8	39.2	45.9	15%	70.3	±7.0	◆	29.4	28.6	20.1	(43%)	(11.4)	±1.1
ZT - MUSTANG FP (S550)(NA)	▲	130.2	152.5	136.0	(12%)	117.7	±11.8	◆	144.2	316.4	113.3	(179%)	(111.0)	±11.1
LG - LINCOLN CONTINENTAL (NA-FLATROC	●	146.5	78.7	140.9	44%	201.1	±20.1	●	82.1	44.1	73.9	40%	102.8	±10.3
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	53.8	41.3	70.9	42%	218.9	±21.9	◆	25.7	26.6	17.5	(51%)	(27.4)	±2.7
FM - F-SERIES SUPERDUTY (NA-OHIO)	●	18.1	19.0	21.8	13%	23.2	±2.3	●	9.0	4.5	9.7	54%	12.3	±1.2
U8 - EXPLORER INTERCEPTOR HYBRID (N/	◆	44.1	155.4	107.1	(45%)	67.4	±6.7	◆	16.1	69.4	39.4	(76%)	14.7	±1.5
DN - FUSION INTERCEPTOR HYBRID (NA-H	●	3.9	3.8	20.9	82%	(N/A)	±0.0	●	0.7	1.7	8.6	80%	(N/A)	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	2.0	1.1	0.3	(224%)	(0.9)	±0.1	◆	0.6	0.3	0.1	(117%)	(0.1)	±0.0
FE - F150 (NA-DTP)	●	0.6	0.0	0.4	92%	1.0	±0.1	●	0.3	0.0	0.1	85%	0.3	±0.0
DB - FUSION CD391 (LESS HYBRID) (NA-HS	◆	1.3	0.4	0.1	(242%)	(0.5)	±0.1	◆	0.4	0.1	0.0	(191%)	(0.1)	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	◆	1.4	0.4	0.1	(267%)	(0.2)	±0.0	◆	0.3	0.1	0.0	(228%)	(0.0)	±0.0
F8 - F-SERIES SUPERDUTY (NA-KTP)	◆	0.7	0.4	0.1	(280%)	(0.1)	±0.0	◆	0.1	0.1	0.0	(528%)	(0.0)	±0.0
Q1 - EDGE (NA-OAKVILLE)	●	0.4	0.1	1.0	93%	1.7	±0.2	●	0.1	0.0	0.2	86%	0.4	±0.0
FL - F150 (NA-KCAP)	●	0.9	0.2	0.2	13%	0.2	±0.0	●	0.2	0.0	0.0	54%	0.1	±0.0
ZB - MUSTANG (S550) (NA)	◆	0.2	0.1	0.1	(30%)	0.1	±0.0	◆	0.0	0.1	0.0	(16408%)	(0.1)	±0.0
B3 - EXPEDITION (NA)	●		0.1	0.2	28%	0.2	±0.0	●	0.7	0.0	0.0	69%	0.1	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	●	7.5	3.1	4.1	25%	7.2	±0.7	●	1.4	0.5	2.4	81%	8.5	±0.9
DI - FUSION HYBRID CD391 (NA HSAP)	●	0.9	0.1	0.1	9%	0.2	±0.0	△	0.4	0.1	0.0	(14%)	0.0	±0.0
KB - RANGER (NA-MICHIGAN)		0.7	0.0	0.4	100%	0.7	±0.1	●	0.2	0.1	0.1	50%	0.1	±0.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	5.8	0.8	0.2	(373%)	(0.2)	±0.0	◆	0.7	0.1	0.0	(227%)	(0.0)	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	0.7	0.7	2.8	76%	9.6	±1.0	●	0.5	0.4	0.5	33%	1.1	±0.1
U5 - EXPLORER POLICE INTERCEPTOR - U	◆	1.3	0.3	0.0		(0.5)	±0.1	◆	0.0	0.1	0.0		(0.2)	±0.0
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	7.2	0.4	2.5	86%	4.0	±0.4	●	0.9	0.4	1.1	69%	1.7	±0.2
B4 - NAVIGATOR (NA)	●	2.2	0.9	1.5	42%	2.0	±0.2	●	1.9	0.7	0.9	16%	1.0	±0.1
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	●	0.9	0.6	1.8	66%	6.0	±0.6	△	0.1	0.1	0.1	(2%)	0.1	±0.0
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	17.0	2.1	2.3	9%	3.4	±0.3	●	0.6	0.1	0.4	80%	1.8	±0.2
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	24.4	9.5	6.4	(49%)	1.3	±0.1	◆	13.6	5.1	2.6	(96%)	(1.4)	±0.1
FE - F150 (NA-DTP)	●	8.6	2.4	2.6	7%	2.9	±0.3	◆	4.3	1.6	1.1	(46%)	0.2	±0.0
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	2.4	0.7	0.9	26%	1.4	±0.1	△	0.8	0.3	0.3	(8%)	0.2	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	△	17.8	4.8	3.6	(32%)	2.5	±0.2	●	7.1	1.6	1.6	2%	1.6	±0.2
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	10.7	5.4	6.1	11%	6.6	±0.7	△	4.0	2.4	2.1	(14%)	1.9	±0.2
Q1 - EDGE (NA-OAKVILLE)	●	7.6	2.7	3.8	28%	4.6	±0.5	●	2.8	0.9	1.1	15%	1.2	±0.1
FL - F150 (NA-KCAP)	●	6.0	1.5	2.0	26%	3.0	±0.3	●	2.2	0.4	0.8	54%	1.6	±0.2
TA - TRANSIT (NA-KCAP)	△	8.5	3.1	2.8	(13%)	2.5	±0.3	△	5.0	1.3	1.1	(18%)	0.9	±0.1
ZB - MUSTANG (S550) (NA)	●	7.5	2.1	3.4	38%	4.8	±0.5	●	2.1	0.6	1.0	35%	1.3	±0.1
B3 - EXPEDITION (NA)	●	3.6	1.1	2.2	52%	3.5	±0.3	●	1.5	0.3	0.9	64%	1.6	±0.2
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	93.1	32.4	16.1	(101%)	(33.8)	±3.4	◆	44.1	17.1	9.6	(79%)	(13.8)	±1.4
DI - FUSION HYBRID CD391 (NA HSAP)	△	7.9	1.5	1.2	(21%)	0.6	±0.1	◆	4.1	0.7	0.5	(38%)	0.0	±0.0
KB - RANGER (NA-MICHIGAN)	△	7.1	2.8	2.7	(3%)	2.6	±0.3	●	2.3	0.5	1.0	46%	1.3	±0.1
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	21.7	5.2	3.6	(45%)	2.6	±0.3	◆	15.2	3.7	1.2	(212%)	(0.3)	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	53.4	13.0	17.2	25%	30.5	±3.0	●	21.4	4.8	5.0	4%	5.6	±0.6
U5 - EXPLORER POLICE INTERCEPTOR - U	●	31.5	10.6	14.5	27%	20.9	±2.1	●	11.3	4.0	7.6	47%	13.3	±1.3
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	16.9	5.6	6.1	8%	6.5	±0.6	●	6.5	1.8	3.0	40%	3.8	±0.4
B4 - NAVIGATOR (NA)	●	10.9	3.5	4.3	17%	4.8	±0.5	●	7.9	2.2	3.2	31%	4.0	±0.4
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	●	4.5	0.6	2.6	77%	9.8	±1.0	●	1.2	0.3	0.7	55%	2.1	±0.2
ZT - MUSTANG FP (S550)(NA)	△	47.8	9.7	7.2	(35%)	4.4	±0.4	◆	16.4	4.5	1.0	(354%)	(2.9)	±0.3
LG - LINCOLN CONTINENTAL (NA-FLATROC	●	13.6	2.0	7.7	74%	13.3	±1.3	●	6.3	2.9	3.9	25%	4.8	±0.5
ZI - MKZ HYBRID CD533 (NA-HSAP)	◆	21.9	3.8	0.5	(700%)	(16.3)	±1.6	◆	57.3	7.3	0.1	(7404%)	(35.7)	±3.6
FM - F-SERIES SUPERDUTY (NA-OHIO)	●	4.1	0.7	2.5	74%	3.4	±0.3	●	1.3	0.2	1.3	83%	1.8	±0.2
U8 - EXPLORER INTERCEPTOR HYBRID (N/	◆	7.1	17.0	7.0	(142%)	(1.2)	±0.1	◆	3.0	3.3	2.1	(61%)	1.0	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	●	94.7	45.4	46.3	2%	48.0	±4.8	▲	33.2	16.4	14.7	(12%)	11.9	±1.2
FE - F150 (NA-DTP)	●	50.6	16.5	19.9	17%	26.0	±2.6	●	17.1	5.6	5.8	4%	6.3	±0.6
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	30.1	7.0	8.0	13%	10.6	±1.1	●	9.6	2.5	2.7	8%	3.3	±0.3
M3 - ESCAPE (NA-LOUISVILLE)	▲	97.1	24.3	20.1	(21%)	16.0	±1.6	▲	30.9	7.8	5.6	(40%)	3.4	±0.3
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	38.2	21.8	17.5	(25%)	14.4	±1.4	▲	14.1	7.6	5.8	(31%)	4.6	±0.5
Q1 - EDGE (NA-OAKVILLE)	●	40.5	13.2	17.2	23%	20.4	±2.0	●	14.2	4.5	4.8	6%	5.0	±0.5
FL - F150 (NA-KCAP)	▲	31.9	12.3	11.6	(6%)	10.2	±1.0	▲	10.5	4.1	3.7	(12%)	2.9	±0.3
TA - TRANSIT (NA-KCAP)	▲	22.3	8.2	5.9	(38%)	4.2	±0.4	◆	7.3	2.9	1.8	(65%)	0.9	±0.1
ZB - MUSTANG (S550) (NA)	▲	73.1	17.7	12.1	(47%)	5.8	±0.6	◆	24.7	7.3	3.0	(148%)	(1.9)	±0.2
B3 - EXPEDITION (NA)	●	25.2	16.0	18.8	15%	21.7	±2.2	▲	9.6	6.5	5.5	(18%)	4.5	±0.4
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	422.5	141.0	80.5	(75%)	(105.3)	±10.5	◆	176.4	61.9	37.8	(64%)	(36.2)	±3.6
DI - FUSION HYBRID CD391 (NA HSAP)	▲	54.2	9.8	8.8	(11%)	6.4	±0.6	◆	18.1	3.7	2.8	(33%)	0.5	±0.0
KB - RANGER (NA-MICHIGAN)	●	14.2	9.9	14.4	31%	17.4	±1.7	●	5.5	2.5	4.9	49%	6.5	±0.7
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	279.5	59.2	29.8	(99%)	12.3	±1.2	◆	72.8	18.0	7.0	(156%)	0.5	±0.1
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	240.6	56.5	59.7	5%	69.5	±6.9	▲	66.6	19.2	16.6	(16%)	8.5	±0.8
U5 - EXPLORER POLICE INTERCEPTOR - U	●	94.1	30.6	40.7	25%	56.9	±5.7	◆	40.8	13.8	7.6	(81%)	(2.4)	±0.2
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	▲	86.5	31.5	31.3	(0%)	31.3	±3.1	●	30.7	11.2	12.8	13%	13.9	±1.4
B4 - NAVIGATOR (NA)	▲	137.2	49.7	31.2	(59%)	16.2	±1.6	▲	65.7	22.3	13.6	(64%)	6.6	±0.7
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	●	124.6	20.2	23.7	15%	36.3	±3.6	◆	64.8	9.6	6.9	(40%)	(3.2)	±0.3
ZT - MUSTANG FP (S550)(NA)	◆	62.3	24.2	10.9	(122%)	(3.8)	±0.4	◆	25.4	8.9	3.6	(148%)	(2.3)	±0.2
LG - LINCOLN CONTINENTAL (NA-FLATROC	●	79.4	21.3	30.2	30%	38.9	±3.9	▲	46.8	14.1	13.0	(8%)	12.0	±1.2
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	117.8	18.9	27.0	30%	67.6	±6.8	▲	30.1	5.8	5.3	(8%)	3.1	±0.3
FM - F-SERIES SUPERDUTY (NA-OHIO)	▲	12.7	9.2	7.2	(29%)	6.1	±0.6	●	4.9	2.6	2.8	9%	2.9	±0.3
U8 - EXPLORER INTERCEPTOR HYBRID (N/	●	65.9	37.0	58.6	37%	76.4	±7.6	◆	23.9	20.2	12.1	(67%)	5.4	±0.5
DN - FUSION INTERCEPTOR HYBRID (NA-H	●	19.6	3.8	5.7	34%	(N/A)	±0.0	◆	3.7	1.7	1.7	(0%)	(N/A)	±0.0
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	152.1	84.5	11.6	(629%)	(106.9)	±10.7	◆	97.7	56.0	5.5	(914%)	(76.5)	±7.7
FE - F150 (NA-DTP)	●	37.5	12.5	16.4	24%	23.4	±2.3	●	38.1	10.3	12.8	19%	17.1	±1.7
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	13.3	3.4	4.7	27%	7.9	±0.8	●	14.0	3.1	3.9	22%	6.1	±0.6
M3 - ESCAPE (NA-LOUISVILLE)	◆	75.7	17.9	7.1	(152%)	(3.4)	±0.3	▲	45.3	13.1	7.8	(66%)	2.8	±0.3
F8 - F-SERIES SUPERDUTY (NA-KTP)	▲	32.2	23.2	14.7	(58%)	8.7	±0.9	▲	31.2	19.6	10.8	(82%)	4.6	±0.5
Q1 - EDGE (NA-OAKVILLE)	●	23.6	8.5	10.9	22%	12.8	±1.3	▲	22.3	7.7	7.4	(4%)	7.1	±0.7
FL - F150 (NA-KCAP)	▲	34.2	10.7	10.7	(1%)	10.6	±1.1	●	27.2	6.8	9.9	31%	15.5	±1.5
TA - TRANSIT (NA-KCAP)	◆	28.1	15.9	6.2	(157%)	(1.2)	±0.1	◆	20.2	17.3	4.7	(266%)	(4.8)	±0.5
ZB - MUSTANG (S550) (NA)	●	28.9	8.4	11.4	26%	14.7	±1.5	●	25.3	7.7	11.4	32%	15.4	±1.5
B3 - EXPEDITION (NA)	●	18.1	7.5	11.6	36%	15.9	±1.6	▲	11.6	7.9	7.3	(8%)	6.6	±0.7
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	169.1	63.2	12.5	(404%)	(143.3)	±14.3	◆	140.1	47.3	10.7	(343%)	(102.0)	±10.2
DI - FUSION HYBRID CD391 (NA HSAP)	●	32.1	5.9	7.0	16%	9.8	±1.0	●	19.6	3.1	4.7	35%	9.0	±0.9
KB - RANGER (NA-MICHIGAN)	●	20.1	4.6	15.3	70%	22.7	±2.3	●	8.4	3.7	4.9	26%	5.8	±0.6
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	144.8	24.6	11.3	(118%)	3.4	±0.3	◆	68.6	14.6	11.0	(33%)	8.8	±0.9
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	50.2	13.0	7.3	(79%)	(10.7)	±1.1	◆	45.9	9.5	5.4	(75%)	(7.3)	±0.7
U5 - EXPLORER POLICE INTERCEPTOR - U	◆	39.3	13.5	5.3	(154%)	(8.0)	±0.8	▲	16.7	5.1	4.1	(23%)	2.6	±0.3
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	30.6	8.4	17.0	51%	22.9	±2.3	●	20.3	5.1	13.9	64%	20.0	±2.0
B4 - NAVIGATOR (NA)	▲	54.9	20.8	16.1	(29%)	12.2	±1.2	▲	44.9	29.0	19.1	(52%)	11.1	±1.1
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	●	19.8	5.7	5.7	0%	5.8	±0.6	◆	57.4	11.3	6.3	(78%)	(11.7)	±1.2
ZT - MUSTANG FP (S550)(NA)	▲	78.7	47.0	46.6	(1%)	46.2	±4.6	◆	328.4	257.6	66.8	(286%)	(144.0)	±14.4
LG - LINCOLN CONTINENTAL (NA-FLATROC	●	32.7	5.0	18.2	72%	31.0	±3.1	●	14.2	4.2	11.1	62%	17.8	±1.8
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	7.6	3.5	5.2	34%	14.1	±1.4	◆	(2.9)	6.0	0.6	(819%)	(25.9)	±2.6
FM - F-SERIES SUPERDUTY (NA-OHIO)	●	16.0	7.4	8.9	18%	9.7	±1.0	●	10.2	1.6	4.5	65%	5.9	±0.6
U8 - EXPLORER INTERCEPTOR HYBRID (N/	◆	24.8	19.7	15.3	(29%)	11.7	±1.2	●	6.2	11.6	18.8	38%	24.7	±2.5

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	7.6	2.5	1.6	(50%)	0.3	±0.0	△	0.8	0.3	0.2	(33%)	0.1	±0.0
FE - F150 (NA-DTP)	●	5.9	1.5	2.9	48%	5.4	±0.5	●	0.5	0.2	0.3	43%	0.5	±0.0
DB - FUSION CD391 (LESS HYBRID) (NA-HS	◆	1.1	0.4	0.3	(41%)	(0.0)	±0.0	◆	0.1	0.0	0.0	(57%)	(0.0)	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	●	4.3	0.8	1.4	45%	2.0	±0.2	●	0.5	0.1	0.1	51%	0.2	±0.0
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	4.3	2.6	3.6	29%	4.4	±0.4	●	0.5	0.3	0.5	34%	0.6	±0.1
Q1 - EDGE (NA-OAKVILLE)	●	1.6	0.5	1.3	61%	1.9	±0.2	●	0.1	0.1	0.1	61%	0.2	±0.0
FL - F150 (NA-KCAP)	●	3.5	0.8	1.1	27%	1.7	±0.2	△	0.3	0.1	0.1	(3%)	0.1	±0.0
TA - TRANSIT (NA-KCAP)	●	1.0	0.3	0.3	19%	0.4	±0.0	●	0.1	0.0	0.0	11%	0.0	±0.0
ZB - MUSTANG (S550) (NA)	●	3.4	0.2	0.9	75%	1.6	±0.2	●	0.2	0.0	0.0	59%	0.1	±0.0
B3 - EXPEDITION (NA)	●	2.0	0.8	1.1	29%	1.4	±0.1	●	0.1	0.1	0.1	50%	0.2	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	△	26.4	8.7	7.9	(10%)	5.5	±0.6	△	2.9	1.0	0.9	(6%)	0.7	±0.1
DI - FUSION HYBRID CD391 (NA HSAP)	●	0.5	0.2	0.2	1%	0.2	±0.0	◆	0.1	0.0	0.0	(49%)	(0.0)	±0.0
KB - RANGER (NA-MICHIGAN)	●	3.0	1.1	1.7	34%	2.1	±0.2	●	0.3	0.1	0.2	70%	0.3	±0.0
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	2.8	1.6	0.7	(128%)	0.2	±0.0	◆	0.4	0.1	0.0	(177%)	(0.0)	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	△	15.2	4.1	3.5	(17%)	1.6	±0.2	◆	2.0	0.5	0.3	(72%)	(0.4)	±0.0
U5 - EXPLORER POLICE INTERCEPTOR - U	●	9.0	2.1	3.2	35%	5.0	±0.5	●	1.0	0.2	0.2	7%	0.3	±0.0
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	11.3	3.6	4.6	22%	5.3	±0.5	△	2.3	0.7	0.6	(22%)	0.5	±0.0
B4 - NAVIGATOR (NA)	●	6.2	2.2	2.5	11%	2.7	±0.3	◆	0.7	2.1	0.3	(639%)	(1.2)	±0.1
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)		(0.3)	0.0	0.2	100%	1.0	±0.1		0.3	0.0	0.0	100%	0.1	±0.0
ZT - MUSTANG FP (S550)(NA)	●	25.7	2.6	6.6	61%	11.0	±1.1	●	4.3	0.3	0.4	17%	0.4	±0.0
ZI - MKZ HYBRID CD533 (NA-HSAP)		4.0	0.0	1.5	100%	9.0	±0.9		1.3	0.0	0.3	100%	1.5	±0.2
U8 - EXPLORER INTERCEPTOR HYBRID (N/	◆	1.7	9.1	1.3	(588%)	(5.1)	±0.5	◆	0.2	1.1	0.1	(1229%)	(0.7)	±0.1
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	◆	30.1	9.0	6.4	(42%)	2.0	±0.2	△	11.8	3.9	3.0	(29%)	1.6	±0.2
FE - F150 (NA-DTP)	●	1.7	1.4	1.6	16%	2.1	±0.2	●	1.3	0.8	0.9	17%	1.2	±0.1
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	0.2	0.1	0.1	7%	0.1	±0.0	●	0.1	0.0	0.0	52%	0.1	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	●	1.4	0.4	0.5	27%	0.6	±0.1	●	0.6	0.2	0.2	7%	0.2	±0.0
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	2.9	1.4	1.5	10%	1.6	±0.2	●	1.6	0.7	0.8	9%	0.9	±0.1
Q1 - EDGE (NA-OAKVILLE)	●	1.3	0.6	1.8	66%	2.7	±0.3	●	0.7	0.3	0.7	53%	1.0	±0.1
FL - F150 (NA-KCAP)	●	2.0	0.7	1.2	40%	2.1	±0.2	●	0.6	0.3	0.7	62%	1.4	±0.1
TA - TRANSIT (NA-KCAP)	●	0.8	0.6	0.7	12%	0.7	±0.1	△	0.6	0.3	0.3	(12%)	0.3	±0.0
ZB - MUSTANG (S550) (NA)	●	2.7	1.0	2.8	66%	4.9	±0.5	●	1.6	0.5	0.8	38%	1.1	±0.1
B3 - EXPEDITION (NA)	●	1.2	0.1	0.7	83%	1.3	±0.1	●	0.7	0.1	0.4	80%	0.7	±0.1
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	57.5	21.9	13.3	(65%)	(13.2)	±1.3	◆	37.1	14.1	7.6	(85%)	(12.2)	±1.2
KB - RANGER (NA-MICHIGAN)	●	3.3	0.8	2.0	62%	2.8	±0.3	●	2.6	0.6	1.5	60%	2.1	±0.2
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	6.3	1.1	0.1	(672%)	(0.4)	±0.0	◆	4.3	0.7	0.0	(2202%)	(0.4)	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	●	15.1	3.2	5.3	39%	11.9	±1.2	●	5.7	1.4	1.7	20%	2.8	±0.3
U5 - EXPLORER POLICE INTERCEPTOR - U	●	9.9	3.6	5.2	30%	7.7	±0.8	△	4.4	1.8	1.7	(7%)	1.5	±0.2
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	◆	15.2	10.5	4.3	(145%)	0.0	±0.0	△	9.8	4.1	1.9	(116%)	0.4	±0.0
B4 - NAVIGATOR (NA)	●	1.2	0.3	1.1	76%	1.8	±0.2	●	0.5	0.1	0.3	83%	0.6	±0.1
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	◆	2.2	0.6	0.2	(154%)	(1.0)	±0.1	◆	0.2	0.2	0.0	(746%)	(0.5)	±0.0
ZT - MUSTANG FP (S550)(NA)	◆	60.9	14.4	9.2	(57%)	3.4	±0.3	◆	64.6	16.9	7.7	(120%)	(2.5)	±0.3
LG - LINCOLN CONTINENTAL (NA-FLATROC	●	7.2	1.7	3.7	55%	5.6	±0.6	△	15.3	3.5	2.7	(29%)	1.9	±0.2
U8 - EXPLORER INTERCEPTOR HYBRID (N/	◆	14.0	4.8	0.3	(1580%)	(3.4)	±0.3	◆	8.4	2.6	0.1	(4944%)	(2.0)	±0.2
DN - FUSION INTERCEPTOR HYBRID (NA-H		0.0	0.0	2.1	100%	(N/A)	±0.0		0.0	0.0	1.2	100%	(N/A)	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	●	65.9	29.2	32.3	10%	37.5	±3.7	●	22.4	11.3	13.2	15%	16.3	±1.6
FE - F150 (NA-DTP)	●	16.2	6.4	7.7	16%	9.8	±1.0	●	3.2	1.6	2.5	34%	4.0	±0.4
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	4.8	1.4	1.6	14%	2.2	±0.2	●	1.0	0.4	0.7	48%	1.5	±0.2
M3 - ESCAPE (NA-LOUISVILLE)	▲	38.6	8.0	6.9	(15%)	5.9	±0.6	▲	11.9	2.4	2.2	(8%)	2.0	±0.2
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	14.4	6.7	7.9	15%	8.7	±0.9	●	4.8	2.4	2.9	16%	3.2	±0.3
Q1 - EDGE (NA-OAKVILLE)	●	9.1	2.8	5.7	50%	8.0	±0.8	●	2.2	0.8	1.6	52%	2.3	±0.2
FL - F150 (NA-KCAP)	●	10.4	4.0	4.1	2%	4.3	±0.4	●	(0.0)	0.8	1.6	49%	3.0	±0.3
TA - TRANSIT (NA-KCAP)	◆	8.6	5.8	2.5	(126%)	0.1	±0.0	◆	3.3	2.1	1.0	(110%)	0.2	±0.0
ZB - MUSTANG (S550) (NA)	●	15.2	4.2	9.3	55%	15.0	±1.5	●	4.7	1.3	3.5	63%	5.9	±0.6
B3 - EXPEDITION (NA)	●	19.3	7.6	12.0	36%	16.5	±1.6	●	6.0	2.9	4.2	31%	5.6	±0.6
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	229.1	89.5	66.4	(35%)	(4.3)	±0.4	◆	117.1	44.5	35.2	(27%)	6.5	±0.7
DI - FUSION HYBRID CD391 (NA HSAP)	●	3.4	1.2	1.7	31%	3.0	±0.3	▲	4.7	1.0	0.8	(36%)	0.1	±0.0
KB - RANGER (NA-MICHIGAN)	●	7.5	4.8	11.3	57%	15.7	±1.6	●	1.7	2.0	3.0	33%	3.7	±0.4
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	79.8	14.4	4.8	(197%)	(0.8)	±0.1	◆	23.1	4.1	1.8	(130%)	0.4	±0.0
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	227.6	46.7	28.6	(63%)	(27.9)	±2.8	◆	95.3	20.4	9.3	(120%)	(25.6)	±2.6
U5 - EXPLORER POLICE INTERCEPTOR - U	●	40.6	15.8	18.4	14%	22.7	±2.3	▲	15.5	5.1	3.6	(41%)	1.2	±0.1
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	26.9	9.0	20.0	55%	27.6	±2.8	●	5.6	3.0	8.9	66%	12.9	±1.3
B4 - NAVIGATOR (NA)	▲	53.4	25.7	20.1	(28%)	15.6	±1.6	▲	25.9	18.6	12.2	(52%)	7.0	±0.7
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	●	9.6	2.6	3.0	12%	4.4	±0.4	●	7.1	1.2	1.3	7%	1.6	±0.2
ZT - MUSTANG FP (S550)(NA)	●	57.8	5.8	12.5	54%	19.9	±2.0	●	42.5	3.9	7.1	45%	10.6	±1.1
LG - LINCOLN CONTINENTAL (NA-FLATROC	●	57.5	11.2	36.0	69%	60.0	±6.0	●	34.5	3.4	22.2	85%	40.3	±4.0
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	25.0	2.1	4.1	48%	13.8	±1.4	●	3.7	0.1	1.3	90%	6.9	±0.7
FM - F-SERIES SUPERDUTY (NA-OHIO)	◆	1.0	1.8	0.8	(141%)	0.2	±0.0	●	0.5	0.1	0.3	71%	0.5	±0.0
U8 - EXPLORER INTERCEPTOR HYBRID (N/	●	27.9	6.6	9.5	31%	11.8	±1.2	▲	10.1	3.7	3.1	(19%)	2.6	±0.3

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
U2 - EXPLORER (NA-CAP)	▲	102.2	39.0	29.6	(32%)	14.4	±1.4	▲	29.0	11.3	8.2	(38%)	3.1	±0.3
FE - F150 (NA-DTP)	●	27.9	11.1	13.2	16%	17.0	±1.7	●	7.0	3.3	3.7	11%	4.4	±0.4
DB - FUSION CD391 (LESS HYBRID) (NA-HS	●	7.1	1.9	2.1	9%	2.6	±0.3	▲	2.8	0.8	0.7	(12%)	0.5	±0.0
M3 - ESCAPE (NA-LOUISVILLE)	▲	72.6	15.8	15.4	(2%)	15.1	±1.5	▲	19.8	3.7	2.4	(52%)	1.2	±0.1
F8 - F-SERIES SUPERDUTY (NA-KTP)	●	22.4	13.7	14.1	3%	14.3	±1.4	▲	7.2	4.9	4.0	(22%)	3.4	±0.3
Q1 - EDGE (NA-OAKVILLE)	●	18.3	7.7	18.8	59%	27.6	±2.8	●	5.4	2.3	5.1	54%	7.2	±0.7
FL - F150 (NA-KCAP)	●	15.8	7.1	7.5	6%	8.2	±0.8	▲	4.2	1.7	1.5	(13%)	1.2	±0.1
TA - TRANSIT (NA-KCAP)	▲	22.2	7.8	6.7	(17%)	5.8	±0.6	▲	3.1	1.3	1.1	(10%)	1.1	±0.1
ZB - MUSTANG (S550) (NA)	●	20.5	7.2	13.3	46%	20.1	±2.0	●	6.1	2.2	3.0	27%	3.9	±0.4
B3 - EXPEDITION (NA)	●	22.7	11.7	14.3	18%	17.0	±1.7	●	6.6	3.7	4.4	16%	5.1	±0.5
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	486.9	156.9	74.1	(112%)	(180.3)	±18.0	◆	218.8	71.5	56.9	(26%)	11.9	±1.2
DI - FUSION HYBRID CD391 (NA HSAP)	▲	22.1	3.1	2.7	(15%)	1.6	±0.2	◆	11.2	1.6	0.8	(92%)	(1.1)	±0.1
KB - RANGER (NA-MICHIGAN)	●	9.4	6.8	8.6	21%	9.8	±1.0	●	3.2	1.5	2.4	36%	2.9	±0.3
M8 - ESCAPE HYBRID (NA-LOUISVILLE)	◆	155.6	27.5	7.7	(256%)	(4.0)	±0.4	◆	32.3	7.1	1.9	(270%)	(1.1)	±0.1
LM - LINCOLN CORSAIR (NA LOUISVILLE)	◆	330.2	77.5	41.7	(86%)	(70.3)	±7.0	◆	158.0	32.5	11.2	(190%)	(55.4)	±5.5
U5 - EXPLORER POLICE INTERCEPTOR - U	▲	156.9	54.3	36.2	(50%)	6.7	±0.7	◆	61.6	18.8	8.7	(117%)	(7.7)	±0.8
MX - LINCOLN NAUTILUS (NA-OAKVILLE)	●	72.2	21.8	31.4	31%	38.0	±3.8	●	28.1	8.8	14.2	38%	17.9	±1.8
B4 - NAVIGATOR (NA)	●	91.6	26.8	34.1	21%	40.0	±4.0	●	40.3	14.6	19.6	25%	23.6	±2.4
ZK - MKZ CD533 (LESS HYBRID) (NA-HSAP)	▲	23.1	8.9	8.7	(2%)	7.9	±0.8	◆	13.7	6.0	4.7	(26%)	0.2	±0.0
ZT - MUSTANG FP (S550)(NA)	▲	186.3	48.7	42.9	(14%)	36.5	±3.7	●	73.1	24.3	26.8	10%	29.6	±3.0
LG - LINCOLN CONTINENTAL (NA-FLATROC	●	97.3	37.5	40.4	7%	43.2	±4.3	●	47.2	16.0	20.4	22%	24.7	±2.5
ZI - MKZ HYBRID CD533 (NA-HSAP)	●	104.2	10.9	23.9	55%	88.9	±8.9	●	59.1	7.4	9.0	18%	17.0	±1.7
U8 - EXPLORER INTERCEPTOR HYBRID (N/	◆	35.0	61.1	15.1	(304%)	(22.8)	±2.3	◆	12.6	26.9	3.3	(724%)	(16.2)	±1.6
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
F8 - F-SERIES SUPERDUTY (NA-KTP)	◆	0.1	0.0	0.0		(0.0)	±0.0		0.0	0.0	0.0		0.0	±0.0
LH - LINCOLN AVIATOR (NA-CHICAGO)	◆	1.2	0.3	0.0		(0.9)	±0.1	◆	0.8	0.2	0.0		(0.5)	±0.1

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Apr-2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 05-May-2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F92 - SA - SOUTH AMERICA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	31%	72.7	91.2	90.2	(1%)	89.0	±8.9		32.6	43.9	34.2	(28%)	23.3	±2.3
F92 - SA - SOUTH AMERICA	15%	10.7	13.0	15.3	15%	22.9	±2.3		2.0	2.6	3.2	18%	5.1	±0.5
F93 - EU - EUROPE	31%	35.9	37.8	50.0	24%	72.0	±7.2		8.4	9.5	11.4	17%	14.8	±1.5
F98 - CN - CHINA	13%	11.4	12.4	16.8	26%	29.6	±3.0		3.9	4.8	4.7	(2%)	4.5	±0.4
F99 - IM - INTERNATIONAL MARKET	8%	22.3	21.2	22.0	4%	24.5	±2.4		7.6	9.6	7.3	(32%)	0.2	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	231.3	263.3	300.0	12%	342.5	±34.3		111.7	130.8	83.8	(56%)	29.5	±2.9
Functional Breakdown														
F2 - CHASSIS			2.4	2.0	(21%)	0.6	±0.1			0.4	0.3	(25%)	0.1	±0.0
F3 - ELECTRICAL			4.2	4.3	3%	4.7	±0.5			0.9	0.7	(26%)	0.1	±0.0
F4 - POWERTRAIN			2.8	2.6	(11%)	1.6	±0.2			1.0	1.2	22%	2.2	±0.2
F5 - VEHICLE ENGINEERING			0.0	0.0		0.0	±0.0			0.0	0.0		0.0	±0.0
F6 - PAINT			0.1	0.2	61%	0.7	±0.1			0.0	0.0	64%	0.1	±0.0
F7 - BODY INTERIOR			1.3	1.9	33%	4.0	±0.4			0.2	0.2	25%	0.4	±0.0
F8 - BODY EXTERIOR			2.2	3.2	32%	6.5	±0.6			0.2	0.2	8%	0.3	±0.0
F9 - OTHER			0.0	0.0		(0.0)	±0.0			0.0	0.0		(0.0)	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	9.3	11.7	12.6	8%	15.0	±1.5	▲	1.7	2.3	2.1	(10%)	1.6	±0.2
BY - ECOSPORT (SA-CAMACARI)	●	15.0	15.8	19.9	21%	(N/A)	±0.0	●	2.7	3.1	4.5	31%	(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	▲	18.8	18.7	18.2	(3%)	14.4	±1.4	●	3.8	4.1	5.2	22%	13.9	±1.4
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	3.7	2.6	2.1	(25%)	0.8	±0.1	▲	0.5	0.4	0.3	(23%)	0.1	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	2.7	1.5	1.7	11%	(N/A)	±0.0	◆	0.7	0.4	0.3	(23%)	(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	◆	7.6	3.4	1.9	(79%)	(9.8)	±1.0	◆	0.7	0.6	0.3	(76%)	(1.7)	±0.2
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	6.3	4.3	4.1	(5%)	3.7	±0.4	◆	1.1	1.0	0.6	(55%)	(0.2)	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	7.6	4.1	5.6	28%	(N/A)	±0.0	●	1.3	0.8	1.2	36%	(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	▲	5.6	2.8	2.6	(8%)	1.0	±0.1	◆	1.1	0.6	0.5	(21%)	(0.3)	±0.0
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	▲	4.1	2.4	2.1	(14%)	1.4	±0.1	●	1.6	0.8	0.9	10%	1.1	±0.1
BY - ECOSPORT (SA-CAMACARI)	●	5.5	3.0	3.2	7%	(N/A)	±0.0	●	2.4	1.3	2.3	43%	(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	▲	14.2	6.6	6.5	(2%)	5.6	±0.6	●	3.9	2.0	3.5	42%	14.9	±1.5

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
BY - ECOSPORT (SA-CAMACARI)		(0.0)	0.0	0.0		(N/A)	±0.0		(0.0)	0.0	0.0		(N/A)	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	0.1	0.1	0.2	76%	0.6	±0.1	●	0.0	0.0	0.0	57%	0.1	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	0.3	0.2	0.3	34%	(N/A)	±0.0	●	0.0	0.0	0.0	0%	(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	●	(0.7)	0.3	0.3	10%	0.5	±0.1	●	(0.3)	0.1	0.1	30%	0.3	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	2.0	0.9	1.4	33%	2.5	±0.2	●	0.2	0.1	0.1	22%	0.2	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	4.4	2.4	4.1	41%	(N/A)	±0.0	●	0.4	0.3	0.4	30%	(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	●	3.5	1.6	2.9	43%	12.6	±1.3	●	0.8	0.2	0.5	48%	2.2	±0.2
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)	●	2.4	1.3	2.7	51%	6.0	±0.6	●	0.2	0.1	0.2	29%	0.3	±0.0
BY - ECOSPORT (SA-CAMACARI)	●	9.6	4.6	5.0	8%	(N/A)	±0.0	●	0.6	0.3	0.3	0%	(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	●	7.6	3.8	4.0	5%	5.5	±0.5	◆	1.2	0.5	0.3	(71%)	(1.4)	±0.1
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
BL - KA-B562 (SA CAMACARI)		0.0	0.0	0.0		0.0	±0.0		0.0	0.0	0.0		0.0	±0.0
BY - ECOSPORT (SA-CAMACARI)		0.0	0.0	0.0		(N/A)	±0.0	◆	0.1	0.0	0.0		(N/A)	±0.0
R2 - RANGER (SA-PACHECO)	◆	0.4	0.1	0.0		(1.1)	±0.1	◆	0.1	0.0	0.0		(0.2)	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Apr-2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 05-May-2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F93 - EU - EUROPE

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	31%	72.7	91.2	90.2	(1%)	89.0	±8.9		32.6	43.9	34.2	(28%)	23.3	±2.3
F92 - SA - SOUTH AMERICA	15%	10.7	13.0	15.3	15%	22.9	±2.3		2.0	2.6	3.2	18%	5.1	±0.5
F93 - EU - EUROPE	31%	35.9	37.8	50.0	24%	72.0	±7.2		8.4	9.5	11.4	17%	14.8	±1.5
F98 - CN - CHINA	13%	11.4	12.4	16.8	26%	29.6	±3.0		3.9	4.8	4.7	(2%)	4.5	±0.4
F99 - IM - INTERNATIONAL MARKET	8%	22.3	21.2	22.0	4%	24.5	±2.4		7.6	9.6	7.3	(32%)	0.2	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	231.3	263.3	300.0	12%	342.5	±34.3		111.7	130.8	83.8	(56%)	29.5	±2.9
Functional Breakdown														
F1 - CONNECTED VEHICLE			2.1	1.0	(106%)	(0.9)	±0.1			0.2	0.1	(79%)	(0.1)	±0.0
F2 - CHASSIS			2.2	2.7	18%	3.6	±0.4			0.7	0.7	(10%)	0.5	±0.1
F3 - ELECTRICAL			8.3	9.0	7%	10.2	±1.0			1.6	2.0	17%	2.6	±0.3
F4 - POWERTRAIN			11.3	7.7	(46%)	1.4	±0.1			4.5	3.2	(40%)	0.9	±0.1
F5 - VEHICLE ENGINEERING			0.5	0.7	38%	1.2	±0.1			0.0	0.1	27%	0.1	±0.0
F6 - PAINT			0.9	1.1	21%	1.5	±0.2			0.2	0.3	32%	0.5	±0.1
F7 - BODY INTERIOR			3.4	4.4	23%	6.3	±0.6			0.5	0.7	28%	1.1	±0.1
F8 - BODY EXTERIOR			9.2	8.3	(11%)	6.6	±0.7			1.7	1.3	(25%)	0.7	±0.1
F9 - OTHER			0.0	0.0		0.0	±0.0			0.0	0.0		0.0	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	△	53.4	57.2	51.4	(11%)	39.6	±4.0	△	12.1	13.6	10.0	(36%)	2.8	±0.3
BB - FIESTA (EU-COLOGNE)	●	33.1	27.7	30.5	9%	36.2	±3.6	●	6.6	5.5	6.0	8%	7.0	±0.7
AI - KUGA (EU-VALENCIA)	●	21.1	20.1	36.1	44%	58.1	±5.8	●	5.5	6.4	11.9	46%	19.4	±1.9
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	45.1	46.7	37.0	(26%)	16.9	±1.7	◆	14.5	15.8	10.7	(48%)	0.1	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	25.7	29.0	25.8	(12%)	17.7	±1.8	●	4.7	4.8	5.5	12%	7.2	±0.7
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	23.0	22.1	22.4	1%	23.1	±2.3	●	3.3	3.2	5.1	37%	9.0	±0.9
T9 - TRANSIT CONNECT (EU-VALENCIA)	△	23.5	30.3	25.0	(21%)	14.8	±1.5	△	6.8	8.9	7.7	(16%)	5.4	±0.5
TF - TRANSIT (EU-KOCAELI)	◆	37.5	41.4	28.1	(47%)	(1.9)	±0.2	△	8.7	10.2	8.8	(16%)	5.6	±0.6
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	●	34.8	43.4	44.8	3%	48.1	±4.8	△	13.5	14.0	12.7	(10%)	9.5	±1.0
ND - MONDEO (CD391)(EU-VALENCIA)	◆	29.2	35.4	25.6	(38%)	9.5	±1.0	◆	6.3	13.7	10.3	(33%)	4.7	±0.5
SE - B-CUV (BX726) EU-CRAIOVA	●	0.0	30.1	32.5	7%	34.4	±3.4	●	0.0	6.0	8.5	30%	10.5	±1.1
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	87.2	91.1	51.3	(77%)	(33.1)	±3.3	◆	16.6	16.3	9.8	(67%)	(4.1)	±0.4
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	◆	15.7	7.6	2.7	(178%)		±0.7	◆	1.9	0.9	0.3	(214%)	(0.9)	±0.1
BB - FIESTA (EU-COLOGNE)	●	0.2	0.1	0.2	61%	0.5	±0.0		0.0	0.0	0.0	100%	0.1	±0.0
AI - KUGA (EU-VALENCIA)	●	5.3	0.0	2.1	99%	5.0	±0.5	●	0.5	0.0	0.4	98%	1.0	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	0.6	0.3	0.1	(120%)		±0.0	●	0.0	0.0	0.0	9%	0.1	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	0.2	0.1	0.2	72%	0.6	±0.1	●	0.1	0.0	0.0	72%	0.1	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)		0.0	0.0	0.2	100%	0.4	±0.0		0.0	0.0	0.0	100%	0.1	±0.0
TF - TRANSIT (EU-KOCAELI)	●	0.5	0.1	0.2	64%	0.4	±0.0	●	0.1	0.0	0.0	79%	0.1	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	●	0.6	0.3	2.6	89%	8.6	±0.9	●	0.0	0.1	0.3	65%	0.7	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	●	0.8	0.4	2.1	83%	4.9	±0.5	●	0.0	0.0	0.3	89%	0.6	±0.1
SE - B-CUV (BX726) EU-CRAIOVA	●	0.0	0.4	0.5	13%	0.5	±0.1	△	0.0	0.1	0.1	(2%)	0.1	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	11.6	3.7	4.5	18%	6.2	±0.6	◆	4.0	1.2	0.8	(49%)	0.0	±0.0
BB - FIESTA (EU-COLOGNE)	●	1.4	1.4	1.7	19%	2.4	±0.2	●	0.2	0.3	0.4	34%	0.7	±0.1
AI - KUGA (EU-VALENCIA)	●	2.3	0.7	1.6	57%	2.9	±0.3	●	0.6	0.2	0.7	67%	1.3	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	●	9.3	3.4	4.3	21%	6.2	±0.6	◆	5.5	2.1	1.2	(70%)	(0.5)	±0.1
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	2.2	1.3	1.8	28%	3.1	±0.3	●	0.2	0.2	0.4	46%	0.9	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	1.9	1.4	1.4	2%	1.5	±0.1	◆	0.7	0.4	0.2	(94%)	(0.2)	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	1.0	0.5	1.3	58%	2.8	±0.3	●	0.6	0.3	0.5	39%	0.9	±0.1
TF - TRANSIT (EU-KOCAELI)	△	14.8	4.1	3.4	(20%)	1.9	±0.2	●	2.4	0.8	0.9	8%	1.1	±0.1
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	●	1.8	0.5	1.0	49%	2.3	±0.2	●	1.7	0.4	0.5	20%	0.7	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	△	3.6	1.4	1.3	(3%)	1.3	±0.1	●	1.0	0.4	0.6	37%	1.0	±0.1
SE - B-CUV (BX726) EU-CRAIOVA	●	0.0	1.4	1.7	18%	1.9	±0.2	●	0.0	0.3	0.4	17%	0.4	±0.0
XX - FORD TRUCKS (EU-ESKISEHIR)	●	3.7	9.1	12.6	27%	19.9	±2.0	●	1.2	0.5	2.1	77%	5.6	±0.6
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	△	36.5	12.3	12.0	(2%)	11.6	±1.2	△	6.7	2.3	2.1	(9%)	1.8	±0.2
BB - FIESTA (EU-COLOGNE)	●	8.0	6.6	9.6	31%	15.7	±1.6	●	1.6	1.2	1.8	31%	2.9	±0.3
AI - KUGA (EU-VALENCIA)	●	17.5	5.3	10.5	49%	17.6	±1.8	●	3.8	1.1	2.3	52%	4.0	±0.4
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	27.4	9.7	7.3	(31%)	2.6	±0.3	●	5.1	1.9	2.1	10%	2.5	±0.2
EH - ECOSPORT (B515)(EU-CRAIOVA)	△	14.2	8.4	7.6	(11%)	5.5	±0.6	●	3.1	1.7	1.7	4%	1.9	±0.2
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	2.4	2.6	6.6	61%	14.8	±1.5	●	0.2	0.3	1.8	81%	4.7	±0.5
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	11.6	5.5	7.1	23%	10.2	±1.0	●	2.3	1.1	1.6	32%	2.6	±0.3
TF - TRANSIT (EU-KOCAELI)	●	32.0	6.9	7.2	4%	7.8	±0.8	●	4.1	0.9	1.8	47%	3.6	±0.4
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	△	24.9	11.9	10.6	(12%)	7.2	±0.7	●	6.8	3.2	3.2	2%	3.4	±0.3
ND - MONDEO (CD391)(EU-VALENCIA)	◆	21.1	8.8	6.3	(40%)	2.1	±0.2	●	5.2	2.3	2.3	1%	2.4	±0.2
SE - B-CUV (BX726) EU-CRAIOVA	●	0.0	6.7	8.1	18%	9.3	±0.9	●	0.0	1.1	1.9	42%	2.5	±0.3
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	17.5	37.3	10.1	(269%)	(47.6)	±4.8	◆	2.3	7.2	1.1	(546%)	(11.7)	±1.2
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	△	36.2	12.4	9.6	(29%)	3.9	±0.4	◆	14.2	5.6	3.8	(50%)	(0.1)	±0.0
BB - FIESTA (EU-COLOGNE)	◆	7.0	6.1	4.7	(31%)	1.7	±0.2	●	1.5	1.5	1.7	10%	2.0	±0.2
AI - KUGA (EU-VALENCIA)	●	12.6	5.9	7.0	15%	8.4	±0.8	●	6.4	3.4	4.7	28%	6.5	±0.6
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	52.9	17.5	12.8	(37%)	3.0	±0.3	◆	24.2	8.7	4.5	(94%)	(4.2)	±0.4
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	12.8	7.1	4.1	(76%)	(3.9)	±0.4	●	2.7	1.3	1.5	17%	2.2	±0.2
BG - TRANSIT COURIER (B460)(EU-YENIKO	◆	15.9	14.6	9.3	(57%)	(1.6)	±0.2	●	2.0	2.1	2.3	8%	2.7	±0.3
T9 - TRANSIT CONNECT (EU-VALENCIA)	◆	21.3	17.0	8.5	(99%)	(7.8)	±0.8	◆	7.5	5.9	3.4	(76%)	(1.6)	±0.2
TF - TRANSIT (EU-KOCAELI)	◆	74.2	21.6	8.1	(167%)	(22.3)	±2.2	◆	25.3	7.4	4.1	(82%)	(3.4)	±0.3
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	●	19.4	14.2	15.7	10%	19.5	±2.0	△	13.0	7.0	5.6	(27%)	1.8	±0.2
ND - MONDEO (CD391)(EU-VALENCIA)	◆	8.8	13.1	8.2	(61%)	(0.0)	±0.0	◆	1.0	8.2	4.5	(84%)	(1.7)	±0.2
SE - B-CUV (BX726) EU-CRAIOVA	△	0.0	6.0	5.8	(3%)	5.6	±0.6	●	0.0	1.9	2.6	26%	3.1	±0.3
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	39.2	26.4	19.8	(33%)	6.0	±0.6	◆	6.9	7.2	4.6	(56%)	(0.9)	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	2.7	1.0	1.5	31%	2.5	±0.2	▲	0.3	0.1	0.1	(32%)	0.0	±0.0
BB - FIESTA (EU-COLOGNE)	●	0.5	0.3	0.4	10%	0.4	±0.0	●	0.1	0.0	0.0	15%	0.0	±0.0
AI - KUGA (EU-VALENCIA)	●	0.6	0.2	1.0	84%	2.2	±0.2	●	0.0	0.0	0.1	75%	0.2	±0.0
TC - TRANSIT CUSTOM (EU-KOCAELI)	●	1.5	0.4	0.7	40%	1.3	±0.1	●	0.1	0.0	0.0	33%	0.1	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	◆	0.5	0.2	0.2	(42%)	(0.0)	±0.0	●	0.0	0.0	0.0	63%	0.1	±0.0
BG - TRANSIT COURIER (B460)(EU-YENIKO		0.0	0.0	0.3	100%	0.9	±0.1		(0.0)	0.0	0.0	100%	0.0	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	0.2	0.1	0.2	65%	0.5	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
TF - TRANSIT (EU-KOCAELI)	●	2.1	0.4	1.0	60%	2.3	±0.2	●	0.1	0.0	0.1	74%	0.2	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	◆	1.1	0.6	0.4	(43%)	(0.0)	±0.0	◆	0.1	0.0	0.0	(126%)	(0.0)	±0.0
ND - MONDEO (CD391)(EU-VALENCIA)	●	0.9	0.2	0.6	75%	1.3	±0.1	●	0.1	0.0	0.0	78%	0.1	±0.0
SE - B-CUV (BX726) EU-CRAIOVA	●	0.0	0.2	0.5	56%	0.7	±0.1	●	0.0	0.0	0.1	80%	0.2	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	2.7	1.5	1.4	(4%)	1.3	±0.1	▲	0.9	0.4	0.3	(21%)	0.2	±0.0
BB - FIESTA (EU-COLOGNE)	●	0.9	1.0	1.7	45%	3.3	±0.3	●	0.2	0.2	0.5	56%	1.1	±0.1
AI - KUGA (EU-VALENCIA)	●	0.5	0.2	0.9	79%	1.8	±0.2	●	0.2	0.1	0.3	81%	0.5	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	3.7	1.3	0.7	(98%)	(0.7)	±0.1	●	1.1	0.3	0.4	17%	0.5	±0.1
EH - ECOSPORT (B515)(EU-CRAIOVA)	●	0.8	0.6	1.2	47%	2.6	±0.3	●	0.2	0.2	0.4	58%	0.9	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO		0.1	0.0	0.2	100%	0.5	±0.0		0.0	0.0	0.1	100%	0.2	±0.0
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	0.5	0.3	0.3	3%	0.3	±0.0	●	0.1	0.1	0.1	38%	0.2	±0.0
TF - TRANSIT (EU-KOCAELI)	●	1.0	0.3	0.4	36%	0.8	±0.1	●	0.3	0.1	0.2	59%	0.4	±0.0
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	◆	2.5	1.3	0.6	(103%)	(1.0)	±0.1	●	0.3	0.2	0.3	42%	0.5	±0.1
ND - MONDEO (CD391)(EU-VALENCIA)	●	0.6	0.4	0.6	31%	0.9	±0.1	●	0.2	0.2	0.3	38%	0.4	±0.0
SE - B-CUV (BX726) EU-CRAIOVA	●	0.0	1.0	1.5	34%	1.9	±0.2	●	0.0	0.3	0.4	11%	0.4	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	●	14.8	5.0	6.4	22%	9.2	±0.9	●	1.7	0.6	0.9	31%	1.5	±0.1
BB - FIESTA (EU-COLOGNE)	●	2.6	2.6	4.5	41%	8.2	±0.8	●	0.3	0.4	0.6	34%	1.0	±0.1
AI - KUGA (EU-VALENCIA)	●	5.6	1.9	5.4	64%	10.2	±1.0	●	0.9	0.4	0.7	40%	1.1	±0.1
TC - TRANSIT CUSTOM (EU-KOCAELI)	▲	12.8	4.1	4.0	(2%)	3.9	±0.4	●	2.2	0.7	1.0	27%	1.5	±0.2
EH - ECOSPORT (B515)(EU-CRAIOVA)	▲	9.5	5.1	4.7	(9%)	3.6	±0.4	●	1.2	0.5	0.5	3%	0.6	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	0.5	0.7	1.8	61%	4.0	±0.4	●	0.1	0.1	0.4	80%	1.0	±0.1
T9 - TRANSIT CONNECT (EU-VALENCIA)	●	4.6	1.8	2.4	27%	3.7	±0.4	●	1.4	0.5	0.8	43%	1.5	±0.2
TF - TRANSIT (EU-KOCAELI)	▲	7.0	2.8	2.5	(12%)	1.9	±0.2	●	1.0	0.4	0.5	32%	0.9	±0.1
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	●	7.0	4.6	4.6	2%	4.8	±0.5	◆	1.9	1.4	1.0	(40%)	(0.0)	±0.0
ND - MONDEO (CD391)(EU-VALENCIA)	●	5.9	2.2	2.3	3%	2.4	±0.2	●	0.7	0.3	0.7	63%	1.5	±0.2
SE - B-CUV (BX726) EU-CRAIOVA	●	0.0	3.9	5.0	22%	5.9	±0.6	●	0.0	0.7	0.8	20%	0.9	±0.1
XX - FORD TRUCKS (EU-ESKISEHIR)	●	14.3	2.9	3.1	7%	3.5	±0.4	●	5.2	0.7	0.9	24%	1.3	±0.1

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)	▲	40.1	13.7	13.1	(4%)	12.0	±1.2	◆	6.5	2.4	1.7	(41%)	0.3	±0.0
BB - FIESTA (EU-COLOGNE)	▲	12.6	9.6	7.8	(23%)	4.1	±0.4	◆	2.8	1.9	1.0	(90%)	(0.8)	±0.1
AI - KUGA (EU-VALENCIA)	●	19.1	5.8	7.6	23%	10.0	±1.0	●	4.3	1.3	1.8	28%	2.4	±0.2
TC - TRANSIT CUSTOM (EU-KOCAELI)	◆	27.3	10.0	7.1	(42%)	0.9	±0.1	◆	5.2	2.1	1.5	(41%)	0.2	±0.0
EH - ECOSPORT (B515)(EU-CRAIOVA)	▲	11.1	6.2	6.2	(0%)	6.2	±0.6	▲	1.8	1.0	0.9	(14%)	0.6	±0.1
BG - TRANSIT COURIER (B460)(EU-YENIKO	●	2.2	2.9	3.0	2%	3.1	±0.3	●	0.2	0.3	0.4	19%	0.5	±0.1
T9 - TRANSIT CONNECT (EU-VALENCIA)	▲	8.1	5.2	5.0	(4%)	4.7	±0.5	●	1.9	1.1	1.3	16%	1.6	±0.2
TF - TRANSIT (EU-KOCAELI)	●	19.1	5.2	5.2	0%	5.3	±0.5	●	1.5	0.6	1.3	50%	2.7	±0.3
HA - S-MAX/GALAXY (CD390/CD539E)(EU-V	▲	12.5	10.1	9.2	(11%)	6.7	±0.7	●	2.8	1.7	1.9	12%	2.5	±0.2
ND - MONDEO (CD391)(EU-VALENCIA)	◆	16.5	8.9	4.3	(109%)	(3.4)	±0.3	▲	4.5	2.3	1.6	(47%)	0.4	±0.0
SE - B-CUV (BX726) EU-CRAIOVA	◆	0.0	10.6	9.4	(12%)	8.5	±0.8	◆	0.0	1.6	1.4	(13%)	1.2	±0.1
XX - FORD TRUCKS (EU-ESKISEHIR)	◆	10.9	15.4	5.3	(189%)	(16.1)	±1.6	●	1.0	0.7	1.0	24%	1.4	±0.1
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
A4 - FOCUS (EU-SAARLOUIS)		(0.0)	0.0	0.0		0.0	±0.0		(0.0)	0.0	0.0		0.0	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Apr-2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 05-May-2020

KEY: ● ON TRACK ▲ POSSIBILE ◆ UNLIKELY

F98 - CN - CHINA

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	31%	72.7	91.2	90.2	(1%)	89.0	±8.9		32.6	43.9	34.2	(28%)	23.3	±2.3
F92 - SA - SOUTH AMERICA	15%	10.7	13.0	15.3	15%	22.9	±2.3		2.0	2.6	3.2	18%	5.1	±0.5
F93 - EU - EUROPE	31%	35.9	37.8	50.0	24%	72.0	±7.2		8.4	9.5	11.4	17%	14.8	±1.5
F98 - CN - CHINA	13%	11.4	12.4	16.8	26%	29.6	±3.0		3.9	4.8	4.7	(2%)	4.5	±0.4
F99 - IM - INTERNATIONAL MARKET	8%	22.3	21.2	22.0	4%	24.5	±2.4		7.6	9.6	7.3	(32%)	0.2	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	231.3	263.3	300.0	12%	342.5	±34.3		111.7	130.8	83.8	(56%)	29.5	±2.9
Functional Breakdown														
F1 - CONNECTED VEHICLE			0.1	0.3	61%	0.7	±0.1			0.0	0.1	74%	0.4	±0.0
F2 - CHASSIS			1.0	1.7	42%	3.8	±0.4			0.2	0.3	32%	0.7	±0.1
F3 - ELECTRICAL			2.5	3.6	31%	6.9	±0.7			0.6	0.9	36%	1.7	±0.2
F4 - POWERTRAIN			5.6	5.2	(8%)	4.0	±0.4			3.6	2.3	(56%)	(1.4)	±0.1
F5 - VEHICLE ENGINEERING			0.0	0.0		(0.1)	±0.0			0.0	0.0		0.0	±0.0
F6 - PAINT			0.1	0.2	65%	0.6	±0.1			0.0	0.0	75%	0.1	±0.0
F7 - BODY INTERIOR			1.0	2.2	56%	5.8	±0.6			0.1	0.4	66%	1.0	±0.1
F8 - BODY EXTERIOR			2.1	3.2	35%	6.4	±0.6			0.3	0.4	32%	0.8	±0.1
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	▲	6.4	7.7	6.9	(10%)	4.8	±0.5	●	0.9	1.0	1.4	27%	2.6	±0.3
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	10.9	16.0	32%	31.2	±3.1	●	0.0	3.4	3.9	13%	5.4	±0.5
AX - FOCUS (CN-CHONGQING II)	●	10.8	13.6	17.4	22%	28.7	±2.9	◆	7.6	10.8	6.0	(81%)	(8.5)	±0.9
HG - EDGE (CD539)(CN-HANGZHOU)	●	7.8	6.9	14.7	53%	38.1	±3.8	●	1.6	1.7	4.0	59%	11.0	±1.1
TK - TRANSIT (V362)(CN-NANCHANG)	▲	11.7	17.0	16.0	(6%)	12.9	±1.3	◆	3.2	5.9	3.0	(99%)	(5.8)	±0.6
D4 - FOCUS (CN-TAIWAN)	▲	22.4	27.7	22.7	(22%)	7.7	±0.8	◆	7.5	12.3	6.5	(89%)	(10.9)	±1.1
TI - TRANSIT (V348)(CN-JMC)	●	14.4	18.4	24.6	25%	43.1	±4.3	▲	5.7	7.2	5.8	(24%)	1.6	±0.2
NL - MONDEO (CD391)(CN-CHONGQING)	●	7.5	7.3	9.3	22%	15.4	±1.5	●	0.7	0.7	1.3	49%	3.3	±0.3
PJ - TAURUS (D568)(CN-HANGZHOU)	●	7.9	10.1	16.4	39%	35.5	±3.6	◆	6.0	6.9	4.1	(68%)	(4.2)	±0.4
BI - KUGA (CN-TAIWAN)	●	9.3	12.9	19.0	32%	37.3	±3.7	●	1.5	2.2	3.6	41%	8.0	±0.8
A2 - KUGA (CN-CHONGQING II)	▲	12.9	14.3	12.7	(12%)	8.0	±0.8	●	2.5	2.3	2.5	8%	3.2	±0.3
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	19.1	9.8	20.0	51%	36.9	±3.7	●	3.0	1.2	3.3	65%	6.8	±0.7
D7 - FOCUS (C346)(CN-HARBIN)	●	2.0	1.6	5.0	69%	15.3	±1.5	●	0.5	0.0	1.0	99%	4.0	±0.4
KU - EVEREST (U375)(CN-NANCHANG)	●	18.4	15.8	18.6	15%	26.9	±2.7	▲	2.6	5.3	4.6	(16%)	2.4	±0.2
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.4	0.7	49%	1.7	±0.2	●	0.0	0.1	0.4	72%	1.2	±0.1
AX - FOCUS (CN-CHONGQING II)	●	0.1	0.1	0.2	18%	0.3	±0.0	◆	0.1	0.1	0.0	(67%)	(0.0)	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	0.6	0.1	0.2	33%	0.3	±0.0	●	0.1	0.0	0.0	50%	0.1	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	1.4	0.5	0.2	(150%)		±0.1	◆	0.3	0.1	0.0	(175%)	(0.2)	±0.0
A2 - KUGA (CN-CHONGQING II)		1.3	0.0	0.5	100%	1.8	±0.2		0.4	0.0	0.1	100%	0.5	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	1.2	0.3	0.6	42%	1.3	±0.1	●	0.3	0.1	0.1	23%	0.2	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.4	1.9	78%	6.4	±0.6	●	0.0	0.0	0.4	97%	1.5	±0.2
AX - FOCUS (CN-CHONGQING II)	●	4.9	1.2	1.6	29%	3.1	±0.3	●	1.9	0.4	0.4	0%	0.4	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	2.4	0.6	0.7	14%	1.0	±0.1	●	0.2	0.1	0.3	82%	0.9	±0.1
TK - TRANSIT (V362)(CN-NANCHANG)	●	7.0	2.7	3.6	25%	6.4	±0.6	●	0.8	0.4	0.4	18%	0.7	±0.1
D4 - FOCUS (CN-TAIWAN)	◆	5.1	2.1	1.6	(28%)	0.2	±0.0	△	1.5	0.6	0.5	(28%)	0.1	±0.0
TI - TRANSIT (V348)(CN-JMC)	●	1.2	1.9	2.2	13%	3.1	±0.3	◆	0.2	0.6	0.2	(196%)	(1.0)	±0.1
NL - MONDEO (CD391)(CN-CHONGQING)	●	1.2	0.5	0.8	43%	1.9	±0.2	●	0.0	0.0	0.1	80%	0.2	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	◆	5.4	2.0	1.3	(61%)	(1.0)	±0.1	◆	1.1	0.6	0.3	(118%)	(0.7)	±0.1
A2 - KUGA (CN-CHONGQING II)	◆	3.9	1.7	0.7	(159%)	(2.5)	±0.2	◆	2.1	1.0	0.2	(411%)	(2.2)	±0.2
D7 - FOCUS (C346)(CN-HARBIN)		0.2	0.0	0.7	100%	2.8	±0.3		0.4	0.0	0.1	100%	0.4	±0.0
KU - EVEREST (U375)(CN-NANCHANG)		1.7	0.0	2.7	100%	10.7	±1.1		0.2	0.0	0.6	100%	2.6	±0.3
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	2.2	0.6	1.3	54%	3.5	±0.3	●	0.2	0.1	0.2	67%	0.6	±0.1
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	3.6	5.0	27%	9.1	±0.9	●	0.0	0.8	1.1	31%	2.2	±0.2
AX - FOCUS (CN-CHONGQING II)	△	11.2	2.7	2.6	(4%)	2.2	±0.2	◆	2.3	0.7	0.5	(49%)	(0.2)	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	7.7	2.5	3.8	36%	8.0	±0.8	●	1.9	0.8	1.2	35%	2.6	±0.3
TK - TRANSIT (V362)(CN-NANCHANG)	△	4.8	2.4	2.0	(19%)	0.9	±0.1	◆	1.1	0.5	0.2	(117%)	(0.5)	±0.1
D4 - FOCUS (CN-TAIWAN)	△	24.5	6.5	6.0	(8%)	4.7	±0.5	△	4.0	1.1	1.1	(2%)	1.1	±0.1
TI - TRANSIT (V348)(CN-JMC)	●	1.6	1.3	2.0	34%	4.1	±0.4	●	0.1	0.1	0.1	50%	0.4	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	●	11.1	1.9	3.0	37%	6.3	±0.6	●	0.5	0.2	0.3	43%	0.7	±0.1
PJ - TAURUS (D568)(CN-HANGZHOU)	●	5.8	4.0	4.1	1%	4.2	±0.4	◆	2.9	1.7	1.3	(39%)	(0.2)	±0.0
BI - KUGA (CN-TAIWAN)	●	8.5	2.2	6.7	67%	20.1	±2.0	●	1.6	0.7	1.1	38%	2.3	±0.2
A2 - KUGA (CN-CHONGQING II)	●	10.0	1.7	2.9	41%	6.5	±0.6	●	3.3	0.4	0.7	47%	1.7	±0.2
KC - ESCAPE (CX482) (CN-CHONGQING III)	◆	8.1	5.6	4.1	(37%)	1.5	±0.2	●	1.2	0.3	0.6	56%	1.2	±0.1
KU - EVEREST (U375)(CN-NANCHANG)	●	3.6	1.8	4.0	56%	10.8	±1.1	●	0.5	0.2	0.5	52%	1.2	±0.1
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	◆	9.8	4.6	2.5	(83%)	(3.7)	±0.4	●	1.5	0.6	0.9	32%	1.9	±0.2
YM - TERRITORY (CX743) (CN-JMC)	◆	0.0	3.4	2.5	(35%)	(0.1)	±0.0	△	0.0	1.9	1.6	(24%)	0.4	±0.0
AX - FOCUS (CN-CHONGQING II)	●	22.2	6.3	9.0	30%	17.0	±1.7	◆	31.2	9.1	4.4	(106%)	(9.6)	±1.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	8.4	1.9	3.8	51%	9.8	±1.0	●	2.7	0.5	1.5	67%	4.6	±0.5
TK - TRANSIT (V362)(CN-NANCHANG)	◆	17.3	8.9	6.1	(45%)	(2.2)	±0.2	◆	7.9	4.8	1.8	(160%)	(7.0)	±0.7
D4 - FOCUS (CN-TAIWAN)	◆	35.7	14.9	8.4	(78%)	(11.2)	±1.1	◆	23.1	10.2	4.5	(128%)	(12.7)	±1.3
TI - TRANSIT (V348)(CN-JMC)	●	8.2	11.2	13.2	15%	19.2	±1.9	◆	5.1	6.1	3.9	(56%)	(2.6)	±0.3
NL - MONDEO (CD391)(CN-CHONGQING)	●	8.3	1.4	2.8	50%	7.1	±0.7	●	1.2	0.2	0.6	69%	1.9	±0.2
PJ - TAURUS (D568)(CN-HANGZHOU)	●	6.0	2.0	3.5	42%	7.9	±0.8	◆	11.2	4.3	1.4	(200%)	(7.1)	±0.7
BI - KUGA (CN-TAIWAN)	●	9.8	3.2	4.7	32%	9.2	±0.9	●	0.8	0.3	1.6	80%	5.4	±0.5
A2 - KUGA (CN-CHONGQING II)	◆	20.6	6.3	2.5	(147%)	(8.7)	±0.9	◆	2.2	0.5	0.4	(39%)	(0.1)	±0.0
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	7.4	0.9	4.5	80%	10.5	±1.0	●	1.9	0.1	1.2	93%	3.1	±0.3
D7 - FOCUS (C346)(CN-HARBIN)		1.7	0.0	2.1	100%	8.3	±0.8		0.9	0.0	0.4	100%	1.7	±0.2
KU - EVEREST (U375)(CN-NANCHANG)		5.9	0.0	5.9	100%	23.5	±2.3		(5.4)	0.0	2.9	100%	11.7	±1.2

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
TK - TRANSIT (V362)(CN-NANCHANG)	◆	0.1	0.1	0.1	(4%)	0.1	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
D4 - FOCUS (CN-TAIWAN)		0.2	0.0	0.0		0.0	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
TI - TRANSIT (V348)(CN-JMC)		0.0	0.0	0.2	100%	0.9	±0.1		0.0	0.0	0.0	100%	0.0	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	◆	0.4	0.2	0.0		(0.7)	±0.1		0.0	0.0	0.0		0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	◆	0.4	0.1	0.0	(350%)	(0.2)	±0.0		(0.0)	0.0	0.0		0.0	±0.0
AX - FOCUS (CN-CHONGQING II)		0.0	0.0	0.1	100%	0.4	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	0.5	0.1	0.1	11%	0.1	±0.0	◆	0.1	0.0	0.0	(72%)	(0.0)	±0.0
TK - TRANSIT (V362)(CN-NANCHANG)		(0.0)	0.0	0.1	100%	0.4	±0.0		(0.0)	0.0	0.0	100%	0.1	±0.0
D4 - FOCUS (CN-TAIWAN)	●	0.9	0.2	0.9	74%	2.8	±0.3	●	(0.0)	0.0	0.1	92%	0.5	±0.0
BI - KUGA (CN-TAIWAN)	●	1.5	0.8	0.8	4%	0.9	±0.1	◆	0.2	0.1	0.0	(700%)	(0.2)	±0.0
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	●	1.8	0.6	1.2	50%	3.1	±0.3	◆	0.2	0.1	0.1	(40%)	(0.0)	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	0.5	1.6	70%	4.9	±0.5	●	0.0	0.1	0.1	40%	0.3	±0.0
AX - FOCUS (CN-CHONGQING II)	●	4.2	0.5	1.2	55%	3.2	±0.3	●	0.3	0.0	0.1	82%	0.4	±0.0
HG - EDGE (CD539)(CN-HANGZHOU)	●	2.0	0.6	3.1	81%	10.7	±1.1	●	0.1	0.1	0.5	85%	1.7	±0.2
TK - TRANSIT (V362)(CN-NANCHANG)	●	3.4	1.9	2.3	20%	3.8	±0.4	●	0.1	0.2	0.3	47%	0.7	±0.1
D4 - FOCUS (CN-TAIWAN)	◆	4.4	1.3	1.1	(16%)	0.6	±0.1	●	0.2	0.0	0.1	60%	0.3	±0.0
TI - TRANSIT (V348)(CN-JMC)	●	0.9	1.6	3.7	57%	10.1	±1.0	●	0.2	0.2	1.2	82%	4.1	±0.4
NL - MONDEO (CD391)(CN-CHONGQING)	△	4.4	1.4	1.3	(9%)	0.9	±0.1	◆	0.4	0.2	0.1	(40%)	(0.0)	±0.0
PJ - TAURUS (D568)(CN-HANGZHOU)	●	3.7	1.0	3.2	68%	9.8	±1.0	●	0.7	0.1	0.6	84%	2.3	±0.2
BI - KUGA (CN-TAIWAN)	◆	7.3	2.5	1.3	(97%)	(2.4)	±0.2	◆	(0.0)	0.2	0.1	(130%)	(0.3)	±0.0
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	7.3	0.4	3.7	90%	9.2	±0.9	●	0.6	0.0	0.3	94%	0.8	±0.1
KU - EVEREST (U375)(CN-NANCHANG)	◆	24.5	14.1	2.6	(436%)	(31.7)	±3.2	◆	9.7	5.1	0.2	(2329%)	(14.5)	±1.4
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
D2 - ESCORT (C490)(CN-CHONGQING III)	△	3.9	1.4	1.2	(14%)	0.7	±0.1	◆	0.5	0.2	0.1	(45%)	(0.0)	±0.0
YM - TERRITORY (CX743) (CN-JMC)	●	0.0	2.7	4.2	37%	8.9	±0.9	◆	0.0	0.5	0.3	(70%)	(0.3)	±0.0
AX - FOCUS (CN-CHONGQING II)	△	11.6	2.9	2.8	(3%)	2.5	±0.3	●	1.8	0.4	0.5	4%	0.5	±0.1
HG - EDGE (CD539)(CN-HANGZHOU)	●	2.1	1.2	3.0	60%	8.3	±0.8	●	0.2	0.2	0.4	61%	1.2	±0.1
TK - TRANSIT (V362)(CN-NANCHANG)	●	2.6	1.0	1.7	38%	3.5	±0.4	●	0.1	0.1	0.1	5%	0.1	±0.0
D4 - FOCUS (CN-TAIWAN)	●	18.2	2.7	4.6	42%	10.5	±1.1	△	1.1	0.3	0.2	(25%)	0.1	±0.0
TI - TRANSIT (V348)(CN-JMC)	●	2.3	2.5	3.0	19%	4.7	±0.5	●	0.2	0.2	0.3	12%	0.4	±0.0
NL - MONDEO (CD391)(CN-CHONGQING)	◆	4.5	1.9	1.3	(41%)	(0.3)	±0.0	●	0.7	0.1	0.3	51%	0.7	±0.1
PJ - TAURUS (D568)(CN-HANGZHOU)	●	7.1	0.5	4.2	88%	15.3	±1.5	●	0.5	0.0	0.5	93%	1.7	±0.2
BI - KUGA (CN-TAIWAN)	△	10.2	4.2	4.2	(1%)	4.1	±0.4	△	3.3	0.9	0.7	(21%)	0.3	±0.0
A2 - KUGA (CN-CHONGQING II)	△	24.3	4.6	3.8	(20%)	1.5	±0.2	●	4.2	0.5	0.9	49%	2.3	±0.2
KC - ESCAPE (CX482) (CN-CHONGQING III)	●	11.9	3.0	6.0	50%	11.0	±1.1	△	1.5	0.8	0.8	(4%)	0.7	±0.1
D7 - FOCUS (C346)(CN-HARBIN)	◆	7.1	1.6	0.7	(123%)	(1.9)	±0.2	●	0.1	0.0	0.1	90%	0.4	±0.0
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Apr-2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020

WARRANTY - FEASIBILITY TO OBJECTIVE REPORT
2020 Model Year Report created on 05-May-2020

KEY: ON TRACK / POSSIBILE / UNLIKELY

F99 - IM - INTERNATIONAL MARKET

		3 MIS R/1000							3 MIS CPU					
	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
Regional Breakdown														
F90 - NA - NORTH AMERICA	31%	72.7	91.2	90.2	(1%)	89.0	±8.9		32.6	43.9	34.2	(28%)	23.3	±2.3
F92 - SA - SOUTH AMERICA	15%	10.7	13.0	15.3	15%	22.9	±2.3		2.0	2.6	3.2	18%	5.1	±0.5
F93 - EU - EUROPE	31%	35.9	37.8	50.0	24%	72.0	±7.2		8.4	9.5	11.4	17%	14.8	±1.5
F98 - CN - CHINA	13%	11.4	12.4	16.8	26%	29.6	±3.0		3.9	4.8	4.7	(2%)	4.5	±0.4
F99 - IM - INTERNATIONAL MARKET	8%	22.3	21.2	22.0	4%	24.5	±2.4		7.6	9.6	7.3	(32%)	0.2	±0.0
F05 - F05 - NA LINCOLN TOTAL	2%	231.3	263.3	300.0	12%	342.5	±34.3		111.7	130.8	83.8	(56%)	29.5	±2.9
Functional Breakdown														
F2 - CHASSIS			2.4	2.3	(4%)	2.0	±0.2			0.7	0.6	(22%)	0.2	±0.0
F3 - ELECTRICAL			3.4	4.2	19%	6.6	±0.7			0.8	1.0	18%	1.5	±0.2
F4 - POWERTRAIN			6.4	6.1	(6%)	4.9	±0.5			6.9	4.0	(71%)	(4.6)	±0.5
F5 - VEHICLE ENGINEERING			0.1	0.4	63%	1.0	±0.1			0.0	0.0	28%	0.0	±0.0
F6 - PAINT			1.1	0.8	(37%)	(0.1)	±0.0			0.3	0.2	(38%)	(0.0)	±0.0
F7 - BODY INTERIOR			3.4	3.6	5%	4.1	±0.4			0.4	0.4	(2%)	0.4	±0.0
F8 - BODY EXTERIOR			4.3	3.9	(11%)	2.6	±0.3			0.5	0.5	7%	0.6	±0.1
F9 - OTHER			0.0	0.0		0.0	±0.0			0.0	0.0		0.0	±0.0
0X-_TOTAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	10.4	11.2	12.8	13%	17.7	±1.8	▲	4.0	5.4	4.5	(20%)	1.9	±0.2
ED - ECOSPORT (IM-CHENNAI)	●	10.8	8.8	12.0	26%	21.5	±2.2	●	1.1	1.1	1.5	23%	2.4	±0.2
E9 - FIGO (B562)(IM-SANAND)	●	10.7	11.7	16.0	27%	29.0	±2.9	●	0.7	0.7	1.6	57%	4.3	±0.4
KR - RANGER (IM-RAYONG-FTM)	●	23.5	24.0	28.5	16%	42.1	±4.2	●	9.5	11.8	14.8	20%	23.7	±2.4
K7 - RANGER (IM-SILVERTON)	◆	80.5	76.5	45.6	(68%)	(47.0)	±4.7	◆	29.6	43.1	15.6	(177%)	(66.9)	±6.7
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	21.5	25.7	31.4	18%	48.5	±4.9	▲	7.6	9.6	7.4	(29%)	0.9	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	13.6	15.3	17.8	14%	25.2	±2.5	●	1.9	2.3	4.8	52%	12.3	±1.2
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	16.2	14.0	30.0	53%	77.9	±7.8	◆	8.6	17.5	8.4	(108%)	(18.9)	±1.9
TG - TRANSIT (V347/348)(IM-HAIDUONG)	▲	22.1	24.4	20.9	(17%)	10.5	±1.0	●	8.5	8.3	11.7	29%	21.9	±2.2
KV - EVEREST (U375)(IM-SILVERTON)	◆	160.7	160.0	61.3	(161%)	(234.8)	±23.5	◆	107.2	106.1	15.4	(590%)	(256.8)	±25.7
EG - ECOSPORT (IM-HAIDUONG)	◆	9.0	16.7	10.0	(68%)	(10.3)	±1.0	◆	1.4	2.8	1.7	(61%)	(1.4)	±0.1
TS - TRANSIT (V362) (IM-HAIDUONG)	●	37.2	20.5	40.3	49%	99.7	±10.0	●	6.7	3.3	6.8	52%	17.3	±1.7
F1-CONNECTED VEHICLES - Vehicles Lines (Sorted by Contribution Volume)														
F2-CHASSIS - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	◆	7.7	1.5	0.8	(77%)	(1.1)	±0.1	◆	3.2	0.6	0.2	(148%)	(0.8)	±0.1
ED - ECOSPORT (IM-CHENNAI)	●	3.8	0.9	1.4	34%	2.9	±0.3	●	0.4	0.1	0.1	63%	0.4	±0.0
E9 - FIGO (B562)(IM-SANAND)	◆	4.6	1.3	1.0	(31%)	0.1	±0.0	◆	0.6	0.2	0.1	(125%)	(0.2)	±0.0
KR - RANGER (IM-RAYONG-FTM)	▲	14.2	3.1	3.0	(3%)	2.7	±0.3	●	5.7	1.4	1.7	18%	2.7	±0.3
K7 - RANGER (IM-SILVERTON)	◆	20.7	6.7	4.5	(49%)	(2.1)	±0.2	◆	7.2	2.8	1.1	(146%)	(3.8)	±0.4
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	9.5	2.9	2.9	1%	3.0	±0.3	●	1.1	0.4	0.5	22%	0.8	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	8.0	2.0	4.3	54%	11.1	±1.1	●	1.0	0.4	0.8	48%	2.0	±0.2
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	13.6	2.1	8.4	75%	27.4	±2.7	●	4.7	0.4	1.3	70%	4.1	±0.4
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	16.9	8.4	3.5	(140%)	(11.2)	±1.1	◆	9.4	3.8	1.8	(109%)	(4.1)	±0.4
KV - EVEREST (U375)(IM-SILVERTON)	●	15.0	4.6	5.6	18%	8.7	±0.9	●	1.7	0.4	0.8	54%	2.0	±0.2
EG - ECOSPORT (IM-HAIDUONG)	◆	3.8	2.1	1.0	(100%)	(2.0)	±0.2	●	0.2	0.1	0.1	44%	0.2	±0.0
TS - TRANSIT (V362) (IM-HAIDUONG)	◆	6.3	10.2	9.4	(8%)	7.0	±0.7	▲	1.0	1.3	1.1	(22%)	0.4	±0.0

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F3-ELECTRICAL - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	6.8	1.6	1.9	14%	2.7	±0.3	●	2.6	0.7	0.8	12%	1.1	±0.1
ED - ECOSPORT (IM-CHENNAI)	●	10.7	3.0	4.2	27%	7.6	±0.8	●	0.7	0.3	0.5	35%	1.0	±0.1
E9 - FIGO (B562)(IM-SANAND)	●	4.2	1.6	3.4	54%	8.9	±0.9	●	0.6	0.2	0.3	29%	0.5	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	27.5	5.6	6.7	16%	9.9	±1.0	●	7.9	1.5	2.1	31%	4.1	±0.4
K7 - RANGER (IM-SILVERTON)	◆	33.7	10.3	7.0	(47%)	(2.8)	±0.3	◆	8.8	2.7	1.8	(48%)	(0.8)	±0.1
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	11.0	3.1	4.9	37%	10.3	±1.0	●	2.6	1.1	1.3	13%	1.7	±0.2
TJ - TRANSIT (IM-ELABUGA)	●	2.9	0.5	2.5	78%	8.2	±0.8	●	0.4	0.0	0.3	97%	1.2	±0.1
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	21.8	3.5	10.2	66%	30.4	±3.0	●	3.8	0.6	1.0	46%	2.5	±0.2
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	5.7	3.1	1.8	(65%)	(1.8)	±0.2	●	0.4	0.2	0.4	48%	0.9	±0.1
KV - EVEREST (U375)(IM-SILVERTON)	◆	41.0	10.0	5.0	(99%)	(10.0)	±1.0	◆	11.0	2.8	0.9	(223%)	(4.9)	±0.5
EG - ECOSPORT (IM-HAIDUONG)	◆	6.2	4.8	2.5	(90%)	(4.3)	±0.4	●	1.2	0.2	0.7	68%	2.0	±0.2
F4-POWERTRAIN - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	◆	20.3	4.2	3.3	(28%)	0.5	±0.1	◆	13.3	3.8	2.8	(36%)	(0.3)	±0.0
ED - ECOSPORT (IM-CHENNAI)	●	9.2	2.6	3.7	30%	7.2	±0.7	●	1.7	0.6	0.6	6%	0.8	±0.1
E9 - FIGO (B562)(IM-SANAND)	●	9.0	2.8	3.6	23%	6.2	±0.6	●	0.3	0.1	0.7	86%	2.6	±0.3
KR - RANGER (IM-RAYONG-FTM)	●	34.0	7.5	9.1	17%	13.7	±1.4	●	28.0	7.9	9.2	14%	13.1	±1.3
K7 - RANGER (IM-SILVERTON)	◆	55.9	19.4	14.1	(38%)	(1.8)	±0.2	◆	75.1	32.0	9.6	(233%)	(57.5)	±5.8
KT - EVEREST (U375)(IM-RAYONG-AAT)	△	44.9	9.7	8.2	(18%)	3.8	±0.4	◆	27.2	6.2	3.9	(60%)	(3.1)	±0.3
TJ - TRANSIT (IM-ELABUGA)	◆	28.7	9.3	3.9	(139%)	(12.4)	±1.2	●	4.8	1.6	2.6	38%	5.6	±0.6
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	14.7	4.6	6.0	23%	10.2	±1.0	◆	29.9	16.2	5.6	(186%)	(25.9)	±2.6
TG - TRANSIT (V347/348)(IM-HAIDUONG)	●	8.7	5.4	9.4	43%	21.6	±2.2	●	3.4	3.2	7.1	55%	18.9	±1.9
KV - EVEREST (U375)(IM-SILVERTON)	◆	130.2	34.8	8.1	(329%)	(72.0)	±7.2	◆	329.7	81.4	6.2	(1209%)	(219.4)	±21.9
EG - ECOSPORT (IM-HAIDUONG)	◆	7.5	4.9	3.3	(49%)	(1.6)	±0.2	◆	1.9	1.9	0.7	(158%)	(2.7)	±0.3
F5-VEHICLE ENGINEERING - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	1.5	0.2	0.4	42%	0.8	±0.1		0.0	0.0	0.0	100%	0.1	±0.0
E9 - FIGO (B562)(IM-SANAND)		0.0	0.0	0.1	100%	0.3	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	4.7	0.4	0.9	52%	2.2	±0.2	●	0.2	0.0	0.0	23%	0.1	±0.0
K7 - RANGER (IM-SILVERTON)		(0.0)	0.0	0.2	100%	0.8	±0.1		(0.0)	0.0	0.0	100%	0.0	±0.0
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	1.1	0.2	1.2	86%	4.3	±0.4		0.0	0.0	0.0	100%	0.1	±0.0
TJ - TRANSIT (IM-ELABUGA)	●	2.9	0.3	0.5	40%	1.0	±0.1	◆	0.3	0.0	0.0	(11%)	0.0	±0.0
F6-PAINT - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	0.9	0.3	0.3	2%	0.3	±0.0	●	0.1	0.0	0.0	37%	0.1	±0.0
ED - ECOSPORT (IM-CHENNAI)	◆	0.3	0.1	0.1	(14%)	0.0	±0.0		(0.0)	0.0	0.0	100%	0.0	±0.0
E9 - FIGO (B562)(IM-SANAND)	●	0.0	0.1	0.1	27%	0.2	±0.0	●	0.0	0.0	0.0	66%	0.1	±0.0
KR - RANGER (IM-RAYONG-FTM)	●	2.3	0.3	0.3	6%	0.4	±0.0	△	1.3	0.2	0.1	(18%)	0.1	±0.0
K7 - RANGER (IM-SILVERTON)	◆	92.7	9.6	4.1	(135%)	(12.5)	±1.2	◆	11.5	2.3	1.1	(99%)	(2.2)	±0.2
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	1.6	0.4	1.4	74%	4.4	±0.4	◆	1.7	0.3	0.2	(47%)	(0.1)	±0.0
TJ - TRANSIT (IM-ELABUGA)		0.0	0.0	0.1	100%	0.5	±0.0		0.0	0.0	0.0	100%	0.0	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)		0.2	0.0	0.5	100%	2.2	±0.2		0.0	0.0	0.0	100%	0.1	±0.0
KV - EVEREST (U375)(IM-SILVERTON)	◆	55.6	15.8	6.9	(129%)	(19.7)	±2.0	◆	13.8	3.4	1.7	(95%)	(3.2)	±0.3

	Volume	GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE			GLIDEPATH	ACTUAL	OBJECTIVE	% B(W) Obj	RUN RATE	
F7-BODY INTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	6.7	1.7	3.8	56%	10.2	±1.0	●	0.2	0.1	0.3	76%	1.1	±0.1
ED - ECOSPORT (IM-CHENNAI)	◆	4.3	1.2	0.8	(41%)	(0.2)	±0.0	△	0.2	0.1	0.1	(26%)	0.0	±0.0
E9 - FIGO (B562)(IM-SANAND)	●	9.1	3.8	4.6	18%	7.2	±0.7	●	0.3	0.1	0.3	45%	0.6	±0.1
KR - RANGER (IM-RAYONG-FTM)	●	16.8	3.2	3.7	13%	5.1	±0.5	●	2.8	0.5	0.6	21%	1.0	±0.1
K7 - RANGER (IM-SILVERTON)	◆	46.1	11.3	5.8	(96%)	(10.8)	±1.1	◆	5.7	1.3	0.7	(78%)	(1.0)	±0.1
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	19.4	4.5	5.3	15%	7.6	±0.8	◆	3.8	1.3	0.7	(74%)	(0.9)	±0.1
TJ - TRANSIT (IM-ELABUGA)	●	1.0	0.3	4.4	94%	16.8	±1.7	●	0.2	0.0	0.9	95%	3.3	±0.3
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	19.2	3.5	3.7	5%	4.2	±0.4	△	2.8	0.4	0.3	(28%)	0.1	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)	△	5.5	3.0	2.8	(8%)	2.1	±0.2	●	1.9	0.5	1.3	59%	3.6	±0.4
KV - EVEREST (U375)(IM-SILVERTON)	◆	111.1	26.6	11.8	(125%)	(32.5)	±3.3	◆	31.7	8.0	3.2	(152%)	(11.3)	±1.1
EG - ECOSPORT (IM-HAIDUONG)	◆	5.0	3.4	1.3	(158%)	(4.9)	±0.5	●	0.2	0.1	0.2	61%	0.4	±0.0
F8-BODY EXTERIOR - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)	●	8.2	1.8	2.3	24%	3.9	±0.4	●	0.6	0.2	0.3	28%	0.5	±0.0
ED - ECOSPORT (IM-CHENNAI)	●	3.7	1.0	1.7	41%	3.8	±0.4	●	0.1	0.1	0.1	38%	0.2	±0.0
E9 - FIGO (B562)(IM-SANAND)	●	4.8	2.2	3.1	29%	5.7	±0.6	●	0.2	0.1	0.2	64%	0.6	±0.1
KR - RANGER (IM-RAYONG-FTM)	●	19.3	3.9	4.9	21%	8.0	±0.8	●	2.0	0.5	1.1	57%	2.9	±0.3
K7 - RANGER (IM-SILVERTON)	◆	75.2	19.1	9.9	(93%)	(17.8)	±1.8	◆	9.7	2.1	1.2	(77%)	(1.5)	±0.2
KT - EVEREST (U375)(IM-RAYONG-AAT)	●	20.8	5.0	7.2	31%	13.9	±1.4	●	1.4	0.4	0.8	49%	2.1	±0.2
TJ - TRANSIT (IM-ELABUGA)	◆	10.8	2.9	2.1	(36%)	(0.2)	±0.0	◆	0.7	0.2	0.1	(36%)	(0.0)	±0.0
KA - ENDEAVOUR (U375)(IM-CHENNAI)	●	10.3	0.4	1.5	77%	5.1	±0.5	●	1.4	0.0	0.1	83%	0.4	±0.0
TG - TRANSIT (V347/348)(IM-HAIDUONG)	◆	6.9	4.6	2.8	(62%)	(2.4)	±0.2	●	1.4	0.7	1.1	38%	2.3	±0.2
KV - EVEREST (U375)(IM-SILVERTON)	◆	286.4	68.2	23.0	(197%)	(112.9)	±11.3	◆	40.8	10.2	2.6	(298%)	(20.3)	±2.0
EG - ECOSPORT (IM-HAIDUONG)	●	4.8	1.6	1.8	14%	2.5	±0.3	◆	0.6	0.6	0.1	(567%)	(1.4)	±0.1
TS - TRANSIT (V362) (IM-HAIDUONG)	◆	5.6	10.3	5.7	(80%)	(8.1)	±0.8	◆	0.7	2.0	0.7	(187%)	(3.2)	±0.3
F9-OTHER - Vehicles Lines (Sorted by Contribution Volume)														
K3 - RANGER (IM-RAYONG-AAT)		0.0	0.0	0.0		0.0	±0.0		0.0	0.0	0.0		0.0	±0.0

DEFINITIONS

GLIDEPATH	Originates from the BSAQ system, estimates what the complete YTD value will be based on corrective actions tracked in the BSAQ System
ACTUAL	The current MYTD value for the metric
OBJECTIVE	The tracked objective
RUN RATE	Avg. 3MIS value needed on remaining forecast volumes to be built to achieve objective, if RUN RATE = (N/A), Production is complete based on FV

***Lincoln volume percentage is also included in North America volume**

DATES			
	AWS Cutoff: Apr-2020	RUN DATE:	Tuesday, May 5, 2020
	GlidePath Tuesday, May 5, 2020	Objectives	Tuesday, May 5, 2020