




JavaScript — Fetch API & Async/Await



Where Does This Data Come From?

Look at your favorite apps — games, videos, weather! Where does all this information come from? Let's find out together!



The Internet is Like a Small roadside tea stall

You ask for cutting Tea. stall owner prepares it and brings it out. The internet works like this for data!

“Brother, please give me one cutting tea!”

APIs Are Like IRCTC Train Tickets

API is how programs ask for data, like booking train tickets on IRCTC. `fetch()` is JavaScript's tool to ask the internet for information!






Async Means Don't Freeze, Just Wait

Order food on Zomato. You don't stand at the door waiting!

You watch TV, play games, then the doorbell rings — you collect your food!

"Absolutely!" 🎉



Mumbai Local Train is Async Too!


Train announcement says "Train arrives in 3 minutes." You check your phone or chat with friends while waiting. Async means tasks don't freeze your computer — it keeps working while waiting!



fetch() is Like Sending a Peon

Imagine sending a peon with a letter to a government office. The peon waits, gets a reply, and brings it back to you. That's exactly how fetch() works in JavaScript!

```
async function getData() {  
  let response = await fetch('https://api.example.com/data');  
}
```



async / await Are Like Traffic Signals



async marks your function with waiting steps.
await pauses like a red light — it waits for the
green signal before moving on! Suno! Just
like waiting at a Bangalore traffic signal.





JSON — The Neatly Packed Mumbai Dabba

JSON is like a dabba with labelled compartments!

Example: { "name": "Aarav", "city": "Pune",
"age": 9 }

We call `.json()` to open the dabba and see what's inside.

Live Code Demo — Magic Data Fetcher

This is the basic pattern for fetching data! The `fetch()` function asks the internet for information, and `await` tells JavaScript to wait patiently for the response.



Live Code Demo — Magic Data Fetcher (Part 2)

Now let's see the full HTML code! We add a button that calls our getData function, and use innerHTML to show the fetched data on screen. Click button, see data appear!





Live Code Demo — Result on Screen

Look! The Name and City now show on
our webpage. We fetched real data from
the internet!

Shabash! You did it! 🎉





Displaying Data with innerHTML

We use innerHTML to show data on our webpage. You already know this part from our DOM lessons — easy peasy! It's like writing on a chalkboard for everyone to see.

Quick Quiz Time!

Let's check what you learned! Are you ready to show off your JavaScript skills? Raise your hand if you're excited!




Quiz Questions (Part 1)

Q1: What does `fetch()` do?

Answer: Asks the internet for data!

Q2: What is `async/await` like?

Answer: Ordering food and waiting for delivery!



Quiz Questions (Part 2)



Q3: What keyword goes before a function with await?

Answer: async

Q4: What does await do?

Answer: Pauses and waits for data

Q5: What is JSON like?

Answer: A neatly packed tiffin dabba!



Wrap-Up & Homework

Great job today! Practice by changing the fetch URL. Try fetching info about other users like `/users/2` or `/users/3`. Questions? Let's chat! Keep coding!



Planrs Academy

Thank You!

Keep exploring the magic
of JavaScript!