

Catch the Star Game!

A Fun Scratch Jr Adventure 🚀★

🧑‍🔧 BECOME A COMPUTER ARCHITECT! 🧑‍🔧

Hey Little Code Explorers! 🙌

Have you ever wanted to build your very own video game? Welcome to our ultimate block-based coding guide! In this lesson, we will learn how to command characters, build rules, and fix secret glitches. By using simple code blocks, you will make a game where you jump up and catch bright twinkling stars right on your tablet screen!

Target Grade Level: Kindergarten to Grade 2 (Ages 5-8) ✨

Estimated Duration: 60 to 90 Minutes (Adaptive Live Session)

Designed for tablets, phones, and touch devices. Let's make some magic!

1. The Magical Starry Night Hook

Let's close our eyes for a moment and go on an imaginary journey. Imagine stepping out onto your open roof during a crisp, beautiful **Diwali night!** The sky is completely dark, and high above you, millions of brilliant diamonds are twinkling and flashing in the dark.

FROM DREAMERS TO GAME MAKERS!

Have you ever reached your hands up high and wished you could catch a real star? Today, we are going to use our coding superpowers to turn that dream into a real game! Instead of just playing games made by other people, you are going to become a digital architect and design a real game yourself.

Classroom Starter Chat

Before touching your screen, look up at the ceiling and try to count to five while pretending to catch falling stars with your hands. How fast can your fingers catch them?

TEACHER VERBATIM SCRIPT: THE HOOK

Teacher (smiling, pointing upward): "Look up, brave explorers! Imagine a bright, beautiful star is twinkling right above your head. What if you could touch it and make it go *POP!*? Today, we are going to open Scratch Jr and write code to make that happen. Let's get our coding tools ready!"

2. Meeting Your Digital Playground

Before we can write instructions for our computer, we need to know where everything lives. The Scratch Jr screen is split into special zones that work exactly like a real puppet theater or school playground!

THE 3 MAIN ZONES OF SCRATCH JR

1.  **The Canvas (The Stage):** This is the big rectangular window where your game comes alive! It is the stage where your characters move, jump, dance, hit boundaries, and show off your code.
2.  **The Background Library:** This is the scene room. You click here to pick where your adventure happens! For our game today, we will look for a deep space backdrop or a lovely dark night sky full of clouds.
3.  **The Sprite Palette (The Actor House):** This is where all your game characters live. In coding, characters and objects are called *sprites*. This is where we go to cast our actors into the game.

OUR ACTIVE GAME ACTOR ROSTER

Character Role	What Do They Do?	Cool Custom Idea
The Catcher 	Slides smoothly back and forth at the bottom of the stage to grab targets.	An astronaut, a kid, or a funny monkey!
The Star Target 	Twinkles at the top, vanishes when caught, and teleports to a new spot!	A yellow star or a delicious golden mango!

3. Coding Concept 1: Step-by-Step Sequences

Computers are super fast, but they don't have brains or intuition! They cannot guess what you want them to do. They follow your instructions blindly, one by one, moving from **left to right** or **top to bottom**. The exact order of your steps is called a **sequence**.

THE LEMONADE RULE: MAKING NIMBU PANI 🍋

To understand sequencing, let's think about how we make a glass of delicious, cold **Nimbu Pani** (Indian lemonade). You have to follow a strict mathematical recipe order:

Step ID	Kitchen Action Description	What a Computer Thinks
Step 01	Pour pure water into a tall, clean glass.	Setup: Setting the base state before anything runs.
Step 02	Squeeze a fresh, juicy lemon into the water.	Changing Values: Adding a flavor variable!
Step 03	Mix in sweet sugar and stir it around fast.	Processing: Mixing everything to get the final drink!

💥 THE LAW OF BROKEN LOGIC

What happens if you scramble the order? Imagine trying to stir the spoon and squeeze the lemon before pouring any water into the glass! You will end up with dry sugar granules stuck to the bottom and sticky lemon drops spilled all over your counter table. The drink is ruined because you broke the sequence! In coding, if you put blocks in the wrong order, your game breaks exactly the same way.

4. Coding Concept 2: Event Handlers (Triggers)

When you start a game, why does a character suddenly jump? It's because of an **Event**! An Event is a secret signal or trigger that your code listens for. An **Event Handler** is the special block that wakes up and runs your script when that signal happens.

REAL-WORLD CLUES FOR EVENT TRIGGERS

To make events easy to understand, let's look at two fun daily examples:

Example A: Clapping Starts the Song

Imagine standing in a dark room at a surprise birthday party. Everyone is completely quiet. Suddenly, the leader **claps their hands**! Instantly, the whole room starts singing "Happy Birthday!" The clap is the **Event Trigger**, and singing is the **Action**.

Example B: School Bell Starts Recess

You are sitting at your school desk focusing hard on your work. The absolute second the high-pitched **school bell rings**, you drop your pencil and run outside to play on the green grass! The bell ringing is the **Event**, and running outside is the **Action**.

EVENTS INSIDE SCRATCH JR

- The  **Green Flag** block is like our birthday clap—it sends a loud signal across the screen saying: "Wake up, start the game!"
- The  **Start on Tap** block is like our school bell—touching the star character triggers the score action!

5. Coding Concept 3: Loops (Going Round & Round)

Imagine your teacher asked you to write the word "Hello" one hundred times on a paper page. Your hand would get super tired! In computer programming, we use a beautiful shortcut called a **Loop**. A Loop tells the computer to repeat an action over and over again forever without making you write the code twice.

DEFINING THE LOOP RULE

"Loops repeat actions forever, creating beautiful patterns that never stop!"

TWO FUN EVERYDAY LOOPS WE CAN SEE

1.  **The Traffic Light Loop:** Watch a busy street crossroads. The electric light alternates in a strict, perfect loop: Red, then Yellow, then Green, and then right back to Red. It loops all day and night to keep cars safe.
2.  **The Culinary Jalebi Loop:** Watch a sweet chef cook fresh, hot **Jalebis** at a local food market stall. The chef doesn't draw broken, straight lines. Instead, they swirl their hand round and round in circles, looping the batter through the hot oil without breaking the stream!

TEACHER GUIDE: LOOP ACTION MOVEMENT

Teacher: "Let's make a Jalebi circle in the air with our finger! Round and round and round! That is exactly what a **Forever Loop** block does to our code. It keeps our game moving nonstop!"

6. Setting Up Your Star Game Stage

Now that we have discovered our three magical coding superpowers (Sequences, Events, and Loops), it is time to build our **Catch the Star** game project! Grab your tablet and let's follow these instructions together.

STEP 1: PICKING YOUR BACKGROUND SCENE

Click on the landscape picture button at the top of your screen to open the **Background Library**. Scroll down past the sunny hills and pick the beautiful ****Night Sky**** backdrop filled with stars, or the deep blue ****Outer Space**** layout.

STEP 2: CASTING YOUR GAME ACTORS

Go to your left-hand side character panel. Delete the default cat character by pressing and holding it. Now, hit the large plus (+) button to add two brand new sprites:

- **1. Pick Your Catcher Asset:** Look for a character that looks ready to run around at the bottom of your screen. You can choose an adventurous **Astronaut**, a happy kid explorer, or a cute little **Monkey!** 🐵
- **2. Pick Your Target Asset:** Look for the bright yellow **Star** sprite. Once it appears on your canvas stage, use your finger to drag it all the way up to the top ceiling edge of the window. This is its starting location.

Creative Personalization Tip

You can theme your game however you want! If you don't want an astronaut catching stars, you can change your catcher to a clever monkey and change your target to a sweet golden ****Mango****! Choose assets that make you smile.

7. Coding the Catcher: Smooth Slides!

Click on your Catcher character icon in your palette house. We want to write code that makes him slide smoothly left and right across the bottom of the screen continuously as soon as the game opens up.

THE CATCHER BLOCK ASSEMBLY RECIPE

Go down to your blocks inventory workspace. Look for the colorful block groups and snap these pieces together from left to right like a puzzle train:

Block Shape	Block Category	What It Tells the Catcher to Do
	Yellow Triggers	Wakes up the Catcher character the moment the game's main green flag is clicked!
	Blue Motions	Commands the sprite to march 5 spaces to the right across the stage grid.
	Blue Motions	Commands the sprite to reverse directions and run 5 steps back to the left side.
	Red/Orange Control	Wraps tightly around both blue motion arrows, forcing the catcher to slide back and forth nonstop!

VERIFICATION CHECK ROUTINE

Teacher: "Click your game's main Green Flag right now! Is your character sliding smoothly back and forth like a busy crab? If he is, high five your neighbor! You just built a continuous motion loop!" 🙌

8. Coding the Star: Pop and Teleport!

Now, click on the yellow ****Star**** character icon. The star needs a very exciting, dynamic code script. It needs to stay still until a finger touches it, make a funny noise, vanish from sight, wait a brief second, and then teleport randomly to a new location!

THE STAR TARGET CODE BLUEPRINT

Assemble these puzzle blocks in your workspace grid from left to right:

1. **Start on Tap Block:** This is our touch sensor trigger event handler. It listens for the moment a player clicks or touches the star on the screen.
2. **Play Pop Sound Block:** Snap this right after the touch block to give instant, funny auditory feedback! **Pop!**
3. **Hide Block:** This turns our star completely invisible, making it look like it was successfully caught and tucked away into your score pocket!
4. **Wait Block (2.0s):** Creates a brief 2-second pause so the player can catch their breath and get ready for the next level.
5. **Show at Random Place:** Teleports the star to a brand new, sneaky, unpredictable spot on the canvas screen and turns it bright and visible again!

Game Test Check

Try to tap the star with your finger while it is moving. Does it make a pop noise and jump somewhere else? Brilliant! Your game logic is working perfectly.

9. Level Up: Three Mini-Challenges!

Are you a master coder already? Once your basic star game is running smoothly, it's time to upgrade your code script! Try out these three advanced micro-challenges to explore new hidden block sets:

CHALLENGE 1: THE KINETIC ROTATION SPIN

Can you make the star spin around like a dizzy top the exact moment the catcher grabs it? Go to your blue block group, look for the circular **Rotate Block**, and insert it right after the touch trigger block!



CHALLENGE 2: DYNAMIC SCALE GROWTH

Let's make the game harder! Can you program the star to grow larger and larger every time it respawns? Find the purple **Grow Block** inside your visibility look menu and snap it into your code script.



CHALLENGE 3: THEME SWAP EXERCISE

Completely transform the style of your game! Head back into the asset library and swap out your astronaut for an animal, or trade the star for a piece of fruit, proving you know how to navigate the library maps.

10. Becoming a Software Glitch Detective!

In the world of computer engineering, a mistake or error in code is called a **Bug** . Tracking down those mistakes and fixing them is called **Debugging**! Making mistakes is a normal part of science, and debugging is a fantastic way to build a strong, patient brain.

TWO COMMON GAME BUGS & HOW TO SQUASH THEM

Bug 1: The Frozen Sprite Glitch

The Problem: You click the big green flag, but your Catcher sprite stands completely frozen like an ice statue! He won't move at all.

The Fix: Look at your script line area. Make sure your yellow **Green Flag Trigger** block is physically snapped and locked onto the front of your blue motion blocks. If it is floating nearby without touching, the train won't start running!

Bug 2: The Vanishing Star Mystery

The Problem: You touch the star once, it disappears into thin air, and it never, ever comes back to the screen! It is gone forever.

The Fix: Look at the tail end of your star's code train. Many students attach a purple **Hide Block**, but they forget to attach the final purple **Show Block** at the very end! The code is working, but your poor star is stuck in an invisible ghost state!

11. Your Ultimate Code Recall Review

Outstanding job, Software Architects! You have built a complete, interactive video game from scratch. Let's review our three golden coding rules before we head home:

- **1. Sequence:** 🍌 Step-by-step instructions that must follow a perfect, strict order—just like mixing our sweet Nimbu Pani. If you scramble the recipe order, the computer code collapses!
- **2. Events:** 🔔 A trigger signal (like a screen touch or finger click) that tells a script block to wake up and run—just like a loud school bell starting recess!
- **3. Loops:** 🌀 Magical control blocks that repeat an action continuously without ever stopping—just like a traffic light switching colors or sweet jalebi batter swirling in a frying pot!



YOUR HOME SANDBOX MISSION

Open Scratch Jr on your tablet at home with your parents. Design a brand new standalone game using two characters you haven't tried yet! Your home project must include at least one continuous moving loop and use a finger-touch event trigger block. Invite your parents to test your game and see if they can catch your targets! Keep exploring, code stars!



CERTIFIED PLANRS CODER ASSURANCE VERIFIED

