

# LINKED LISTS

The Treasure Hunt of Data

Mastering the **Silsila** (Chain)

Planrs Academy | Grade 6 Session 1

## INTRODUCTION: THE MISSING LINK

### A Story of a Train

Imagine you are standing at a busy Indian Railway station. A long train pulls in with many bogies connected together. Each bogie is like a **Jodi** (pair)—it carries passengers (data) AND has a special hook (link) that connects it to the next bogie [cite: 86, 88].

#### The Train vs. The Bus:

Think of a school bus. All the seats are fixed in one place. If you want to add 10 more seats, you can't just "hook" them on—you need a whole new bus! This is like an **Array** [cite: 90].

But a train is different. If more passengers show up, the station master just adds another bogie to the chain. This is the power of a **Linked List** [cite: 89, 91]!

This whole train forms a **Silsila** (chain) where each part knows exactly who is coming next [cite: 89].

# WHAT IS A LINKED LIST?

## The Treasure Hunt Logic

Just like following clues in a treasure hunt (Khazane ki Khoj), a linked list helps us store and find information step-by-step [cite: 96, 98].

### Understanding the Chain


A linked list is a chain of "boxes" where each box holds a clue and points to the next box [cite: 100].

- **Node:** Each box in the chain. It is a "Jodi" of Data + Next pointer [cite: 103, 116].
- **Silsila:** All nodes connected together to form the full chain [cite: 104].
- **Null:** The end of the chain. When the last clue says "You won!", there are no more pointers [cite: 105, 137, 139].

**Key Fact:** You don't need to know where the 10th clue is hidden when you start. You only need to find the **Head** (the first clue), and it will lead you to the rest [cite: 98, 134].

### What Makes Up a Node?

Think of a node as a treasure box with two separate compartments working together [cite: 107, 114, 124]:



1. **Data (The Clue):** This part stores the actual information—like a number, a name, or the location of a hidden treasure [cite: 108, 110, 125].
2. **Next (The Pointer):** This is like an arrow pointing to the next treasure box in the chain. It shows you exactly where to go next [cite: 112, 113, 126].

This "Jodi" of information and direction is what makes the entire linked list function [cite: 116, 125].

### How Nodes Link Together

Connecting nodes is like setting up a sequence of events. We follow the arrows to travel through the data [cite: 131, 132]:

- **Head:** The very first node where the chain begins. If you lose the Head, you lose the whole hunt [cite: 134, 172]!
- **The Link:** Node 1 points to Node 2, and Node 2 points to Node 3 [cite: 135, 136].
- **Null:** The pointer in the very last node points to "Nothing" (Null). This tells us we have reached the end of the chain [cite: 137, 138].

If you lose a link anywhere in the middle, the whole "Silsila" breaks, and the data behind the break is lost forever [cite: 174]. This is why keeping the connections strong is vital [cite: 175].

### How Bogies Connect

Let's look closer at our Indian Railway example to understand the parts of a Linked List [cite: 140, 141]:

- **The Engine:** This is the **Head**. It leads the entire train [cite: 143].
- **The Coupling Link:** This is the **Next Pointer**. It connects one bogie to the next [cite: 142].
- **Bogie Knowledge:** Each bogie only "knows" about the bogie directly behind it. It doesn't know about the bogie five steps away [cite: 144].
- **The Guard's Van:** This is the last bogie. Its "Next" pointer points to **Null** because there is nothing after it [cite: 145].

**The Best Part:** If a bogie is damaged, workers can unhook it and add a new one in minutes without disturbing the entire railway track! [cite: 146]

### Understanding Fragile Connections

Another beautiful way to think about a linked list is a **Gajra** [cite: 147, 148]:

- **The Flower:** Each flower is a node holding the data (its scent and beauty) [cite: 150].
- **The String:** The thread connecting the flowers is the pointer [cite: 151].
- **The Head:** The first flower tied to the hair pin [cite: 153].
- **The Risk:** If the string breaks at any point, all the flowers below that point fall to the ground. The chain is broken [cite: 152]!

This teaches us that in a Linked List, the sequence is everything. You must follow the string flower by flower [cite: 149].

## Why Do Computers Love Linked Lists?

If Arrays are so simple, why do we need these chains? Here are the top reasons [cite: 155, 156]:

| Benefit               | Why it Matters                                                                                                                                           |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flexible Size         | A Linked List can grow or shrink as much as you want. You don't need to decide the size in advance [cite: 159].                                          |
| Easy Changes          | Adding or removing nodes is much easier than with arrays. You just change where the "arrows" point [cite: 158, 172].                                     |
| No Moving Required    | In an array, if you add something at the start, you have to shift everything else. In a linked list, nothing moves—you just change one link [cite: 160]. |
| Perfect for Sequences | It's the best way to store things that happen in a specific order, like a playlist of songs [cite: 161].                                                 |



### Follow the Pointer!

Can you find the hidden treasure? Follow the instructions to trace the Silsila [cite: 165, 166]:

- 1. Start at the HEAD:** Read the clue inside the first box [cite: 168].
- 2. Follow the ARROW:** Look at the 'Next' pointer and move to the node it points to [cite: 168, 171].
- 3. Keep Going:** Repeat this until you reach the node pointing to **NULL** [cite: 169].
- 4. Victory:** Once you reach Null, you have found the treasure! [cite: 169]

Work with your classmates to see who can trace the longest chain without getting lost [cite: 170]!

## KEY TAKEAWAYS

### What We Learned Today

- A **Linked List** is a chain of connected nodes used to organize data [cite: 172].
- Each **Node** is a "Jodi" (pair) consisting of **Data** and a **Next Pointer** [cite: 173].
- The **Head** starts the chain, and **Null** ends it [cite: 172].
- Linked lists are **Flexible**—they grow and shrink easily compared to arrays [cite: 172].
- **Losing a link** breaks the entire sequence, so pointers must be accurate [cite: 174].

#### Success Goal

Can you explain the difference between a train and a bus to your friend using the words "Array" and "Linked List"? If yes, you are a Data Structures Master!

### Final Challenge

Before the session ends, answer this question on a small slip of paper:

*"If you have a chain of 5 nodes and you 'break' the link at Node 2, how many nodes can you still reach from the Head?"*

Submit your answer to the teacher as you leave. Great job today! [cite: 176]