

1. WAP to print "Welcome to Java, Learning Java Now and Programming is fun".

```
Class PrintDemo{
    //MainMethod
    Public static void main(String[]args){

        //printstringusingprintmethod
        System.out.println("WelcometoJava, LearningJavaNowand
        Programming is fun");

    }
}
```

2. WAP to print your address i)using single print ii)using multiple println

```
Class PrintMultipleDemo{
    //MainMethod
    Public static void main(String[]args){

        //print string using single print
        System.out.print("MSU,\nVadodra,\nGujarat\n");

        //print string using multiple println
        System.out.println("MSU,");
        System.out.println("Vadodra,");
        System.out.println("Gujarat");

    }
}
```

3.WAP to print addition of 2 numbers(withScanner)

```
Import java.util.Scanner;
Public class AdditionTwoNumber{

    Public static void main(String[]args){
        //Declare Variables
        int num1,num2,sum;
        //Declare Scanner
        Scanner sc=new Scanner(System.in);

        //Scan two integer variable using nextInt()
        System.out.println("EnterFirstNumber:"); num1
        = sc.nextInt();

        System.out.println("EnterSecondNumber:");
        num2 = sc.nextInt();

        sum=num1+ num2;
        System.out.println("Sumofthesenumbers:"+sum);
    }
}
```

4.WAP to calculate Area ofCircle.

```
Import java.util.Scanner;
public class AreaCircle{

    Public static void main(String[]args){
        //DeclareVariables
        int r;
        double pi=3.14,area;
```

```

        //DeclareScanner
        Scanner s=new Scanner(System.in);
        //ScanVariable
        System.out.print("Enter radius of circle:");
        r = s.nextInt();
        area=pi*r*r;
        System.out.println("Areaofcircle:"+area);
    }
}

```

5.WAP to convert temperature from Fahrenheit toCelsius.

```

import java.util.Scanner;

```

```

Public class FahrenheitToCelsius {

```

```

    Public static void main(String[]args){

```

```

        //DeclareScanner
        Scanner in=new Scanner(System.in);
        // Input temperature in Fahrenheit
        System.out.print("EntertemperatureinFahrenheit:"); float F =
        in.nextFloat();

```

```

        //ConvertFahrenheittoCelsius float C =
        (F - 32) * (9f / 5);

```

```

        System.out.println(F + " degree Fahrenheit is equal to " + C + "
        degree Celsius.");
    }
}

```

6.WAP to find percentage of 5 subjects.

```
Import java.util.Scanner;
```

```
Public class PercentageFiveSub{
```

```
    Public static void main(String[]args){
```

```
        //DeclareVariables
```

```
        Int english,chemistry,computers,physics,maths;
```

```
        double total, Percentage;
```

```
        //DeclareScanner
```

```
        Scanner sc=new Scanner(System.in);
```

```
        sc = new Scanner(System.in);
```

```
        //Scan5subjectmarks
```

```
        System.out.print("PleaseEntertheFiveSubjectsMarks: ");
```

```
        english = sc.nextInt();
```

```
        chemistry=sc.nextInt();
```

```
        computers=sc.nextInt();
```

```
        physics = sc.nextInt();
```

```
        maths = sc.nextInt();
```

```
        total=english+chemistry+computers+physics+maths; Percentage  
        = (total / 500) * 100;
```

```
        System.out.println(" Total Marks =" + total);
```

```
        System.out.println("MarksPercentage="+Percentage);
```

```
    }  
}
```

7.WAP that reads a number in meters,converts it to feet,and displays the result.

```
import java.util.Scanner;
public class MeterToFeet{

    public static void main(String[]args){

        //DeclareScanner
        Scanner input=new Scanner(System.in);

        //Scan number in meters
        System.out.print("Enteravalueforfeet:");

        doublemeters=input.nextDouble();

        double feet = meters * 3.281 ;

        System.out.println(meters+"metersis"+feet+" feet");
    }
}
```

8.WAP to check whether the given number is positive or negative.

```
Import java.util.Scanner;
```

```

Public class PositiveOrNegative{
    Public static void main(Stringargs[]){
        //DeclareVariables int
        num;

        //DeclareScanner
        Scanner sc=new Scanner(System.in);

        //Scannumber
        System.out.println("Enteranumber:");
        num = sc.nextInt();

        if(num>0)
        {
            System.out.println("Givennumberisapositiveinteger");
        }
        elseif(num<0)
        {
            System.out.println("Given number is a negative integer");
        }
    }
}

```

Examples of Ternary Operators in Java

```

import java.io.*;

class Ternary {
    public static void main(String[] args)
    {

        // variable declaration
        int n1 = 5, n2 = 10, max;

```

```
System.out.println("First num: " + n1);
System.out.println("Second num: " + n2);

// Largest among n1 and n2
max = (n1 > n2) ? n1 : n2;

// Print the largest number
System.out.println("Maximum is = " + max);
}
}
```

```
import java.io.*;
```

```
class Ternary {
    public static void main(String[] args)
    {

        // variable declaration
        int n1 = 5, n2 = 10, res;

        System.out.println("First num: " + n1);
        System.out.println("Second num: " + n2);

        // Performing ternary operation
        res = (n1 > n2) ? (n1 + n2) : (n1 - n2);

        // Print the largest number
        System.out.println("Result = " + res);
    }}
}
```

9.WAP that prompts the user to enter a letter and check whether a letter is a vowel or consonants.

```
import java.util.Scanner; public
class VowelOrConsonant{
    public static void main(Stringargs[]){

        //DeclareScanner
        Scanner sc=new Scanner(System.in);

        //Scanletter
        System.out.println("Enteracharacter:");
        char ch = sc.next().charAt(0);

        if(ch=='a' || ch=='e' || ch=='i' || ch=='o' || ch=='
'u' || ch=='A' || ch=='E' || ch=='I' || ch=='O' || ch
=='U')
        {
            System.out.println("Givencharacterisanvowel");
        }
        else
        {
            System.out.println("Given character is a consonant");
        }
    }
}
```


