## Final Exam MAD 319

\* Required

Email address * vrajeshbhimajiani@gmail.com
Please enter your name and student ID * 1994274
What Activity method you use to retrieve a reference to an Android view by 1 point using the id attribute of a resource XML?
findViewByReference(int id);
retrieveResourceById(int id)  findViewById(int id)
findViewById(String id)  Clear selection

The requests from Content Provider class is handled by method	1 point
onCreate	
O onSelect	
O onClick	
ContentResolver	
	Clear selection
he android library that provides access to UI pre-built elements subuttons, lists, views etc. is	uch as 1 point
android.text	
android.os	
android.view	
android.webkit	
	Clear selection
When contentProvider would be activated	1 point
O Using Intent	
Using ContentResolver	
Using SQLite	
None	
	Clear selection

If you want to increuse the	ease the whitespace between widgets, you will need to property	O 1 point
Android:padding		
Android:digits		
Android:capitali	ze	
Android:autoTex	xt	
	Clear s	election
_	ovider, which of the following operations are able to 2) read 3) update 4) delete	1 point
O 1,2		
2,3,4		
2,4		
all of the above		
	Clear s	election
Android provides a	a few standard themes, listed in	1 point
R.style		
X.style		
manifest.XML		
application		
	Clears	election

Which of the following are different storage methods available in Android? 1 point 1) Shared Preferences 2) Internal Storage 3) External Storage 4) SQLite Databases 5) Network Connection 6)Intermediate storage			
1,2,3,4,6			
2,3,4,5,6			
1,2,3,4,5			
all of the above			
Clear selection			
Which is NOT state of an activity?			
Active			
O Paused			
○ Stopped			
Stored			
Clear selection			
What are the return values of onStartCommand() in android services?			
○ START_STICKY			
○ START_NOT_STICKY			
START_REDELIVER_INTENT			
All of the above			
o none of the above			
Clear selection			

!

Which layout lets you specify exact coordinates (x,y) for its children 1 point		
Absolute Layout		
C Linear Layout		
Relative Layout		
Frame Layout		
	Clear selection	
All layout classes are direct subclasses of which class?	1 point	
ViewGroup class		
Layout direction in linear layout can be specified by	1 point	
Orientation Attribute		
O Direction Attribute		
O Direct Attribute		
O Horvert Attribute		
	Clear selection	
Explain what intents are used for?	1 point	
Intents Are used To navigate between activities and also used to pass message between components, content providers, broadcast receivers, services		

Dialog box is closed by calling which method on the dialog object?	1 point
O kill()	
close()	
dismiss()	
Clear()	
C	lear selection
Explain android activity life cycle	2 points
OnCreate -> onStart ->onResume -> onPause -> onStop -> onRestar onDestroy  This will be the Flow of the activity states in android, as the name defit the same. 1). onStart(): will be called when the activity is started 2).onCreate(): will do some task when the the activity is created.  3.)onPause(): its when the activity is been left by the user  4). onResume: its called when user re-enters the activity 5.)onStop: its called when the activity is being done or stoped.  6.) onRestart(): its called when the users re-entre the activity 7.) onDestroy(): its the final state of activity.	
Is it possible to have an activity without UI to perform action/actions  O Yes	? 1 point
O No	lear selection

What do you use to pass data between android activities?

1 point

Intent

What is Manifest.XML file in android?

1 point

Manifest.XML is always there in a project to specify the names the Java package for the application and The package which are unique identifier for the application, it also register the activity which are used in the application and the permission to access different resources (like internet and storage etc), and last but not the least service need for using the app.

Submit

Never submit passwords through Google Forms.

This form was created inside of Cégep de la Gaspésie et des Iles. Report Abuse

Google Forms