


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. See [calculator.](#)



▲ 0–49 50–89 90–100

METRICS

[Expand view](#)

▲ First Contentful Paint

4.3 s

Total Blocking Time

160 ms

▲ Speed Index

14.1 s




▲ Largest Contentful Paint

7.5 s

Cumulative Layout Shift

0



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

[Go back to audits](#)

Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

▲ Modern HTTP — Est savings of 3,130 ms



HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP.](#)

[\[FCP\]](#) [\[LCP\]](#)

URL	Protocol
pizzaspace.co.uk [1st Party]	
https://pizzaspace.co.uk	http/1.1
...media/e8f2fbee2754df70-s.p.9b7a96b4.woff2 (pizzaspace.co.uk)	http/1.1
...chunks/a24860a14648b51f.css (pizzaspace.co.uk)	http/1.1
...chunks/1c37ad44e775046d.css (pizzaspace.co.uk)	http/1.1
...chunks/cac5d456dc7f52db.js (pizzaspace.co.uk)	http/1.1
...chunks/ece059f7fbb1b46c.js (pizzaspace.co.uk)	http/1.1
...chunks/bc3664aa24bf4dcb.js (pizzaspace.co.uk)	http/1.1
...chunks/e3c838b1b5004803.js (pizzaspace.co.uk)	http/1.1
...chunks/a83010a40c88e84c.js (pizzaspace.co.uk)	http/1.1
...chunks/a92b6a2da18471af.js (pizzaspace.co.uk)	http/1.1
...chunks/turbopack-84be7e8bf28e1c54.js (pizzaspace.co.uk)	http/1.1
...chunks/205eb6d8f79ff52e.js (pizzaspace.co.uk)	http/1.1
...chunks/9a55a6e8e61a33fd.js (pizzaspace.co.uk)	http/1.1
...chunks/b70c2acfe835be27.js (pizzaspace.co.uk)	http/1.1
...chunks/21529ccc79eeb16d.js (pizzaspace.co.uk)	http/1.1
...chunks/7c6e61b940fde8fa.js (pizzaspace.co.uk)	http/1.1
...chunks/7402978b95cb68e2.js (pizzaspace.co.uk)	http/1.1
...chunks/30b25cc037bec337.js (pizzaspace.co.uk)	http/1.1
...chunks/32929c1b3a250405.js (pizzaspace.co.uk)	http/1.1
...chunks/d5f7274cc06bc71f.js (pizzaspace.co.uk)	http/1.1
...chunks/df03faf8f0c713b6.js (pizzaspace.co.uk)	http/1.1
...chunks/ff1a16fafef87110.js (pizzaspace.co.uk)	http/1.1
...chunks/247eb132b7f7b574.js (pizzaspace.co.uk)	http/1.1
...chunks/c8e1897eda6f9d9d.js (pizzaspace.co.uk)	http/1.1
...chunks/4bea167....js (pizzaspace.co.uk)	http/1.1
...chunks/aa1ac3e589e3f041.js (pizzaspace.co.uk)	http/1.1
...chunks/1987c02db8652fe2.js (pizzaspace.co.uk)	http/1.1
...chunks/80babedbc0b88c83.js (pizzaspace.co.uk)	http/1.1
/uploads/pizza_png_115...orjd1miyt1_removebg_preview-176...-271....png (api.pizzaspace.co.uk)	http/1.1
/uploads/08fb518..._removebg_preview-176...-574....png (api.pizzaspace.co.uk)	http/1.1
/uploads/hd_french_fries_in_cartoon_box_transparent_backgro....png (api.pizzaspace.co.uk)	http/1.1
/uploads/deserts-176...-790....jpg (api.pizzaspace.co.uk)	http/1.1
/api/products?page=1&limit=8 (pizzaspace.co.uk)	http/1.1
/uploads/beverages-176...-242....jpg (api.pizzaspace.co.uk)	http/1.1
/uploads/pizza2-176...-941....jpg (api.pizzaspace.co.uk)	http/1.1
/contact?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/register?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/login?_rsc=1r34m (pizzaspace.co.uk)	http/1.1

URL	Protocol
/about?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/stores?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?category=68ffcf...&_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?category=68ffcee...&_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?category=68ffd0a...&_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/cart?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/contact?_rsc=1pn8p (pizzaspace.co.uk)	http/1.1
/contact?_rsc=nn07o (pizzaspace.co.uk)	http/1.1
/contact?_rsc=1399r (pizzaspace.co.uk)	http/1.1
/contact?_rsc=ufrug (pizzaspace.co.uk)	http/1.1
/register?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/login?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/about?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
...chunks/5837c923f58bd472.js (pizzaspace.co.uk)	http/1.1
...chunks/5c6ded44771e7f31.js (pizzaspace.co.uk)	http/1.1
/stores?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/menu?_rsc=1ampi (pizzaspace.co.uk)	http/1.1
?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/menu?category=68ffcf...&_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/favicon.ico (pizzaspace.co.uk)	http/1.1
/menu?category=68ffcee...&_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/menu?category=68ffd0a...&_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/cart?_rsc=1pn8p (pizzaspace.co.uk)	http/1.1
...chunks/db00924f5a7d9597.js (pizzaspace.co.uk)	http/1.1
/cart?_rsc=4ignd (pizzaspace.co.uk)	http/1.1
/cart?_rsc=5z6hh (pizzaspace.co.uk)	http/1.1
/cart?_rsc=lre61 (pizzaspace.co.uk)	http/1.1
...chunks/9e26505d0d12337e.js (pizzaspace.co.uk)	http/1.1
...chunks/d1006b16b934b630.js (pizzaspace.co.uk)	http/1.1
...chunks/32e6d6517d52199f.js (pizzaspace.co.uk)	http/1.1
...chunks/9d19503e3cb05b45.js (pizzaspace.co.uk)	http/1.1

▲ Document request latency — Est savings of 2,220 ms



Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. [FCP](#) [LCP](#)

Avoids redirects

Server responded slowly (observed 2323 ms)

Applies text compression

▲ Render blocking requests — Est savings of 1,090 ms ^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [\[FCP\]](#) [\[LCP\]](#)

URL	Transfer Size	Duration
pizzaspacespace.co.uk [1st Party]	42.9 KiB	1,750 ms
...chunks/1c37ad44e775046d.css (pizzaspacespace.co.uk)	41.8 KiB	1,100 ms
...chunks/a24860a14648b51f.css (pizzaspacespace.co.uk)	1.2 KiB	650 ms

▲ Network dependency tree ^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [\[LCP\]](#)

Maximum critical path latency: **4,505 ms**

Initial Navigation

<https://pizzaspacespace.co.uk> - **3,426 ms, 36.46 KiB**

- ...chunks/1c37ad44e775046d.css (pizzaspacespace.co.uk) - **4,505 ms, 41.77 KiB**
- ...chunks/a24860a14648b51f.css (pizzaspacespace.co.uk) - **3,851 ms, 1.16 KiB**

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 9,816 KiB ^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) [\[FCP\]](#) [\[LCP\]](#)

URL	Resource Size	Est Savings
pizzaspacespace.co.uk [1st Party]	10,081.9 KiB	9,816.1 KiB
/uploads/pizza2-176...-941....jpg (api.pizzaspacespace.co.uk)	3,808.6 KiB	3,669.1 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		1,642.6 KiB
This image file is larger than it needs to be (3648x3648) for its displayed dimensions (1134x756). Use responsive images to reduce the image download		3,563.3 KiB

URL		Resource Size	Est Savings
/uploads/deserts-176...-790....jpg (api.pizzaspace.co.uk)	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	2,767.4 KiB	2,739.9 KiB
	This image file is larger than it needs to be (3360x2520) for its displayed dimensions (368x460). Use responsive images to reduce the image download size.		1,389.3 KiB
/uploads/beverages-176...-242....jpg (api.pizzaspace.co.uk)	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	2,717.7 KiB	2,685.1 KiB
	This image file is larger than it needs to be (3731x2799) for its displayed dimensions (368x544). Use responsive images to reduce the image download size.		1,017.9 KiB
/uploads/pizza_png_115...orjd1miyt1_removebg_preview-176...-271....png (api.pizzaspace.co.uk)	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	394.8 KiB	372.2 KiB
	This image file is larger than it needs to be (494x371) for its displayed dimensions (368x376). Use responsive images to reduce the image download size.		365.0 KiB
/uploads/08fb518..._removebg_preview-176...-574....png (api.pizzaspace.co.uk)	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	247.7 KiB	226.1 KiB
	This image file is larger than it needs to be (498x373) for its displayed dimensions (481x276). Use responsive images to reduce the image download size.		217.4 KiB
/uploads/hd_french_fries_in_cartoon_box_transparent_backgro....png (api.pizzaspace.co.uk)	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	145.8 KiB	123.7 KiB
	This image file is larger than it needs to be (500x375) for its displayed dimensions (368x368). Use responsive images to reduce the image download size.		115.2 KiB
			70.8 KiB
			40.5 KiB

Legacy JavaScript — Est savings of 14 KiB

^

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) [FCP] [LCP]

URL	Wasted bytes
pizzaspace.co.uk 1st Party	13.5 KiB
...chunks/e3c838b1b5004803.js (pizzaspace.co.uk)	13.5 KiB
e3c838b1b5004803.js:1	Array.prototype.at
e3c838b1b5004803.js:1	Array.prototype.flat
e3c838b1b5004803.js:1	Array.prototype.flatMap
e3c838b1b5004803.js:1	Object.fromEntries

URL**Wasted bytes**


e3c838b1b5004803.js:1	Object.hasOwnProperty
e3c838b1b5004803.js:1	String.prototype.trimEnd
e3c838b1b5004803.js:1	String.prototype.trimStart

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. [\[LCP\]](#)

Subpart**Duration**

Time to first byte	3,020 ms
Element render delay	5,450 ms



These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS**▲ Use HTTP/2 — 71 requests not served via HTTP/2**

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2](#). [\[LCP\]](#) [\[FCP\]](#)

URL	Protocol
pizzospace.co.uk [1st Party]	
https://pizzospace.co.uk	http/1.1
...media/e8f2fbe2754df70-s.p.9b7a96b4.woff2 (pizzospace.co.uk)	http/1.1
...chunks/a24860a14648b51f.css (pizzospace.co.uk)	http/1.1
...chunks/1c37ad44e775046d.css (pizzospace.co.uk)	http/1.1
...chunks/cac5d456dc7f52db.js (pizzospace.co.uk)	http/1.1
...chunks/ece059f7fb1b46c.js (pizzospace.co.uk)	http/1.1
...chunks/bc3664aa24bf4dcb.js (pizzospace.co.uk)	http/1.1
...chunks/e3c838b1b5004803.js (pizzospace.co.uk)	http/1.1
...chunks/a83010a40c88e84c.js (pizzospace.co.uk)	http/1.1
...chunks/a92b6a2da18471af.js (pizzospace.co.uk)	http/1.1
...chunks/turbopack-84be7e8bf28e1c54.js (pizzospace.co.uk)	http/1.1

URL	Protocol
...chunks/205eb6d8f79ff52e.js (pizzaspace.co.uk)	http/1.1
...chunks/9a55a6e8e61a33fd.js (pizzaspace.co.uk)	http/1.1
...chunks/b70c2acfe835be27.js (pizzaspace.co.uk)	http/1.1
...chunks/21529ccc79eeb16d.js (pizzaspace.co.uk)	http/1.1
...chunks/7c6e61b940fde8fa.js (pizzaspace.co.uk)	http/1.1
...chunks/7402978b95cb68e2.js (pizzaspace.co.uk)	http/1.1
...chunks/30b25cc037bec337.js (pizzaspace.co.uk)	http/1.1
...chunks/32929c1b3a250405.js (pizzaspace.co.uk)	http/1.1
...chunks/d5f7274cc06bc71f.js (pizzaspace.co.uk)	http/1.1
...chunks/df03faf8f0c713b6.js (pizzaspace.co.uk)	http/1.1
...chunks/ff1a16fafef87110.js (pizzaspace.co.uk)	http/1.1
...chunks/247eb132b7f7b574.js (pizzaspace.co.uk)	http/1.1
...chunks/c8e1897eda6f9d9d.js (pizzaspace.co.uk)	http/1.1
...chunks/4bea167....js (pizzaspace.co.uk)	http/1.1
...chunks/aa1ac3e589e3f041.js (pizzaspace.co.uk)	http/1.1
...chunks/1987c02db8652fe2.js (pizzaspace.co.uk)	http/1.1
...chunks/80babedbc0b88c83.js (pizzaspace.co.uk)	http/1.1
/uploads/pizza_png_115...orjd1miyt1_removebg_preview-176...-271....png (api.pizzaspace.co.uk)	http/1.1
/uploads/08fb518..._removebg_preview-176...-574....png (api.pizzaspace.co.uk)	http/1.1
/uploads/hd_french_fries_in_cartoon_box_transparent_backgro....png (api.pizzaspace.co.uk)	http/1.1
/uploads/deserts-176...-790....jpg (api.pizzaspace.co.uk)	http/1.1
/api/products?page=1&limit=8 (pizzaspace.co.uk)	http/1.1
/uploads/beverages-176...-242....jpg (api.pizzaspace.co.uk)	http/1.1
/uploads/pizza2-176...-941....jpg (api.pizzaspace.co.uk)	http/1.1
/contact?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/register?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/login?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/about?_rsc=1r34m (pizzaspace.co.uk)	http/1.1

URL	Protocol
/stores?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?category=68ffcf...&_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?category=68ffce...&_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/menu?category=68ffd0a...&_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/cart?_rsc=1r34m (pizzaspace.co.uk)	http/1.1
/contact?_rsc=1pn8p (pizzaspace.co.uk)	http/1.1
/contact?_rsc=nn07o (pizzaspace.co.uk)	http/1.1
/contact?_rsc=1399r (pizzaspace.co.uk)	http/1.1
/contact?_rsc=ufrug (pizzaspace.co.uk)	http/1.1
/register?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/login?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/about?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
...chunks/5837c923f58bd472.js (pizzaspace.co.uk)	http/1.1
...chunks/5c6ded44771e7f31.js (pizzaspace.co.uk)	http/1.1
/stores?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/menu?_rsc=1ampi (pizzaspace.co.uk)	http/1.1
?_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/menu?category=68ffcf...&_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/favicon.ico (pizzaspace.co.uk)	http/1.1
/menu?category=68ffce...&_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/menu?category=68ffd0a...&_rsc=p37cr (pizzaspace.co.uk)	http/1.1
/cart?_rsc=1pn8p (pizzaspace.co.uk)	http/1.1
...chunks/db00924f5a7d9597.js (pizzaspace.co.uk)	http/1.1
/cart?_rsc=4ignd (pizzaspace.co.uk)	http/1.1
/cart?_rsc=5z6hh (pizzaspace.co.uk)	http/1.1
/cart?_rsc=lre61 (pizzaspace.co.uk)	http/1.1

URL	Protocol
...chunks/9e26505d0d12337e.js (pizzaspace.co.uk)	http/1.1
...chunks/d1006b16b934b630.js (pizzaspace.co.uk)	http/1.1
...chunks/32e6d6517d52199f.js (pizzaspace.co.uk)	http/1.1
...chunks/9d19503e3cb05b45.js (pizzaspace.co.uk)	http/1.1

▲ Reduce JavaScript execution time — 9.8 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) (TBT)

URL	Total CPU Time	Script Evaluation	Script Parse
pizzaspace.co.uk <small>1st Party</small>	17,535 ms	9,642 ms	85 ms
...chunks/e3c838b1b5004803.js (pizzaspace.co.uk)	10,516 ms	7,745 ms	26 ms
...chunks/df03faf8f0c713b6.js (pizzaspace.co.uk)	4,330 ms	1,558 ms	6 ms
https://pizzaspace.co.uk	2,329 ms	17 ms	27 ms
...chunks/a92b6a2da18471af.js (pizzaspace.co.uk)	173 ms	152 ms	9 ms
...chunks/aa1ac3e589e3f041.js (pizzaspace.co.uk)	136 ms	120 ms	15 ms
...chunks/c8e1897eda6f9d9d.js (pizzaspace.co.uk)	51 ms	49 ms	2 ms
Unattributable	844 ms	28 ms	0 ms
Unattributable	844 ms	28 ms	0 ms

▲ Minimize main-thread work — 18.5 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) (TBT)

Category	Time Spent
Script Evaluation	9,712 ms
Other	5,026 ms
Style & Layout	2,098 ms
Rendering	940 ms
Garbage Collection	566 ms
Script Parsing & Compilation	164 ms

Category	Time Spent
Parse HTML & CSS	30 ms

▲ Avoid serving legacy JavaScript to modern browsers — Est savings of 13 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) [FCP](#) [LCP](#)

URL	Est Savings
pizzospace.co.uk 1st Party	13.4 KiB
...chunks/e3c838b1b5004803.js (pizzospace.co.uk)	13.4 KiB
e3c838b1b5004803.js:1	Array.prototype.at
e3c838b1b5004803.js:1	Array.prototype.flat
e3c838b1b5004803.js:1	Array.prototype.flatMap
e3c838b1b5004803.js:1	Object.fromEntries
e3c838b1b5004803.js:1	Object.hasOwn
e3c838b1b5004803.js:1	String.prototype.trimEnd
e3c838b1b5004803.js:1	String.prototype.trimStart

▲ Reduce unused JavaScript — Est savings of 92 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#) [FCP](#) [LCP](#)

URL	Transfer Size	Est Savings
pizzospace.co.uk 1st Party	150.5 KiB	91.8 KiB
...chunks/aa1ac3e589e3f041.js (pizzospace.co.uk)	62.8 KiB	51.1 KiB
...chunks/9d19503e3cb05b45.js (pizzospace.co.uk)	21.7 KiB	20.5 KiB
...chunks/e3c838b1b5004803.js (pizzospace.co.uk)	66.0 KiB	20.2 KiB

▲ Page prevented back/forward cache restoration — 2 failure reasons ^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
Pages whose main resource has cache-control:no-store cannot enter back/forward cache. https://pizzospace.co.uk	Not actionable
Back/forward cache is disabled because some JavaScript network request received resource with 'Cache-Control: no-store' header.	Not actionable

Failure reason	Failure type
https://pizzaspace.co.uk	

Avoid enormous network payloads — Total size was 10,778 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

URL	Transfer Size
pizzaspace.co.uk 1st Party	10,299.3 KiB
/uploads/pizza2-176...-941....jpg (api.pizzaspace.co.uk)	3,809.6 KiB
/uploads/deserts-176...-790....jpg (api.pizzaspace.co.uk)	2,768.4 KiB
/uploads/beverages-176...-242....jpg (api.pizzaspace.co.uk)	2,718.6 KiB
/uploads/pizza_png_115...orjd1miyt1_removebg_preview-176...-271....png (api.pizzaspace.co.uk)	395.7 KiB
/uploads/08fb518..._removebg_preview-176...-574....png (api.pizzaspace.co.uk)	248.7 KiB
/uploads/hd_french_fries_in_cartoon_box_transparent_backgro....png (api.pizzaspace.co.uk)	146.7 KiB
...chunks/aa1ac3e589e3f041.js (pizzaspace.co.uk)	67.0 KiB
...chunks/e3c838b1b5004803.js (pizzaspace.co.uk)	66.4 KiB
...chunks/1c37ad44e775046d.css (pizzaspace.co.uk)	41.8 KiB
https://pizzaspace.co.uk	36.5 KiB

○ Avoid long main-thread tasks — 6 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
pizzaspace.co.uk 1st Party		549 ms
...chunks/e3c838b1b5004803.js (pizzaspace.co.uk)	9,024 ms	183 ms
...chunks/aa1ac3e589e3f041.js (pizzaspace.co.uk)	10,524 ms	136 ms
...chunks/a92b6a2da18471af.js (pizzaspace.co.uk)	6,157 ms	87 ms
https://pizzaspace.co.uk	1,484 ms	77 ms
...chunks/e3c838b1b5004803.js (pizzaspace.co.uk)	6,607 ms	66 ms
Unattributable		82 ms

URL	Start Time	Duration
Unattributable	1,402 ms	82 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (18)

Hide

Use efficient cache lifetimes



A long cache lifetime can speed up repeat visits to your page. [Learn more](#). [FCP](#) [LCP](#)

Layout shift culprits



Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. [CLS](#)

Optimize DOM size



A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#).

Statistic	Element	Value
Total elements		2,224
Most children	body.montserrat_5c5925a9-module__GliFaW__variable.font-sans.antialiased	97
DOM depth	div > div.flex > svg.lucide > path <path d="M3.85 8.62a4 4 0 0 1 4.78-4.77 4 4 0 0 1 6.74 0 4 4 0 0 1 4.78 4.78 4 4 0 ...">	16

Duplicated JavaScript



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [FCP](#) [LCP](#)

Font display



Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

Forced reflow



A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

○ INP breakdown



Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

○ LCP request discovery

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#).

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

meta

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#). [FCP](#) [LCP](#)

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). [FCP](#) [LCP](#)

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). [FCP](#) [LCP](#)

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). [FCP](#) [LCP](#)

○ User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#).

○ Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](#). [TBT](#)

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners](#).

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

85

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ARIA

▲ [aria-*] attributes do not match their roles

Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

Failing Elements

Pick a date

```
<button data-slot="popover-trigger" class="inline-flex items-center gap-2 whitespace-norwarp rounded-md text-sm font-m..." aria-invalid="false" aria-required="true" type="button" aria-haspopup="dialog" aria-expanded="false" aria-controls="radix-_r_gu8_" data-state="closed">
```

▲ Elements with `role="dialog"` or `role="alertdialog"` do not have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

Failing Elements

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duratio..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duratio..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duratio..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duratio..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duratio..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
```

Failing Elements

```
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duration..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
```

```
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duration..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

```
body.montserrat_5c5925a9-module__GliFaW__variable > div.fixed
```

```
<div class="fixed inset-0 z-50 bg-black/80 backdrop-blur-sm transition-opacity duration..." aria-modal="true" role="dialog" aria-labelledby="drawer-title">
```

▲ Elements use prohibited ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Failing Elements

```
div.fixed.inset-y-0.right-0.z-50.w-full.max-w-sm.bg-background.shadow-2xl.transform.transiti...
```

○ ARIA IDs are unique



The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

Failing Elements

```
div.space-y-2 > div.flex > div.relative > input#phone
```

```
<input id="phone" data-slot="input" class="flex w-full rounded-lg border bg-background text-foreground transition-all..." aria-invalid="false" placeholder="+44 20 1234 5678" autocomplete="tel" aria-required="true" type="tel" name="phone">
```

```
div.grid > div.flex > div.relative > input#phone
```

```
<input id="phone" data-slot="input" class="flex w-full rounded-lg border bg-background text-foreground transition-all..." aria-invalid="false" placeholder="+44 20 1234 5678" autocomplete="tel" type="tel" name="phone">
```

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.



Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)


Failing Elements

Order Now

Failing Elements

	<button data-slot="button" class="inline-flex items-center justify-center gap-2 whitespace nowrap text-sm fo...">
	OUR CATEGORIES
	OUR MENU
	All
	All <button role="tab" aria-selected="true" aria-controls="menu-panel" id="tab-all" tabindex="0" class="relative px-5 sm:px-7 py-2.5 sm:py-3 rounded-full text-sm font-semibold tr..." style="opacity: 1; transform: none;">
	12 SLICES <p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-...">
	12 SLICES New Italian Pizza Classic Italian pizza with tomato sauce, mozzarell... <article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;">
	£12.00
	12 SLICES New Italian Pizza Classic Italian pizza with tomato sauce, mozzarell... <article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;">
	12 SLICES <p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-...">
	12 SLICES New Margherita Pizza Classic Italian pizza with tomato sauce, mozza... <article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;">
	£12.00

Failing Elements

	12 SLICES New Margherita Pizza Classic Italian pizza with tomato sauce, mozza... <code><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;"></code>
	12 SLICE <code><p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-..."></code>
	12 SLICE Margherita Pizza Classic Italian pizza with mozzarella cheese, tomat... <code><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;"></code>
	£12.00 <code></code>
	12 SLICE Margherita Pizza Classic Italian pizza with mozzarella cheese, tomat... <code><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;"></code>
	10 BUCKET <code><p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-..."></code>
	10 BUCKET dvsvdsv ewfwvdvsvdfv Rating: 4.7 out of 5 stars (4.7) £100.00 <code><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;"></code>
	£100.00 <code></code>
	10 BUCKET dvsvdsv ewfwvdvsvdfv Rating: 4.7 out of 5 stars (4.7) £100.00 <code><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;"></code>
	12 SLICES <code><p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-..."></code>
	12 SLICES New Margherita Pizza One Classic Italian pizza with tomato sauce, m... <code><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;"></code>
	£12.00 <code></code>
	12 SLICES New Margherita Pizza One Classic Italian pizza with tomato sauce, m... <code><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shad..." style="opacity: 1; transform: none;"></code>
	10 BUCKET

Failing Elements

	<pre><p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-...></pre>
	10 BUCKET Pijo Delightful combination of onion, capsicum, tomato & grilled mu... <pre><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shadow..." style="opacity: 1; transform: none;"></pre>
	£10.00 <pre></pre>
	10 BUCKET Pijo Delightful combination of onion, capsicum, tomato & grilled mu... <pre><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shadow..." style="opacity: 1; transform: none;"></pre>
	12 SLICE <pre><p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-...></pre>
	12 SLICE Margherita Pizza Classic Italian pizza with mozzarella cheese, tomat... <pre><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shadow..." style="opacity: 1; transform: none;"></pre>
	£12.00 <pre></pre>
	12 SLICE Margherita Pizza Classic Italian pizza with mozzarella cheese, tomat... <pre><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shadow..." style="opacity: 1; transform: none;"></pre>
	12 SLICES <pre><p class="text-xs text-slate-400 dark:text-slate-500 font-medium uppercase tracking-...></pre>
	12 SLICES Italian Pizza Classic Italian pizza with tomato sauce, mozzarella c... <pre><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shadow..." style="opacity: 1; transform: none;"></pre>
	£12.00 <pre></pre>
	12 SLICES Italian Pizza Classic Italian pizza with tomato sauce, mozzarella c... <pre><article class="group relative bg-white dark:bg-slate-900 rounded-2xl overflow-hidden shadow..." style="opacity: 1; transform: none;"></pre>
	View Full Menu <pre></pre>

Failing Elements

	<p>View Full Menu</p> <pre><a data-slot="button" class="inline-flex items-center justify-center gap-2 whitespace nowrap text-sm font-semib... href="/menu"></pre>
	<p>GET IN TOUCH</p> <pre></pre>
	<p>Call us</p> <pre><p class="text-sm text-orange-500 font-medium mt-2"></pre>
	<p>Phone +44 20 1234 5678 Mon-Sun, 10:00 - 23:00 Call us</p> <pre><div class="bg-white dark:bg-slate-800 rounded-2xl p-6 shadow-sm hover:shadow-md transition"></pre>
	<p>Email us</p> <pre><p class="text-sm text-orange-500 font-medium mt-2"></pre>
	<p>Email hello@pizzaspace.com We reply within 24 hours Email us</p> <pre><div class="bg-white dark:bg-slate-800 rounded-2xl p-6 shadow-sm hover:shadow-md transition"></pre>
	<p>Visit us</p> <pre><p class="text-sm text-orange-500 font-medium mt-2"></pre>
	<p>Location 123 Pizza Street, London SW1A 1AA Visit us</p> <pre><div class="bg-white dark:bg-slate-800 rounded-2xl p-6 shadow-sm hover:shadow-md transition"></pre>
	<p>Privacy Policy</p> <pre></pre>
	<p>Send Us a Message We'd love to hear from you. Fill out the form below and we'l...</p> <pre><div class="bg-white dark:bg-slate-800 rounded-2xl p-6 sm:p-8 shadow-sm border border-...></pre>
	<p>Terms of Service</p> <pre></pre>
	<p>Send Us a Message We'd love to hear from you. Fill out the form below and we'l...</p> <pre><div class="bg-white dark:bg-slate-800 rounded-2xl p-6 sm:p-8 shadow-sm border border-...></pre>
	<p>Send Message</p> <pre><button data-slot="button" class="inline-flex items-center justify-center gap-2 whitespace nowrap text-sm font-semib... type="submit"></pre>

Failing Elements

Hiring

```
<span class="inline-flex items-center px-2 py-0.5 rounded-full text-[10px] font-semibol...">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Visit Us

```
<span class="text-gray-500 text-xs">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Call Us

```
<span class="text-gray-500 text-xs">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Email Us

```
<span class="text-gray-500 text-xs">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

© 2025 PizzaSpace. All rights reserved.

```
<p class="text-gray-500 text-sm">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Made with love and fresh ingredients.

```
<p class="text-gray-500 text-sm">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Privacy Policy

```
<a class=" text-gray-500 hover:text-gray-300 text-sm transition-colors duration-200 ..." href="/privacy">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Terms of Service

```
<a class=" text-gray-500 hover:text-gray-300 text-sm transition-colors duration-200 ..." href="/terms">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Cookie Policy

```
<a class=" text-gray-500 hover:text-gray-300 text-sm transition-colors duration-200 ..." href="/cookies">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

Accessibility

```
<a class=" text-gray-500 hover:text-gray-300 text-sm transition-colors duration-200 ..." href="/accessibility">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

```
<div class="bg-navy-900">
```

We accept:

```
<span class="text-gray-500 text-xs mr-1">
```

PS PizzaSpace Craft Pizza Since 2020 Handcrafted pizzas made with love, fresh ...

Failing Elements

```
<div class="bg-navy-900">

  Pizza Space
  <span class="text-lg font-bold text-primary">
    Pizza Space Home Menu Stores About Contact ACCOUNT My Orders Saved Addresses Pr...
    <div class="fixed inset-y-0 right-0 z-50 w-full max-w-sm bg-background shadow-2xl tran...">
      role="dialog" aria-modal="true" aria-label="Navigation menu">
```

Home

```
<span>
  Home
  <a class="flex items-center gap-3 px-4 py-3 rounded-xl text-base font-medium transit..." href="/">
    Pizza Space Home Menu Stores About Contact ACCOUNT My Orders Saved Addresses Pr...
    <div class="fixed inset-y-0 right-0 z-50 w-full max-w-sm bg-background shadow-2xl tran...">
      role="dialog" aria-modal="true" aria-label="Navigation menu">
```

Sign In

```
<a data-slot="button" class="inline-flex items-center justify-center gap-2 whitespace nowrap text-sm fo..." href="/login">
```

Contact us

```
<a class="text-primary hover:underline" href="/contact">
  Pizza Space Home Menu Stores About Contact ACCOUNT My Orders Saved Addresses Pr...
  <div class="fixed inset-y-0 right-0 z-50 w-full max-w-sm bg-background shadow-2xl tran...">
    role="dialog" aria-modal="true" aria-label="Navigation menu">
```

These are opportunities to improve the legibility of your content.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](#).

Failing Elements



Premium Quality

```
<h4 class="text-base sm:text-lg font-semibold text-foreground group-hover:text-primar...">
```

David Thompson

```
<h4 class="font-bold text-slate-900 dark:text-white text-base md:text-lg">
```

These are opportunities to improve keyboard navigation in your application.

NAMES AND LABELS

○ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels](#).

Failing Elements



```
div.space-y-2 > div.flex > div.relative > input#phone  
<input id="phone" data-slot="input" class="flex w-full rounded-lg border bg-  
background text-foreground transition-all..." aria-invalid="false"  
placeholder="+44 20 1234 5678" autocomplete="tel" aria-required="true"  
type="tel" name="phone">
```



Phone Number * (required)
<label data-slot="label" class="text-sm leading-none font-medium select-none group-
data-[disabled=true]:po..." for="phone">



Phone (Optional)
<label for="phone" class="text-sm font-medium text-foreground">

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

○ Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

○ Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

○ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

○ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

○ User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

○ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

○ HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

○ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

○ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

○ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (27) Hide

[aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

Elements with an ARIA [role] that require children to contain a specific [role] have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

[role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

[aria-*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Image elements have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag](#).

ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes](#).

[aria-hidden="true"] elements do not contain focusable descendants

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements](#).

[role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

<frame> or <iframe> elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles](#).

<html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute](#).

<html> element has a valid value for its [lang] attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute](#).

Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](#).

Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](#).

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](#).

Lists contain only `` elements and script supporting elements (`<script>` and `<template>`).



Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

List items (``) are contained within ``, `` or `<menu>` parent elements



Screen readers require list items (``) to be contained within a parent ``, `` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

No element has a `[tabindex]` value greater than 0



A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute.](#)

Touch targets have sufficient size and spacing.



Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Skip links are focusable.



Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

Uses ARIA roles only on compatible elements



Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#)

Deprecated ARIA roles were not used



Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

Image elements do not have `[alt]` attributes that are redundant text.



Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the `alt` attribute.](#)

NOT APPLICABLE (23)

Hide

- `[accesskey]` values are unique



Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

- `button`, `link`, and `menuitem` elements have accessible names



When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- ARIA input fields have accessible names



When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

- ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

- ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

- Elements with the `role=text` attribute do not have focusable descendants. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the `role=text` attribute.](#)

- ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

- ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA `treeitem` elements have accessible names ^

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#)

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#)

- Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

○ `<input type="image">` elements have [alt] text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

○ Cells in a `<table>` element that use the [headers] attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

○ `<th>` elements and elements with [role="columnheader"/"rowheader"] have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

○ [lang] attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

○ `<video>` elements contain a `<track>` element with [kind="captions"] ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)



100

Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

- Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No HSTS header found		High

- Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

- Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Description	Severity
No frame control policy found	High

- Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (15)

[Hide](#)

Uses HTTPS

[^](#)

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

Avoids deprecated APIs

[^](#)

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs](#).

Avoids third-party cookies

[^](#)

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](#).

Allows users to paste into input fields

[^](#)

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).

Averts requesting the geolocation permission on page load

[^](#)

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).

Averts requesting the notification permission on page load

[^](#)

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

Displays images with correct aspect ratio

[^](#)

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

Serves images with appropriate resolution

[^](#)

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale`[^](#)

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

Document uses legible font sizes — 99.75% legible text

[^](#)

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more about legible font sizes](#).

Source	Selector	% of Page Text	Font Size
pizzaspaces.co.uk	1st Party		

Source	Selector	% of Page Text	Font Size
1c37ad44e775046d.css:1	.text-\[10px\]	0.25%	10px
Unattributable			
Legible text		99.75%	≥ 12px

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

No issues in the Issues panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

NOT APPLICABLE (2)

Hide

- Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

- Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

⚠ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○ Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data](#).

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

Links are crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Document has a valid `hreflang` ^

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about `hreflang`.](#)

NOT APPLICABLE (1) Hide

Document has a valid `rel=canonical` ^

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

█ Captured at Dec 3, 2025,
4:07 PM GMT+5:30

█ Initial page load

█ Emulated Moto G Power with
Lighthouse 12.8.2

█ Slow 4G throttling

█ Single page session

█ Using Chromium 142.0.0.0
with devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)