
Sorry Dave, I'm Afraid I Can't Do That: Explaining Unachievable Robot Tasks Using Natural Language

Vasu Raman*, Constantine Lignos†, Cameron Finucane*,
Kenton C.T. Lee†, Mitch Marcus†
and Hadas Kress-Gazit*







High-Level Tasks:

Carrying meals to patients Delivering medical records Patrolling patient rooms

•

•

•

http://newsroom.ucla.edu/portal/ucla/artwork/4/5/7/9/4/245794/EVA_Robot_3-c.jpg



High-Level Tasks:


Carrying meals to patients
Delivering medical records
Patrolling patient rooms

Challenges:

Easy to instruct
Does as it is told*


http://newsroom.ucla.edu/portal/ucla/artwork/4/5/7/9/4/245794/EVA Robot 3-c.jpg

Example



Carry meals from the kitchen to all patient rooms.


Example



Start in the closet. Carry meals from the kitchen to all patient rooms. Don't go into any public rooms.

Z____


Example



Start in the close. Carry meals from the kitchen to all patient rooms. Don't go into any public rooms.

Natural language pipeline





- Natural language pipeline
- Provably correct controller via synthesis (when one exists)

- Natural language pipeline
- Provably correct controller via synthesis
- Minimal cause of unsynthesizability
 - Unsatisfiable core (using PicoSAT)
 - Explained in natural language

Analysis Output: The problematic goal is 'Carry meals from the kitchen to all patient rooms.'. The system cannot achieve the sub-goal "Deliver 'meal' to 'r1'.". The statements that cause the problem are: 'Carry meals from the kitchen to all patient rooms.' because of item(s): "Deliver 'meal' to 'r1'.". "Don't go into any public rooms." because of item(s): "Do not go to 'hall_c'.". No further analysis available. SLURP Traceback: Start in the closet. Carry meals from the kitchen to all patient rooms. Action: 'carry', Argument: 'meal', Source: 'kitchen', Destination: 'rooms' Nothing is carried or delivered at the start. Only pick up if you can carry more. Only drop if you are carrying something. Stay where you are when picking up and dropping. Pick up 'meal' in 'kitchen'. Deliver 'meal' to 'r1'. ([]((next(s.mem_deliver_r1) <-> (s.mem_deliver_r1 | (next(s.r1) & next(s.drop)))))) ([]<>(s.mem_deliver_r1)) Deliver 'meal' to 'r2'. Start in the closet. Carry Deliver 'meal' to 'r3'. r3 r4 hall N meals from the kitchen to Deliver 'meal' to 'r4'. Deliver 'meal' to 'r5'. all patient rooms. Don't go Deliver 'meal' to 'r6'. r2 r1 into any public rooms. Don't go into any public rooms. Action: do not 'go', Location: 'rooms' hallC r5 r6 Do not go to 'hall_c'. ([](!s.hall_c)) hall W The robot does not begin in 'hall_c'. lounge Do not go to 'lounge'.

The robot does not begin in 'lounge'.

kitchen

Sorry Dave, I'm Afraid I Can't Do That: Explaining Unachievable Robot Tasks Using Natural Language

15:30—18:00 Interactive Presentation (#3), Lichthof

Vasu Raman, Constantine Lignos, Cameron Finucane, Kenton C.T. Lee, Mitch Marcus and Hadas Kress-Gazit

vraman@cs.cornell.edu hadaskg@cornell.edu