Your grade: 100%

Your latest: **100%** • Your highest: **100%** • To pass you need at least 60%. We keep your highest score.

Next item →

1. What is a key characteristic of the LangChain Pandas agent compared to other agents? 1 / 1 point

- ○ It requires manual coding for each operation.
- ◉ It uses a preconfigured set of functions and prompts.
- ○ It only works with SQL databases.
- ○ It is specifically designed for production environments.

✓ Nice work

The LangChain Pandas agent uses a preconfigured set of functions and prompts, which saves time and effort.

2. How does the LangChain Pandas agent respond to user prompts? 1 / 1 point

- ◉ By generating Python code that interacts with the DataFrame.
- ○ By modifying the DataFrame schema.
- ○ By storing prompts for future use.
- ○ By converting prompts into SQL queries.

✓ Nice work

The LangChain Pandas agent generates Python code that directly interacts with the DataFrame based on user prompts.

3. Which parameter should be set to view the code generated by the LangChain Pandas agent? 1 / 1 point

- ○ Enable debug_mode.
- ○ Set verbose to False.
- ◉ Set return_intermediate_steps to True.
- ○ Set logging_level to high.

✓ Nice work

Setting return_intermediate_steps to True allows you to view the code generated by the LangChain Pandas agent.

4. What does the LangChain Pandas agent do when asked to plot data? 1 / 1 point

- ○ Modifies the DataFrame to include visualization code.
- ◉ Generates charts based on natural language prompts.
- ○ Requires manual coding to produce visualizations.
- ○ Creates SQL queries to visualize data.

✓ Nice work

The LangChain Pandas agent generates charts based on natural language prompts.

5. How do you specify a model ID when setting up the LangChain Pandas agent with IBM Watsonx.ai? 1 / 1 point

- ○ Directly modify the Pandas DataFrame schema.
- ○ Integrate a separate analytics tool for model ID specification.
- ◉ Include additional configuration settings such as generation tokens.
- ○ Use a SQL statement to define the model ID.

✓ Nice work

Specifying a model ID involves including additional configuration settings such as generation tokens.