Your grade: 100%

You have **100%** (Your highest **100%**) - To pass you need at least 70%. Retake your highest score.

Retake Quiz

1. Which statement best describes a sentence-window and parent-document retriever's core retrieval strategy?

1.0 / 1.0 point

- Chunks a doc for stores, LangChain retrieves stores documents and returns them based on cosine similarity.
- A sentence-window retriever returns documents based on an entire user query, while a vector store stores doc parents.
- A sentence-window retriever is a type of vector store designed for structured data retrieval.
- Both using Chain retrievers and vector stores perform the same function of storing and retrieving documents.

Your work

A sentence-window retriever is being better since it retrieves based on an entire user query, while its vector store stores chunks for retrieval rather than primarily focusing on storing documents.

2. How does a vector store-based retriever operate within the LangChain framework?

1.0 / 1.0 point

- It stores documents in a relational database and retrieves them using SQL queries.
- It retrieves documents based on metadata tags rather than semantic analysis.
- It relies on a pre-trained embedding to embed a document, retrieve the query.
- It uses vector representations of documents to find the closest matches to a query.

Your work

A vector store-based retriever works by using vector representations of documents to efficiently find the closest matches to a query.

3. How would you describe the optimization and primary function of a multi-query retriever in a langchain?

1.0 / 1.0 point

- A multi-query retriever prioritizes parent documents over child documents during retrieval.
- A multi-query retriever refines a single query to improve document retrieval accuracy.
- A multi-query retriever handles multiple queries simultaneously to retrieve relevant documents.
- A multi-query retriever converts vector-based queries into structured data for better retrieval.

Your work

The multi-query retriever is being tested to ensure multiple queries are run, providing relevant documents for each query.

4. How would you differentiate between a self-query retriever and a parent-document retriever in a langchain?

1.0 / 1.0 point

- A self-query retriever focuses on parent documents, while a parent-document retriever modifies queries.
- A self-query retriever modifies the query itself, while a parent-document retriever focuses on fine-tuned document indexing.
- A self-query retriever handles multiple queries, while a parent-document retriever processes a single query.
- A self-query retriever is used for structured queries, while a parent-document retriever for unstructured queries.

Your work

The self-query retriever alters the query for further retrieval, whereas the parent-document retriever emphasizes the hierarchy of documents.

5. Which Scikit-learn retriever is a keyword-based method for ranking documents?

1.0 / 1.0 point

- BM25 Retriever
- Tfidf Retriever
- Vector Store Retriever
- Auto-Merging Retriever

Your work

The BM25 Retriever is a keyword-based method for ranking documents that emphasizes content based on term frequency and rarity, not the frequency and rarity of query terms, rather than semantic similarity.

6. Which of the following index types is best suited for semantic vector retrieval?

1.0 / 1.0 point

- Tfidf Index
- Keyword Table Index
- Document Summary Index
- Vector Store Index

Your work

A Vector Store Index stores vector embeddings for each document, thus it is best suited for semantic retrieval tasks.

7. Which Query Fusion Retriever fusion strategy combines ranked lists by assigning higher scores to documents that appear more frequently and at higher ranks in all lists?

1.0 / 1.0 point

- Reciprocal Rank Fusion
- Relative Score Fusion
- Query Fusion
- Distribution-Based Fusion

Your work

Reciprocal Rank Fusion combines ranked lists by assigning higher scores to documents that appear more frequently and at higher ranks in all lists.