MEDICATION SAFETY SIGNAL MONITOR · HAND-IN R00

Style kit sample

Version 0.1, 5 November 2026: every element of a hand-in report, once

The question this report answers

What does a hand-in report look like, and which building blocks can an author use?

One-line answer

A cover, a plain summary, chapters that end with a gate, navy tables, labelled evidence, figures with a source line, and numbers that come from one file.

What this is	What this is not
• A style demonstration for the hand-in reports • A template to copy for R01 onwards • Built from `docs/11-handin/reports/src/R00-sample.py`	• A project result: the numbers are provisional placeholders • A replacement for the architecture note or the optimization log • Reviewed by a pharmacist

How to read this. Read chapter 1 for the summary. Chapter 2 shows each building block with a short explanation of when to use it. Every number is looked up from `numbers.json`; the table at the end lists them.

Contents	Page
01 · Summary in plain language	2
02 · The building blocks	3

01

Summary in plain language

The **Medication Safety Signal Monitor** helps a hospital pharmacy safety officer answer three morning questions: which drugs have side effects reported that the label does not mention, which drugs have an active recall, and what changed since yesterday. It runs on **Palantir Foundry** (a data platform where pipelines, a data model and apps live together).

In the current build, FAERS (the FDA's adverse event report database) gives 792,346 current cases, which become 373,522 drug-reaction rows for our drugs. From these, the pipeline produces 1,952 signals, of which 1,073 are ranked for review and 108 are marked *possibly in label*.

Morning question	What the screen shows	Count	Evidence
1. Side effects not on the label	Ranked signal queue, label passage next to the AI extraction	1,073 ranked	DERIVED
2. Active recalls	Recall status per drug, with the FDA enforcement report	126 of 900	OBSERVED
3. What changed	Change events since the last review	2,898 at first build	DERIVED

The trust rule

Every flag on the screen links back to its source: the FAERS query and report IDs, or the label set ID, version and section.

Gate: Summary is complete PLANNED

Required evidence: Each of the three questions has a count from `numbers.json` and a source.

Result: Met for this sample. The counts are provisional until the baseline gate.

If it fails: Do not hand in. Capture the missing number in Foundry SQL first.

02

The building blocks

Each block below has one job. Use the smallest block that does the job.

Evidence labels and status bands

Every claim carries a label that says what kind of claim it is. Labels can sit in a row, inside a sentence such as this one ASSUMED, or inside a table cell.

OBSERVED DERIVED ASSUMED DESIGNED

Label	Meaning
OBSERVED	Read directly from a public source (FAERS, DailyMed, openFDA, RxNorm), with the query that produced it.
DERIVED	Computed by our pipeline from observed data, for example a PRR or a count per drug and reaction.
ASSUMED	A choice we made where the data or the brief is silent. It could be wrong; the decision log says why.
DESIGNED	Designed and written down, but not built or run yet.
TESTED	Built, run, and checked against evidence.
PLANNED	On the plan; not built yet.
PROPOSED	Suggested; waiting for a decision.

TESTED	Incremental FAERS gives the same rows as a full rebuild (both directions checked).
PLANNED	Recall status and *changed since last review* on the Workshop screen.
PROPOSED	A pharmacist reviews the synonym table before the gold-set run.

Callouts

Note
Use a note for context the reader needs but could skip on a first read.

Watch out
Use *watch out* for a known limit, for example: FAERS counts reports, not patients, and reporting rises after media attention.

How we know
Use *how we know* to show the evidence behind a claim.

Example: the incremental and full builds were compared row by row with two `EXCEPT` queries; both returned zero rows.

Figures

Figures are PNG files from `docs/diagrams/png/` (decision D017: diagrams are files, never inline code). The helper scales the image to the page width, keeps its shape, and adds a numbered caption and a source line.




Figure 1. Data flow from public sources to the safety officer's screen (version 0).
Source: docs/diagrams/png/01-architecture-data-flow-v0.png (Mermaid source in docs/diagrams/src)

Code and lists

Short code blocks stay on one page:

```
SELECT drug_rxcui, meddra_pt, COUNT(*) AS n
FROM faers_drug_reaction
GROUP BY drug_rxcui, meddra_pt   -- one row per drug → reaction
```

- Bulleted lists for things without an order.
- Symbols such as →, ≥ and · are drawn by the registered font.

1. Numbered lists for steps.
2. The second step.
3. The third step.

> **Gate: Building blocks render** TESTED
> **Required evidence:** This PDF builds with no layout problems and every page was looked at.
> **Result:** Met: see the hand-in style kit README for what was checked.
> **If it fails:** Fix the style kit before writing R01.

Numbers used in this report

Every number in this report is looked up from `docs/11-handin/numbers.json` at build time. Source: Foundry SQL — to be filled at baseline gate. Captured: not captured yet.

Key	Value
`changes.events_first_build`	2,898
`faers.cases_current`	792,346
`faers.drug_reaction_rows`	373,522
`recalls.active`	126
`recalls.total`	900
`signals.possibly_in_label`	108
`signals.ranked`	1,073
`signals.total`	1,952