PACIFIC AURORA

Landing Page (/)

- APP DESC ON CENTER - 3D DESIGN ON BG
- THEME: SERENE AND TRANQUIL
- SIGN UP/ SIGN IN BUTTONS ON MIDDLE AND TOP RIGHT

Sign Up and Onboarding

Sign Up (/signup)

- EMAIL/PASSWORD
- OR
- CONTINUE WITH GOOGLE
- IF CHOSEN EMAIL / PASSWORD, USE SUPABASE TO VERIFY MAIL USING OTP
- THEN ASK FOR OTP, WITH 2 MINS EXPIRY TIME AND 2 MINS RESEND OTP COOLDOWN
- RESEND APPEARS AFTER THE TIMER FOR OLD OTP EXPIERS AND RESEND TRIGGERS THE SAME OTP GENERATOR
- AFTER VERIFYING OTP, REDIRECT TO ONBOARDING.
- REGISTRATION IS COMPLETE ONLY AFTER EMAIL VERIFICATION

After Registration (/onboarding)

- ENTER USERNAME (NOT UNIQUE)
- ENTER USERID (UNIQUE) -> REDIRECTION TO HOMEPAGE
- IF ONBOARDING IS INCOMPLETE (I.E, CLOSED TAB BEFORE ENTER USERNAME, CREATE A PROFILE INCOMPLETION FLAG AFTER REGISTRATION. ALLOW THE USER TO THE HOMEPAGE AFTER THE FLAG IS DOWN. THE FLAG IS RAISED IF THE USERID IS EMPTY.
- FLAGGED : REDIRECT TO ONBOARDING

Sign In and Forgot Password

Sign In (/signin)

- EMAIL/USERID
- PASSWORD
- OR
- CONTINUE WITH GOOGLE

Sign In Outcome

- IF ACCOUNT USERID :

- FOUND -> REDIRECT TO HOME PAGE
- NOT FOUND -> WITH ERROR POP UP INLINE “USER NOT FOUND, BUT DONT WORRY YOU CAN TRY AGAIN”, MAKE THE MESSAGE A BIT CALMER INSTEAD OF SCREAMING RED ERROR AND MAKING THE USER MAD, USE WHITE IF POSSIBLE

Forgot Password

- ENTER MAIL -> CHECK THE DB FOR A ACCOUNT WITH THAT MAIL.
- IF ACCOUNT FOUND -> SEND A OTP USING SUPABASE AUTH-> AFTER ENTERING VERIFY OTP, IF OTP MATCHES -> RESET PASSWORD -> AFTER ENTERED NEW PASSWORD -> REWRITE PASSWORD DETAILS ON THE DB AND LET THE USER IN.
- ASK FOR OTP, WITH 2 MINS EXPIRY TIME AND 2 MINS RESEND OTP COOLDOWN
- RESEND APPEARS AFTER THE TIMER FOR OLD OTP EXPIERS AND RESEND TRIGGERS THE SAME OTP GENERATOR
- OTP ACTS AS THE ENTRY TOKEN IN FORGOT PASSWORD AND THE DB UPDATES THE PASSWORD THEN LETS THE USER IN

Google Authentication

Google Sign Up

- CREATE A NEW ACCOUNT -> REDIRECT TO ONBOARDING BUT AUTO FILL IN THE USER NAME (BUT ALLOW EDITING) AND ASK THE USER FOR USERID
- PASSWORD NOT NEEDED FOR GOOGLE SIGN UP AS WE DO AUTH TOKEN FROM GOOGLE

Google Sign In

- IF ACCOUNT EXISTS -> CALL /ONBOARDING -> IF FLAG IS DOWN-> REDIRECT TO HOME PAGE
- IF USER HAS A ACCOUNT FROM MAIL/PASSWORD AND USED THAT SAME MAIL TO LOG IN VIA GOOGLE, DONT LET THEM IN. DISPLAY ACCOUNT EXISTS ALREADY. (THIS PREVENTS LOSS OF DATA BY MERGING THE ACCOUNTS)

Authorization

NEED STRONG AUTHORIZATION SUCH THAT ITS IMPOSSIBLE FOR A USER TO SEE ANOTHER USER’S WORK. IT SHOULD RETURN 404 IF A USER TRIES TO ACCESS ANOTHER DATA . EACH ROUTING FOR A BOOK AND A WORLD SHOULD BE DYNAMIC AND EXCLUSIVE TO THE USER.

Homepage (/home)

Left Navigation

- LEFT : VERTICAL NAVIGATION BAR WITH ONGOING BOOKS UNDER BOOK SECTION (EACH BOOK SEGMENTED), TITLED: “BOOKS” WITH A CREATE A NEW BOOK BUTTON
- ANOTHER “WORLDS” SECTION WITH A CREATE A NEW WORLD BUTTON, THE SECTION DISPLAYS EACH EXISTING WORLD.
- SCROLLABLE

- EACH ENTRY IN BOTH BOOKS AND WORLDS HAS A 3 DOTS BUTTON ON ITS RIGHT, UPON CLICKING IT SHOULD POP UP “EDIT NAME” AND “DELETE”
- DELETING A BOOK, WILL DELETE THE BOOK CONTENT WHILE KEEPING ALL ENTITIES IN WORLD UNTOUCHED, SHOULD ASK FOR CONFIRMATION, SPECIFYING ENTITIES WONT BE DELETED BUT TEXT DOES
- DELETING A WORLD, WILL DELETE ALL THE CONTENTS OF THE WORLD (ENTITIES, ITEMS ,ETC) AND ITS LINKED BOOKS, AND IT SHOULD ASK FOR CONFIRMATION SPECIFYING THE BOOKS WILL BE DELETED AS WELL
- LEFT BOTTOM ; SETTINGS ICON

Account Menu

- RIGHT TOP : A HEAD AND SHOULDER ICON TO SPECIFY USER ACCOUNT
- UPON CLICKING THE ICON : A RIGHT NAVIGATION MENU SHOULD APPEAR WITH HEAD AND SHOULDER ICON, USER NAME, USERID (UNDER USER NAME WITH SMALL SIZE) A EDIT PROFILE BUTTON
- ON THE BOTTOM OF THAT MENU : LOG OUT BUTTON, WHICH QUITS SESSION AND REDIRECTS TO LANDING PAGE

Middle : Current World Details

- IF NO WORLD IS CREATED (COUNT (WORLDS) == 0) : MESSAGE : “THE SCRATCHPAD IS EMPTY, LETS CREATE SOMETHING ON IT !” SHOULD BE DISPLAYED, IN A BLENDED INTO THEME MANNER. (SHOULD NOT DISPLAY IT AS A ERROR OR ANYTHING THAT MIGHT ANNOY THE USER,) WITH A BUTTON CREATE A NEW WORLD
- IF THERE ARE PRE EXISTING WORLDS : SHOW THE WORLD DETAILS OF THE MOST RECENTLY OPENED BOOK. (QUICK ACCESS WITH REDIRECTION)
- IF THERE NO BOOKS FOR THE PRE EXISTING WORLD, OPEN ITS WORLD PAGE INSTEAD
- WORLD DETAILS : (SECTION WISE, EACH COVERING ONE VERTICAL PORTION OF THE MIDDLE)
    - CHARACTERS SECTION
    - PLACES SECTION
    - ITEMS SECTION
    - CUSTOM SECTION (USER CAN CREATE ANY CLASS OF NEW SECTION, WHICH IS SHOWN AS A CREATE A NEW CUSTOM SECTION BUTTON WITH OCCUPYING SAME SPACE AS EVERYONE ELSE BUT IN A DOTTED LINE BOUNDARY WITH LOW OPACITY)
- MAX 4 SECTIONS AT A TIME IN THE HOME SCREEN (THE MOST RECENTLY ACCESSED (OPENED) ONES) AND AS MANY AS 10 CUSTOM SECTIONS
- IF THE USER CLICKS A ITEM, (EG, A CHARACTER FROM CHARACTERS) IT SHOULD OPEN THE LINKED BOOK AND THE WORLD SECTION OF THAT BOOK.
    - IF COUNT (BOOKS) > 1 FOR THAT WORLD, OPEN THE RECENTLY ACCESSED ONE.
- THIS WHOLE SECTION SHOULD FUNCTION LIKE A QUICK ACCESS MENU FOR THE ACTUAL ONES.

Worlds and Books

- EACH BOOK HAS TO BE CONNECTED TO A WORLD. WORLDS AND BOOKS ARE SEPARATE BUT INTERCONNECTED ENTITIES.
- UPON CREATING A BOOK, IT SHOULD PROMPT NEW WORLD OR A EXISTING WORLD.

Conceptual Works

A WORLD HAS TO EXIST FIRST BEFORE A BOOK. EACH BOOK HAS TO BE LINKED TO A WORLD BEFORE A BOOK RECORD IS CREATED BUT A WORLD RECORD CAN BE CREATED WITHOUT A BOOK. A WORLD CAN BE EMPTY WITH NO ENTITIES SUCH AS NO CHARACTERS ADDED YET ETC. ITS JUST NEED A WORLD RECORD FOR THE BOOK TO BE CREATED AND THE BOOK IS LINKED TO THAT WORLD RECORD. EACH WORLD CAN HAVE MULTIPLE BOOKS. (SAME UNIVERSE, DIFFERENT PARTS OF NOVELS ETC)

World Entities

Characters

- NAME
- AGE
- HEALTH
- DISTINCTIONS
- TRAITS
- MUTATIONS (BODY OR MIND CHANGES(TEXT))
- STATUS : ALIVE OR DEAD
- TIMELINE (A CHAPTER BY CHAPTER TIMELINE, IN WHICH THE USER CAN MAKE SELF IMPORTANT POINTS(TEXTS), SUCH AS DIED IN CHAPTER 2, RESURRECTED IN CHAPTER 6 ETC) (ITS PER BOOK)
- NOTES

Places

- NAME
- STATUS (BOOMING OR ABANDONED OR BURNED DOWN OR SOMTHING ELSE (WHICH LETS THE USER TYPE IN MANUALLY)
- LAST CHAPTER OCCURRENCE (WITH BOOK NAME, EG “BOOK1: CHAPTER5”).

Items

- NAME
- STATUS (FUNCTIONAL OR NON FUNCTIONAL OR SOMETHING ELSE (WHICH LETS THE USER TYPE IN MANUALLY))
- POWER (MANUAL DESCRIPTION)
- WIELDER (CAN SELECT FROM EXISTING CHARACTERS IN THE WORLD OR SOMEONE ELSE (WHICH LETS THE USER TYPE IN MANUALLY)).

Book Page (/dynamic-routing-for-books)

- WHEN THE USER CLICKS A BOOK FROM LEFT OR MIDDLE

- BOOK1 (/dynamic-routing-for-books):
- ON TOP A HORIZONTAL MENU : WRITER(DEFAULT),WORLD, RELATIONSHIPS, TIMELINE
- WHEN THE USER OPENS A BRAND NEW BOOK, IT SHOULD AUTOMATICALLY CREATE 1 chapter segment, IF AND ONLY IF COUNT (CHAPTERS) == 0. EVERY BOOK COMES WITH 1 CHAPTER LABELLED “INTRODUCTION”.

Writer (Default)

- FIRST: A TEXT EDITOR USING TIPTAP.

World

- WILL SHOWCASE THE ENTIRE WORLD SECTION LISTED ABOVE
- EACH ENTITY HAS A +NEW BUTTON TO CREATE A ITEM IN IT (WILL CREATE A NEW ITEM IN THAT ENTITY)
- UPON CLICKING + NEW IT OPENS THE RIGHT PANEL WITH THE DETAILS AS LISTED ABOVE
- EACH ITEM AND ENTITY HAS A TRASH BUTTON FOR DELETION, UPON CLICKING IT CREATES A POP UP SAYING ITS PERMANENT AND ARE YOU SURE YOU WANT TO DELETE IT ? WITH A NOT NOW AND DELETE BUTTONS
- IF A DELETED ITEM IS LINKED WITH ANOTHER ITEM (SUCH AS DELETING A CHARACTER WHO IS A WIELDER OF A ITEM) WILL REPLACE THE ITEM WITH NOTHING, NO WIELDER
- IF A CHARACTER IS DELETED, THEN THEIR TIMELINE IS DELETED AS WELL, (SHOULD APPEAR IN DELETION POP UP, SPECIFICALLY FOR CHARACTER DELETION ALONE)

Relationships

- RIGHT : CHARACTERS LIST
- UPON CLICKING A CHARACTER : IT CREATES A NODE WITH CHARACTER NAME IN THE LEFT SIDE WHICH IS A GRAPH WORKSPACE, CAN MOVE THE NODE AROUND, UPON HAVING 2 NODES, CLICK ONE NODE AND A CONNECTION EDGE WILL APPEAR TO CONNECT TO ANOTHER NODE. UPON CONNECTION, A CONNECTION POP UP APPEARS A SLIDER TO DETERMINE LOVE OR HATE (0 TO 100) AND A DROPDOWN BOX TO SPECIFY THAT RELATIONSHIP (PARTNER, FRIEND,TEAMMATE, FAMILY OR SOMETHING ELSE (WHICH LETS THE USER TYPE IN MANUALLY)
- WHEN YOU CLICK ON THE NODE, THERE’S A POP UP WITH A DELETE BUTTON TO REMOVE THAT NODE. WHICH REMOVES IT FROM THE GRAPH
- CONNECTION POP UP APPEARS EACH TIME THE CONNECTION EDGE IS CLICKED AND CAN BE DELETED LIKE THE NODE POP UP
- EACH RELATIONSHIPS ARE PER WORLD.
- IF A CHARACTER IS DELETED IN WORLD SECTION, THEIR NODES AND RELATIONSHIPS ARE DELETED AND EVERYTHING ELSE IF LEFT AS IT IS

Timeline

- SEGMENTED CHAPTER WISE
- AT TOP : CREATE A NEW CHAPTER BUTTON (WHICH CREATES A CHAPTER AND A UP-DOWN BUTTON TO SORT THE CHAPTER INTO PLACE)
- CLICKING EACH CHAPTER WILL OPEN UP THE SEGMENT WITH 2 BUTTONS : CLICK TO OPEN THE CHAPTER, ADD IMPORTANT POINTS.
- CLICK TO OPEN THE CHAPTER WILL LOAD THE CHAPTER INTO THE TIPTAP AND CREATE A NEW TAB WHILE THE OLD TAB STILL HAS THE PREVIOUS WRITTEN WORKS
- ADD IMPORTANT POINTS WILL OPEN UP A SMALL TEXT AREA WITHIN THE SAME PAGE TO ADD BULLET POINTS, ALL SENTENCES ONCE ENTERED WILL BE PRINTED AS BULLET POINTS
- AT THE BEGINNING FIRST CHAPTER SEGMENT IS “INTRODUCTION” WHICH CONTAINS EVERYTHING FROM FIRST PAGE TO PROLOGUE.
- EACH CHAPTER HAS A 3 DOTBUTTON ON ITS RIGHT TO EDIT NAME AND DELETE

World Page (/dynamic-routing-for-worlds)

- SHOULD DISPLAY THE WORLD DETAILS SUCH AS CHARACTERS, ITEMS, PLACES ETC. JUST LIKE THE HOME PAGE
- BUT SHOULD CONTAIN ALL THE ENTITIES INCLUDING ALL THE CUSTOM MADE ONES.
- THE UI IS SIMILAR TO THAT OF HOMEPAGE, EXCEPT ITS SCROLLABLE AND SHOWCASES ALL THE ENTITIES.
- CLICKING A ITEM SHOULD OPEN A RIGHT PANEL WITH ITS DETAILS (EG CLICKING A CHARACTER IN CHARACTERS LIST -> OPENS THE RIGHT PANEL-> SHOWS CHARACTER NAME AND THEIR DETAILS EDITABLE)
- SAME PROCESS FOR ALL ENTITIES
- AT THE TOP, HORIZONTALLY SHOULD DISPLAY THE CONNECTED BOOKS SECTION WITH THE BOOKS. A QUICK ACCESS LINK FOR THE BOOK, WHICH OPENS THE BOOK IN A NEW TAB
- DELETION OCCURS SAME AS THE BOOK’S WORLD SECTION
- CREATION PROCESS IS THE SAME AS BOOK’S WORLD SECTION

V2:

TEXT EDITOR:

- ADD MORE TEXT EDITING FEATURES SUCH AS FONTS, FONT SIZES. JUST LIKE MS WORD OR GOOGLE DOCS. AS MUCH AS WE COULD.
- DO RESEARCH ON WHAT WE NEED BEFORE STARTING IMPLEMENTATION

SETTINGS ICON :

- ADD A SETTINGS ICON ON THE BOTTON LEFT.
- UPON CLICKING THE ICON A SMALL WINDOW WITHIN THE SAME TAB SHOULD APPEAR.
- IN THAT WINDOW THERE ARE OPTIONS FOR THEME CHANGING

- THERE ARE 2 MODES. LIGHT MODE AND DARK MODE
- IMPLEMENT LIGHT MODE

AI - Assistant:

- UPON OPENING THE BOOK, THE USER CAN WRITE THEIR BOOK
- THE TEXT IS SENT TO THE AI UPON 500 WORDS(ONCE PER 500)
- THE REQUEST IS SENT WHEN THE USER STOPS TYPING (CHECKS IF THERE'S 500 WORDS AND IF SO SENDS THE REQUEST)
- CAN ONLY SEND 1 REQUEST PER 5 MINS
- THE AI RECEIVES A JSON STYLE FORMAT OF THE ENTITIES AND ITS ITEMS IN THE WORLD
- RELATIONSHIP GRAPHS ARE SENT AS VALUES (0 TO 100) WITH ITS NAME
- ONE REQUEST SENDS THE TEXT AND THE WORLD AND THE RELATIONSHIP AND ALL THE CHAPTER'S IMPORTANT POINTS AND ALL CHARACTER'S TIMELINE'S IMPORTANT POINTS. THE TEXT AS TEXT AND WORLD AND RELATIONSHIP AS JSON
- THE AI RETURNS RESPONSE AS JSON.
- THE AI READS THE TEXT AND SENDS A JSON FOR WHAT ENTITY AND ITS ITEM AND ITS VALUE ALONE.
- THE AI CAN SEND CHARACTER ENTRIES, AND OR ANY OTHER ENTITIES IN THE WORLD SECTION, CAN SEND IMPORTANT POINTS FOR CHAPTER TIMELINE (CAN UPDATE IN TIMELINE'S CHAPTER'S IMPORTANT POINTS AREA), CHARACTER TIMELINE (CAN UPDATE IN CHARACTER'S TIMELINE'S IMPORTANT AREA)
- THE FRONTEND SENDS A HTTP REQUEST WITH THE TEXT OF THE 500 WORDS AND THE JSON FORMAT OF THE WORLD'S ENTRIES AND RELATIONSHIP GRAPHS AND ALL CHAPTER'S IMPORTANT POINTS AND ALL CHARACTER'S IMPORTANT POINTS.
- THE BACKEND THEN SENDS THE REQUEST TO AI
- THE AI MODEL SENDS RESPONSE IN A JSON FORMAT
- THEN THE RESPONSE IS THEN ADDED AS A SUGGESTION CARDS ON THE RIGHT BOTTOM OF THE FRONTEND WRITER PANEL.
- THE CARD SHOULD HAVE ACCEPT, DECLINE BUTTON.
- DECLINE DISCARDS IT
- ACCEPT THEN ADDS A ENTRY IN THE RESPECTIVE SECTION. (EG,CHARACTER DETAILS ARE UPDATED IN THE CHARACTER ENTITY, NEW POINTS ARE ADDED TO CHARACTER'S TIMELINE IMPORTANT POINTS ETC)
- UNATTENDED CARDS CAN PILE UP UNTIL THE USER CLOSES THE BOOK OR TAB. IN WHICH THE CARDS ARE DISCARDED
- FOR DEVELOPMENT AND TESTING USE LOCAL LLM FROM OLLAMA USING OLLAMA SERVE
- DURING PROD CHANGE TO A CLOUD API PROVIDER (GROQ)
- THE CHANGE FROM OLLAMA TO API SHOULD BE ONLY THE URL
- WE USE OLLAMA SERVE AS API IN ENV VARS DURING DEVELOPMENT
- THEN REPLACE IT WITH API KEY AND URL BEFORE PROD
- THE IMPLEMENTATION SHOULD NOT CARE WHETHER ITS OLLAMA OR GROQ. IT SHOULD STAY THE SAME.
- IF THE USER JUST CREATED A BOOK AND ONLY WROTE A PARAGRAPH AND (< 500) AND IS WAITING BEFORE WRITING A POP SHOULD APPEAR ON THE AI SUGGESTIONS PANEL (THE WORD

LENGTH IS SMALL, KEEP WRITING !! AI WANTS MORE !!) LIKE A QUIRKY FUNNY MESSSAGE RATHER THAN ERROR SCREAMING.

- THE MESSAGE SHOULD BLEND IN WITH THE THEME